

Global School-Based Student Health Survey 2007

Ministry of Health

report_generated_on: January 2, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

IDN_2007_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2007

COUNTRY

Name	Country code
Indonesia	IDN

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first GSHS conducted by Indonesia.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-06-26

Scope

NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage plus subnational coverage for Java and Sumatra.

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2007 Indonesia GSHS was a school-based survey of students in Kelas 8 and 9. A two-stage cluster sample design was

used to produce data representative of all students in Kelas 8 and 9 in Indonesia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

National: The school response rate was 98%, the student response rate was 95%, and the overall response rate was 93%.

Java: The school response rate was 96%, the student response rate was 96%, and the overall response rate was 92%.

Sumatra: The school response rate was 100%, the student response rate was 95%, and the overall response rate was 95%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2007-11	2007-11

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_IDN_2007_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Amber Abernethie		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-06-26

DDI DOCUMENT VERSION

Identical to a metadata (IDN_2007_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
IOH2007_Public_Use National public-use dataset	3116	112
IOAH2007_public_use Java public-use dataset	1521	112
IOBH2007_public_use Sumatra public-use dataset	1595	112

Data file: IOH2007_Public_Use

National public-use dataset

Cases: 3116

variables: 112

variables

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade are you?
V4	Q4	How tall are you	How tall are you without your shoes on?
V5	Q5	How much do you weigh	How much do you weigh without your shoes on?
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V10	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V11	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V12	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V13	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V14	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V15	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V16	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V17	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V18	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V19	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V25	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V26	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V35	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V36	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V37	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V38	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V39	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V40	Q40	Ever had sex	Have you ever had sexual intercourse?
V41	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V42	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V43	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V44	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V45	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V46	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V47	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V48	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V49	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V50	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V51	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V52	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V53	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V54	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V55	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V56	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V57	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V58	QN9	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who did not clean or brush their teeth during the past 30 days
V59	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V60	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V61	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V62	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V63	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V64	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V65	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V66	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V67	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V68	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V69	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V70	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V71	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V72	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V73	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V74	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V75	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V76	QN27	No close friends	Percentage of students who have no close friends

ID	Name	Label	Question
V77	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V78	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V79	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V80	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V81	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V82	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V83	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V84	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V85	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V86	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V87	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V88	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V89	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V90	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V91	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V92	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V93	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V94	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V95	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V96	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V97	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V98	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V99	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V100	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V101	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V102	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V103	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V104	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V105	qnovwtg	Overweight	Percentage of students who are overweight
V106	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V107	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V108	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V109	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V110	weight	Weight	
V111	psu	Primary Sampling Unit	
V112	stratum	Stratum	

total: 112

Data file: IOAH2007_public_use

Java public-use dataset

Cases:	1521
variables:	112

variables

ID	Name	Label	Question
V113	Q1	How old are you	How old are you?
V114	Q2	Sex	What is your sex?
V115	Q3	In what grade are you	In what grade are you?
V116	Q4	How tall are you	How tall are you without your shoes on?
V117	Q5	How much do you weigh	How much do you weigh without your shoes on?
V118	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V119	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V120	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V121	Q9	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V122	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V123	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V124	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V125	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V126	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V127	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V128	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V129	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V130	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V131	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V132	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V133	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V134	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V135	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V136	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V137	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V138	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V139	Q27	Number close friends	How many close friends do you have?
V140	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V141	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V142	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V143	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V144	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V145	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V146	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V147	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V148	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V149	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V150	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V151	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V152	Q40	Ever had sex	Have you ever had sexual intercourse?
V153	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V154	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V155	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V156	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V157	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V158	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V159	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V160	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V161	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V162	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V163	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V164	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V165	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V166	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V167	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V168	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V169	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V170	QN9	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who did not clean or brush their teeth during the past 30 days
V171	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V172	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V173	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V174	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V175	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V176	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V177	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V178	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V179	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V180	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V181	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V182	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V183	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V184	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V185	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V186	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V187	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V188	QN27	No close friends	Percentage of students who have no close friends

ID	Name	Label	Question
V189	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V190	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V191	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V192	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V193	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V194	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V195	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V196	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V197	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V198	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V199	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V200	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V201	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V202	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V203	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V204	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V205	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V206	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V207	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V208	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V209	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V210	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V211	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V212	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V213	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V214	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V215	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V216	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V217	qnovwtg	Overweight	Percentage of students who are overweight
V218	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V219	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V220	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V221	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V222	weight	Weight	
V223	psu	Primary Sampling Unit	
V224	stratum	Stratum	

total: 112

Data file: IOBH2007_public_use

Sumatra public-use dataset

Cases:	1595
variables:	112

variables

ID	Name	Label	Question
V225	Q1	How old are you	How old are you?
V226	Q2	Sex	What is your sex?
V227	Q3	In what grade are you	In what grade are you?
V228	Q4	How tall are you	How tall are you without your shoes on?
V229	Q5	How much do you weigh	How much do you weigh without your shoes on?
V230	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V231	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V232	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V233	Q9	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V234	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V235	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V236	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V237	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V238	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V239	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V240	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V241	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V242	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V243	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V244	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V245	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V246	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V247	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V248	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?
V249	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?

ID	Name	Label	Question
V250	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V251	Q27	Number close friends	How many close friends do you have?
V252	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V253	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V254	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?
V255	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V256	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V257	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V258	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V259	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V260	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V261	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V262	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V263	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V264	Q40	Ever had sex	Have you ever had sexual intercourse?
V265	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V266	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V267	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V268	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V269	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V270	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V271	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V272	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V273	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V274	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V275	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V276	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V277	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?

ID	Name	Label	Question
V278	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V279	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V280	QN7	Ate fruit 1+ times per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V281	QN8	Ate vegetables 1+ times per day past 30 day	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V282	QN9	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who did not clean or brush their teeth during the past 30 days
V283	QN10	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V284	QN11	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V285	QN12	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V286	QN13	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V287	QN14	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V288	QN15	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V289	QN16	Playing sport caused most serious injury past 12mo	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V290	QN17	Falling caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V291	QN18	Accident caused most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V292	QN19	Broken bone as most serious injury past 12 months	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V293	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V294	QN21	Of students bullied, most often hit, kicked, etc	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V295	QN22	Lonely most times/always past 12 months	Percentage of students who felt lonely most of the time or always during the past 12 months
V296	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V297	QN24	Sad/Hopeless everyday 2+ weeks past 12 months	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V298	QN25	Considered suicide past 12 months	Percentage of students who seriously considered attempting suicide during the past 12 months
V299	QN26	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V300	QN27	No close friends	Percentage of students who have no close friends

ID	Name	Label	Question
V301	QN28	Of current smokers, age first cigarette before 13	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger
V302	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V303	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days
V304	QN31	Tried to quit smoking past 12 months	Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months
V305	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoking in their presence on one or more of the past seven days
V306	QN33	Either/Both parents use tobacco	Percentage of students who have a parent or guardian who uses any form of tobacco
V307	QN34	Drank 1+ days past 30 days	Percentage of students who drank alcohol on one or more of the past 30 days
V308	QN35	Of current drinkers, drank 2+ drinks/day 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V309	QN36	Of current drinkers, bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V310	QN37	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V311	QN38	Alcohol trouble 1+ times in lifetime	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V312	QN39	Used drugs 1+ times in lifetime	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V313	QN40	Ever had sex	Percentage of students who have ever had sexual intercourse
V314	QN41	Age first sexual intercourse 12 or younger	Percentage of students who had sexual intercourse for the first time before age 13
V315	QN42	2+ sex partners lifetime	Percentage of students who have had sexual intercourse with two or more people during their life time
V316	QN43	Sexual intercourse past 12 months	Percentage of students who had sexual intercourse during the past 12 months
V317	QN44	Of sexually active 12 mos, use condoms at last sex	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V318	QN45	Active 60+ mins/day for all of past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V319	QN46	Active 60+ min/day all 7 days of usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V320	QN47	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V321	QN48	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V322	QN49	Less than 29 minutes to/from school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V323	QN50	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V324	QN51	Students never/rarely kind/helpful past 30 days	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

ID	Name	Label	Question
V325	QN52	Parents never/rarely check homework past 30 days	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V326	QN53	Parents never/rarely understand problems past 30	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V327	QN54	Parents never/rarely know about free time past 30	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V328	qnrovwtg	At risk for becoming overweight	Percentage of students at risk for becoming overweight
V329	qnovwtg	Overweight	Percentage of students who are overweight
V330	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V331	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days of the past 30 days
V332	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V333	qnwkrdg	Walked/biked <2.5 hrs 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V334	weight	Weight	
V335	psu	Primary Sampling Unit	
V336	stratum	Stratum	

total: 112

Q1: How old are you**Data file:** IOH2007_Public_Use**Overview**

Valid: 3110 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	12	0.4%
2	12 years old	155	5%
3	13 years old	1072	34.5%
4	14 years old	1253	40.3%
5	15 years old	542	17.4%
6	16 years old or older	76	2.4%
Sysmiss		6	

Q10: Wash hands before eating past 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3102 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	20	0.6%
2	Rarely	116	3.7%
3	Sometimes	484	15.6%
4	Most of the time	806	26%
5	Always	1676	54%
Sysmiss		14	

Q2: Sex**Data file: IOH2007_Public_Use****Overview**

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1479	47.7%
2	Female	1624	52.3%
Sysmiss		13	

Q3: In what grade are you**Data file: IOH2007_Public_Use****Overview**

Valid: 3094 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade are you?

CATEGORIES

Value	Category	Cases	
1	Kelas 7	11	0.4%
2	Kelas 8	1725	55.8%
3	Kelas 9	1358	43.9%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		22	

Q4: How tall are you**Data file: IOH2007_Public_Use**

Overview

Valid: 2343 Invalid: 773 Minimum: 1.27 Maximum: 1.87
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on?

description

DEFINITION

(Note:
Data are in meters.)

■ Q5: How much do you weigh

Data file: IOH2007_Public_Use

Overview

Valid: 2343 Invalid: 773 Minimum: 27 Maximum: 140
 Type: Continuous Decimal: 0 Width: 6 Range: 27 - 140 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on?

description

DEFINITION

(Note: Data are in kilograms.)

■ Q6: Went hungry past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3112 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1140	36.6%
2	Rarely	836	26.9%
3	Sometimes	939	30.2%
4	Most of the time	155	5%
5	Always	42	1.3%
Sysmiss		4	

Q7: Eat fruit per day past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	235	7.6%
2	Less than one time per day	772	24.9%
3	1 time per day	924	29.8%
4	2 times per day	624	20.1%
5	3 times per day	308	9.9%
6	4 times per day	82	2.6%
7	5 or more times per day	158	5.1%
Sysmiss		13	

Q8: Eat vegetables past 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3088 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	79	2.6%
2	Less than one time per day	431	14%
3	1 time per day	737	23.9%
4	2 times per day	910	29.5%
5	3 times per day	701	22.7%
6	4 times per day	85	2.8%
7	5 or more times per day	145	4.7%
Sysmiss		28	

Q9: How many times per day brush teeth**Data file:** IOH2007_Public_Use**Overview**

Valid: 3110 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	7	0.2%
2	Less than 1 time per day	93	3%
3	1 time per day	309	9.9%

4	2 times per day	1518	48.8%
5	3 times per day	1061	34.1%
6	4 or more times per day	122	3.9%
Sysmiss		6	

Q11: Wash hands after toilet past 30 day

Data file: IOH2007_Public_Use

Overview

Valid: 3107 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	32	1%
2	Rarely	65	2.1%
3	Sometimes	282	9.1%
4	Most of the time	730	23.5%
5	Always	1998	64.3%
Sysmiss		9	

Q12: Used soap on hands past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3114 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	57	1.8%
2	Rarely	252	8.1%
3	Sometimes	768	24.7%
4	Most of the time	941	30.2%
5	Always	1096	35.2%
Sysmiss		2	

Q13: Times attacked past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 3092 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1831	59.2%
2	1 time	441	14.3%
3	2 or 3 times	469	15.2%
4	4 or 5 times	165	5.3%
5	6 or 7 times	45	1.5%
6	8 or 9 times	29	0.9%
7	10 or 11 times	20	0.6%
8	12 or more times	92	3%
Sysmiss		24	

Q14: How many times in fight 12 mos

Data file: IOH2007_Public_Use

Overview

Valid: 3090 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1947	63%
2	1 time	517	16.7%
3	2 or 3 times	372	12%
4	4 or 5 times	128	4.1%
5	6 or 7 times	41	1.3%
6	8 or 9 times	13	0.4%
7	10 or 11 times	10	0.3%
8	12 or more times	62	2%
Sysmiss		26	

Q15: How many times injured past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 2707 Invalid: 409

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1457	53.8%
2	1 time	723	26.7%

3	2 or 3 times	357	13.2%
4	4 or 5 times	84	3.1%
5	6 or 7 times	25	0.9%
6	8 or 9 times	14	0.5%
7	10 or 11 times	9	0.3%
8	12 or more times	38	1.4%
Sysmiss		409	

Q16: Doing what during injury past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 2924 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1761	60.2%
2	Playing a sport	298	10.2%
3	Walking/running	172	5.9%
4	Riding a bicycle or scooter	80	2.7%
5	Riding/driving motor vehicle	85	2.9%
6	Doing work	93	3.2%
7	Nothing	293	10%
8	Something else	142	4.9%
Sysmiss		192	

Q17: Cause of injury past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 2864 Invalid: 252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1702	59.4%
2	Motor vehicle accident	204	7.1%
3	I fell	494	17.2%
4	Something fell on me or hit me	89	3.1%
5	I was fighting with someone	41	1.4%
6	Attacked or assaulted	37	1.3%
7	Was in a fire	19	0.7%
8	Something else	278	9.7%
Sysmiss		252	

Q18: How injury happened past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 2882 Invalid: 234

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1765	61.2%
2	I hurt myself by accident	623	21.6%
3	Someone hurt me by accident	387	13.4%
4	I hurt myself on purpose	25	0.9%
5	Someone hurt me on purpose	82	2.8%

Sysmiss		234	
---------	--	-----	--

Q19: What was serious injury past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 2873 Invalid: 243

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1766	61.5%
2	Broken bone/dislocated joint	430	15%
3	Cut, puncture, stab wound	118	4.1%
4	Concussion/head injury	47	1.6%
5	I had a gunshot wound	10	0.3%
6	I had a bad burn	39	1.4%
7	Lost foot, leg, hand, or arm	16	0.6%
8	Something else happened to me	447	15.6%
Sysmiss		243	

Q20: How many days bullied past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 2694 Invalid: 422

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1339	49.7%
2	1 or 2 days	797	29.6%
3	3 to 5 days	286	10.6%
4	6 to 9 days	122	4.5%
5	10 to 19 days	72	2.7%
6	20 to 29 days	10	0.4%
7	All 30 days	68	2.5%
Sysmiss		422	

Q21: How bullied past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 2702 Invalid: 414

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1342	49.7%
2	Kicked, pushed, or shoved	131	4.8%
3	Made fun because of race/color	156	5.8%
4	Made fun because of religion	29	1.1%
5	Made fun of about sex	125	4.6%
6	Left out of activities	124	4.6%
7	Made fun of about body	238	8.8%
8	Some other way	557	20.6%
Sysmiss		414	

Q22: Times felt lonely past 12 mo.**Data file:** IOH2007_Public_Use**Overview**

Valid: 3095 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	809	26.1%
2	Rarely	859	27.8%
3	Sometimes	1153	37.3%
4	Most of the time	235	7.6%
5	Always	39	1.3%
Sysmiss		21	

Q23: Times could not sleep past 12 mo.**Data file:** IOH2007_Public_Use**Overview**

Valid: 3100 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	911	29.4%
2	Rarely	995	32.1%
3	Sometimes	951	30.7%
4	Most of the time	225	7.3%
5	Always	18	0.6%

Sysmiss		16	
---------	--	----	--

Q24: Sad and hopeless past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

CATEGORIES

Value	Category	Cases	
1	Yes	695	22.4%
2	No	2408	77.6%
Sysmiss		13	

Q25: Ever considered suicide 12 mos

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	147	4.7%
2	No	2956	95.3%
Sysmiss		13	

Q26: Ever make suicide plan 12 mos**Data file:** IOH2007_Public_Use**Overview**

Valid: 3081 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	113	3.7%
2	No	2968	96.3%
Sysmiss		35	

Q27: Number close friends**Data file:** IOH2007_Public_Use**Overview**

Valid: 3098 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	46	1.5%
2	1	180	5.8%
3	2	253	8.2%
4	3 or more	2619	84.5%
Sysmiss		18	

Q28: Age first tried cigarette**Data file:** IOH2007_Public_Use**Overview**

Valid: 2977 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2468	82.9%
2	7 years old or younger	41	1.4%
3	8 or 9 years old	57	1.9%
4	10 or 11 years old	95	3.2%
5	12 or 13 years old	194	6.5%
6	14 or 15 years old	121	4.1%
7	16 years old or older	1	0%
Sysmiss		139	

Q29: How many days smoked 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 2991 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2695	90.1%

2	1 or 2 days	167	5.6%
3	3 to 5 days	41	1.4%
4	6 to 9 days	29	1%
5	10 to 19 days	28	0.9%
6	20 to 29 days	7	0.2%
7	All 30 days	24	0.8%
Sysmiss		125	

Q30: Other tobacco past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3107 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2977	95.8%
2	1 or 2 days	96	3.1%
3	3 to 5 days	19	0.6%
4	6 to 9 days	5	0.2%
5	10 to 19 days	3	0.1%
6	20 to 29 days	0	0%
7	All 30 days	7	0.2%
Sysmiss		9	

Q31: Try stop smoking past 12 mo.

Data file: IOH2007_Public_Use

Overview

Valid: 2912 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2421	83.1%
2	Did not smoke cigarettes	103	3.5%
3	Yes	328	11.3%
4	No	60	2.1%
Sysmiss		204	

Q32: Others present smoking past 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3095 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	486	15.7%
2	1 or 2 days	764	24.7%
3	3 or 4 days	451	14.6%
4	5 or 6 days	202	6.5%
5	All 7 days	1192	38.5%
Sysmiss		21	

Q33: Parents who use tobacco

Data file: IOH2007_Public_Use

Overview

Valid: 3109 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	870	28%
2	My father or male guardian	1928	62%
3	My mother or female guardian	39	1.3%
4	Both	94	3%
5	I do not know	178	5.7%
Sysmiss		7	

Q34: Days one drink or more past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3014 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2931	97.2%
2	1 or 2 days	64	2.1%
3	3 to 5 days	12	0.4%
4	6 to 9 days	1	0%
5	10 to 19 days	2	0.1%
6	20 to 29 days	1	0%

7	All 30 days	3	0.1%
Sysmiss		102	

Q35: Number of drinks past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3000 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2909	97%
2	Less than one drink	53	1.8%
3	1 drink	21	0.7%
4	2 drinks	6	0.2%
5	3 drinks	4	0.1%
6	4 drinks	2	0.1%
7	5 or more drinks	5	0.2%
Sysmiss		116	

Q36: How got drinks past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 2999 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2916	97.2%
2	I bought in a store	15	0.5%
3	I gave someone money to buy	11	0.4%
4	I got it from my friends	34	1.1%
5	I got it from home	13	0.4%
6	I stole it	1	0%
7	I made it myself	0	0%
8	I got it some other way	9	0.3%
Sysmiss		117	

Q37: Times drunk during life**Data file:** IOH2007_Public_Use**Overview**

Valid: 3112 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3038	97.6%
2	1 or 2 times	51	1.6%
3	3 to 9 times	19	0.6%
4	10 or more times	4	0.1%
Sysmiss		4	

Q38: Number of troubles as result of drinking**Data file:** IOH2007_Public_Use**Overview**

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3042	98%
2	1 or 2 times	52	1.7%
3	3 to 9 times	3	0.1%
4	10 or more times	6	0.2%
Sysmiss		13	

Q39: Number times drug use during life

Data file: IOH2007_Public_Use

Overview

Valid: 3111 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about drugs.

LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 times	3095	99.5%
2	1 or 2 times	12	0.4%
3	3 to 9 times	1	0%
4	10 or more times	3	0.1%
Sysmiss		5	

Q40: Ever had sex

Data file: IOH2007_Public_Use

Overview

Valid: 3067 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	18	0.6%
2	No	3049	99.4%
Sysmiss		49	

Q41: Age first sexual intercourse

Data file: IOH2007_Public_Use

Overview

Valid: 3068 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3038	99%
2	11 years old or younger	10	0.3%
3	12 years old	4	0.1%
4	13 years old	6	0.2%
5	14 years old	7	0.2%
6	15 years old	2	0.1%
7	16 years old or older	1	0%
Sysmiss		48	

Q42: How many sex partners**Data file:** IOH2007_Public_Use**Overview**

Valid: 3075 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3012	98%
2	1 person	45	1.5%
3	2 people	6	0.2%
4	3 people	3	0.1%
5	4 people	3	0.1%
6	5 people	0	0%
7	6 or more people	6	0.2%
Sysmiss		41	

Q43: Sexual intercourse past 12 mo.**Data file:** IOH2007_Public_Use**Overview**

Valid: 3108 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	160	5.1%
2	No	2948	94.9%
Sysmiss		8	

Q44: Used condom at last intercourse**Data file:** IOH2007_Public_Use**Overview**

Valid: 3067 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2895	94.4%
2	Yes	26	0.8%
3	No	146	4.8%
Sysmiss		49	

Q45: Days active 60 min plus past 7 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3101 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	553	17.8%
2	1 day	877	28.3%
3	2 days	464	15%

4	3 days	345	11.1%
5	4 days	141	4.5%
6	5 days	103	3.3%
7	6 days	125	4%
8	7 days	493	15.9%
Sysmiss		15	

Q46: Active 60 min plus per day usual week

Data file: IOH2007_Public_Use

Overview

Valid: 3097 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	550	17.8%
2	1 day	866	28%
3	2 days	481	15.5%
4	3 days	359	11.6%
5	4 days	167	5.4%
6	5 days	126	4.1%
7	6 days	123	4%
8	7 days	425	13.7%
Sysmiss		19	

Q47: Time spent sitting on usual day

Data file: IOH2007_Public_Use

Overview

Valid: 3082 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	803	26.1%
2	1 to 2 hours per day	1296	42.1%
3	3 to 4 hours per day	618	20.1%
4	5 to 6 hours per day	240	7.8%
5	7 to 8 hours per day	41	1.3%
6	More than 8 hours per day	84	2.7%
Sysmiss		34	

Q48: Walk or bike to school past 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3104 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1332	42.9%
2	1 day	204	6.6%
3	2 days	123	4%
4	3 days	82	2.6%
5	4 days	56	1.8%
6	5 days	61	2%
7	6 days	474	15.3%
8	7 days	772	24.9%

Sysmiss		12	
---------	--	----	--

Q49: How long to from school past 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3087 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	716	23.2%
2	10 to 19 minutes per day	916	29.7%
3	20 to 29 minutes per day	516	16.7%
4	30 to 39 minutes per day	437	14.2%
5	40 to 49 minutes per day	119	3.9%
6	50 to 59 minutes per day	121	3.9%
7	60 or more minutes per day	262	8.5%
Sysmiss		29	

Q50: Miss school no permission past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3071 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	2057	67%
2	1 or 2 days	764	24.9%
3	3 to 5 days	154	5%
4	6 to 9 days	50	1.6%
5	10 or more days	46	1.5%
Sysmiss		45	

Q51: Others helpful in school past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3104 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	140	4.5%
2	Rarely	572	18.4%
3	Sometimes	1153	37.1%
4	Most of the time	887	28.6%
5	Always	352	11.3%
Sysmiss		12	

Q52: Parents check homework past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3107 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	540	17.4%
2	Rarely	626	20.1%
3	Sometimes	896	28.8%
4	Most of the time	644	20.7%
5	Always	401	12.9%
Sysmiss		9	

Q53: Parent understand troubles past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3087 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	472	15.3%
2	Rarely	641	20.8%
3	Sometimes	875	28.3%
4	Most of the time	638	20.7%
5	Always	461	14.9%
Sysmiss		29	

Q54: Parent know what you do past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3078 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	365	11.9%
2	Rarely	500	16.2%
3	Sometimes	828	26.9%
4	Most of the time	782	25.4%
5	Always	603	19.6%
Sysmiss		38	

QN6: Went hungry most of time/always past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3112 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

CATEGORIES

Value	Category	Cases	
1	Yes	197	6.3%
2	No	2915	93.7%
Sysmiss		4	

QN7: Ate fruit 1+ times per day past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	2096	67.5%
2	No	1007	32.5%
Sysmiss		13	

QN8: Ate vegetables 1+ times per day past 30 day

Data file: IOH2007_Public_Use

Overview

Valid: 3088 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	2578	83.5%
2	No	510	16.5%
Sysmiss		28	

QN9: Cleaned/brushed teeth <1 time/day past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3110 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not clean or brush their teeth during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	100	3.2%
2	No	3010	96.8%
Sysmiss		6	

QN10: Never/rarely wash hands before eating past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3102 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	136	4.4%
2	No	2966	95.6%
Sysmiss		14	

QN11: Never/rarely wash hands after toilet past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3107 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	97	3.1%
2	No	3010	96.9%
Sysmiss		9	

QN12: Never/rarely use soap on hands past 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3114 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	309	9.9%
2	No	2805	90.1%
Sysmiss		2	

QN13: Attacked 1+ times past 12 months**Data file:** IOH2007_Public_Use**Overview**

Valid: 3092 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	1261	40.8%
2	No	1831	59.2%
Sysmiss		24	

QN14: In fight 1+ times past 12 months**Data file:** IOH2007_Public_Use**Overview**

Valid: 3090 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	1143	37%
2	No	1947	63%
Sysmiss		26	

QN15: Seriously injured 1+ times past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 2707 Invalid: 409

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	1250	46.2%
2	No	1457	53.8%
Sysmiss		409	

QN16: Playing sport caused most serious injury past 12mo

Data file: IOH2007_Public_Use

Overview

Valid: 1243 Invalid: 1873

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	298	24%
2	No	945	76%
Sysmiss		1873	

QN17: Falling caused most serious injury past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 1242 Invalid: 1874

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

CATEGORIES

Value	Category	Cases	
1	Yes	492	39.6%
2	No	750	60.4%
Sysmiss		1874	

QN18: Accident caused most serious injury past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 1236 Invalid: 1880

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

CATEGORIES

Value	Category	Cases	
1	Yes	620	50.2%
2	No	616	49.8%
Sysmiss		1880	

QN19: Broken bone as most serious injury past 12 months**Data file:** IOH2007_Public_Use**Overview**

Valid: 1242 Invalid: 1874

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

CATEGORIES

Value	Category	Cases	
1	Yes	428	34.5%
2	No	814	65.5%
Sysmiss		1874	

QN20: Bullied 1+ of past 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 2694 Invalid: 422

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1355	50.3%
2	No	1339	49.7%
Sysmiss		422	

QN21: Of students bullied, most often hit, kicked, etc**Data file:** IOH2007_Public_Use**Overview**

Valid: 1342 Invalid: 1774

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	122	9.1%
2	No	1220	90.9%
Sysmiss		1774	

QN22: Lonely most times/always past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 3095 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	274	8.9%
2	No	2821	91.1%
Sysmiss		21	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: IOH2007_Public_Use

Overview

Valid: 3100 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	243	7.8%
2	No	2857	92.2%
Sysmiss		16	

QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	695	22.4%
2	No	2408	77.6%
Sysmiss		13	

QN25: Considered suicide past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	147	4.7%
2	No	2956	95.3%
Sysmiss		13	

QN26: Made suicide plan past 12 months**Data file:** IOH2007_Public_Use**Overview**

Valid: 3081 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	113	3.7%
2	No	2968	96.3%
Sysmiss		35	

QN27: No close friends**Data file:** IOH2007_Public_Use**Overview**

Valid: 3098 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	46	1.5%
2	No	3052	98.5%
Sysmiss		18	

QN28: Of current smokers, age first cigarette before 13**Data file:** IOH2007_Public_Use**Overview**

Valid: 290 Invalid: 2826

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

CATEGORIES

Value	Category	Cases	
1	Yes	205	70.7%
2	No	85	29.3%
Sysmiss		2826	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 2991 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	296	9.9%
2	No	2695	90.1%
Sysmiss		125	

QN30: Used other tobacco 1+ of past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3107 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	130	4.2%
2	No	2977	95.8%
Sysmiss		9	

QN31: Tried to quit smoking past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 388 Invalid: 2728

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	328	84.5%
2	No	60	15.5%
Sysmiss		2728	

QN32: Others present smoking 1+ of past 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3095 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	2609	84.3%
2	No	486	15.7%
Sysmiss		21	

QN33: Either/Both parents use tobacco**Data file:** IOH2007_Public_Use**Overview**

Valid: 3109 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	2061	66.3%
2	No	1048	33.7%
Sysmiss		7	

QN34: Drank 1+ days past 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3014 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	83	2.8%
2	No	2931	97.2%
Sysmiss		102	

QN35: Of current drinkers, drank 2+ drinks/day 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 83 Invalid: 3033

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	17	20.5%
2	No	66	79.5%
Sysmiss		3033	

QN36: Of current drinkers, bought alcohol in store

Data file: IOH2007_Public_Use

Overview

Valid: 83 Invalid: 3033

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	15	18.1%
2	No	68	81.9%
Sysmiss		3033	

QN37: 1+ times drunk in lifetime

Data file: IOH2007_Public_Use

Overview

Valid: 3112 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	74	2.4%
2	No	3038	97.6%
Sysmiss		4	

QN38: Alcohol trouble 1+ times in lifetime

Data file: IOH2007_Public_Use

Overview

Valid: 3103 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	61	2%
2	No	3042	98%
Sysmiss		13	

QN39: Used drugs 1+ times in lifetime

Data file: IOH2007_Public_Use

Overview

Valid: 3111 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	16	0.5%
2	No	3095	99.5%
Sysmiss		5	

QN40: Ever had sex**Data file:** IOH2007_Public_Use**Overview**

Valid: 3067 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	18	0.6%
2	No	3049	99.4%
Sysmiss		49	

QN41: Age first sexual intercourse 12 or younger**Data file:** IOH2007_Public_Use**Overview**

Valid: 3068 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	14	0.5%
2	No	3054	99.5%
Sysmiss		48	

QN51: Students never/rarely kind/helpful past 30 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3104 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	712	22.9%
2	No	2392	77.1%
Sysmiss		12	

QN42: 2+ sex partners lifetime

Data file: IOH2007_Public_Use

Overview

Valid: 3075 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	18	0.6%
2	No	3057	99.4%
Sysmiss		41	

QN43: Sexual intercourse past 12 months

Data file: IOH2007_Public_Use

Overview

Valid: 3108 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	160	5.1%
2	No	2948	94.9%
Sysmiss		8	

QN44: Of sexually active 12 mos, use condoms at last sex

Data file: IOH2007_Public_Use

Overview

Valid: 22 Invalid: 3094

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	6	27.3%
2	No	16	72.7%
Sysmiss		3094	

QN45: Active 60+ mins/day for all of past 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3101 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	493	15.9%
2	No	2608	84.1%
Sysmiss		15	

QN46: Active 60+ min/day all 7 days of usual week**Data file:** IOH2007_Public_Use**Overview**

Valid: 3097 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

CATEGORIES

Value	Category	Cases	
1	Yes	425	13.7%
2	No	2672	86.3%
Sysmiss		19	

QN47: Sitting activities 3+ hours/day of usual day**Data file:** IOH2007_Public_Use**Overview**

Valid: 3082 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

CATEGORIES

Value	Category	Cases	
1	Yes	983	31.9%
2	No	2099	68.1%
Sysmiss		34	

QN48: Walk/Bike to/from school 0 of past 7 days**Data file:** IOH2007_Public_Use**Overview**

Valid: 3104 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1332	42.9%
2	No	1772	57.1%
Sysmiss		12	

QN49: Less than 29 minutes to/from school past 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3087 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	2148	69.6%
2	No	939	30.4%
Sysmiss		29	

QN50: Miss school no permission 1+ of past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3071 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1014	33%
2	No	2057	67%
Sysmiss		45	

QN52: Parents never/rarely check homework past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3107 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1166	37.5%
2	No	1941	62.5%
Sysmiss		9	

QN53: Parents never/rarely understand problems past 30

Data file: IOH2007_Public_Use

Overview

Valid: 3087 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1113	36.1%
2	No	1974	63.9%
Sysmiss		29	

QN54: Parents never/rarely know about free time past 30**Data file:** IOH2007_Public_Use**Overview**

Valid: 3078 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	865	28.1%
2	No	2213	71.9%
Sysmiss		38	

QNROVWTG: At risk for becoming overweight**Data file:** IOH2007_Public_Use**Overview**

Valid: 2343 Invalid: 773

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students at risk for becoming overweight

CATEGORIES

Value	Category	Cases	
1	Yes	168	7.2%
2	No	2175	92.8%
Sysmiss		773	

QNOVWTG: Overweight**Data file:** IOH2007_Public_Use**Overview**

Valid: 2343 Invalid: 773

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are overweight

CATEGORIES

Value	Category	Cases	
1	Yes	41	1.7%
2	No	2302	98.3%
Sysmiss		773	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 3082 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	765	24.8%
2	No	2317	75.2%
Sysmiss		34	

QNANYTBG: Used any tobacco past 30 days

Data file: IOH2007_Public_Use

Overview

Valid: 2986 Invalid: 130

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	339	11.4%
2	No	2647	88.6%
Sysmiss		130	

QNMINPAG: Exercised 60 min/day <=5 days

Data file: IOH2007_Public_Use

Overview

Valid: 3092 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
1	Yes	2471	79.9%
2	No	621	20.1%
Sysmiss		24	

QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: IOH2007_Public_Use

Overview

Valid: 3079 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	2372	77%
2	No	707	23%
Sysmiss		37	

WEIGHT: Weight**Data file: IOH2007_Public_Use****Overview**

Valid: 3116 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 420.6593 - 1924.356 Format: Numeric Weighted: yes

PSU: Primary Sampling Unit**Data file: IOH2007_Public_Use****Overview**

Valid: 3116 Invalid: 0

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 25 Format: Numeric

STRATUM: Stratum**Data file: IOH2007_Public_Use****Overview**

Valid: 3116 Invalid: 0

Type: Continuous Decimal: 0 Width: 9 Range: 200701001 - 200702012 Format: Numeric

Q1: How old are you**Data file:** IOAH2007_public_use**Overview**

Valid: 1520 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	3	0.2%
2	12 years old	40	2.6%
3	13 years old	448	29.5%
4	14 years old	649	42.7%
5	15 years old	340	22.4%
6	16 years old or older	40	2.6%
Sysmiss		1	

Q2: Sex**Data file:** IOAH2007_public_use**Overview**

Valid: 1510 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	684	45.3%
2	Female	826	54.7%
Sysmiss		11	

Q3: In what grade are you**Data file:** IOAH2007_public_use

Overview

Valid: 1509 Invalid: 12
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade are you?

CATEGORIES

Value	Category	Cases	
1	Kelas 7	4	0.3%
2	Kelas 8	755	50%
3	Kelas 9	750	49.7%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		12	

Q4: How tall are you

Data file: IOAH2007_public_use

Overview

Valid: 1215 Invalid: 306 Minimum: 1.27 Maximum: 1.87
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on?

description

DEFINITION

(Note:
 Data are in meters.)

Q5: How much do you weigh

Data file: IOAH2007_public_use

Overview

Valid: 1215 Invalid: 306 Minimum: 28 Maximum: 98
 Type: Continuous Decimal: 0 Width: 6 Range: 27 - 140 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on?

description

DEFINITION

(Note: Data are in kilograms.)

Q6: Went hungry past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1519 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	544	35.8%
2	Rarely	405	26.7%
3	Sometimes	499	32.9%
4	Most of the time	56	3.7%
5	Always	15	1%
Sysmiss		2	

Q7: Eat fruit per day past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	77	5.1%
2	Less than one time per day	334	22%
3	1 time per day	507	33.5%
4	2 times per day	332	21.9%
5	3 times per day	165	10.9%
6	4 times per day	31	2%
7	5 or more times per day	69	4.6%
Sysmiss		6	

Q8: Eat vegetables past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1505 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	35	2.3%
2	Less than one time per day	212	14.1%
3	1 time per day	379	25.2%
4	2 times per day	436	29%
5	3 times per day	344	22.9%
6	4 times per day	44	2.9%
7	5 or more times per day	55	3.7%
Sysmiss		16	

Q9: How many times per day brush teeth**Data file:** IOAH2007_public_use**Overview**

Valid: 1517 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	1	0.1%
2	Less than 1 time per day	27	1.8%
3	1 time per day	107	7.1%
4	2 times per day	740	48.8%
5	3 times per day	582	38.4%
6	4 or more times per day	60	4%
Sysmiss		4	

Q10: Wash hands before eating past 30 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	4	0.3%
2	Rarely	58	3.8%

3	Sometimes	279	18.4%
4	Most of the time	385	25.4%
5	Always	787	52%
Sysmiss		8	

Q11: Wash hands after toilet past 30 day

Data file: IOAH2007_public_use

Overview

Valid: 1516 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	9	0.6%
2	Rarely	20	1.3%
3	Sometimes	127	8.4%
4	Most of the time	333	22%
5	Always	1027	67.7%
Sysmiss		5	

Q12: Used soap on hands past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1520 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	17	1.1%
2	Rarely	92	6.1%
3	Sometimes	362	23.8%
4	Most of the time	470	30.9%
5	Always	579	38.1%
Sysmiss		1	

Q13: Times attacked past 12 mo.

Data file: IOAH2007_public_use

Overview

Valid: 1510 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	946	62.6%
2	1 time	199	13.2%
3	2 or 3 times	216	14.3%
4	4 or 5 times	71	4.7%
5	6 or 7 times	18	1.2%
6	8 or 9 times	11	0.7%
7	10 or 11 times	8	0.5%
8	12 or more times	41	2.7%
Sysmiss		11	

Q14: How many times in fight 12 mos

Data file: IOAH2007_public_use

Overview

Valid: 1507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1090	72.3%
2	1 time	200	13.3%
3	2 or 3 times	128	8.5%
4	4 or 5 times	47	3.1%
5	6 or 7 times	13	0.9%
6	8 or 9 times	5	0.3%
7	10 or 11 times	2	0.1%
8	12 or more times	22	1.5%
Sysmiss		14	

Q15: How many times injured past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 1334 Invalid: 187

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	748	56.1%
2	1 time	378	28.3%

3	2 or 3 times	142	10.6%
4	4 or 5 times	36	2.7%
5	6 or 7 times	12	0.9%
6	8 or 9 times	3	0.2%
7	10 or 11 times	3	0.2%
8	12 or more times	12	0.9%
Sysmiss		187	

Q16: Doing what during injury past 12 mo.

Data file: IOAH2007_public_use

Overview

Valid: 1435 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	884	61.6%
2	Playing a sport	136	9.5%
3	Walking/running	85	5.9%
4	Riding a bicycle or scooter	33	2.3%
5	Riding/driving motor vehicle	46	3.2%
6	Doing work	40	2.8%
7	Nothing	141	9.8%
8	Something else	70	4.9%
Sysmiss		86	

Q17: Cause of injury past 12 mo.

Data file: IOAH2007_public_use

Overview

Valid: 1405 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	857	61%
2	Motor vehicle accident	98	7%
3	I fell	243	17.3%
4	Something fell on me or hit me	30	2.1%
5	I was fighting with someone	12	0.9%
6	Attacked or assaulted	12	0.9%
7	Was in a fire	8	0.6%
8	Something else	145	10.3%
Sysmiss		116	

Q18: How injury happened past 12 mo.

Data file: IOAH2007_public_use

Overview

Valid: 1414 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	888	62.8%
2	I hurt myself by accident	309	21.9%
3	Someone hurt me by accident	175	12.4%
4	I hurt myself on purpose	10	0.7%
5	Someone hurt me on purpose	32	2.3%

Sysmiss		107	
---------	--	-----	--

Q19: What was serious injury past 12 mo.

Data file: IOAH2007_public_use

Overview

Valid: 1405 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	872	62.1%
2	Broken bone/dislocated joint	223	15.9%
3	Cut, puncture, stab wound	36	2.6%
4	Concussion/head injury	19	1.4%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	19	1.4%
7	Lost foot, leg, hand, or arm	4	0.3%
8	Something else happened to me	229	16.3%
Sysmiss		116	

Q20: How many days bullied past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1328 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	689	51.9%
2	1 or 2 days	390	29.4%
3	3 to 5 days	118	8.9%
4	6 to 9 days	55	4.1%
5	10 to 19 days	37	2.8%
6	20 to 29 days	6	0.5%
7	All 30 days	33	2.5%
Sysmiss		193	

Q21: How bullied past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1334 Invalid: 187

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	692	51.9%
2	Kicked, pushed, or shoved	47	3.5%
3	Made fun because of race/color	81	6.1%
4	Made fun because of religion	3	0.2%
5	Made fun of about sex	72	5.4%
6	Left out of activities	61	4.6%
7	Made fun of about body	111	8.3%
8	Some other way	267	20%
Sysmiss		187	

Q22: Times felt lonely past 12 mo.**Data file:** IOAH2007_public_use**Overview**

Valid: 1512 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	374	24.7%
2	Rarely	400	26.5%
3	Sometimes	612	40.5%
4	Most of the time	109	7.2%
5	Always	17	1.1%
Sysmiss		9	

Q23: Times could not sleep past 12 mo.**Data file:** IOAH2007_public_use**Overview**

Valid: 1514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	385	25.4%
2	Rarely	481	31.8%
3	Sometimes	539	35.6%
4	Most of the time	102	6.7%
5	Always	7	0.5%

Sysmiss

7

Q24: Sad and hopeless past 12 mo.**Data file:** IOAH2007_public_use**Overview**

Valid: 1514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

CATEGORIES

Value	Category	Cases	
1	Yes	292	19.3%
2	No	1222	80.7%
Sysmiss		7	

Q25: Ever considered suicide 12 mos**Data file:** IOAH2007_public_use**Overview**

Valid: 1516 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	51	3.4%
2	No	1465	96.6%
Sysmiss		5	

Q26: Ever make suicide plan 12 mos**Data file:** IOAH2007_public_use**Overview**

Valid: 1509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	42	2.8%
2	No	1467	97.2%
Sysmiss		12	

Q27: Number close friends**Data file:** IOAH2007_public_use**Overview**

Valid: 1511 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	18	1.2%
2	1	62	4.1%
3	2	98	6.5%
4	3 or more	1333	88.2%
Sysmiss		10	

Q28: Age first tried cigarette**Data file:** IOAH2007_public_use**Overview**

Valid: 1458 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1209	82.9%
2	7 years old or younger	14	1%
3	8 or 9 years old	27	1.9%
4	10 or 11 years old	39	2.7%
5	12 or 13 years old	102	7%
6	14 or 15 years old	67	4.6%
7	16 years old or older	0	0%
Sysmiss		63	

Q29: How many days smoked 30 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1475 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1323	89.7%

2	1 or 2 days	87	5.9%
3	3 to 5 days	24	1.6%
4	6 to 9 days	15	1%
5	10 to 19 days	11	0.7%
6	20 to 29 days	4	0.3%
7	All 30 days	11	0.7%
Sysmiss		46	

Q30: Other tobacco past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1469	97%
2	1 or 2 days	31	2%
3	3 to 5 days	11	0.7%
4	6 to 9 days	1	0.1%
5	10 to 19 days	1	0.1%
6	20 to 29 days	0	0%
7	All 30 days	2	0.1%
Sysmiss		6	

Q31: Try stop smoking past 12 mo.

Data file: IOAH2007_public_use

Overview

Valid: 1434 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1197	83.5%
2	Did not smoke cigarettes	43	3%
3	Yes	168	11.7%
4	No	26	1.8%
Sysmiss		87	

Q32: Others present smoking past 7 days

Data file: IOAH2007_public_use

Overview

Valid: 1512 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	207	13.7%
2	1 or 2 days	396	26.2%
3	3 or 4 days	233	15.4%
4	5 or 6 days	93	6.2%
5	All 7 days	583	38.6%
Sysmiss		9	

Q33: Parents who use tobacco

Data file: IOAH2007_public_use

Overview

Valid: 1519 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	425	28%
2	My father or male guardian	958	63.1%
3	My mother or female guardian	20	1.3%
4	Both	29	1.9%
5	I do not know	87	5.7%
Sysmiss		2	

Q34: Days one drink or more past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1483 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1452	97.9%
2	1 or 2 days	25	1.7%
3	3 to 5 days	3	0.2%
4	6 to 9 days	0	0%
5	10 to 19 days	2	0.1%
6	20 to 29 days	1	0.1%

7	All 30 days	0	0%
Sysmiss		38	

Q35: Number of drinks past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1475 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1441	97.7%
2	Less than one drink	16	1.1%
3	1 drink	9	0.6%
4	2 drinks	5	0.3%
5	3 drinks	1	0.1%
6	4 drinks	2	0.1%
7	5 or more drinks	1	0.1%
Sysmiss		46	

Q36: How got drinks past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1476 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1445	97.9%
2	I bought in a store	6	0.4%
3	I gave someone money to buy	4	0.3%
4	I got it from my friends	12	0.8%
5	I got it from home	4	0.3%
6	I stole it	0	0%
7	I made it myself	0	0%
8	I got it some other way	5	0.3%
Sysmiss		45	

Q37: Times drunk during life**Data file:** IOAH2007_public_use**Overview**

Valid: 1518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1482	97.6%
2	1 or 2 times	26	1.7%
3	3 to 9 times	9	0.6%
4	10 or more times	1	0.1%
Sysmiss		3	

Q38: Number of troubles as result of drinking**Data file:** IOAH2007_public_use**Overview**

Valid: 1516 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1491	98.4%
2	1 or 2 times	23	1.5%
3	3 to 9 times	1	0.1%
4	10 or more times	1	0.1%
Sysmiss		5	

Q39: Number times drug use during life

Data file: IOAH2007_public_use

Overview

Valid: 1518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about drugs.

LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 times	1512	99.6%
2	1 or 2 times	5	0.3%
3	3 to 9 times	0	0%
4	10 or more times	1	0.1%
Sysmiss		3	

Q40: Ever had sex

Data file: IOAH2007_public_use

Overview

Valid: 1504 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	2	0.1%
2	No	1502	99.9%
Sysmiss		17	

Q41: Age first sexual intercourse

Data file: IOAH2007_public_use

Overview

Valid: 1507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1500	99.5%
2	11 years old or younger	3	0.2%
3	12 years old	1	0.1%
4	13 years old	0	0%
5	14 years old	2	0.1%
6	15 years old	1	0.1%
7	16 years old or older	0	0%
Sysmiss		14	

Q42: How many sex partners**Data file:** IOAH2007_public_use**Overview**

Valid: 1507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1489	98.8%
2	1 person	14	0.9%
3	2 people	2	0.1%
4	3 people	2	0.1%
5	4 people	0	0%
6	5 people	0	0%
7	6 or more people	0	0%
Sysmiss		14	

Q43: Sexual intercourse past 12 mo.**Data file:** IOAH2007_public_use**Overview**

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	67	4.4%
2	No	1448	95.6%
Sysmiss		6	

Q44: Used condom at last intercourse**Data file:** IOAH2007_public_use**Overview**

Valid: 1500 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1441	96.1%
2	Yes	8	0.5%
3	No	51	3.4%
Sysmiss		21	

Q45: Days active 60 min plus past 7 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	184	12.1%
2	1 day	494	32.5%
3	2 days	235	15.5%

4	3 days	166	10.9%
5	4 days	60	4%
6	5 days	59	3.9%
7	6 days	63	4.2%
8	7 days	257	16.9%
Sysmiss		3	

Q46: Active 60 min plus per day usual week

Data file: IOAH2007_public_use

Overview

Valid: 1514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	179	11.8%
2	1 day	470	31%
3	2 days	253	16.7%
4	3 days	176	11.6%
5	4 days	81	5.4%
6	5 days	65	4.3%
7	6 days	67	4.4%
8	7 days	223	14.7%
Sysmiss		7	

Q47: Time spent sitting on usual day

Data file: IOAH2007_public_use

Overview

Valid: 1503 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	315	21%
2	1 to 2 hours per day	652	43.4%
3	3 to 4 hours per day	343	22.8%
4	5 to 6 hours per day	131	8.7%
5	7 to 8 hours per day	19	1.3%
6	More than 8 hours per day	43	2.9%
Sysmiss		18	

Q48: Walk or bike to school past 7 days

Data file: IOAH2007_public_use

Overview

Valid: 1513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

CATEGORIES

Value	Category	Cases	
1	0 days	527	34.8%
2	1 day	91	6%
3	2 days	40	2.6%
4	3 days	40	2.6%
5	4 days	20	1.3%
6	5 days	31	2%
7	6 days	294	19.4%
8	7 days	470	31.1%

Sysmiss		8	
---------	--	---	--

Q49: How long to from school past 7 days

Data file: IOAH2007_public_use

Overview

Valid: 1509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	282	18.7%
2	10 to 19 minutes per day	433	28.7%
3	20 to 29 minutes per day	271	18%
4	30 to 39 minutes per day	246	16.3%
5	40 to 49 minutes per day	74	4.9%
6	50 to 59 minutes per day	66	4.4%
7	60 or more minutes per day	137	9.1%
Sysmiss		12	

Q50: Miss school no permission past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1501 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	1047	69.8%
2	1 or 2 days	339	22.6%
3	3 to 5 days	75	5%
4	6 to 9 days	20	1.3%
5	10 or more days	20	1.3%
Sysmiss		20	

Q51: Others helpful in school past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	49	3.2%
2	Rarely	259	17.1%
3	Sometimes	596	39.3%
4	Most of the time	451	29.8%
5	Always	160	10.6%
Sysmiss		6	

Q52: Parents check homework past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1517 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	241	15.9%
2	Rarely	313	20.6%
3	Sometimes	493	32.5%
4	Most of the time	300	19.8%
5	Always	170	11.2%
Sysmiss		4	

Q53: Parent understand troubles past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1511 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	228	15.1%
2	Rarely	317	21%
3	Sometimes	448	29.6%
4	Most of the time	298	19.7%
5	Always	220	14.6%
Sysmiss		10	

Q54: Parent know what you do past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1503 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	140	9.3%
2	Rarely	249	16.6%
3	Sometimes	441	29.3%
4	Most of the time	387	25.7%
5	Always	286	19%
Sysmiss		18	

QN6: Went hungry most of time/always past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1519 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

CATEGORIES

Value	Category	Cases	
1	Yes	71	4.7%
2	No	1448	95.3%
Sysmiss		2	

QN7: Ate fruit 1+ times per day past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1104	72.9%
2	No	411	27.1%
Sysmiss		6	

QN8: Ate vegetables 1+ times per day past 30 day

Data file: IOAH2007_public_use

Overview

Valid: 1505 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1258	83.6%
2	No	247	16.4%
Sysmiss		16	

QN9: Cleaned/brushed teeth <1 time/day past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1517 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not clean or brush their teeth during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	28	1.8%
2	No	1489	98.2%
Sysmiss		4	

QN10: Never/rarely wash hands before eating past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	62	4.1%
2	No	1451	95.9%
Sysmiss		8	

QN11: Never/rarely wash hands after toilet past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1516 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	29	1.9%
2	No	1487	98.1%
Sysmiss		5	

QN12: Never/rarely use soap on hands past 30 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1520 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	109	7.2%
2	No	1411	92.8%
Sysmiss		1	

QN13: Attacked 1+ times past 12 months**Data file:** IOAH2007_public_use**Overview**

Valid: 1510 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	564	37.4%
2	No	946	62.6%
Sysmiss		11	

QN14: In fight 1+ times past 12 months**Data file:** IOAH2007_public_use**Overview**

Valid: 1507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	417	27.7%
2	No	1090	72.3%
Sysmiss		14	

QN15: Seriously injured 1+ times past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 1334 Invalid: 187

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	586	43.9%
2	No	748	56.1%
Sysmiss		187	

QN16: Playing sport caused most serious injury past 12mo

Data file: IOAH2007_public_use

Overview

Valid: 585 Invalid: 936

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	136	23.2%
2	No	449	76.8%
Sysmiss		936	

QN17: Falling caused most serious injury past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 583 Invalid: 938

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

CATEGORIES

Value	Category	Cases	
1	Yes	243	41.7%
2	No	340	58.3%
Sysmiss		938	

QN18: Accident caused most serious injury past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 580 Invalid: 941

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

CATEGORIES

Value	Category	Cases	
1	Yes	309	53.3%
2	No	271	46.7%
Sysmiss		941	

QN19: Broken bone as most serious injury past 12 months**Data file:** IOAH2007_public_use**Overview**

Valid: 583 Invalid: 938

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

CATEGORIES

Value	Category	Cases	
1	Yes	223	38.3%
2	No	360	61.7%
Sysmiss		938	

QN20: Bullied 1+ of past 30 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1328 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	639	48.1%
2	No	689	51.9%
Sysmiss		193	

QN21: Of students bullied, most often hit, kicked, etc**Data file:** IOAH2007_public_use**Overview**

Valid: 635 Invalid: 886

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	45	7.1%
2	No	590	92.9%
Sysmiss		886	

QN22: Lonely most times/always past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 1512 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	126	8.3%
2	No	1386	91.7%
Sysmiss		9	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: IOAH2007_public_use

Overview

Valid: 1514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	109	7.2%
2	No	1405	92.8%
Sysmiss		7	

QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 1514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	292	19.3%
2	No	1222	80.7%
Sysmiss		7	

QN25: Considered suicide past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 1516 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	51	3.4%
2	No	1465	96.6%
Sysmiss		5	

QN26: Made suicide plan past 12 months**Data file:** IOAH2007_public_use**Overview**

Valid: 1509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	42	2.8%
2	No	1467	97.2%
Sysmiss		12	

QN27: No close friends**Data file:** IOAH2007_public_use**Overview**

Valid: 1511 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	18	1.2%
2	No	1493	98.8%
Sysmiss		10	

QN28: Of current smokers, age first cigarette before 13**Data file:** IOAH2007_public_use**Overview**

Valid: 150 Invalid: 1371

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

CATEGORIES

Value	Category	Cases	
1	Yes	107	71.3%
2	No	43	28.7%
Sysmiss		1371	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1475 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	152	10.3%
2	No	1323	89.7%
Sysmiss		46	

QN30: Used other tobacco 1+ of past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	46	3%
2	No	1469	97%
Sysmiss		6	

QN31: Tried to quit smoking past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 194 Invalid: 1327

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	168	86.6%
2	No	26	13.4%
Sysmiss		1327	

QN32: Others present smoking 1+ of past 7 days

Data file: IOAH2007_public_use

Overview

Valid: 1512 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1305	86.3%
2	No	207	13.7%
Sysmiss		9	

QN33: Either/Both parents use tobacco**Data file:** IOAH2007_public_use**Overview**

Valid: 1519 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1007	66.3%
2	No	512	33.7%
Sysmiss		2	

QN34: Drank 1+ days past 30 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1483 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	31	2.1%
2	No	1452	97.9%
Sysmiss		38	

QN35: Of current drinkers, drank 2+ drinks/day 30 days**Data file:** IOAH2007_public_use**Overview**

Valid: 31 Invalid: 1490

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	9	29%
2	No	22	71%
Sysmiss		1490	

QN36: Of current drinkers, bought alcohol in store

Data file: IOAH2007_public_use

Overview

Valid: 31 Invalid: 1490

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	6	19.4%
2	No	25	80.6%
Sysmiss		1490	

QN37: 1+ times drunk in lifetime

Data file: IOAH2007_public_use

Overview

Valid: 1518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	36	2.4%
2	No	1482	97.6%
Sysmiss		3	

QN38: Alcohol trouble 1+ times in lifetime

Data file: IOAH2007_public_use

Overview

Valid: 1516 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	25	1.6%
2	No	1491	98.4%
Sysmiss		5	

QN39: Used drugs 1+ times in lifetime

Data file: IOAH2007_public_use

Overview

Valid: 1518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	6	0.4%
2	No	1512	99.6%
Sysmiss		3	

QN40: Ever had sex**Data file:** IOAH2007_public_use**Overview**

Valid: 1504 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	2	0.1%
2	No	1502	99.9%
Sysmiss		17	

QN41: Age first sexual intercourse 12 or younger**Data file:** IOAH2007_public_use**Overview**

Valid: 1507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	4	0.3%
2	No	1503	99.7%
Sysmiss		14	

QN42: 2+ sex partners lifetime**Data file:** IOAH2007_public_use**Overview**

Valid: 1507 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	4	0.3%
2	No	1503	99.7%
Sysmiss		14	

Q43: Sexual intercourse past 12 months

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	67	4.4%
2	No	1448	95.6%
Sysmiss		6	

Q44: Of sexually active 12 mos, use condoms at last sex

Data file: IOAH2007_public_use

Overview

Valid: 2 Invalid: 1519

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	0	0%
2	No	2	100%
Sysmiss		1519	

QN45: Active 60+ mins/day for all of past 7 days

Data file: IOAH2007_public_use

Overview

Valid: 1518 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	257	16.9%
2	No	1261	83.1%
Sysmiss		3	

QN46: Active 60+ min/day all 7 days of usual week

Data file: IOAH2007_public_use

Overview

Valid: 1514 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

CATEGORIES

Value	Category	Cases	
1	Yes	223	14.7%
2	No	1291	85.3%
Sysmiss		7	

Q47: Sitting activities 3+ hours/day of usual day**Data file:** IOAH2007_public_use**Overview**

Valid: 1503 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

CATEGORIES

Value	Category	Cases	
1	Yes	536	35.7%
2	No	967	64.3%
Sysmiss		18	

Q48: Walk/Bike to/from school 0 of past 7 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	527	34.8%
2	No	986	65.2%
Sysmiss		8	

Q49: Less than 29 minutes to/from school past 7 days**Data file:** IOAH2007_public_use**Overview**

Valid: 1509 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	986	65.3%
2	No	523	34.7%
Sysmiss		12	

QN50: Miss school no permission 1+ of past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1501 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	454	30.2%
2	No	1047	69.8%
Sysmiss		20	

QN51: Students never/rarely kind/helpful past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1515 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	308	20.3%
2	No	1207	79.7%
Sysmiss		6	

QN52: Parents never/rarely check homework past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1517 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	554	36.5%
2	No	963	63.5%
Sysmiss		4	

QN53: Parents never/rarely understand problems past 30

Data file: IOAH2007_public_use

Overview

Valid: 1511 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	545	36.1%
2	No	966	63.9%
Sysmiss		10	

QN54: Parents never/rarely know about free time past 30**Data file:** IOAH2007_public_use**Overview**

Valid: 1503 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	389	25.9%
2	No	1114	74.1%
Sysmiss		18	

QNROVWTG: At risk for becoming overweight**Data file:** IOAH2007_public_use**Overview**

Valid: 1215 Invalid: 306

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students at risk for becoming overweight

CATEGORIES

Value	Category	Cases	
1	Yes	51	4.2%
2	No	1164	95.8%
Sysmiss		306	

QNOVWTG: Overweight**Data file:** IOAH2007_public_use**Overview**

Valid: 1215 Invalid: 306

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are overweight

CATEGORIES

Value	Category	Cases	
1	Yes	8	0.7%
2	No	1207	99.3%
Sysmiss		306	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1503 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	373	24.8%
2	No	1130	75.2%
Sysmiss		18	

QNANYTBG: Used any tobacco past 30 days

Data file: IOAH2007_public_use

Overview

Valid: 1471 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	160	10.9%
2	No	1311	89.1%
Sysmiss		50	

QNMINPAG: Exercised 60 min/day <=5 days

Data file: IOAH2007_public_use

Overview

Valid: 1513 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
1	Yes	1184	78.3%
2	No	329	21.7%
Sysmiss		8	

QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: IOAH2007_public_use

Overview

Valid: 1503 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1060	70.5%
2	No	443	29.5%
Sysmiss		18	

WEIGHT: Weight**Data file:** IOAH2007_public_use**Overview**

Valid: 1521 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 1265.5766 - 1924.356 Format: Numeric Weighted: yes

PSU: Primary Sampling Unit**Data file:** IOAH2007_public_use**Overview**

Valid: 1521 Invalid: 0

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 24 Format: Numeric

STRATUM: Stratum**Data file:** IOAH2007_public_use**Overview**

Valid: 1521 Invalid: 0

Type: Discrete Decimal: 0 Width: 9 Range: 200701001 - 200701012 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200701001		83	5.5%
200701002		162	10.7%
200701003		158	10.4%
200701004		123	8.1%
200701005		147	9.7%
200701006		153	10.1%
200701007		112	7.4%
200701008		106	7%
200701009		125	8.2%
200701010		107	7%
200701011		187	12.3%
200701012		58	3.8%

Q1: How old are you**Data file:** IOBH2007_public_use**Overview**

Valid: 1590 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	9	0.6%
2	12 years old	115	7.2%
3	13 years old	624	39.2%
4	14 years old	604	38%
5	15 years old	202	12.7%
6	16 years old or older	36	2.3%
Sysmiss		5	

Q2: Sex**Data file:** IOBH2007_public_use**Overview**

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	795	49.9%
2	Female	798	50.1%
Sysmiss		2	

Q3: In what grade are you**Data file:** IOBH2007_public_use

Overview

Valid: 1585 Invalid: 10
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade are you?

CATEGORIES

Value	Category	Cases	
1	Kelas 7	7	0.4%
2	Kelas 8	970	61.2%
3	Kelas 9	608	38.4%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		10	

Q4: How tall are you

Data file: IOBH2007_public_use

Overview

Valid: 1128 Invalid: 467 Minimum: 1.27 Maximum: 1.8
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on?

description

DEFINITION

(Note:
 Data are in meters.)

Q5: How much do you weigh

Data file: IOBH2007_public_use

Overview

Valid: 1128 Invalid: 467 Minimum: 27 Maximum: 140
 Type: Continuous Decimal: 0 Width: 6 Range: 27 - 140 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on?

description

DEFINITION

(Note: Data are in kilograms.)

Q6: Went hungry past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	596	37.4%
2	Rarely	431	27.1%
3	Sometimes	440	27.6%
4	Most of the time	99	6.2%
5	Always	27	1.7%
Sysmiss		2	

Q7: Eat fruit per day past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1588 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	158	9.9%
2	Less than one time per day	438	27.6%
3	1 time per day	417	26.3%
4	2 times per day	292	18.4%
5	3 times per day	143	9%
6	4 times per day	51	3.2%
7	5 or more times per day	89	5.6%
Sysmiss		7	

Q8: Eat vegetables past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	44	2.8%
2	Less than one time per day	219	13.8%
3	1 time per day	358	22.6%
4	2 times per day	474	29.9%
5	3 times per day	357	22.6%
6	4 times per day	41	2.6%
7	5 or more times per day	90	5.7%
Sysmiss		12	

Q9: How many times per day brush teeth**Data file:** IOBH2007_public_use**Overview**

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	6	0.4%
2	Less than 1 time per day	66	4.1%
3	1 time per day	202	12.7%
4	2 times per day	778	48.8%
5	3 times per day	479	30.1%
6	4 or more times per day	62	3.9%
Sysmiss		2	

Q10: Wash hands before eating past 30 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1589 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	16	1%
2	Rarely	58	3.7%

3	Sometimes	205	12.9%
4	Most of the time	421	26.5%
5	Always	889	55.9%
Sysmiss		6	

Q11: Wash hands after toilet past 30 day

Data file: IOBH2007_public_use

Overview

Valid: 1591 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	23	1.4%
2	Rarely	45	2.8%
3	Sometimes	155	9.7%
4	Most of the time	397	25%
5	Always	971	61%
Sysmiss		4	

Q12: Used soap on hands past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1594 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	40	2.5%
2	Rarely	160	10%
3	Sometimes	406	25.5%
4	Most of the time	471	29.5%
5	Always	517	32.4%
Sysmiss		1	

Q13: Times attacked past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1582 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	885	55.9%
2	1 time	242	15.3%
3	2 or 3 times	253	16%
4	4 or 5 times	94	5.9%
5	6 or 7 times	27	1.7%
6	8 or 9 times	18	1.1%
7	10 or 11 times	12	0.8%
8	12 or more times	51	3.2%
Sysmiss		13	

Q14: How many times in fight 12 mos

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	857	54.1%
2	1 time	317	20%
3	2 or 3 times	244	15.4%
4	4 or 5 times	81	5.1%
5	6 or 7 times	28	1.8%
6	8 or 9 times	8	0.5%
7	10 or 11 times	8	0.5%
8	12 or more times	40	2.5%
Sysmiss		12	

Q15: How many times injured past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 1373 Invalid: 222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	709	51.6%
2	1 time	345	25.1%

3	2 or 3 times	215	15.7%
4	4 or 5 times	48	3.5%
5	6 or 7 times	13	0.9%
6	8 or 9 times	11	0.8%
7	10 or 11 times	6	0.4%
8	12 or more times	26	1.9%
Sysmiss		222	

Q16: Doing what during injury past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1489 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	877	58.9%
2	Playing a sport	162	10.9%
3	Walking/running	87	5.8%
4	Riding a bicycle or scooter	47	3.2%
5	Riding/driving motor vehicle	39	2.6%
6	Doing work	53	3.6%
7	Nothing	152	10.2%
8	Something else	72	4.8%
Sysmiss		106	

Q17: Cause of injury past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1459 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	845	57.9%
2	Motor vehicle accident	106	7.3%
3	I fell	251	17.2%
4	Something fell on me or hit me	59	4%
5	I was fighting with someone	29	2%
6	Attacked or assaulted	25	1.7%
7	Was in a fire	11	0.8%
8	Something else	133	9.1%
Sysmiss		136	

Q18: How injury happened past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1468 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	877	59.7%
2	I hurt myself by accident	314	21.4%
3	Someone hurt me by accident	212	14.4%
4	I hurt myself on purpose	15	1%
5	Someone hurt me on purpose	50	3.4%

Sysmiss		127	
---------	--	-----	--

Q19: What was serious injury past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1468 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	894	60.9%
2	Broken bone/dislocated joint	207	14.1%
3	Cut, puncture, stab wound	82	5.6%
4	Concussion/head injury	28	1.9%
5	I had a gunshot wound	7	0.5%
6	I had a bad burn	20	1.4%
7	Lost foot, leg, hand, or arm	12	0.8%
8	Something else happened to me	218	14.9%
Sysmiss		127	

Q20: How many days bullied past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1366 Invalid: 229

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	650	47.6%
2	1 or 2 days	407	29.8%
3	3 to 5 days	168	12.3%
4	6 to 9 days	67	4.9%
5	10 to 19 days	35	2.6%
6	20 to 29 days	4	0.3%
7	All 30 days	35	2.6%
Sysmiss		229	

Q21: How bullied past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1368 Invalid: 227

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	650	47.5%
2	Kicked, pushed, or shoved	84	6.1%
3	Made fun because of race/color	75	5.5%
4	Made fun because of religion	26	1.9%
5	Made fun of about sex	53	3.9%
6	Left out of activities	63	4.6%
7	Made fun of about body	127	9.3%
8	Some other way	290	21.2%
Sysmiss		227	

Q22: Times felt lonely past 12 mo.**Data file:** IOBH2007_public_use**Overview**

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	435	27.5%
2	Rarely	459	29%
3	Sometimes	541	34.2%
4	Most of the time	126	8%
5	Always	22	1.4%
Sysmiss		12	

Q23: Times could not sleep past 12 mo.**Data file:** IOBH2007_public_use**Overview**

Valid: 1586 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	526	33.2%
2	Rarely	514	32.4%
3	Sometimes	412	26%
4	Most of the time	123	7.8%
5	Always	11	0.7%

Sysmiss		9	
---------	--	---	--

Q24: Sad and hopeless past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1589 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

CATEGORIES

Value	Category	Cases	
1	Yes	403	25.4%
2	No	1186	74.6%
Sysmiss		6	

Q25: Ever considered suicide 12 mos

Data file: IOBH2007_public_use

Overview

Valid: 1587 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	96	6%
2	No	1491	94%
Sysmiss		8	

Q26: Ever make suicide plan 12 mos**Data file:** IOBH2007_public_use**Overview**

Valid: 1572 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	71	4.5%
2	No	1501	95.5%
Sysmiss		23	

Q27: Number close friends**Data file:** IOBH2007_public_use**Overview**

Valid: 1587 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	28	1.8%
2	1	118	7.4%
3	2	155	9.8%
4	3 or more	1286	81%
Sysmiss		8	

Q28: Age first tried cigarette**Data file:** IOBH2007_public_use**Overview**

Valid: 1519 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1259	82.9%
2	7 years old or younger	27	1.8%
3	8 or 9 years old	30	2%
4	10 or 11 years old	56	3.7%
5	12 or 13 years old	92	6.1%
6	14 or 15 years old	54	3.6%
7	16 years old or older	1	0.1%
Sysmiss		76	

Q29: How many days smoked 30 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1516 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1372	90.5%

2	1 or 2 days	80	5.3%
3	3 to 5 days	17	1.1%
4	6 to 9 days	14	0.9%
5	10 to 19 days	17	1.1%
6	20 to 29 days	3	0.2%
7	All 30 days	13	0.9%
Sysmiss		79	

Q30: Other tobacco past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1592 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1508	94.7%
2	1 or 2 days	65	4.1%
3	3 to 5 days	8	0.5%
4	6 to 9 days	4	0.3%
5	10 to 19 days	2	0.1%
6	20 to 29 days	0	0%
7	All 30 days	5	0.3%
Sysmiss		3	

Q31: Try stop smoking past 12 mo.

Data file: IOBH2007_public_use

Overview

Valid: 1478 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1224	82.8%
2	Did not smoke cigarettes	60	4.1%
3	Yes	160	10.8%
4	No	34	2.3%
Sysmiss		117	

Q32: Others present smoking past 7 days

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	279	17.6%
2	1 or 2 days	368	23.2%
3	3 or 4 days	218	13.8%
4	5 or 6 days	109	6.9%
5	All 7 days	609	38.5%
Sysmiss		12	

Q33: Parents who use tobacco

Data file: IOBH2007_public_use

Overview

Valid: 1590 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	445	28%
2	My father or male guardian	970	61%
3	My mother or female guardian	19	1.2%
4	Both	65	4.1%
5	I do not know	91	5.7%
Sysmiss		5	

Q34: Days one drink or more past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1531 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1479	96.6%
2	1 or 2 days	39	2.5%
3	3 to 5 days	9	0.6%
4	6 to 9 days	1	0.1%
5	10 to 19 days	0	0%
6	20 to 29 days	0	0%

7	All 30 days	3	0.2%
Sysmiss		64	

Q35: Number of drinks past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1525 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1468	96.3%
2	Less than one drink	37	2.4%
3	1 drink	12	0.8%
4	2 drinks	1	0.1%
5	3 drinks	3	0.2%
6	4 drinks	0	0%
7	5 or more drinks	4	0.3%
Sysmiss		70	

Q36: How got drinks past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1523 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1471	96.6%
2	I bought in a store	9	0.6%
3	I gave someone money to buy	7	0.5%
4	I got it from my friends	22	1.4%
5	I got it from home	9	0.6%
6	I stole it	1	0.1%
7	I made it myself	0	0%
8	I got it some other way	4	0.3%
Sysmiss		72	

Q37: Times drunk during life**Data file:** IOBH2007_public_use**Overview**

Valid: 1594 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1556	97.6%
2	1 or 2 times	25	1.6%
3	3 to 9 times	10	0.6%
4	10 or more times	3	0.2%
Sysmiss		1	

Q38: Number of troubles as result of drinking**Data file:** IOBH2007_public_use**Overview**

Valid: 1587 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1551	97.7%
2	1 or 2 times	29	1.8%
3	3 to 9 times	2	0.1%
4	10 or more times	5	0.3%
Sysmiss		8	

Q39: Number times drug use during life

Data file: IOBH2007_public_use

Overview

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about drugs.

LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 times	1583	99.4%
2	1 or 2 times	7	0.4%
3	3 to 9 times	1	0.1%
4	10 or more times	2	0.1%
Sysmiss		2	

Q40: Ever had sex

Data file: IOBH2007_public_use

Overview

Valid: 1563 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	16	1%
2	No	1547	99%
Sysmiss		32	

Q41: Age first sexual intercourse

Data file: IOBH2007_public_use

Overview

Valid: 1561 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1538	98.5%
2	11 years old or younger	7	0.4%
3	12 years old	3	0.2%
4	13 years old	6	0.4%
5	14 years old	5	0.3%
6	15 years old	1	0.1%
7	16 years old or older	1	0.1%
Sysmiss		34	

Q42: How many sex partners**Data file:** IOBH2007_public_use**Overview**

Valid: 1568 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1523	97.1%
2	1 person	31	2%
3	2 people	4	0.3%
4	3 people	1	0.1%
5	4 people	3	0.2%
6	5 people	0	0%
7	6 or more people	6	0.4%
Sysmiss		27	

Q43: Sexual intercourse past 12 mo.**Data file:** IOBH2007_public_use**Overview**

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	93	5.8%
2	No	1500	94.2%
Sysmiss		2	

Q44: Used condom at last intercourse**Data file:** IOBH2007_public_use**Overview**

Valid: 1567 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1454	92.8%
2	Yes	18	1.1%
3	No	95	6.1%
Sysmiss		28	

Q45: Days active 60 min plus past 7 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	369	23.3%
2	1 day	383	24.2%
3	2 days	229	14.5%

4	3 days	179	11.3%
5	4 days	81	5.1%
6	5 days	44	2.8%
7	6 days	62	3.9%
8	7 days	236	14.9%
Sysmiss		12	

Q46: Active 60 min plus per day usual week

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	371	23.4%
2	1 day	396	25%
3	2 days	228	14.4%
4	3 days	183	11.6%
5	4 days	86	5.4%
6	5 days	61	3.9%
7	6 days	56	3.5%
8	7 days	202	12.8%
Sysmiss		12	

Q47: Time spent sitting on usual day

Data file: IOBH2007_public_use

Overview

Valid: 1579 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	488	30.9%
2	1 to 2 hours per day	644	40.8%
3	3 to 4 hours per day	275	17.4%
4	5 to 6 hours per day	109	6.9%
5	7 to 8 hours per day	22	1.4%
6	More than 8 hours per day	41	2.6%
Sysmiss		16	

Q48: Walk or bike to school past 7 days

Data file: IOBH2007_public_use

Overview

Valid: 1591 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

CATEGORIES

Value	Category	Cases	
1	0 days	805	50.6%
2	1 day	113	7.1%
3	2 days	83	5.2%
4	3 days	42	2.6%
5	4 days	36	2.3%
6	5 days	30	1.9%
7	6 days	180	11.3%
8	7 days	302	19%

Sysmiss		4	
---------	--	---	--

Q49: How long to from school past 7 days

Data file: IOBH2007_public_use

Overview

Valid: 1578 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	434	27.5%
2	10 to 19 minutes per day	483	30.6%
3	20 to 29 minutes per day	245	15.5%
4	30 to 39 minutes per day	191	12.1%
5	40 to 49 minutes per day	45	2.9%
6	50 to 59 minutes per day	55	3.5%
7	60 or more minutes per day	125	7.9%
Sysmiss		17	

Q50: Miss school no permission past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1570 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	1010	64.3%
2	1 or 2 days	425	27.1%
3	3 to 5 days	79	5%
4	6 to 9 days	30	1.9%
5	10 or more days	26	1.7%
Sysmiss		25	

Q51: Others helpful in school past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1589 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	91	5.7%
2	Rarely	313	19.7%
3	Sometimes	557	35.1%
4	Most of the time	436	27.4%
5	Always	192	12.1%
Sysmiss		6	

Q52: Parents check homework past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1590 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	299	18.8%
2	Rarely	313	19.7%
3	Sometimes	403	25.3%
4	Most of the time	344	21.6%
5	Always	231	14.5%
Sysmiss		5	

Q53: Parent understand troubles past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1576 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	244	15.5%
2	Rarely	324	20.6%
3	Sometimes	427	27.1%
4	Most of the time	340	21.6%
5	Always	241	15.3%
Sysmiss		19	

Q54: Parent know what you do past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1575 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	225	14.3%
2	Rarely	251	15.9%
3	Sometimes	387	24.6%
4	Most of the time	395	25.1%
5	Always	317	20.1%
Sysmiss		20	

QN6: Went hungry most of time/always past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

CATEGORIES

Value	Category	Cases	
1	Yes	126	7.9%
2	No	1467	92.1%
Sysmiss		2	

QN7: Ate fruit 1+ times per day past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1588 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	992	62.5%
2	No	596	37.5%
Sysmiss		7	

QN8: Ate vegetables 1+ times per day past 30 day

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1320	83.4%
2	No	263	16.6%
Sysmiss		12	

QN9: Cleaned/brushed teeth <1 time/day past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not clean or brush their teeth during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	72	4.5%
2	No	1521	95.5%
Sysmiss		2	

QN10: Never/rarely wash hands before eating past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1589 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	74	4.7%
2	No	1515	95.3%
Sysmiss		6	

QN11: Never/rarely wash hands after toilet past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1591 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	68	4.3%
2	No	1523	95.7%
Sysmiss		4	

QN12: Never/rarely use soap on hands past 30 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1594 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	200	12.5%
2	No	1394	87.5%
Sysmiss		1	

QN13: Attacked 1+ times past 12 months**Data file:** IOBH2007_public_use**Overview**

Valid: 1582 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	697	44.1%
2	No	885	55.9%
Sysmiss		13	

QN14: In fight 1+ times past 12 months**Data file:** IOBH2007_public_use**Overview**

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	726	45.9%
2	No	857	54.1%
Sysmiss		12	

QN15: Seriously injured 1+ times past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 1373 Invalid: 222

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	664	48.4%
2	No	709	51.6%
Sysmiss		222	

QN16: Playing sport caused most serious injury past 12mo

Data file: IOBH2007_public_use

Overview

Valid: 658 Invalid: 937

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	162	24.6%
2	No	496	75.4%
Sysmiss		937	

QN17: Falling caused most serious injury past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 659 Invalid: 936

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

CATEGORIES

Value	Category	Cases	
1	Yes	249	37.8%
2	No	410	62.2%
Sysmiss		936	

QN18: Accident caused most serious injury past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 656 Invalid: 939

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

CATEGORIES

Value	Category	Cases	
1	Yes	311	47.4%
2	No	345	52.6%
Sysmiss		939	

QN19: Broken bone as most serious injury past 12 months**Data file:** IOBH2007_public_use**Overview**

Valid: 659 Invalid: 936

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

CATEGORIES

Value	Category	Cases	
1	Yes	205	31.1%
2	No	454	68.9%
Sysmiss		936	

QN20: Bullied 1+ of past 30 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1366 Invalid: 229

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	716	52.4%
2	No	650	47.6%
Sysmiss		229	

QN21: Of students bullied, most often hit, kicked, etc**Data file:** IOBH2007_public_use**Overview**

Valid: 707 Invalid: 888

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	77	10.9%
2	No	630	89.1%
Sysmiss		888	

QN22: Lonely most times/always past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	148	9.3%
2	No	1435	90.7%
Sysmiss		12	

QN23: Worry prevented sleep most time/always past 12 mos

Data file: IOBH2007_public_use

Overview

Valid: 1586 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	134	8.4%
2	No	1452	91.6%
Sysmiss		9	

QN24: Sad/Hopeless everyday 2+ weeks past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 1589 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	403	25.4%
2	No	1186	74.6%
Sysmiss		6	

QN25: Considered suicide past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 1587 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	96	6%
2	No	1491	94%
Sysmiss		8	

QN26: Made suicide plan past 12 months**Data file:** IOBH2007_public_use**Overview**

Valid: 1572 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	71	4.5%
2	No	1501	95.5%
Sysmiss		23	

QN27: No close friends**Data file:** IOBH2007_public_use**Overview**

Valid: 1587 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	28	1.8%
2	No	1559	98.2%
Sysmiss		8	

QN28: Of current smokers, age first cigarette before 13**Data file:** IOBH2007_public_use**Overview**

Valid: 140 Invalid: 1455

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

CATEGORIES

Value	Category	Cases	
1	Yes	98	70%
2	No	42	30%
Sysmiss		1455	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1516 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	144	9.5%
2	No	1372	90.5%
Sysmiss		79	

QN30: Used other tobacco 1+ of past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1592 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any other form of tobacco, such as COUNTRY SPECIFIC EXAMPLES on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	84	5.3%
2	No	1508	94.7%
Sysmiss		3	

QN31: Tried to quit smoking past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 194 Invalid: 1401

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	160	82.5%
2	No	34	17.5%
Sysmiss		1401	

QN32: Others present smoking 1+ of past 7 days

Data file: IOBH2007_public_use

Overview

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoking in their presence on one or more of the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1304	82.4%
2	No	279	17.6%
Sysmiss		12	

QN33: Either/Both parents use tobacco**Data file:** IOBH2007_public_use**Overview**

Valid: 1590 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have a parent or guardian who uses any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1054	66.3%
2	No	536	33.7%
Sysmiss		5	

QN34: Drank 1+ days past 30 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1531 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	52	3.4%
2	No	1479	96.6%
Sysmiss		64	

QN35: Of current drinkers, drank 2+ drinks/day 30 days**Data file:** IOBH2007_public_use**Overview**

Valid: 52 Invalid: 1543

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	8	15.4%
2	No	44	84.6%
Sysmiss		1543	

QN36: Of current drinkers, bought alcohol in store

Data file: IOBH2007_public_use

Overview

Valid: 52 Invalid: 1543

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	9	17.3%
2	No	43	82.7%
Sysmiss		1543	

QN37: 1+ times drunk in lifetime

Data file: IOBH2007_public_use

Overview

Valid: 1594 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	38	2.4%
2	No	1556	97.6%
Sysmiss		1	

QN38: Alcohol trouble 1+ times in lifetime

Data file: IOBH2007_public_use

Overview

Valid: 1587 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	36	2.3%
2	No	1551	97.7%
Sysmiss		8	

QN39: Used drugs 1+ times in lifetime

Data file: IOBH2007_public_use

Overview

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	10	0.6%
2	No	1583	99.4%
Sysmiss		2	

QN40: Ever had sex**Data file:** IOBH2007_public_use**Overview**

Valid: 1563 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	16	1%
2	No	1547	99%
Sysmiss		32	

QN41: Age first sexual intercourse 12 or younger**Data file:** IOBH2007_public_use**Overview**

Valid: 1561 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	10	0.6%
2	No	1551	99.4%
Sysmiss		34	

QN42: 2+ sex partners lifetime**Data file:** IOBH2007_public_use**Overview**

Valid: 1568 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	14	0.9%
2	No	1554	99.1%
Sysmiss		27	

Q43: Sexual intercourse past 12 months

Data file: IOBH2007_public_use

Overview

Valid: 1593 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	93	5.8%
2	No	1500	94.2%
Sysmiss		2	

Q44: Of sexually active 12 mos, use condoms at last sex

Data file: IOBH2007_public_use

Overview

Valid: 20 Invalid: 1575

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	6	30%
2	No	14	70%
Sysmiss		1575	

QN45: Active 60+ mins/day for all of past 7 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	236	14.9%
2	No	1347	85.1%
Sysmiss		12	

QN46: Active 60+ min/day all 7 days of usual week**Data file:** IOBH2007_public_use**Overview**

Valid: 1583 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

CATEGORIES

Value	Category	Cases	
1	Yes	202	12.8%
2	No	1381	87.2%
Sysmiss		12	

QN47: Sitting activities 3+ hours/day of usual day**Data file:** IOBH2007_public_use**Overview**

Valid: 1579 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

CATEGORIES

Value	Category	Cases	
1	Yes	447	28.3%
2	No	1132	71.7%
Sysmiss		16	

QN48: Walk/Bike to/from school 0 of past 7 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1591 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	805	50.6%
2	No	786	49.4%
Sysmiss		4	

QN49: Less than 29 minutes to/from school past 7 days**Data file:** IOBH2007_public_use**Overview**

Valid: 1578 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1162	73.6%
2	No	416	26.4%
Sysmiss		17	

QN50: Miss school no permission 1+ of past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1570 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	560	35.7%
2	No	1010	64.3%
Sysmiss		25	

QN51: Students never/rarely kind/helpful past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1589 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	404	25.4%
2	No	1185	74.6%
Sysmiss		6	

QN52: Parents never/rarely check homework past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1590 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	612	38.5%
2	No	978	61.5%
Sysmiss		5	

QN53: Parents never/rarely understand problems past 30

Data file: IOBH2007_public_use

Overview

Valid: 1576 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	568	36%
2	No	1008	64%
Sysmiss		19	

QN54: Parents never/rarely know about free time past 30**Data file:** IOBH2007_public_use**Overview**

Valid: 1575 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	476	30.2%
2	No	1099	69.8%
Sysmiss		20	

QNROVWTG: At risk for becoming overweight**Data file:** IOBH2007_public_use**Overview**

Valid: 1128 Invalid: 467

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students at risk for becoming overweight

CATEGORIES

Value	Category	Cases	
1	Yes	117	10.4%
2	No	1011	89.6%
Sysmiss		467	

QNOVWTG: Overweight**Data file:** IOBH2007_public_use**Overview**

Valid: 1128 Invalid: 467

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are overweight

CATEGORIES

Value	Category	Cases	
1	Yes	33	2.9%
2	No	1095	97.1%
Sysmiss		467	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1579 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	392	24.8%
2	No	1187	75.2%
Sysmiss		16	

QNANYTBG: Used any tobacco past 30 days

Data file: IOBH2007_public_use

Overview

Valid: 1515 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days of the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	179	11.8%
2	No	1336	88.2%
Sysmiss		80	

QNMINPAG: Exercised 60 min/day <=5 days

Data file: IOBH2007_public_use

Overview

Valid: 1579 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
1	Yes	1287	81.5%
2	No	292	18.5%
Sysmiss		16	

QNWKRDG: Walked/biked <2.5 hrs 7 days

Data file: IOBH2007_public_use

Overview

Valid: 1576 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1312	83.2%
2	No	264	16.8%
Sysmiss		19	

WEIGHT: Weight**Data file:** IOBH2007_public_use**Overview**

Valid: 1595 Invalid: 0

Type: Continuous Decimal: 0 Width: 12 Range: 420.6593 - 823.2004 Format: Numeric Weighted: yes

PSU: Primary Sampling Unit**Data file:** IOBH2007_public_use**Overview**

Valid: 1595 Invalid: 0

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 25 Format: Numeric

STRATUM: Stratum**Data file:** IOBH2007_public_use**Overview**

Valid: 1595 Invalid: 0

Type: Discrete Decimal: 0 Width: 9 Range: 200702001 - 200702012 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200702001		123	7.7%
200702002		123	7.7%
200702003		86	5.4%
200702004		105	6.6%
200702005		126	7.9%
200702006		137	8.6%
200702007		88	5.5%
200702008		129	8.1%
200702009		118	7.4%
200702010		281	17.6%
200702011		60	3.8%
200702012		219	13.7%

study_resources

questionnaires

English Questionnaire

title English Questionnaire
filename 2007_Indonesia_GSHS_Questionnaire.pdf

Bahasa Questionnaire

title Bahasa Questionnaire
filename 2007_Bahasa_GSHS_Questionnaire.pdf

reports

National Fact Sheet

title National Fact Sheet
filename 2007_Indonesia_fact_sheet.pdf

Java Fact Sheet

title Java Fact Sheet
filename 2007_Indonesia_Java_fact_sheet.pdf

Sumatra Fact Sheet

title Sumatra Fact Sheet
filename 2007_Indonesia_Sumatra_fact_sheet.pdf

Country Report

title Country Report
filename GSHS_Country_Report_Indonesia_2007.pdf

technical_documents

National Codebook

title National Codebook
filename IOH2007_public_use_codebook.pdf

Java Codebook

title Java Codebook

filename IOAH2007_public_use_codebook.pdf

Sumatra Codebook

title Sumatra Codebook

filename IOBH2007_public_use_codebook.pdf
