Global School-Based Student Health Survey 2015

Health Research and Development Agency, World Health Organization, US Centers for Disease Control and Prevention

report_generated_on: January 2, 2024

visit_data_catalog_at: http://catalog.ihsn.org/

Identification

SURVEY ID NUMBER
IDN_2015_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
Indonesia	IDN

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the second GSHS conducted by Indonesia.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-14

Scope

NOTES
The following core modules were included in the survey:
- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE
National, Java, Sumatra and rest of country

UNIVERSE
School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Health Research and Development Agency
World Health Organization
US Centers for Disease Control and Prevention

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE
The 2015 Indonesia GSHS was a school-based survey of students in Kelas 7-12, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in Kelas 7-12 in Indonesia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE
National: The school response rate was 100%, the student response rate was 94%, and the overall response rate was 94%.
Java: The school response rate was 100%, the student response rate was 95%, and the overall response rate was 95%.
Sumatra: The school response rate was 100%, the student response rate was 93%, and the overall response rate was 93%.
Rest of country: The school response rate was 100%, the student response rate was 93%, and the overall response rate was 93%.

WEIGHTING
The weighting formula used is:
W=W1 * W2 * f1 * f2 * f3.
The list below shows what each variable in the formula represents.
W1 - The inverse of the probability of selecting each school
W2 - The inverse of the probability of selecting each classroom
f1 - A school-level non response adjustment factor
f2 - A student-level non response adjustment factor calculated by classroom
f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2015	2015

DATA COLLECTION MODE
self-administered

questionnaires

QUESTIONNAIRES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
hygiene
mental health
physical activity
protective factors
sexual behaviours
tobacco use
violence and unintentional injury

data_processing

DATA EDITING
All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:
(1) to acknowledge the data source.
(2) to share any planned publications with WHO prior to publication.
(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:
"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_IDN_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-14

DDI DOCUMENT VERSION

Identical to a metadata (IDN_2015_GSHS_v01) published on WHO NCD microdata repository (http://extranet.who.int/ncdsmicrodata/index.php/catalog). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
IDN2015_Public_Use_national Indonesia public-use dataset	11142	141
IDN2015_Public_Use_Java Java public-use dataset	3760	141
IDN2015_Public_Use_Sumatra Sumatra public-use dataset	3631	141
IDN2015_Public_Use_restofcountry Indonesia (rest of country) public-use dataset	3751	141

Data file	Cases	variables
IDN2015_Public_Use_national Indonesia public-use dataset		
IDN2015_Public_Use_Java Java public-use dataset		

Data file: IDN2015_Public_Use_national

Indonesia public-use dataset

Cases:	11142
variables:	141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alchohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphethamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity >= 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphethamines or methamphetamines	Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Data file: IDN2015_Public_Use_Java

Java public-use dataset

Cases:	3760

variables:	141

variables

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alchohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphethamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V190	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity >= 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphethamines or methamphetamines	Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight		
V287	stratum		
V288	psu		

total: 141

Data file: IDN2015_Public_Use_Sumatra

Sumatra public-use dataset

Cases:	3631
variables:	141

variables

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alchohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphethamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V334	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity >= 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphethamines or methamphetamines	Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V423	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V424	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight		
V431	stratum		
V432	psu		

total: 141

Data file: IDN2015_Public_Use_restofcountry

Indonesia (rest of country) public-use dataset

Cases:	3751
variables:	141

variables

ID	Name	Label	Question
V433	Q1	Custom Age	How old are you?
V434	Q2	Sex	What is your sex?
V435	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V436	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V437	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V438	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V439	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V440	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V441	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V442	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V443	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V444	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V445	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V446	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V447	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V448	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V449	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V450	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V451	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V452	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V453	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V454	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V455	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V456	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V457	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V458	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V459	Q27	Close friends	How many close friends do you have?
V460	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V461	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V462	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V463	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V464	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V465	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V466	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V467	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V468	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V469	Q37	Source of alchohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V470	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V471	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V472	Q40	Initiation of drug use	How old were you when you first used drugs?
V473	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V474	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V475	Q43	Amphethamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V476	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V477	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V478	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V479	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V480	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V481	Q49	Physical activity >= 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V482	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V483	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V484	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V485	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V486	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V487	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V488	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V489	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V490	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V491	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V492	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V493	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V494	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V495	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V496	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V497	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V498	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V499	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V500	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V501	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V502	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V503	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V504	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V505	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V506	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V507	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V508	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V509	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V510	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V511	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V512	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V513	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V514	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V515	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V516	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V517	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V518	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V519	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V520	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V521	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V522	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V523	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V524	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V525	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V526	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V527	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V528	QN43	Ever used amphethamines or methamphetamines	Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)
V529	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V530	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V531	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V532	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V533	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V534	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V535	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V536	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V537	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V538	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V539	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V540	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V541	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V542	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V543	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V547	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V548	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V549	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V550	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V551	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V552	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)
V553	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V554	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V555	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V556	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V557	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V558	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V559	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V560	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V561	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V562	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V563	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V564	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V565	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V566	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V567	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V568	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V569	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V570	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V571	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V572	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V573	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V574	weight		
V575	stratum		
V576	psu		

total: 141

Q1: Custom Age

Data file: IDN2015_Public_Use_national

Overview

Valid: 11124   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	251	2.3%
2	12 years old	1796	16.1%
3	13 years old	2502	22.5%
4	14 years old	2565	23.1%
5	15 years old	1943	17.5%
6	16 years old	1113	10%
7	17 years old	776	7%
8	18 years old or older	178	1.6%
Sysmiss		18	

Q10: Fast food eating

Data file: IDN2015_Public_Use_national

Overview

Valid: 11077   Invalid: 65
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	5196	46.9%
2	1 day	3172	28.6%
3	2 days	1352	12.2%

4	3 days	742	6.7%
5	4 days	256	2.3%
6	5 days	112	1%
7	6 days	75	0.7%
8	7 days	172	1.6%
Sysmiss		65	

Q2: Sex

Data file: IDN2015_Public_Use_national

Overview

Valid: 11110   Invalid: 32
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	5090	45.8%
2	Female	6020	54.2%
Sysmiss		32	

Q3: In what grade are you

Data file: IDN2015_Public_Use_national

Overview

Valid: 11081   Invalid: 61
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

LITERAL QUESTION
In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	2740	24.7%
2	M 4	2653	23.9%
3	M 5	2656	24%

4	M 6	1192	10.8%
5	M 7	1068	9.6%
6		772	7%
Sysmiss		61	

Q4: How tall are you

Data file: IDN2015_Public_Use_national

Overview

Valid: 10554   Invalid: 588   Minimum: 1.19   Maximum: 1.96   Mean: 1.526   Standard deviation: 0.0859
Type: Continuous   Decimal: 2   Width: 5   Range: 1.27 - 1.87   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: IDN2015_Public_Use_national

Overview

Valid: 10554   Invalid: 588   Minimum: 22   Maximum: 130   Mean: 45.552   Standard deviation: 11.124
Type: Continuous   Decimal: 2   Width: 5   Range: 28 - 116   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: IDN2015_Public_Use_national

Overview

Valid: 11091   Invalid: 51
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	4944	44.6%
2	Rarely	1260	11.4%
3	Sometimes	4405	39.7%
4	Most of the time	313	2.8%
5	Always	169	1.5%
Sysmiss		51	

Q7: No fruit eating

Data file: IDN2015_Public_Use_national

Overview

Valid: 11020   Invalid: 122
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	1065	9.7%
2	Less than one time per day	3097	28.1%
3	1 time per day	3129	28.4%
4	2 times per day	2077	18.8%
5	3 times per day	1006	9.1%
6	4 times per day	199	1.8%
7	5 or more times per day	447	4.1%
Sysmiss		122	

Q8: No vegetable eating

Data file: IDN2015_Public_Use_national

Overview

Valid: 11087   Invalid: 55
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	342	3.1%
2	Less than one time per day	1724	15.5%
3	1 time per day	2849	25.7%
4	2 times per day	3153	28.4%
5	3 times per day	2309	20.8%
6	4 times per day	246	2.2%
7	5 or more times per day	464	4.2%
Sysmiss		55	

Q9: Soft drinks

Data file: IDN2015_Public_Use_national

Overview

Valid: 11080   Invalid: 62
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	4209	38%
2	Less than one time per day	3776	34.1%

3	1 time per day	2052	18.5%
4	2 times per day	601	5.4%
5	3 times per day	227	2%
6	4 times per day	68	0.6%
7	5 or more times per day	147	1.3%
Sysmiss		62	

Q11: Tooth brushing

Data file: IDN2015_Public_Use_national

Overview

Valid: 11064   Invalid: 78
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	56	0.5%
2	Less than 1 time per day	194	1.8%
3	1 time per day	941	8.5%
4	2 times per day	6073	54.9%
5	3 times per day	3422	30.9%
6	4 or more times per day	378	3.4%
Sysmiss		78	

Q12: Hand washing before eating

Data file: IDN2015_Public_Use_national

Overview

Valid: 11121   Invalid: 21
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	124	1.1%
2	Rarely	149	1.3%
3	Sometimes	2198	19.8%
4	Most of the time	2564	23.1%
5	Always	6086	54.7%
Sysmiss		21	

Q13: Hand washing after toilet

Data file: IDN2015_Public_Use_national

Overview

Valid: 11106   Invalid: 36
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	160	1.4%
2	Rarely	133	1.2%
3	Sometimes	1723	15.5%
4	Most of the time	2369	21.3%
5	Always	6721	60.5%
Sysmiss		36	

Q14: Hand washing with soap

Data file: IDN2015_Public_Use_national

Overview

Valid: 11059   Invalid: 83
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	221	2%
2	Rarely	211	1.9%
3	Sometimes	3701	33.5%
4	Most of the time	2649	24%
5	Always	4277	38.7%
Sysmiss		83	

Q15: Physically attacked

Data file: IDN2015_Public_Use_national

Overview

Valid: 11070   Invalid: 72
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	7491	67.7%
2	1 time	1544	13.9%
3	2 or 3 times	1462	13.2%
4	4 or 5 times	275	2.5%
5	6 or 7 times	91	0.8%
6	8 or 9 times	105	0.9%
7	10 or 11 times	13	0.1%
8	12 or more times	89	0.8%
Sysmiss		72	

Q16: Physical fighting

Data file: IDN2015_Public_Use_national

Overview

Valid: 11042   Invalid: 100
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	8427	76.3%
2	1 time	1404	12.7%
3	2 or 3 times	804	7.3%
4	4 or 5 times	177	1.6%
5	6 or 7 times	72	0.7%
6	8 or 9 times	31	0.3%
7	10 or 11 times	18	0.2%
8	12 or more times	109	1%
Sysmiss		100	

Q17: Seriously injured

Data file: IDN2015_Public_Use_national

Overview

Valid: 10029   Invalid: 1113
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	7038	70.2%
2	1 time	1876	18.7%
3	2 or 3 times	797	7.9%
4	4 or 5 times	158	1.6%
5	6 or 7 times	61	0.6%
6	8 or 9 times	30	0.3%
7	10 or 11 times	12	0.1%
8	12 or more times	57	0.6%
Sysmiss		1113	

Q18: Serious injury broken bone

Data file: IDN2015_Public_Use_national

Overview

Valid: 10479   Invalid: 663
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	8136	77.6%
2	Broken bone/dislocated joint	878	8.4%
3	I had a cut or stab wound	257	2.5%
4	Concussion/head injury	99	0.9%
5	I had a gunshot wound	31	0.3%
6	I had a bad burn	64	0.6%
7	I was poisoned	16	0.2%
8	Something else happened to me	998	9.5%
Sysmiss		663	

Q19: Serious injury motor vehicle

Data file: IDN2015_Public_Use_national

Overview

Valid: 10127   Invalid: 1015
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	7651	75.6%
2	Motor vehicle accident	538	5.3%
3	I fell	1263	12.5%
4	Something fell on me or hit me	161	1.6%
5	I was attacked	109	1.1%
6	Was in a fire	33	0.3%
7	breathed something bad	62	0.6%
8	Something else	310	3.1%
Sysmiss		1015	

Q20: Bullied

Data file: IDN2015_Public_Use_national

Overview

Valid: 10363   Invalid: 779
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	8229	79.4%

2	1 or 2 days	1465	14.1%
3	3 to 5 days	350	3.4%
4	6 to 9 days	126	1.2%
5	10 to 19 days	64	0.6%
6	20 to 29 days	21	0.2%
7	All 30 days	108	1%
Sysmiss		779	

Q21: Bullied by hitting

Data file: IDN2015_Public_Use_national

Overview

Valid: 10359   Invalid: 783
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	8534	82.4%
2	Kicked, pushed, or shoved	210	2%
3	Made fun of race	141	1.4%
4	Made fun because of religion	65	0.6%
5	Made fun of about sex	359	3.5%
6	Left out of activities	123	1.2%
7	Made fun of about body	340	3.3%
8	Some other way	587	5.7%
Sysmiss		783	

Q22: Felt lonely

Data file: IDN2015_Public_Use_national

Overview

Valid: 11030   Invalid: 112

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	4663	42.3%
2	Rarely	1170	10.6%
3	Sometimes	4508	40.9%
4	Most of the time	530	4.8%
5	Always	159	1.4%
Sysmiss		112	

Q23: Could not sleep

Data file: IDN2015_Public_Use_national

Overview

Valid: 11102   Invalid: 40
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	5184	46.7%
2	Rarely	1195	10.8%
3	Sometimes	4208	37.9%
4	Most of the time	396	3.6%
5	Always	119	1.1%
Sysmiss		40	

Q24: Considered suicide

Data file: IDN2015_Public_Use_national

Overview

Valid: 10977   Invalid: 165
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	604	5.5%
2	No	10373	94.5%
Sysmiss		165	

Q25: Made a suicide plan

Data file: IDN2015_Public_Use_national

Overview

Valid: 10995   Invalid: 147
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	628	5.7%
2	No	10367	94.3%
Sysmiss		147	

Q26: Attempted suicide

Data file: IDN2015_Public_Use_national

Overview

Valid: 11105   Invalid: 37
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	10684	96.2%
2	1 time	262	2.4%
3	2 or 3 times	64	0.6%
4	4 or 5 times	75	0.7%
5	6 or more times	20	0.2%
Sysmiss		37	

Q27: Close friends

Data file: IDN2015_Public_Use_national

Overview

Valid: 11071   Invalid: 71
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	322	2.9%
2	1	669	6%
3	2	837	7.6%
4	3 or more	9243	83.5%
Sysmiss		71	

Q28: Initiation of cigarette use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10691   Invalid: 451

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	8457	79.1%
2	7 years old or younger	314	2.9%
3	8 or 9 years old	314	2.9%
4	10 or 11 years old	489	4.6%
5	12 or 13 years old	633	5.9%
6	14 or 15 years old	393	3.7%
7	16 or 17 years old	87	0.8%
8	18 years old or older	4	0%
Sysmiss		451	

Q29: Current cigarette use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10985   Invalid: 157

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	9813	89.3%
2	1 or 2 days	628	5.7%

3	3 to 5 days	164	1.5%
4	6 to 9 days	83	0.8%
5	10 to 19 days	87	0.8%
6	20 to 29 days	36	0.3%
7	All 30 days	174	1.6%
Sysmiss		157	

Q30: Other tobacco use

Data file: IDN2015_Public_Use_national

Overview

Valid: 11028   Invalid: 114
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	10647	96.5%
2	1 or 2 days	210	1.9%
3	3 to 5 days	85	0.8%
4	6 to 9 days	33	0.3%
5	10 to 19 days	30	0.3%
6	20 to 29 days	12	0.1%
7	All 30 days	11	0.1%
Sysmiss		114	

Q31: Smoking cessation

Data file: IDN2015_Public_Use_national

Overview

Valid: 10757   Invalid: 385
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	8887	82.6%
2	Did not smoke cigarettes	497	4.6%
3	Yes	1238	11.5%
4	No	135	1.3%
Sysmiss		385	

Q32: Smoking in their presence

Data file: IDN2015_Public_Use_national

Overview

Valid: 11025   Invalid: 117
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	2520	22.9%
2	1 or 2 days	2739	24.8%
3	3 or 4 days	1122	10.2%
4	5 or 6 days	513	4.7%
5	All 7 days	4131	37.5%
Sysmiss		117	

Q33: Parental tobacco use

Data file: IDN2015_Public_Use_national

Overview

Valid: 11030   Invalid: 112
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	4348	39.4%
2	My father or male guardian	5678	51.5%
3	My mother or female guardian	102	0.9%
4	Both	166	1.5%
5	I do not know	736	6.7%
Sysmiss		112	

Q34: Initiation of alcohol use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10339   Invalid: 803
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	9427	91.2%
2	7 years old or younger	144	1.4%
3	8 or 9 years old	127	1.2%
4	10 or 11 years old	132	1.3%
5	12 or 13 years old	193	1.9%
6	14 or 15 years old	227	2.2%

7	16 or 17 years old	87	0.8%
8	18 years old or older	2	0%
Sysmiss		803	

Q35: Current alcohol use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10921   Invalid: 221
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	10448	95.7%
2	1 or 2 days	319	2.9%
3	3 to 5 days	74	0.7%
4	6 to 9 days	41	0.4%
5	10 to 19 days	18	0.2%
6	20 to 29 days	8	0.1%
7	All 30 days	13	0.1%
Sysmiss		221	

Q36: Drank 2+ drinks

Data file: IDN2015_Public_Use_national

Overview

Valid: 10925   Invalid: 217
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	10309	94.4%
2	Less than one drink	300	2.7%
3	1 drink	145	1.3%
4	2 drinks	66	0.6%
5	3 drinks	43	0.4%
6	4 drinks	22	0.2%
7	5 or more drinks	40	0.4%
Sysmiss		217	

Q37: Source of alchohol

Data file: IDN2015_Public_Use_national

Overview

Valid: 10842   Invalid: 300
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	10351	95.5%
2	I bought in a store	175	1.6%
3	I gave someone money to buy	48	0.4%
4	I got it from my friends	179	1.7%
5	I got it from my family	60	0.6%
6	I stole it	9	0.1%
7	Some other way	20	0.2%
Sysmiss		300	

Q38: Really drunk

Data file: IDN2015_Public_Use_national

Overview

Valid: 10848   Invalid: 294
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION
During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	10460	96.4%
2	1 or 2 times	259	2.4%
3	3 to 9 times	77	0.7%
4	10 or more times	52	0.5%
Sysmiss		294	

Q39: Trouble from drinking

Data file: IDN2015_Public_Use_national

Overview

Valid: 10596   Invalid: 546
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	10334	97.5%

2	1 or 2 times	162	1.5%
3	3 to 9 times	47	0.4%
4	10 or more times	53	0.5%
Sysmiss		546	

Q40: Initiation of drug use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10765   Invalid: 377
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	10494	97.5%
2	7 years old or younger	112	1%
3	8 or 9 years old	57	0.5%
4	10 or 11 years old	39	0.4%
5	12 or 13 years old	31	0.3%
6	14 or 15 years old	20	0.2%
7	16 or 17 years old	10	0.1%
8	18 years old or older	2	0%
Sysmiss		377	

Q41: Ever marijuana use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10943   Invalid: 199
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	10771	98.4%
2	1 or 2 times	68	0.6%
3	3 to 9 times	54	0.5%
4	10 to 19 times	27	0.2%
5	20 or more times	23	0.2%
Sysmiss		199	

Q42: Current marijuana use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10985   Invalid: 157
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	10855	98.8%
2	1 or 2 times	59	0.5%
3	3 to 9 times	38	0.3%
4	10 to 19 times	14	0.1%
5	20 or more times	19	0.2%
Sysmiss		157	

Q43: Amphethamine or methamphetamine use

Data file: IDN2015_Public_Use_national

Overview

Valid: 10758   Invalid: 384

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	10598	98.5%
2	1 or 2 times	73	0.7%
3	3 to 9 times	46	0.4%
4	10 to 19 times	25	0.2%
5	20 or more times	16	0.1%
Sysmiss		384	

Q44: Ever sexual intercourse

Data file: IDN2015_Public_Use_national

Overview

Valid: 9529   Invalid: 1613

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	503	5.3%
2	No	9026	94.7%
Sysmiss		1613	

Q45: Sex before 14 years

Data file: IDN2015_Public_Use_national

Overview

Valid: 10903   Invalid: 239
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	10723	98.3%
2	11 years old or younger	86	0.8%
3	12 years old	31	0.3%
4	13 years old	17	0.2%
5	14 years old	21	0.2%
6	15 years old	11	0.1%
7	16 or 17 years old	12	0.1%
8	18 years old or older	2	0%
Sysmiss		239	

Q46: Multiple sex partners

Data file: IDN2015_Public_Use_national

Overview

Valid: 10909   Invalid: 233
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	10713	98.2%
2	1 person	70	0.6%

3	2 people	58	0.5%
4	3 people	26	0.2%
5	4 people	19	0.2%
6	5 people	8	0.1%
7	6 or more people	15	0.1%
Sysmiss		233	

Q47: Condom use

Data file: IDN2015_Public_Use_national

Overview

Valid: 9874   Invalid: 1268
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 3   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	9683	98.1%
2	Yes	64	0.6%
3	No	127	1.3%
Sysmiss		1268	

Q48: Birth control used

Data file: IDN2015_Public_Use_national

Overview

Valid: 10163   Invalid: 979
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	9957	98%
2	Yes	71	0.7%
3	No	94	0.9%
4	I do not know	41	0.4%
Sysmiss		979	

Q49: Physical activity >= 5 days

Data file: IDN2015_Public_Use_national

Overview

Valid: 10910   Invalid: 232
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	3541	32.5%
2	1 day	3024	27.7%
3	2 days	1344	12.3%
4	3 days	885	8.1%
5	4 days	386	3.5%
6	5 days	244	2.2%
7	6 days	170	1.6%
8	7 days	1316	12.1%
Sysmiss		232	

Q50: Walk or bike to school

Data file: IDN2015_Public_Use_national

Overview

Valid: 10991   Invalid: 151

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	6617	60.2%
2	1 day	724	6.6%
3	2 days	417	3.8%
4	3 days	255	2.3%
5	4 days	125	1.1%
6	5 days	153	1.4%
7	6 days	730	6.6%
8	7 days	1970	17.9%
Sysmiss		151	

Q51: PE attendance

Data file: IDN2015_Public_Use_national

Overview

Valid: 10960   Invalid: 182
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1407	12.8%
2	1 day	6847	62.5%
3	2 days	1262	11.5%

4	3 days	343	3.1%
5	4 days	109	1%
6	5 or more days	992	9.1%
Sysmiss		182	

Q52: Sitting activities

Data file: IDN2015_Public_Use_national

Overview

Valid: 10922   Invalid: 220
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION
How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	4203	38.5%
2	1 to 2 hours per day	3813	34.9%
3	3 to 4 hours per day	1781	16.3%
4	5 to 6 hours per day	561	5.1%
5	7 to 8 hours per day	171	1.6%
6	More than 8 hours per day	393	3.6%
Sysmiss		220	

Q53: Miss school no permission

Data file: IDN2015_Public_Use_national

Overview

Valid: 11009   Invalid: 133
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	8660	78.7%
2	1 or 2 days	1939	17.6%
3	3 to 5 days	261	2.4%
4	6 to 9 days	73	0.7%
5	10 or more days	76	0.7%
Sysmiss		133	

Q54: Other students kind and helpful

Data file: IDN2015_Public_Use_national

Overview

Valid: 10977   Invalid: 165
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	680	6.2%
2	Rarely	390	3.6%
3	Sometimes	5625	51.2%
4	Most of the time	2368	21.6%
5	Always	1914	17.4%
Sysmiss		165	

Q55: Parents check homework

Data file: IDN2015_Public_Use_national

Overview

Valid: 10929   Invalid: 213
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	2301	21.1%
2	Rarely	660	6%
3	Sometimes	4154	38%
4	Most of the time	1494	13.7%
5	Always	2320	21.2%
Sysmiss		213	

Q56: Parents understand problems

Data file: IDN2015_Public_Use_national

Overview

Valid: 10965   Invalid: 177
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	2544	23.2%
2	Rarely	692	6.3%
3	Sometimes	3921	35.8%
4	Most of the time	1607	14.7%
5	Always	2201	20.1%
Sysmiss		177	

Q57: Parents know about free time

Data file: IDN2015_Public_Use_national

Overview

Valid: 10925   Invalid: 217
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	2226	20.4%
2	Rarely	601	5.5%
3	Sometimes	3781	34.6%
4	Most of the time	1958	17.9%
5	Always	2359	21.6%
Sysmiss		217	

▍Q58: Parents go through their things

Data file: IDN2015_Public_Use_national

Overview

Valid: 10910   Invalid: 232   Mean: 2.117   Standard deviation: 1.26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		5335	48.9%
2		1007	9.2%
3		3226	29.6%
4		636	5.8%
5		706	6.5%
Sysmiss		232	

QN6: Most of the time or always went hungry

Data file: IDN2015_Public_Use_national

Overview

Valid: 11091   Invalid: 51   Mean: 1.957   Standard deviation: 0.204
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	482	4.3%
2	No	10609	95.7%
Sysmiss		51	

QN7: Did not eat fruit

Data file: IDN2015_Public_Use_national

Overview

Valid: 11020   Invalid: 122   Mean: 1.903   Standard deviation: 0.295
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1065	9.7%
2	No	9955	90.3%
Sysmiss		122	

QN8: Did not eat vegetables

Data file: IDN2015_Public_Use_national

Overview

Valid: 11087   Invalid: 55   Mean: 1.969   Standard deviation: 0.173

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	342	3.1%
2	No	10745	96.9%
Sysmiss		55	

QN9: Did not drink carbonated soft drinks

Data file: IDN2015_Public_Use_national

Overview

Valid: 11080   Invalid: 62   Mean: 1.62   Standard deviation: 0.485
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4209	38%
2	No	6871	62%
Sysmiss		62	

QN10: Did not eat food from a fast food restaurant

Data file: IDN2015_Public_Use_national

Overview

Valid: 11077   Invalid: 65   Mean: 1.531   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5196	46.9%
2	No	5881	53.1%
Sysmiss		65	

QN11: Usually cleaned or brushed their teeth

Data file: IDN2015_Public_Use_national

Overview

Valid: 11064   Invalid: 78   Mean: 1.023   Standard deviation: 0.149
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	10814	97.7%
2	No	250	2.3%
Sysmiss		78	

QN12: Never or rarely washed their hands before eating

Data file: IDN2015_Public_Use_national

Overview

Valid: 11121   Invalid: 21   Mean: 1.975   Standard deviation: 0.155
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	273	2.5%
2	No	10848	97.5%
Sysmiss		21	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: IDN2015_Public_Use_national

Overview

Valid: 11106   Invalid: 36   Mean: 1.974   Standard deviation: 0.16
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	293	2.6%
2	No	10813	97.4%
Sysmiss		36	

QN14: Never or rarely used soap when washing their hands

Data file: IDN2015_Public_Use_national

Overview

Valid: 11059   Invalid: 83   Mean: 1.961   Standard deviation: 0.194
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	432	3.9%
2	No	10627	96.1%
Sysmiss		83	

QN15: Were physically attacked

Data file: IDN2015_Public_Use_national

Overview

Valid: 11070   Invalid: 72   Mean: 1.677   Standard deviation: 0.468
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3579	32.3%
2	No	7491	67.7%
Sysmiss		72	

QN16: Were in a physical fight

Data file: IDN2015_Public_Use_national

Overview

Valid: 11042   Invalid: 100   Mean: 1.763   Standard deviation: 0.425
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2615	23.7%
2	No	8427	76.3%
Sysmiss		100	

QN17: Were seriously injured

Data file: IDN2015_Public_Use_national

Overview

Valid: 10029   Invalid: 1113   Mean: 1.702   Standard deviation: 0.458
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	2991	29.8%
2	No	7038	70.2%
Sysmiss		1113	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: IDN2015_Public_Use_national

Overview

Valid: 2343   Invalid: 8799   Mean: 1.625   Standard deviation: 0.484
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	878	37.5%
2	No	1465	62.5%
Sysmiss		8799	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: IDN2015_Public_Use_national

Overview

Valid: 2476   Invalid: 8666   Mean: 1.783   Standard deviation: 0.412
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	538	21.7%
2	No	1938	78.3%
Sysmiss		8666	

QN20: Were bullied

Data file: IDN2015_Public_Use_national

Overview

Valid: 10363   Invalid: 779   Mean: 1.794   Standard deviation: 0.404
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2134	20.6%
2	No	8229	79.4%
Sysmiss		779	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: IDN2015_Public_Use_national

Overview

Valid: 1825   Invalid: 9317   Mean: 1.885   Standard deviation: 0.319
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	210	11.5%
2	No	1615	88.5%
Sysmiss		9317	

QN22: Most of the time or always felt lonely

Data file: IDN2015_Public_Use_national

Overview

Valid: 11030   Invalid: 112   Mean: 1.938   Standard deviation: 0.242
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	689	6.2%
2	No	10341	93.8%
Sysmiss		112	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: IDN2015_Public_Use_national

Overview

Valid: 11102   Invalid: 40   Mean: 1.954   Standard deviation: 0.21
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	515	4.6%
2	No	10587	95.4%
Sysmiss		40	

QN24: Seriously considered attempting suicide

Data file: IDN2015_Public_Use_national

Overview

Valid: 10977   Invalid: 165   Mean: 1.945   Standard deviation: 0.228
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	604	5.5%
2	No	10373	94.5%
Sysmiss		165	

QN25: Made a plan about how they would attempt suicide

Data file: IDN2015_Public_Use_national

Overview

Valid: 10995   Invalid: 147   Mean: 1.943   Standard deviation: 0.232
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	628	5.7%
2	No	10367	94.3%
Sysmiss		147	

QN26: Attempted suicide

Data file: IDN2015_Public_Use_national

Overview

Valid: 11105   Invalid: 37   Mean: 1.962   Standard deviation: 0.191
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	421	3.8%
2	No	10684	96.2%
Sysmiss		37	

QN27: Did not have any close friends

Data file: IDN2015_Public_Use_national

Overview

Valid: 11071   Invalid: 71   Mean: 1.971   Standard deviation: 0.168
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	322	2.9%
2	No	10749	97.1%
Sysmiss		71	

QN28: Tried a cigarette before age 14 years

Data file: IDN2015_Public_Use_national

Overview

Valid: 2234   Invalid: 8908   Mean: 1.217   Standard deviation: 0.412
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	1750	78.3%
2	No	484	21.7%
Sysmiss		8908	

QN29: Currently smoked cigarettes

Data file: IDN2015_Public_Use_national

Overview

Valid: 10985   Invalid: 157   Mean: 1.893   Standard deviation: 0.309
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1172	10.7%
2	No	9813	89.3%
Sysmiss		157	

QN30: Currently used any tobacco products other than cigarettes

Data file: IDN2015_Public_Use_national

Overview

Valid: 11028   Invalid: 114   Mean: 1.965   Standard deviation: 0.183
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	381	3.5%
2	No	10647	96.5%
Sysmiss		114	

QN31: Tried to quit smoking cigarettes

Data file: IDN2015_Public_Use_national

Overview

Valid: 1373   Invalid: 9769   Mean: 1.098   Standard deviation: 0.298
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1238	90.2%
2	No	135	9.8%
Sysmiss		9769	

QN32: Reported that people smoked in their presence

Data file: IDN2015_Public_Use_national

Overview

Valid: 11025   Invalid: 117   Mean: 1.229   Standard deviation: 0.42
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	8505	77.1%
2	No	2520	22.9%
Sysmiss		117	

QN33: Had parents or guardians who used any form of tobacco

Data file: IDN2015_Public_Use_national

Overview

Valid: 11030   Invalid: 112   Mean: 1.461   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	5946	53.9%
2	No	5084	46.1%
Sysmiss		112	

QN34: Drank alcohol before age 14 years

Data file: IDN2015_Public_Use_national

Overview

Valid: 912   Invalid: 10230   Mean: 1.346   Standard deviation: 0.476
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	596	65.4%
2	No	316	34.6%
Sysmiss		10230	

QN35: Currently drank alcohol

Data file: IDN2015_Public_Use_national

Overview

Valid: 10921   Invalid: 221   Mean: 1.957   Standard deviation: 0.204
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	473	4.3%
2	No	10448	95.7%
Sysmiss		221	

QN36: Usually drank two or more drinks per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 616   Invalid: 10526   Mean: 1.722   Standard deviation: 0.448
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	171	27.8%
2	No	445	72.2%
Sysmiss		10526	

QN37: Usually obtained the alcohol they drank from friends

Data file: IDN2015_Public_Use_national

Overview

Valid: 491   Invalid: 10651   Mean: 1.635   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	179	36.5%
2	No	312	63.5%
Sysmiss		10651	

QN47: Used a condom

Data file: IDN2015_Public_Use_national

Overview

Valid: 191   Invalid: 10951   Mean: 1.665   Standard deviation: 0.473
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	64	33.5%
2	No	127	66.5%
Sysmiss		10951	

QN38: Ever drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_national

Overview

Valid: 10848   Invalid: 294   Mean: 1.964   Standard deviation: 0.186
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	388	3.6%
2	No	10460	96.4%
Sysmiss		294	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: IDN2015_Public_Use_national

Overview

Valid: 10596   Invalid: 546   Mean: 1.975   Standard deviation: 0.155
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	262	2.5%
2	No	10334	97.5%
Sysmiss		546	

QN40: Used drugs before age 14 years

Data file: IDN2015_Public_Use_national

Overview

Valid: 271   Invalid: 10871   Mean: 1.118   Standard deviation: 0.323
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	239	88.2%
2	No	32	11.8%
Sysmiss		10871	

QN41: Ever used marijuana

Data file: IDN2015_Public_Use_national

Overview

Valid: 10943   Invalid: 199   Mean: 1.984   Standard deviation: 0.124
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	172	1.6%
2	No	10771	98.4%
Sysmiss		199	

QN42: Currently used marijuana

Data file: IDN2015_Public_Use_national

Overview

Valid: 10985   Invalid: 157   Mean: 1.988   Standard deviation: 0.108
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	130	1.2%
2	No	10855	98.8%
Sysmiss		157	

QN43: Ever used amphethamines or methamphetamines

Data file: IDN2015_Public_Use_national

Overview

Valid: 10758   Invalid: 384   Mean: 1.985   Standard deviation: 0.121
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	160	1.5%
2	No	10598	98.5%
Sysmiss		384	

QN44: Ever had sexual intercourse

Data file: IDN2015_Public_Use_national

Overview

Valid: 9529   Invalid: 1613   Mean: 1.947   Standard deviation: 0.224
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	

1	Yes	503	5.3%
2	No	9026	94.7%
Sysmiss		1613	

▍ QN45: Had sexual intercourse before age 14 years

Data file: IDN2015_Public_Use_national

Overview

Valid: 180   Invalid: 10962   Mean: 1.256   Standard deviation: 0.437
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	134	74.4%
2	No	46	25.6%
Sysmiss		10962	

▍ QN46: Had sexual intercourse with two or more persons

Data file: IDN2015_Public_Use_national

Overview

Valid: 10909   Invalid: 233   Mean: 1.988   Standard deviation: 0.107
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	126	1.2%
2	No	10783	98.8%
Sysmiss		233	

QN48: Used a method of birth control other than condoms

Data file: IDN2015_Public_Use_national

Overview

Valid: 206   Invalid: 10936   Mean: 1.655   Standard deviation: 0.476
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	71	34.5%
2	No	135	65.5%
Sysmiss		10936	

QN49: Were not physically active

Data file: IDN2015_Public_Use_national

Overview

Valid: 10910   Invalid: 232   Mean: 1.675   Standard deviation: 0.468
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3541	32.5%
2	No	7369	67.5%
Sysmiss		232	

QN50: Did not walk or ride a bicycle to or from school

Data file: IDN2015_Public_Use_national

Overview

Valid: 10991   Invalid: 151   Mean: 1.398   Standard deviation: 0.489
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	6617	60.2%
2	No	4374	39.8%
Sysmiss		151	

QN51: Did not attend physical education classes

Data file: IDN2015_Public_Use_national

Overview

Valid: 10960   Invalid: 182   Mean: 1.872   Standard deviation: 0.335
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1407	12.8%
2	No	9553	87.2%
Sysmiss		182	

QN52: Spent three or more hours per day doing sitting activities

Data file: IDN2015_Public_Use_national

Overview

Valid: 10922   Invalid: 220   Mean: 1.734   Standard deviation: 0.442
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	

1	Yes	2906	26.6%
2	No	8016	73.4%
Sysmiss		220	

QN53: Missed classes or school without permission

Data file: IDN2015_Public_Use_national

Overview

Valid: 11009   Invalid: 133   Mean: 1.787   Standard deviation: 0.41
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2349	21.3%
2	No	8660	78.7%
Sysmiss		133	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: IDN2015_Public_Use_national

Overview

Valid: 10977   Invalid: 165   Mean: 1.61   Standard deviation: 0.488
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4282	39%
2	No	6695	61%
Sysmiss		165	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: IDN2015_Public_Use_national

Overview

Valid: 10929   Invalid: 213   Mean: 1.651   Standard deviation: 0.477
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3814	34.9%
2	No	7115	65.1%
Sysmiss		213	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: IDN2015_Public_Use_national

Overview

Valid: 10965   Invalid: 177   Mean: 1.653   Standard deviation: 0.476
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3808	34.7%
2	No	7157	65.3%
Sysmiss		177	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: IDN2015_Public_Use_national

Overview

Valid: 10925   Invalid: 217   Mean: 1.605   Standard deviation: 0.489
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4317	39.5%
2	No	6608	60.5%
Sysmiss		217	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: IDN2015_Public_Use_national

Overview

Valid: 10910   Invalid: 232   Mean: 1.419   Standard deviation: 0.493
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	6342	58.1%
2	No	4568	41.9%
Sysmiss		232	

QNUNWTG: Were underweight

Data file: IDN2015_Public_Use_national

Overview

Valid: 10554   Invalid: 588   Mean: 1.918   Standard deviation: 0.274
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	863	8.2%
2	No	9691	91.8%
Sysmiss		588	

QNOWTG: Were overweight

Data file: IDN2015_Public_Use_national

Overview

Valid: 10554   Invalid: 588   Mean: 1.853   Standard deviation: 0.354
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1552	14.7%
2	No	9002	85.3%
Sysmiss		588	

QNOBESEG: Were obese

Data file: IDN2015_Public_Use_national

Overview

Valid: 10554   Invalid: 588   Mean: 1.953   Standard deviation: 0.211
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	

1	Yes	492	4.7%
2	No	10062	95.3%
Sysmiss		588	

▌ QNFRLG: Usually ate fruit less than one time per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11020   Invalid: 122   Mean: 1.719   Standard deviation: 0.45
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3097	28.1%
2	No	7923	71.9%
Sysmiss		122	

▌ QNFR1G: Usually ate fruit one or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11020   Invalid: 122   Mean: 1.378   Standard deviation: 0.485
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	6858	62.2%
2	No	4162	37.8%
Sysmiss		122	

QNFR2G: Usually ate fruit two or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11020   Invalid: 122   Mean: 1.662   Standard deviation: 0.473
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3729	33.8%
2	No	7291	66.2%
Sysmiss		122	

QNFR3G: Usually ate fruit three or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11020   Invalid: 122   Mean: 1.85   Standard deviation: 0.357
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1652	15%
2	No	9368	85%
Sysmiss		122	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11087   Invalid: 55   Mean: 1.845   Standard deviation: 0.362
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1724	15.5%
2	No	9363	84.5%
Sysmiss		55	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11087   Invalid: 55   Mean: 1.186   Standard deviation: 0.389
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	9021	81.4%
2	No	2066	18.6%
Sysmiss		55	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11087   Invalid: 55   Mean: 1.443   Standard deviation: 0.497
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	6172	55.7%
2	No	4915	44.3%
Sysmiss		55	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11087   Invalid: 55   Mean: 1.728   Standard deviation: 0.445
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3019	27.2%
2	No	8068	72.8%
Sysmiss		55	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11080   Invalid: 62   Mean: 1.659   Standard deviation: 0.474
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3776	34.1%
2	No	7304	65.9%
Sysmiss		62	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11080   Invalid: 62   Mean: 1.721   Standard deviation: 0.449
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3095	27.9%
2	No	7985	72.1%
Sysmiss		62	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11080   Invalid: 62   Mean: 1.906   Standard deviation: 0.292
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1043	9.4%
2	No	10037	90.6%
Sysmiss		62	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: IDN2015_Public_Use_national

Overview

Valid: 11080   Invalid: 62   Mean: 1.96   Standard deviation: 0.196
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	442	4%
2	No	10638	96%
Sysmiss		62	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: IDN2015_Public_Use_national

Overview

Valid: 11077   Invalid: 65   Mean: 1.469   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5881	53.1%
2	No	5196	46.9%
Sysmiss		65	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: IDN2015_Public_Use_national

Overview

Valid: 11077   Invalid: 65   Mean: 1.755   Standard deviation: 0.43
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	2709	24.5%
2	No	8368	75.5%
Sysmiss		65	

▌ QNFF3G: Ate food from a fast food restaurant three or more days

Data file: IDN2015_Public_Use_national

Overview

Valid: 11077   Invalid: 65   Mean: 1.877   Standard deviation: 0.328
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1357	12.3%
2	No	9720	87.7%
Sysmiss		65	

▌ QNC2G: Were bullied and could not sleep at night

Data file: IDN2015_Public_Use_national

Overview

Valid: 464   Invalid: 10678   Mean: 1.565   Standard deviation: 0.496
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	202	43.5%
2	No	262	56.5%
Sysmiss		10678	

▍ QNTOB2G: Currently used any tobacco product

Data file: IDN2015_Public_Use_national

Overview

Valid: 10995   Invalid: 147   Mean: 1.88   Standard deviation: 0.325
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1316	12%
2	No	9679	88%
Sysmiss		147	

▍ QNNOTB2G: Did not currently use any tobacco products

Data file: IDN2015_Public_Use_national

Overview

Valid: 10933   Invalid: 209   Mean: 1.115   Standard deviation: 0.319
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	9679	88.5%
2	No	1254	11.5%
Sysmiss		209	

▍ QNBCANYG: Used a method of birth control

Data file: IDN2015_Public_Use_national

Overview

Valid: 130   Invalid: 11012   Mean: 1.438   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	73	56.2%
2	No	57	43.8%
Sysmiss		11012	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_national

Overview

Valid: 275   Invalid: 10867   Mean: 1.775   Standard deviation: 0.419
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	62	22.5%
2	No	213	77.5%
Sysmiss		10867	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: IDN2015_Public_Use_national

Overview

Valid: 10910   Invalid: 232   Mean: 1.841   Standard deviation: 0.365
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1730	15.9%
2	No	9180	84.1%
Sysmiss		232	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: IDN2015_Public_Use_national

Overview

Valid: 10910   Invalid: 232   Mean: 1.879   Standard deviation: 0.326
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1316	12.1%
2	No	9594	87.9%
Sysmiss		232	

QNPE3G: Attended physical education classes on three or more days

Data file: IDN2015_Public_Use_national

Overview

Valid: 10960   Invalid: 182   Mean: 1.868   Standard deviation: 0.338
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1444	13.2%
2	No	9516	86.8%
Sysmiss		182	

QNPE5G: Attended physical education classes on five or more days

Data file: IDN2015_Public_Use_national

Overview

Valid: 10960   Invalid: 182   Mean: 1.909   Standard deviation: 0.287
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	992	9.1%
2	No	9968	90.9%
Sysmiss		182	

WEIGHT:

Data file: IDN2015_Public_Use_national

Overview

Valid: 11142   Invalid: 0   Mean: 1106.827   Standard deviation: 493.802
Type: Continuous   Decimal: 0   Width: 10   Range: 42.0329 - 329.5608   Format: Numeric

STRATUM:

Data file: IDN2015_Public_Use_national

Overview

Valid: 11142   Invalid: 0   Mean: 201502005.68   Standard deviation: 820.04
Type: Discrete   Decimal: 0   Width: 9   Range: 201501001 - 201501019   Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201501001		221	2%
201501002		287	2.6%
201501003		324	2.9%
201501004		350	3.1%
201501005		334	3%

201501006		346	3.1%
201501007		283	2.5%
201501008		313	2.8%
201501009		314	2.8%
201501010		290	2.6%
201501011		338	3%
201501012		360	3.2%
201502001		315	2.8%
201502002		306	2.7%
201502003		272	2.4%
201502004		329	3%
201502005		439	3.9%
201502006		280	2.5%
201502007		326	2.9%
201502008		274	2.5%
201502009		321	2.9%
201502010		210	1.9%
201502011		326	2.9%
201502012		233	2.1%
201503001		292	2.6%
201503002		282	2.5%
201503003		325	2.9%
201503004		339	3%
201503005		326	2.9%
201503006		325	2.9%
201503007		331	3%
201503008		359	3.2%
201503009		202	1.8%
201503010		333	3%
201503011		400	3.6%
201503012		237	2.1%

PSU:

Data file: IDN2015_Public_Use_national

Overview

Valid: 11142   Invalid: 0   Mean: 12.497   Standard deviation: 6.808
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

Q1: Custom Age

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3759   Invalid: 1
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	68	1.8%
2	12 years old	662	17.6%
3	13 years old	912	24.3%
4	14 years old	982	26.1%
5	15 years old	585	15.6%
6	16 years old	301	8%
7	17 years old	229	6.1%
8	18 years old or older	20	0.5%
Sysmiss		1	

Q2: Sex

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3753   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1766	47.1%
2	Female	1987	52.9%
Sysmiss		7	

Q3: In what grade are you

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3740   Invalid: 20
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

LITERAL QUESTION
In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	952	25.5%
2	M 4	922	24.7%
3	M 5	973	26%
4	M 6	351	9.4%
5	M 7	293	7.8%
6		249	6.7%
Sysmiss		20	

Q4: How tall are you

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3616   Invalid: 144   Minimum: 1.19   Maximum: 1.96   Mean: 1.534   Standard deviation: 0.0886
Type: Continuous   Decimal: 2   Width: 5   Range: 1.27 - 1.87   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3616   Invalid: 144   Minimum: 22   Maximum: 118   Mean: 47.014   Standard deviation: 12.223
Type: Continuous   Decimal: 2   Width: 5   Range: 28 - 116   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1639	43.7%
2	Rarely	535	14.3%
3	Sometimes	1439	38.4%
4	Most of the time	101	2.7%
5	Always	35	0.9%
Sysmiss		11	

Q7: No fruit eating

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3730   Invalid: 30
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	271	7.3%
2	Less than one time per day	953	25.5%
3	1 time per day	1059	28.4%
4	2 times per day	816	21.9%
5	3 times per day	413	11.1%
6	4 times per day	65	1.7%
7	5 or more times per day	153	4.1%
Sysmiss		30	

Q8: No vegetable eating

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3751   Invalid: 9
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	106	2.8%
2	Less than one time per day	500	13.3%
3	1 time per day	896	23.9%
4	2 times per day	1120	29.9%
5	3 times per day	893	23.8%
6	4 times per day	91	2.4%
7	5 or more times per day	145	3.9%
Sysmiss		9	

Q9: Soft drinks

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1420	37.9%
2	Less than one time per day	1368	36.5%
3	1 time per day	639	17%
4	2 times per day	192	5.1%
5	3 times per day	71	1.9%
6	4 times per day	14	0.4%
7	5 or more times per day	45	1.2%
Sysmiss		11	

Q10: Fast food eating

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3747   Invalid: 13
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1597	42.6%
2	1 day	1112	29.7%
3	2 days	532	14.2%
4	3 days	304	8.1%

5	4 days	88	2.3%
6	5 days	39	1%
7	6 days	22	0.6%
8	7 days	53	1.4%
Sysmiss		13	

Q11: Tooth brushing

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3738   Invalid: 22
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	14	0.4%
2	Less than 1 time per day	59	1.6%
3	1 time per day	303	8.1%
4	2 times per day	2144	57.4%
5	3 times per day	1113	29.8%
6	4 or more times per day	105	2.8%
Sysmiss		22	

Q12: Hand washing before eating

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3756   Invalid: 4
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	37	1%
2	Rarely	63	1.7%
3	Sometimes	988	26.3%
4	Most of the time	943	25.1%
5	Always	1725	45.9%
Sysmiss		4	

Q13: Hand washing after toilet

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3753   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	25	0.7%
2	Rarely	33	0.9%
3	Sometimes	466	12.4%
4	Most of the time	775	20.7%
5	Always	2454	65.4%
Sysmiss		7	

Q14: Hand washing with soap

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3735   Invalid: 25
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	59	1.6%
2	Rarely	64	1.7%
3	Sometimes	1126	30.1%
4	Most of the time	958	25.6%
5	Always	1528	40.9%
Sysmiss		25	

Q15: Physically attacked

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3753   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2593	69.1%
2	1 time	443	11.8%
3	2 or 3 times	507	13.5%
4	4 or 5 times	103	2.7%
5	6 or 7 times	34	0.9%
6	8 or 9 times	32	0.9%
7	10 or 11 times	8	0.2%
8	12 or more times	33	0.9%
Sysmiss		7	

Q16: Physical fighting

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3743   Invalid: 17
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	3017	80.6%
2	1 time	368	9.8%
3	2 or 3 times	242	6.5%
4	4 or 5 times	62	1.7%
5	6 or 7 times	23	0.6%
6	8 or 9 times	5	0.1%
7	10 or 11 times	4	0.1%
8	12 or more times	22	0.6%
Sysmiss		17	

Q17: Seriously injured

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3437   Invalid: 323
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2504	72.9%
2	1 time	591	17.2%
3	2 or 3 times	247	7.2%
4	4 or 5 times	59	1.7%
5	6 or 7 times	13	0.4%
6	8 or 9 times	11	0.3%
7	10 or 11 times	0	0%
8	12 or more times	12	0.3%
Sysmiss		323	

Q18: Serious injury broken bone

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3568   Invalid: 192
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2807	78.7%
2	Broken bone/dislocated joint	323	9.1%
3	I had a cut or stab wound	56	1.6%
4	Concussion/head injury	28	0.8%
5	I had a gunshot wound	8	0.2%
6	I had a bad burn	14	0.4%
7	I was poisoned	3	0.1%
8	Something else happened to me	329	9.2%
Sysmiss		192	

Q19: Serious injury motor vehicle

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3460   Invalid: 300
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2678	77.4%
2	Motor vehicle accident	169	4.9%
3	I fell	399	11.5%
4	Something fell on me or hit me	48	1.4%
5	I was attacked	40	1.2%
6	Was in a fire	6	0.2%
7	breathed something bad	19	0.5%
8	Something else	101	2.9%
Sysmiss		300	

Q20: Bullied

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3548   Invalid: 212
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2856	80.5%

2	1 or 2 days	449	12.7%
3	3 to 5 days	123	3.5%
4	6 to 9 days	53	1.5%
5	10 to 19 days	25	0.7%
6	20 to 29 days	9	0.3%
7	All 30 days	33	0.9%
Sysmiss		212	

Q21: Bullied by hitting

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3546   Invalid: 214
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2939	82.9%
2	Kicked, pushed, or shoved	59	1.7%
3	Made fun of race	45	1.3%
4	Made fun because of religion	13	0.4%
5	Made fun of about sex	147	4.1%
6	Left out of activities	32	0.9%
7	Made fun of about body	120	3.4%
8	Some other way	191	5.4%
Sysmiss		214	

Q22: Felt lonely

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3735   Invalid: 25

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1533	41%
2	Rarely	488	13.1%
3	Sometimes	1481	39.7%
4	Most of the time	187	5%
5	Always	46	1.2%
Sysmiss		25	

Q23: Could not sleep

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3755   Invalid: 5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1654	44%
2	Rarely	458	12.2%
3	Sometimes	1471	39.2%
4	Most of the time	138	3.7%
5	Always	34	0.9%
Sysmiss		5	

Q24: Considered suicide

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3711   Invalid: 49
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	174	4.7%
2	No	3537	95.3%
Sysmiss		49	

Q25: Made a suicide plan

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3717   Invalid: 43
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	183	4.9%
2	No	3534	95.1%
Sysmiss		43	

Q26: Attempted suicide

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3757   Invalid: 3
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3625	96.5%
2	1 time	81	2.2%
3	2 or 3 times	16	0.4%
4	4 or 5 times	27	0.7%
5	6 or more times	8	0.2%
Sysmiss		3	

Q27: Close friends

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	112	3%
2	1	182	4.9%
3	2	234	6.2%
4	3 or more	3218	85.9%
Sysmiss		14	

Q28: Initiation of cigarette use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3647   Invalid: 113
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2891	79.3%
2	7 years old or younger	90	2.5%
3	8 or 9 years old	103	2.8%
4	10 or 11 years old	185	5.1%
5	12 or 13 years old	222	6.1%
6	14 or 15 years old	135	3.7%
7	16 or 17 years old	21	0.6%
8	18 years old or older	0	0%
Sysmiss		113	

Q29: Current cigarette use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3734   Invalid: 26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3338	89.4%
2	1 or 2 days	193	5.2%

3	3 to 5 days	61	1.6%
4	6 to 9 days	35	0.9%
5	10 to 19 days	31	0.8%
6	20 to 29 days	13	0.3%
7	All 30 days	63	1.7%
Sysmiss		26	

Q30: Other tobacco use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3638	97.1%
2	1 or 2 days	48	1.3%
3	3 to 5 days	30	0.8%
4	6 to 9 days	13	0.3%
5	10 to 19 days	7	0.2%
6	20 to 29 days	8	0.2%
7	All 30 days	2	0.1%
Sysmiss		14	

Q31: Smoking cessation

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3653   Invalid: 107
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	3027	82.9%
2	Did not smoke cigarettes	148	4.1%
3	Yes	439	12%
4	No	39	1.1%
Sysmiss		107	

Q32: Smoking in their presence

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3739   Invalid: 21
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	807	21.6%
2	1 or 2 days	882	23.6%
3	3 or 4 days	444	11.9%
4	5 or 6 days	176	4.7%
5	All 7 days	1430	38.2%
Sysmiss		21	

Q33: Parental tobacco use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3750   Invalid: 10
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1483	39.5%
2	My father or male guardian	1955	52.1%
3	My mother or female guardian	30	0.8%
4	Both	40	1.1%
5	I do not know	242	6.5%
Sysmiss		10	

Q34: Initiation of alcohol use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3554   Invalid: 206
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	3289	92.5%
2	7 years old or younger	41	1.2%
3	8 or 9 years old	37	1%
4	10 or 11 years old	33	0.9%
5	12 or 13 years old	60	1.7%
6	14 or 15 years old	74	2.1%

7	16 or 17 years old	20	0.6%
8	18 years old or older	0	0%
Sysmiss		206	

Q35: Current alcohol use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	3581	96.3%
2	1 or 2 days	90	2.4%
3	3 to 5 days	23	0.6%
4	6 to 9 days	15	0.4%
5	10 to 19 days	5	0.1%
6	20 to 29 days	2	0.1%
7	All 30 days	3	0.1%
Sysmiss		41	

Q36: Drank 2+ drinks

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3548	95.4%
2	Less than one drink	67	1.8%
3	1 drink	48	1.3%
4	2 drinks	17	0.5%
5	3 drinks	18	0.5%
6	4 drinks	9	0.2%
7	5 or more drinks	12	0.3%
Sysmiss		41	

Q37: Source of alchohol

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3689   Invalid: 71
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3554	96.3%
2	I bought in a store	55	1.5%
3	I gave someone money to buy	12	0.3%
4	I got it from my friends	45	1.2%
5	I got it from my family	16	0.4%
6	I stole it	1	0%
7	Some other way	6	0.2%
Sysmiss		71	

Q38: Really drunk

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3703   Invalid: 57
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3592	97%
2	1 or 2 times	76	2.1%
3	3 to 9 times	21	0.6%
4	10 or more times	14	0.4%
Sysmiss		57	

Q39: Trouble from drinking

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3633   Invalid: 127
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3550	97.7%

2	1 or 2 times	61	1.7%
3	3 to 9 times	11	0.3%
4	10 or more times	11	0.3%
Sysmiss		127	

Q40: Initiation of drug use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3688   Invalid: 72
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3605	97.7%
2	7 years old or younger	32	0.9%
3	8 or 9 years old	22	0.6%
4	10 or 11 years old	15	0.4%
5	12 or 13 years old	7	0.2%
6	14 or 15 years old	5	0.1%
7	16 or 17 years old	2	0.1%
8	18 years old or older	0	0%
Sysmiss		72	

Q41: Ever marijuana use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3724   Invalid: 36
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3672	98.6%
2	1 or 2 times	18	0.5%
3	3 to 9 times	17	0.5%
4	10 to 19 times	8	0.2%
5	20 or more times	9	0.2%
Sysmiss		36	

Q42: Current marijuana use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3736   Invalid: 24
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3701	99.1%
2	1 or 2 times	16	0.4%
3	3 to 9 times	13	0.3%
4	10 to 19 times	2	0.1%
5	20 or more times	4	0.1%
Sysmiss		24	

Q43: Amphethamine or methamphetamine use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3688   Invalid: 72
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3639	98.7%
2	1 or 2 times	24	0.7%
3	3 to 9 times	13	0.4%
4	10 to 19 times	8	0.2%
5	20 or more times	4	0.1%
Sysmiss		72	

Q44: Ever sexual intercourse

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3309   Invalid: 451
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	146	4.4%
2	No	3163	95.6%
Sysmiss		451	

Q45: Sex before 14 years

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3705   Invalid: 55
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3654	98.6%
2	11 years old or younger	23	0.6%
3	12 years old	9	0.2%
4	13 years old	5	0.1%
5	14 years old	7	0.2%
6	15 years old	4	0.1%
7	16 or 17 years old	3	0.1%
8	18 years old or older	0	0%
Sysmiss		55	

Q46: Multiple sex partners

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3717   Invalid: 43
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3651	98.2%
2	1 person	25	0.7%

3	2 people	19	0.5%
4	3 people	8	0.2%
5	4 people	5	0.1%
6	5 people	4	0.1%
7	6 or more people	5	0.1%
Sysmiss		43	

▌Q47: Condom use

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3424   Invalid: 336
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 3   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3371	98.5%
2	Yes	19	0.6%
3	No	34	1%
Sysmiss		336	

▌Q48: Birth control used

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3514   Invalid: 246
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3453	98.3%
2	Yes	22	0.6%
3	No	31	0.9%
4	I do not know	8	0.2%
Sysmiss		246	

Q49: Physical activity >= 5 days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1070	28.8%
2	1 day	1038	27.9%
3	2 days	517	13.9%
4	3 days	315	8.5%
5	4 days	149	4%
6	5 days	102	2.7%
7	6 days	64	1.7%
8	7 days	464	12.5%
Sysmiss		41	

Q50: Walk or bike to school

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1969	52.6%
2	1 day	204	5.4%
3	2 days	119	3.2%
4	3 days	77	2.1%
5	4 days	42	1.1%
6	5 days	77	2.1%
7	6 days	344	9.2%
8	7 days	914	24.4%
Sysmiss		14	

Q51: PE attendance

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3731   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	384	10.3%
2	1 day	2568	68.8%
3	2 days	383	10.3%

4	3 days	86	2.3%
5	4 days	25	0.7%
6	5 or more days	285	7.6%
Sysmiss		29	

Q52: Sitting activities

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3728   Invalid: 32
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION
How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1163	31.2%
2	1 to 2 hours per day	1386	37.2%
3	3 to 4 hours per day	719	19.3%
4	5 to 6 hours per day	240	6.4%
5	7 to 8 hours per day	75	2%
6	More than 8 hours per day	145	3.9%
Sysmiss		32	

Q53: Miss school no permission

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	3189	85.1%
2	1 or 2 days	461	12.3%
3	3 to 5 days	72	1.9%
4	6 to 9 days	15	0.4%
5	10 or more days	9	0.2%
Sysmiss		14	

Q54: Other students kind and helpful

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3737   Invalid: 23
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	150	4%
2	Rarely	143	3.8%
3	Sometimes	1899	50.8%
4	Most of the time	848	22.7%
5	Always	697	18.7%
Sysmiss		23	

Q55: Parents check homework

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3726   Invalid: 34
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	653	17.5%
2	Rarely	251	6.7%
3	Sometimes	1474	39.6%
4	Most of the time	522	14%
5	Always	826	22.2%
Sysmiss		34	

Q56: Parents understand problems

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3735   Invalid: 25
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	795	21.3%
2	Rarely	273	7.3%
3	Sometimes	1357	36.3%
4	Most of the time	560	15%
5	Always	750	20.1%
Sysmiss		25	

Q57: Parents know about free time

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3734   Invalid: 26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	595	15.9%
2	Rarely	195	5.2%
3	Sometimes	1311	35.1%
4	Most of the time	726	19.4%
5	Always	907	24.3%
Sysmiss		26	

Q58: Parents go through their things

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3723   Invalid: 37   Mean: 2.222   Standard deviation: 1.244
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1600	43%
2		413	11.1%
3		1235	33.2%
4		234	6.3%
5		241	6.5%
Sysmiss		37	

QN6: Most of the time or always went hungry

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11   Mean: 1.964   Standard deviation: 0.187
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	136	3.6%
2	No	3613	96.4%
Sysmiss		11	

QN7: Did not eat fruit

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3730   Invalid: 30   Mean: 1.927   Standard deviation: 0.26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	271	7.3%
2	No	3459	92.7%
Sysmiss		30	

QN8: Did not eat vegetables

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3751   Invalid: 9   Mean: 1.972   Standard deviation: 0.166

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	106	2.8%
2	No	3645	97.2%
Sysmiss		9	

QN9: Did not drink carbonated soft drinks

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11   Mean: 1.621   Standard deviation: 0.485
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1420	37.9%
2	No	2329	62.1%
Sysmiss		11	

QN10: Did not eat food from a fast food restaurant

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3747   Invalid: 13   Mean: 1.574   Standard deviation: 0.495
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1597	42.6%
2	No	2150	57.4%
Sysmiss		13	

QN11: Usually cleaned or brushed their teeth

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3738   Invalid: 22   Mean: 1.02   Standard deviation: 0.138
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3665	98%
2	No	73	2%
Sysmiss		22	

QN12: Never or rarely washed their hands before eating

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3756   Invalid: 4   Mean: 1.973   Standard deviation: 0.161
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	100	2.7%
2	No	3656	97.3%
Sysmiss		4	

▌ QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3753   Invalid: 7   Mean: 1.985   Standard deviation: 0.123
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	58	1.5%
2	No	3695	98.5%
Sysmiss		7	

▌ QN14: Never or rarely used soap when washing their hands

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3735   Invalid: 25   Mean: 1.967   Standard deviation: 0.178
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	123	3.3%
2	No	3612	96.7%
Sysmiss		25	

▌ QN15: Were physically attacked

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3753   Invalid: 7   Mean: 1.691   Standard deviation: 0.462
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1160	30.9%
2	No	2593	69.1%
Sysmiss		7	

QN16: Were in a physical fight

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3743   Invalid: 17   Mean: 1.806   Standard deviation: 0.395
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	726	19.4%
2	No	3017	80.6%
Sysmiss		17	

QN17: Were seriously injured

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3437   Invalid: 323   Mean: 1.729   Standard deviation: 0.445
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	933	27.1%
2	No	2504	72.9%
Sysmiss		323	

▌QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: IDN2015_Public_Use_Java

Overview

Valid: 761   Invalid: 2999   Mean: 1.576   Standard deviation: 0.495
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	323	42.4%
2	No	438	57.6%
Sysmiss		2999	

▌QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: IDN2015_Public_Use_Java

Overview

Valid: 782   Invalid: 2978   Mean: 1.784   Standard deviation: 0.412
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	169	21.6%
2	No	613	78.4%
Sysmiss		2978	

QN20: Were bullied

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3548   Invalid: 212   Mean: 1.805   Standard deviation: 0.396
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	692	19.5%
2	No	2856	80.5%
Sysmiss		212	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: IDN2015_Public_Use_Java

Overview

Valid: 607   Invalid: 3153   Mean: 1.903   Standard deviation: 0.296
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	59	9.7%
2	No	548	90.3%
Sysmiss		3153	

QN22: Most of the time or always felt lonely

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3735   Invalid: 25   Mean: 1.938   Standard deviation: 0.242
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	233	6.2%
2	No	3502	93.8%
Sysmiss		25	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3755   Invalid: 5   Mean: 1.954   Standard deviation: 0.209
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	172	4.6%
2	No	3583	95.4%
Sysmiss		5	

QN24: Seriously considered attempting suicide

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3711   Invalid: 49   Mean: 1.953   Standard deviation: 0.211
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	174	4.7%
2	No	3537	95.3%
Sysmiss		49	

QN25: Made a plan about how they would attempt suicide

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3717   Invalid: 43   Mean: 1.951   Standard deviation: 0.216
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	183	4.9%
2	No	3534	95.1%
Sysmiss		43	

QN26: Attempted suicide

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3757   Invalid: 3   Mean: 1.965   Standard deviation: 0.184
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	132	3.5%
2	No	3625	96.5%
Sysmiss		3	

QN27: Did not have any close friends

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14   Mean: 1.97   Standard deviation: 0.17
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	112	3%
2	No	3634	97%
Sysmiss		14	

QN28: Tried a cigarette before age 14 years

Data file: IDN2015_Public_Use_Java

Overview

Valid: 756   Invalid: 3004   Mean: 1.206   Standard deviation: 0.405
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	600	79.4%
2	No	156	20.6%
Sysmiss		3004	

QN29: Currently smoked cigarettes

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3734   Invalid: 26   Mean: 1.894   Standard deviation: 0.308
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	396	10.6%
2	No	3338	89.4%
Sysmiss		26	

QN30: Currently used any tobacco products other than cigarettes

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14   Mean: 1.971   Standard deviation: 0.167
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	108	2.9%
2	No	3638	97.1%
Sysmiss		14	

QN31: Tried to quit smoking cigarettes

Data file: IDN2015_Public_Use_Java

Overview

Valid: 478   Invalid: 3282   Mean: 1.082   Standard deviation: 0.274
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	439	91.8%
2	No	39	8.2%
Sysmiss		3282	

QN32: Reported that people smoked in their presence

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3739   Invalid: 21   Mean: 1.216   Standard deviation: 0.411
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2932	78.4%
2	No	807	21.6%
Sysmiss		21	

QN33: Had parents or guardians who used any form of tobacco

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3750   Invalid: 10   Mean: 1.46   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	2025	54%
2	No	1725	46%
Sysmiss		10	

QN34: Drank alcohol before age 14 years

Data file: IDN2015_Public_Use_Java

Overview

Valid: 265   Invalid: 3495   Mean: 1.355   Standard deviation: 0.479
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	171	64.5%
2	No	94	35.5%
Sysmiss		3495	

QN35: Currently drank alcohol

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41   Mean: 1.963   Standard deviation: 0.189
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	138	3.7%
2	No	3581	96.3%
Sysmiss		41	

QN36: Usually drank two or more drinks per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 171   Invalid: 3589   Mean: 1.673   Standard deviation: 0.471
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	56	32.7%
2	No	115	67.3%
Sysmiss		3589	

QN37: Usually obtained the alcohol they drank from friends

Data file: IDN2015_Public_Use_Java

Overview

Valid: 135   Invalid: 3625   Mean: 1.667   Standard deviation: 0.473
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	45	33.3%
2	No	90	66.7%
Sysmiss		3625	

QN38: Ever drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3703   Invalid: 57   Mean: 1.97   Standard deviation: 0.171
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	111	3%
2	No	3592	97%
Sysmiss		57	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3633   Invalid: 127   Mean: 1.977   Standard deviation: 0.149
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	83	2.3%
2	No	3550	97.7%
Sysmiss		127	

QN40: Used drugs before age 14 years

Data file: IDN2015_Public_Use_Java

Overview

Valid: 83   Invalid: 3677   Mean: 1.084   Standard deviation: 0.28
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	76	91.6%
2	No	7	8.4%
Sysmiss		3677	

QN41: Ever used marijuana

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3724   Invalid: 36   Mean: 1.986   Standard deviation: 0.117
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	52	1.4%
2	No	3672	98.6%
Sysmiss		36	

QN42: Currently used marijuana

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3736   Invalid: 24   Mean: 1.991   Standard deviation: 0.0963
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	35	0.9%
2	No	3701	99.1%
Sysmiss		24	

QN43: Ever used amphethamines or methamphetamines

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3688   Invalid: 72   Mean: 1.987   Standard deviation: 0.115
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	49	1.3%
2	No	3639	98.7%
Sysmiss		72	

QN44: Ever had sexual intercourse

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3309   Invalid: 451   Mean: 1.956   Standard deviation: 0.205
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	146	4.4%
2	No	3163	95.6%
Sysmiss		451	

QN45: Had sexual intercourse before age 14 years

Data file: IDN2015_Public_Use_Java

Overview

Valid: 51   Invalid: 3709   Mean: 1.275   Standard deviation: 0.451
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	

1	Yes	37	72.5%
2	No	14	27.5%
Sysmiss		3709	

QN46: Had sexual intercourse with two or more persons

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3717   Invalid: 43   Mean: 1.989   Standard deviation: 0.104
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	41	1.1%
2	No	3676	98.9%
Sysmiss		43	

QN47: Used a condom

Data file: IDN2015_Public_Use_Java

Overview

Valid: 53   Invalid: 3707   Mean: 1.642   Standard deviation: 0.484
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	19	35.8%
2	No	34	64.2%
Sysmiss		3707	

QN48: Used a method of birth control other than condoms

Data file: IDN2015_Public_Use_Java

Overview

Valid: 61   Invalid: 3699   Mean: 1.639   Standard deviation: 0.484
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	22	36.1%
2	No	39	63.9%
Sysmiss		3699	

QN49: Were not physically active

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41   Mean: 1.712   Standard deviation: 0.453
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1070	28.8%
2	No	2649	71.2%
Sysmiss		41	

QN50: Did not walk or ride a bicycle to or from school

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14   Mean: 1.474   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1969	52.6%
2	No	1777	47.4%
Sysmiss		14	

QN51: Did not attend physical education classes

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3731   Invalid: 29   Mean: 1.897   Standard deviation: 0.304
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	384	10.3%
2	No	3347	89.7%
Sysmiss		29	

QN52: Spent three or more hours per day doing sitting activities

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3728   Invalid: 32   Mean: 1.684   Standard deviation: 0.465
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	

1	Yes	1179	31.6%
2	No	2549	68.4%
Sysmiss		32	

QN53: Missed classes or school without permission

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3746   Invalid: 14   Mean: 1.851   Standard deviation: 0.356
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	557	14.9%
2	No	3189	85.1%
Sysmiss		14	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3737   Invalid: 23   Mean: 1.587   Standard deviation: 0.493
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1545	41.3%
2	No	2192	58.7%
Sysmiss		23	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3726   Invalid: 34   Mean: 1.638   Standard deviation: 0.481
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1348	36.2%
2	No	2378	63.8%
Sysmiss		34	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3735   Invalid: 25   Mean: 1.649   Standard deviation: 0.477
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1310	35.1%
2	No	2425	64.9%
Sysmiss		25	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3734   Invalid: 26   Mean: 1.563   Standard deviation: 0.496
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1633	43.7%
2	No	2101	56.3%
Sysmiss		26	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3723   Invalid: 37   Mean: 1.459   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2013	54.1%
2	No	1710	45.9%
Sysmiss		37	

QNUNWTG: Were underweight

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3616   Invalid: 144   Mean: 1.933   Standard deviation: 0.25
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	242	6.7%
2	No	3374	93.3%
Sysmiss		144	

QNOWTG: Were overweight

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3616   Invalid: 144   Mean: 1.809   Standard deviation: 0.393
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	690	19.1%
2	No	2926	80.9%
Sysmiss		144	

QNOBESEG: Were obese

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3616   Invalid: 144   Mean: 1.936   Standard deviation: 0.244
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	

1	Yes	230	6.4%
2	No	3386	93.6%
Sysmiss		144	

QNFRLG: Usually ate fruit less than one time per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3730   Invalid: 30   Mean: 1.745   Standard deviation: 0.436
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	953	25.5%
2	No	2777	74.5%
Sysmiss		30	

QNFR1G: Usually ate fruit one or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3730   Invalid: 30   Mean: 1.328   Standard deviation: 0.47
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2506	67.2%
2	No	1224	32.8%
Sysmiss		30	

QNFR2G: Usually ate fruit two or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3730   Invalid: 30   Mean: 1.612   Standard deviation: 0.487
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1447	38.8%
2	No	2283	61.2%
Sysmiss		30	

QNFR3G: Usually ate fruit three or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3730   Invalid: 30   Mean: 1.831   Standard deviation: 0.375
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	631	16.9%
2	No	3099	83.1%
Sysmiss		30	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3751   Invalid: 9   Mean: 1.867   Standard deviation: 0.34
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	500	13.3%
2	No	3251	86.7%
Sysmiss		9	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3751   Invalid: 9   Mean: 1.162   Standard deviation: 0.368
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3145	83.8%
2	No	606	16.2%
Sysmiss		9	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3751   Invalid: 9   Mean: 1.4   Standard deviation: 0.49
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	2249	60%
2	No	1502	40%
Sysmiss		9	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3751   Invalid: 9   Mean: 1.699   Standard deviation: 0.459
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1129	30.1%
2	No	2622	69.9%
Sysmiss		9	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11   Mean: 1.635   Standard deviation: 0.481
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1368	36.5%
2	No	2381	63.5%
Sysmiss		11	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11   Mean: 1.744   Standard deviation: 0.437
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	961	25.6%
2	No	2788	74.4%
Sysmiss		11	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11   Mean: 1.914   Standard deviation: 0.28
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	322	8.6%
2	No	3427	91.4%
Sysmiss		11	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3749   Invalid: 11   Mean: 1.965   Standard deviation: 0.183
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	130	3.5%
2	No	3619	96.5%
Sysmiss		11	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3747   Invalid: 13   Mean: 1.426   Standard deviation: 0.495
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2150	57.4%
2	No	1597	42.6%
Sysmiss		13	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3747   Invalid: 13   Mean: 1.723   Standard deviation: 0.448
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	1038	27.7%
2	No	2709	72.3%
Sysmiss		13	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3747   Invalid: 13   Mean: 1.865   Standard deviation: 0.342
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	506	13.5%
2	No	3241	86.5%
Sysmiss		13	

QNC2G: Were bullied and could not sleep at night

Data file: IDN2015_Public_Use_Java

Overview

Valid: 159   Invalid: 3601   Mean: 1.572   Standard deviation: 0.496
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	68	42.8%
2	No	91	57.2%
Sysmiss		3601	

QNTOB2G: Currently used any tobacco product

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3739   Invalid: 21   Mean: 1.886   Standard deviation: 0.318
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	426	11.4%
2	No	3313	88.6%
Sysmiss		21	

QNNOTB2G: Did not currently use any tobacco products

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3722   Invalid: 38   Mean: 1.11   Standard deviation: 0.313
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3313	89%
2	No	409	11%
Sysmiss		38	

QNBCANYG: Used a method of birth control

Data file: IDN2015_Public_Use_Java

Overview

Valid: 36   Invalid: 3724   Mean: 1.444   Standard deviation: 0.504
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	20	55.6%
2	No	16	44.4%
Sysmiss		3724	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_Java

Overview

Valid: 79   Invalid: 3681   Mean: 1.772   Standard deviation: 0.422
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	18	22.8%
2	No	61	77.2%
Sysmiss		3681	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41   Mean: 1.831   Standard deviation: 0.375
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	630	16.9%
2	No	3089	83.1%
Sysmiss		41	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3719   Invalid: 41   Mean: 1.875   Standard deviation: 0.33
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	464	12.5%
2	No	3255	87.5%
Sysmiss		41	

QNPE3G: Attended physical education classes on three or more days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3731   Invalid: 29   Mean: 1.894   Standard deviation: 0.308
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	396	10.6%
2	No	3335	89.4%
Sysmiss		29	

▌ QNPE5G: Attended physical education classes on five or more days

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3731   Invalid: 29   Mean: 1.924   Standard deviation: 0.266
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	285	7.6%
2	No	3446	92.4%
Sysmiss		29	

▌ WEIGHT:

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3760   Invalid: 0   Mean: 1723.593   Standard deviation: 297.62
Type: Continuous   Decimal: 0   Width: 10   Range: 42.0329 - 329.5608   Format: Numeric

▌ STRATUM:

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3760   Invalid: 0   Mean: 201501006.692   Standard deviation: 16.171
Type: Discrete   Decimal: 0   Width: 9   Range: 201501001 - 201501019   Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201501001		221	5.9%
201501002		287	7.6%
201501003		324	8.6%
201501004		350	9.3%
201501005		334	8.9%

201501006		346	9.2%
201501007		283	7.5%
201501008		313	8.3%
201501009		314	8.4%
201501010		290	7.7%
201501011		338	9%
201501012		360	9.6%

█ PSU:

Data file: IDN2015_Public_Use_Java

Overview

Valid: 3760   Invalid: 0   Mean: 12.922   Standard deviation: 6.852
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

Q1: Custom Age

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3619   Invalid: 12
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	56	1.5%
2	12 years old	542	15%
3	13 years old	780	21.6%
4	14 years old	779	21.5%
5	15 years old	739	20.4%
6	16 years old	401	11.1%
7	17 years old	278	7.7%
8	18 years old or older	44	1.2%
Sysmiss		12	

Q2: Sex

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3612   Invalid: 19
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1641	45.4%
2	Female	1971	54.6%
Sysmiss		19	

Q3: In what grade are you

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3605   Invalid: 26
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

LITERAL QUESTION
In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	891	24.7%
2	M 4	821	22.8%
3	M 5	749	20.8%
4	M 6	468	13%
5	M 7	382	10.6%
6		294	8.2%
Sysmiss		26	

Q4: How tall are you

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3389   Invalid: 242   Minimum: 1.25   Maximum: 1.89   Mean: 1.526   Standard deviation: 0.0873
Type: Continuous   Decimal: 2   Width: 5   Range: 1.27 - 1.87   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3389   Invalid: 242   Minimum: 23   Maximum: 130   Mean: 45.185   Standard deviation: 11.131
Type: Continuous   Decimal: 2   Width: 5   Range: 28 - 116   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3598   Invalid: 33
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1844	51.3%
2	Rarely	361	10%
3	Sometimes	1273	35.4%
4	Most of the time	75	2.1%
5	Always	45	1.3%
Sysmiss		33	

Q7: No fruit eating

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3559   Invalid: 72
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	358	10.1%
2	Less than one time per day	997	28%
3	1 time per day	1038	29.2%
4	2 times per day	646	18.2%
5	3 times per day	309	8.7%
6	4 times per day	65	1.8%
7	5 or more times per day	146	4.1%
Sysmiss		72	

Q8: No vegetable eating

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3592   Invalid: 39
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	115	3.2%
2	Less than one time per day	602	16.8%
3	1 time per day	952	26.5%
4	2 times per day	957	26.6%
5	3 times per day	754	21%
6	4 times per day	75	2.1%
7	5 or more times per day	137	3.8%
Sysmiss		39	

Q9: Soft drinks

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3584   Invalid: 47
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1429	39.9%
2	Less than one time per day	1190	33.2%
3	1 time per day	646	18%
4	2 times per day	178	5%
5	3 times per day	71	2%
6	4 times per day	21	0.6%
7	5 or more times per day	49	1.4%
Sysmiss		47	

Q10: Fast food eating

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3581   Invalid: 50
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1765	49.3%
2	1 day	986	27.5%
3	2 days	424	11.8%
4	3 days	216	6%

5	4 days	77	2.2%
6	5 days	35	1%
7	6 days	29	0.8%
8	7 days	49	1.4%
Sysmiss		50	

▌ Q11: Tooth brushing

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3593   Invalid: 38
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	19	0.5%
2	Less than 1 time per day	48	1.3%
3	1 time per day	244	6.8%
4	2 times per day	1962	54.6%
5	3 times per day	1214	33.8%
6	4 or more times per day	106	3%
Sysmiss		38	

▌ Q12: Hand washing before eating

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3621   Invalid: 10
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	41	1.1%
2	Rarely	37	1%
3	Sometimes	503	13.9%
4	Most of the time	796	22%
5	Always	2244	62%
Sysmiss		10	

Q13: Hand washing after toilet

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3612   Invalid: 19
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	49	1.4%
2	Rarely	42	1.2%
3	Sometimes	513	14.2%
4	Most of the time	736	20.4%
5	Always	2272	62.9%
Sysmiss		19	

Q14: Hand washing with soap

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3593   Invalid: 38
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	84	2.3%
2	Rarely	69	1.9%
3	Sometimes	1214	33.8%
4	Most of the time	841	23.4%
5	Always	1385	38.5%
Sysmiss		38	

Q15: Physically attacked

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3569   Invalid: 62
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2599	72.8%
2	1 time	437	12.2%
3	2 or 3 times	397	11.1%
4	4 or 5 times	72	2%
5	6 or 7 times	19	0.5%
6	8 or 9 times	20	0.6%
7	10 or 11 times	0	0%
8	12 or more times	25	0.7%
Sysmiss		62	

Q16: Physical fighting

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3570   Invalid: 61
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2804	78.5%
2	1 time	432	12.1%
3	2 or 3 times	229	6.4%
4	4 or 5 times	46	1.3%
5	6 or 7 times	21	0.6%
6	8 or 9 times	7	0.2%
7	10 or 11 times	1	0%
8	12 or more times	30	0.8%
Sysmiss		61	

Q17: Seriously injured

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3249   Invalid: 382
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2422	74.5%
2	1 time	520	16%
3	2 or 3 times	226	7%
4	4 or 5 times	40	1.2%
5	6 or 7 times	22	0.7%
6	8 or 9 times	4	0.1%
7	10 or 11 times	3	0.1%
8	12 or more times	12	0.4%
Sysmiss		382	

Q18: Serious injury broken bone

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3380   Invalid: 251
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2750	81.4%
2	Broken bone/dislocated joint	250	7.4%
3	I had a cut or stab wound	58	1.7%
4	Concussion/head injury	29	0.9%
5	I had a gunshot wound	8	0.2%
6	I had a bad burn	16	0.5%
7	I was poisoned	5	0.1%
8	Something else happened to me	264	7.8%
Sysmiss		251	

Q19: Serious injury motor vehicle

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3273   Invalid: 358
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2614	79.9%
2	Motor vehicle accident	154	4.7%
3	I fell	316	9.7%
4	Something fell on me or hit me	51	1.6%
5	I was attacked	30	0.9%
6	Was in a fire	8	0.2%
7	breathed something bad	16	0.5%
8	Something else	84	2.6%
Sysmiss		358	

Q20: Bullied

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3356   Invalid: 275
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2802	83.5%

2	1 or 2 days	391	11.7%
3	3 to 5 days	88	2.6%
4	6 to 9 days	32	1%
5	10 to 19 days	12	0.4%
6	20 to 29 days	1	0%
7	All 30 days	30	0.9%
Sysmiss		275	

Q21: Bullied by hitting

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3339   Invalid: 292
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2870	86%
2	Kicked, pushed, or shoved	43	1.3%
3	Made fun of race	39	1.2%
4	Made fun because of religion	29	0.9%
5	Made fun of about sex	91	2.7%
6	Left out of activities	37	1.1%
7	Made fun of about body	82	2.5%
8	Some other way	148	4.4%
Sysmiss		292	

Q22: Felt lonely

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3578   Invalid: 53

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1682	47%
2	Rarely	365	10.2%
3	Sometimes	1357	37.9%
4	Most of the time	125	3.5%
5	Always	49	1.4%
Sysmiss		53	

Q23: Could not sleep

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3602   Invalid: 29
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1808	50.2%
2	Rarely	402	11.2%
3	Sometimes	1247	34.6%
4	Most of the time	113	3.1%
5	Always	32	0.9%
Sysmiss		29	

Q24: Considered suicide

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3556   Invalid: 75
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	174	4.9%
2	No	3382	95.1%
Sysmiss		75	

Q25: Made a suicide plan

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3565   Invalid: 66
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	195	5.5%
2	No	3370	94.5%
Sysmiss		66	

Q26: Attempted suicide

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3601   Invalid: 30
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3467	96.3%
2	1 time	83	2.3%
3	2 or 3 times	26	0.7%
4	4 or 5 times	17	0.5%
5	6 or more times	8	0.2%
Sysmiss		30	

Q27: Close friends

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3588   Invalid: 43
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	114	3.2%
2	1	212	5.9%
3	2	270	7.5%
4	3 or more	2992	83.4%
Sysmiss		43	

Q28: Initiation of cigarette use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3419   Invalid: 212
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2750	80.4%
2	7 years old or younger	100	2.9%
3	8 or 9 years old	90	2.6%
4	10 or 11 years old	133	3.9%
5	12 or 13 years old	182	5.3%
6	14 or 15 years old	134	3.9%
7	16 or 17 years old	28	0.8%
8	18 years old or older	2	0.1%
Sysmiss		212	

Q29: Current cigarette use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3537   Invalid: 94
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3203	90.6%
2	1 or 2 days	159	4.5%

3	3 to 5 days	56	1.6%
4	6 to 9 days	22	0.6%
5	10 to 19 days	21	0.6%
6	20 to 29 days	11	0.3%
7	All 30 days	65	1.8%
Sysmiss		94	

Q30: Other tobacco use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3551   Invalid: 80
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3421	96.3%
2	1 or 2 days	70	2%
3	3 to 5 days	25	0.7%
4	6 to 9 days	11	0.3%
5	10 to 19 days	16	0.5%
6	20 to 29 days	3	0.1%
7	All 30 days	5	0.1%
Sysmiss		80	

Q31: Smoking cessation

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3451   Invalid: 180
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2890	83.7%
2	Did not smoke cigarettes	151	4.4%
3	Yes	367	10.6%
4	No	43	1.2%
Sysmiss		180	

Q32: Smoking in their presence

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3546   Invalid: 85
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	936	26.4%
2	1 or 2 days	887	25%
3	3 or 4 days	330	9.3%
4	5 or 6 days	152	4.3%
5	All 7 days	1241	35%
Sysmiss		85	

Q33: Parental tobacco use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3547   Invalid: 84
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1374	38.7%
2	My father or male guardian	1859	52.4%
3	My mother or female guardian	31	0.9%
4	Both	50	1.4%
5	I do not know	233	6.6%
Sysmiss		84	

Q34: Initiation of alcohol use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3341   Invalid: 290
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	3077	92.1%
2	7 years old or younger	46	1.4%
3	8 or 9 years old	49	1.5%
4	10 or 11 years old	31	0.9%
5	12 or 13 years old	37	1.1%
6	14 or 15 years old	66	2%

7	16 or 17 years old	35	1%
8	18 years old or older	0	0%
Sysmiss		290	

Q35: Current alcohol use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3514   Invalid: 117
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	3387	96.4%
2	1 or 2 days	73	2.1%
3	3 to 5 days	24	0.7%
4	6 to 9 days	14	0.4%
5	10 to 19 days	7	0.2%
6	20 to 29 days	4	0.1%
7	All 30 days	5	0.1%
Sysmiss		117	

Q36: Drank 2+ drinks

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3498   Invalid: 133
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3334	95.3%
2	Less than one drink	79	2.3%
3	1 drink	37	1.1%
4	2 drinks	20	0.6%
5	3 drinks	13	0.4%
6	4 drinks	6	0.2%
7	5 or more drinks	9	0.3%
Sysmiss		133	

Q37: Source of alchohol

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3488   Invalid: 143
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3359	96.3%
2	I bought in a store	51	1.5%
3	I gave someone money to buy	22	0.6%
4	I got it from my friends	37	1.1%
5	I got it from my family	13	0.4%
6	I stole it	2	0.1%
7	Some other way	4	0.1%
Sysmiss		143	

▌Q38: Really drunk

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3484   Invalid: 147

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3379	97%
2	1 or 2 times	63	1.8%
3	3 to 9 times	24	0.7%
4	10 or more times	18	0.5%
Sysmiss		147	

▌Q39: Trouble from drinking

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3416   Invalid: 215

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3340	97.8%

2	1 or 2 times	38	1.1%
3	3 to 9 times	16	0.5%
4	10 or more times	22	0.6%
Sysmiss		215	

Q40: Initiation of drug use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3465   Invalid: 166
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3357	96.9%
2	7 years old or younger	46	1.3%
3	8 or 9 years old	20	0.6%
4	10 or 11 years old	13	0.4%
5	12 or 13 years old	14	0.4%
6	14 or 15 years old	7	0.2%
7	16 or 17 years old	7	0.2%
8	18 years old or older	1	0%
Sysmiss		166	

Q41: Ever marijuana use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3514   Invalid: 117
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3441	97.9%
2	1 or 2 times	33	0.9%
3	3 to 9 times	21	0.6%
4	10 to 19 times	10	0.3%
5	20 or more times	9	0.3%
Sysmiss		117	

Q42: Current marijuana use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3531   Invalid: 100
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3475	98.4%
2	1 or 2 times	20	0.6%
3	3 to 9 times	16	0.5%
4	10 to 19 times	9	0.3%
5	20 or more times	11	0.3%
Sysmiss		100	

Q43: Amphethamine or methamphetamine use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3429   Invalid: 202

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3366	98.2%
2	1 or 2 times	29	0.8%
3	3 to 9 times	19	0.6%
4	10 to 19 times	7	0.2%
5	20 or more times	8	0.2%
Sysmiss		202	

Q44: Ever sexual intercourse

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3033   Invalid: 598

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	155	5.1%
2	No	2878	94.9%
Sysmiss		598	

Q45: Sex before 14 years

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3506   Invalid: 125
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3439	98.1%
2	11 years old or younger	33	0.9%
3	12 years old	12	0.3%
4	13 years old	7	0.2%
5	14 years old	8	0.2%
6	15 years old	1	0%
7	16 or 17 years old	5	0.1%
8	18 years old or older	1	0%
Sysmiss		125	

Q46: Multiple sex partners

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3502   Invalid: 129
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3438	98.2%
2	1 person	23	0.7%

3	2 people	21	0.6%
4	3 people	11	0.3%
5	4 people	4	0.1%
6	5 people	1	0%
7	6 or more people	4	0.1%
Sysmiss		129	

▌ Q47: Condom use

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3113   Invalid: 518
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 3   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3051	98%
2	Yes	21	0.7%
3	No	41	1.3%
Sysmiss		518	

▌ Q48: Birth control used

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3228   Invalid: 403
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3159	97.9%
2	Yes	27	0.8%
3	No	30	0.9%
4	I do not know	12	0.4%
Sysmiss		403	

Q49: Physical activity >= 5 days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3456   Invalid: 175
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1269	36.7%
2	1 day	869	25.1%
3	2 days	438	12.7%
4	3 days	305	8.8%
5	4 days	111	3.2%
6	5 days	62	1.8%
7	6 days	38	1.1%
8	7 days	364	10.5%
Sysmiss		175	

Q50: Walk or bike to school

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3504   Invalid: 127

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2413	68.9%
2	1 day	216	6.2%
3	2 days	135	3.9%
4	3 days	100	2.9%
5	4 days	43	1.2%
6	5 days	30	0.9%
7	6 days	163	4.7%
8	7 days	404	11.5%
Sysmiss		127	

▌ Q51: PE attendance

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3500   Invalid: 131
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	643	18.4%
2	1 day	1947	55.6%
3	2 days	508	14.5%

4	3 days	118	3.4%
5	4 days	38	1.1%
6	5 or more days	246	7%
Sysmiss		131	

Q52: Sitting activities

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3468   Invalid: 163
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION
How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1433	41.3%
2	1 to 2 hours per day	1193	34.4%
3	3 to 4 hours per day	531	15.3%
4	5 to 6 hours per day	182	5.2%
5	7 to 8 hours per day	32	0.9%
6	More than 8 hours per day	97	2.8%
Sysmiss		163	

Q53: Miss school no permission

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3520   Invalid: 111
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2856	81.1%
2	1 or 2 days	534	15.2%
3	3 to 5 days	73	2.1%
4	6 to 9 days	30	0.9%
5	10 or more days	27	0.8%
Sysmiss		111	

Q54: Other students kind and helpful

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3507   Invalid: 124
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	281	8%
2	Rarely	105	3%
3	Sometimes	1734	49.4%
4	Most of the time	759	21.6%
5	Always	628	17.9%
Sysmiss		124	

Q55: Parents check homework

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3487   Invalid: 144
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	664	19%
2	Rarely	187	5.4%
3	Sometimes	1333	38.2%
4	Most of the time	504	14.5%
5	Always	799	22.9%
Sysmiss		144	

Q56: Parents understand problems

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3491   Invalid: 140
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	813	23.3%
2	Rarely	178	5.1%
3	Sometimes	1224	35.1%
4	Most of the time	523	15%
5	Always	753	21.6%
Sysmiss		140	

Q57: Parents know about free time

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3458   Invalid: 173
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	706	20.4%
2	Rarely	163	4.7%
3	Sometimes	1129	32.6%
4	Most of the time	641	18.5%
5	Always	819	23.7%
Sysmiss		173	

▌ Q58: Parents go through their things

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3467   Invalid: 164   Mean: 2.194   Standard deviation: 1.31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1649	47.6%
2		272	7.8%
3		1046	30.2%
4		224	6.5%
5		276	8%
Sysmiss		164	

QN6: Most of the time or always went hungry

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3598   Invalid: 33   Mean: 1.967   Standard deviation: 0.18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	120	3.3%
2	No	3478	96.7%
Sysmiss		33	

QN7: Did not eat fruit

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3559   Invalid: 72   Mean: 1.899   Standard deviation: 0.301
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	358	10.1%
2	No	3201	89.9%
Sysmiss		72	

QN8: Did not eat vegetables

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3592   Invalid: 39   Mean: 1.968   Standard deviation: 0.176

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	115	3.2%
2	No	3477	96.8%
Sysmiss		39	

QN9: Did not drink carbonated soft drinks

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3584   Invalid: 47   Mean: 1.601   Standard deviation: 0.49
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1429	39.9%
2	No	2155	60.1%
Sysmiss		47	

QN10: Did not eat food from a fast food restaurant

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3581   Invalid: 50   Mean: 1.507   Standard deviation: 0.5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1765	49.3%
2	No	1816	50.7%
Sysmiss		50	

QN11: Usually cleaned or brushed their teeth

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3593   Invalid: 38   Mean: 1.019   Standard deviation: 0.135
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3526	98.1%
2	No	67	1.9%
Sysmiss		38	

QN12: Never or rarely washed their hands before eating

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3621   Invalid: 10   Mean: 1.978   Standard deviation: 0.145
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	78	2.2%
2	No	3543	97.8%
Sysmiss		10	

▌QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3612   Invalid: 19   Mean: 1.975   Standard deviation: 0.157
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	91	2.5%
2	No	3521	97.5%
Sysmiss		19	

▌QN14: Never or rarely used soap when washing their hands

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3593   Invalid: 38   Mean: 1.957   Standard deviation: 0.202
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	153	4.3%
2	No	3440	95.7%
Sysmiss		38	

▌QN15: Were physically attacked

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3569   Invalid: 62   Mean: 1.728   Standard deviation: 0.445
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	970	27.2%
2	No	2599	72.8%
Sysmiss		62	

QN16: Were in a physical fight

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3570   Invalid: 61   Mean: 1.785   Standard deviation: 0.411
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	766	21.5%
2	No	2804	78.5%
Sysmiss		61	

QN17: Were seriously injured

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3249   Invalid: 382   Mean: 1.745   Standard deviation: 0.436
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	827	25.5%
2	No	2422	74.5%
Sysmiss		382	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 630   Invalid: 3001   Mean: 1.603   Standard deviation: 0.49
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	250	39.7%
2	No	380	60.3%
Sysmiss		3001	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 659   Invalid: 2972   Mean: 1.766   Standard deviation: 0.423
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	154	23.4%
2	No	505	76.6%
Sysmiss		2972	

QN20: Were bullied

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3356   Invalid: 275   Mean: 1.835   Standard deviation: 0.371
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	554	16.5%
2	No	2802	83.5%
Sysmiss		275	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 469   Invalid: 3162   Mean: 1.908   Standard deviation: 0.289
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	43	9.2%
2	No	426	90.8%
Sysmiss		3162	

QN22: Most of the time or always felt lonely

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3578   Invalid: 53   Mean: 1.951   Standard deviation: 0.215
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	174	4.9%
2	No	3404	95.1%
Sysmiss		53	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3602   Invalid: 29   Mean: 1.96   Standard deviation: 0.197
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	145	4%
2	No	3457	96%
Sysmiss		29	

QN24: Seriously considered attempting suicide

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3556   Invalid: 75   Mean: 1.951   Standard deviation: 0.216
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	174	4.9%
2	No	3382	95.1%
Sysmiss		75	

QN25: Made a plan about how they would attempt suicide

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3565   Invalid: 66   Mean: 1.945   Standard deviation: 0.227
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	195	5.5%
2	No	3370	94.5%
Sysmiss		66	

QN26: Attempted suicide

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3601   Invalid: 30   Mean: 1.963   Standard deviation: 0.189
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	134	3.7%
2	No	3467	96.3%
Sysmiss		30	

QN27: Did not have any close friends

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3588   Invalid: 43   Mean: 1.968   Standard deviation: 0.175
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	114	3.2%
2	No	3474	96.8%
Sysmiss		43	

QN28: Tried a cigarette before age 14 years

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 669   Invalid: 2962   Mean: 1.245   Standard deviation: 0.43
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	505	75.5%
2	No	164	24.5%
Sysmiss		2962	

QN29: Currently smoked cigarettes

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3537   Invalid: 94   Mean: 1.906   Standard deviation: 0.292
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	334	9.4%
2	No	3203	90.6%
Sysmiss		94	

QN30: Currently used any tobacco products other than cigarettes

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3551   Invalid: 80   Mean: 1.963   Standard deviation: 0.188
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	130	3.7%
2	No	3421	96.3%
Sysmiss		80	

QN31: Tried to quit smoking cigarettes

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 410   Invalid: 3221   Mean: 1.105   Standard deviation: 0.307
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	367	89.5%
2	No	43	10.5%
Sysmiss		3221	

QN32: Reported that people smoked in their presence

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3546   Invalid: 85   Mean: 1.264   Standard deviation: 0.441
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2610	73.6%
2	No	936	26.4%
Sysmiss		85	

QN33: Had parents or guardians who used any form of tobacco

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3547   Invalid: 84   Mean: 1.453   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1940	54.7%
2	No	1607	45.3%
Sysmiss		84	

QN34: Drank alcohol before age 14 years

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 264   Invalid: 3367   Mean: 1.383   Standard deviation: 0.487
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	163	61.7%
2	No	101	38.3%
Sysmiss		3367	

QN35: Currently drank alcohol

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3514   Invalid: 117   Mean: 1.964   Standard deviation: 0.187
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	127	3.6%
2	No	3387	96.4%
Sysmiss		117	

QN36: Usually drank two or more drinks per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 164   Invalid: 3467   Mean: 1.707   Standard deviation: 0.456
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	48	29.3%
2	No	116	70.7%
Sysmiss		3467	

QN37: Usually obtained the alcohol they drank from friends

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 129   Invalid: 3502   Mean: 1.713   Standard deviation: 0.454
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	37	28.7%
2	No	92	71.3%
Sysmiss		3502	

QN38: Ever drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3484   Invalid: 147   Mean: 1.97   Standard deviation: 0.171
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	105	3%
2	No	3379	97%
Sysmiss		147	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3416   Invalid: 215   Mean: 1.978   Standard deviation: 0.148
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	76	2.2%
2	No	3340	97.8%
Sysmiss		215	

QN40: Used drugs before age 14 years

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 108   Invalid: 3523   Mean: 1.139   Standard deviation: 0.347
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	93	86.1%
2	No	15	13.9%
Sysmiss		3523	

QN41: Ever used marijuana

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3514   Invalid: 117   Mean: 1.979   Standard deviation: 0.143
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	73	2.1%
2	No	3441	97.9%
Sysmiss		117	

QN42: Currently used marijuana

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3531   Invalid: 100   Mean: 1.984   Standard deviation: 0.125
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	56	1.6%
2	No	3475	98.4%
Sysmiss		100	

QN43: Ever used amphethamines or methamphetamines

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3429   Invalid: 202   Mean: 1.982   Standard deviation: 0.134
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	63	1.8%
2	No	3366	98.2%
Sysmiss		202	

QN44: Ever had sexual intercourse

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3033   Invalid: 598   Mean: 1.949   Standard deviation: 0.22
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	155	5.1%
2	No	2878	94.9%
Sysmiss		598	

QN45: Had sexual intercourse before age 14 years

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 67   Invalid: 3564   Mean: 1.224   Standard deviation: 0.42
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	

1	Yes	52	77.6%
2	No	15	22.4%
Sysmiss		3564	

QN46: Had sexual intercourse with two or more persons

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3502   Invalid: 129   Mean: 1.988   Standard deviation: 0.108
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	41	1.2%
2	No	3461	98.8%
Sysmiss		129	

QN47: Used a condom

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 62   Invalid: 3569   Mean: 1.661   Standard deviation: 0.477
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	21	33.9%
2	No	41	66.1%
Sysmiss		3569	

QN48: Used a method of birth control other than condoms

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 69   Invalid: 3562   Mean: 1.609   Standard deviation: 0.492
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	27	39.1%
2	No	42	60.9%
Sysmiss		3562	

QN49: Were not physically active

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3456   Invalid: 175   Mean: 1.633   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1269	36.7%
2	No	2187	63.3%
Sysmiss		175	

QN50: Did not walk or ride a bicycle to or from school

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3504   Invalid: 127   Mean: 1.311   Standard deviation: 0.463
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2413	68.9%
2	No	1091	31.1%
Sysmiss		127	

QN51: Did not attend physical education classes

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3500   Invalid: 131   Mean: 1.816   Standard deviation: 0.387
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	643	18.4%
2	No	2857	81.6%
Sysmiss		131	

QN52: Spent three or more hours per day doing sitting activities

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3468   Invalid: 163   Mean: 1.757   Standard deviation: 0.429
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	

1	Yes	842	24.3%
2	No	2626	75.7%
Sysmiss		163	

QN53: Missed classes or school without permission

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3520   Invalid: 111   Mean: 1.811   Standard deviation: 0.391
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	664	18.9%
2	No	2856	81.1%
Sysmiss		111	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3507   Invalid: 124   Mean: 1.605   Standard deviation: 0.489
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1387	39.5%
2	No	2120	60.5%
Sysmiss		124	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3487   Invalid: 144   Mean: 1.626   Standard deviation: 0.484
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1303	37.4%
2	No	2184	62.6%
Sysmiss		144	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3491   Invalid: 140   Mean: 1.634   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1276	36.6%
2	No	2215	63.4%
Sysmiss		140	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3458   Invalid: 173   Mean: 1.578   Standard deviation: 0.494
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1460	42.2%
2	No	1998	57.8%
Sysmiss		173	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3467   Invalid: 164   Mean: 1.446   Standard deviation: 0.497
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1921	55.4%
2	No	1546	44.6%
Sysmiss		164	

QNUNWTG: Were underweight

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3389   Invalid: 242   Mean: 1.906   Standard deviation: 0.292
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	320	9.4%
2	No	3069	90.6%
Sysmiss		242	

QNOWTG: Were overweight

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3389   Invalid: 242   Mean: 1.869   Standard deviation: 0.338
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	445	13.1%
2	No	2944	86.9%
Sysmiss		242	

QNOBESEG: Were obese

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3389   Invalid: 242   Mean: 1.959   Standard deviation: 0.198
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	

1	Yes	138	4.1%
2	No	3251	95.9%
Sysmiss		242	

▌ QNFRLG: Usually ate fruit less than one time per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3559   Invalid: 72   Mean: 1.72   Standard deviation: 0.449
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	997	28%
2	No	2562	72%
Sysmiss		72	

▌ QNFR1G: Usually ate fruit one or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3559   Invalid: 72   Mean: 1.381   Standard deviation: 0.486
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2204	61.9%
2	No	1355	38.1%
Sysmiss		72	

▌ QNFR2G: Usually ate fruit two or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3559   Invalid: 72   Mean: 1.672   Standard deviation: 0.469
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1166	32.8%
2	No	2393	67.2%
Sysmiss		72	

▌ QNFR3G: Usually ate fruit three or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3559   Invalid: 72   Mean: 1.854   Standard deviation: 0.353
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	520	14.6%
2	No	3039	85.4%
Sysmiss		72	

▌ QNVEGLG: Usually ate vegetables less than one time per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3592   Invalid: 39   Mean: 1.832   Standard deviation: 0.374
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	602	16.8%
2	No	2990	83.2%
Sysmiss		39	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3592   Invalid: 39   Mean: 1.2   Standard deviation: 0.4
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2875	80%
2	No	717	20%
Sysmiss		39	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3592   Invalid: 39   Mean: 1.465   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	1923	53.5%
2	No	1669	46.5%
Sysmiss		39	

▌QNVEG3G: Usually ate vegetables three or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3592   Invalid: 39   Mean: 1.731   Standard deviation: 0.443
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	966	26.9%
2	No	2626	73.1%
Sysmiss		39	

▌QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3584   Invalid: 47   Mean: 1.668   Standard deviation: 0.471
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1190	33.2%
2	No	2394	66.8%
Sysmiss		47	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3584   Invalid: 47   Mean: 1.731   Standard deviation: 0.444
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	965	26.9%
2	No	2619	73.1%
Sysmiss		47	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3584   Invalid: 47   Mean: 1.911   Standard deviation: 0.285
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	319	8.9%
2	No	3265	91.1%
Sysmiss		47	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3584   Invalid: 47   Mean: 1.961   Standard deviation: 0.194
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	141	3.9%
2	No	3443	96.1%
Sysmiss		47	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3581   Invalid: 50   Mean: 1.493   Standard deviation: 0.5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1816	50.7%
2	No	1765	49.3%
Sysmiss		50	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3581   Invalid: 50   Mean: 1.768   Standard deviation: 0.422
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	830	23.2%
2	No	2751	76.8%
Sysmiss		50	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3581   Invalid: 50   Mean: 1.887   Standard deviation: 0.317
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	406	11.3%
2	No	3175	88.7%
Sysmiss		50	

QNC2G: Were bullied and could not sleep at night

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 131   Invalid: 3500   Mean: 1.641   Standard deviation: 0.481
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied and could not sleep at night (among students who most of the time or
always had been so worried about something that they could not sleep at night during 12 months before the survey, on one
or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	47	35.9%
2	No	84	64.1%
Sysmiss		3500	

QNTOB2G: Currently used any tobacco product

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3537   Invalid: 94   Mean: 1.889   Standard deviation: 0.314
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	393	11.1%
2	No	3144	88.9%
Sysmiss		94	

QNNOTB2G: Did not currently use any tobacco products

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3513   Invalid: 118   Mean: 1.105   Standard deviation: 0.307
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3144	89.5%
2	No	369	10.5%
Sysmiss		118	

QNBCANYG: Used a method of birth control

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 45   Invalid: 3586   Mean: 1.378   Standard deviation: 0.49
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	28	62.2%
2	No	17	37.8%
Sysmiss		3586	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 66   Invalid: 3565   Mean: 1.667   Standard deviation: 0.475
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	22	33.3%
2	No	44	66.7%
Sysmiss		3565	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3456   Invalid: 175   Mean: 1.866   Standard deviation: 0.341
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	464	13.4%
2	No	2992	86.6%
Sysmiss		175	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3456   Invalid: 175   Mean: 1.895   Standard deviation: 0.307
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	364	10.5%
2	No	3092	89.5%
Sysmiss		175	

QNPE3G: Attended physical education classes on three or more days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3500   Invalid: 131   Mean: 1.885   Standard deviation: 0.319
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	402	11.5%
2	No	3098	88.5%
Sysmiss		131	

▍ QNPE5G: Attended physical education classes on five or more days

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3500   Invalid: 131   Mean: 1.93   Standard deviation: 0.256
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	246	7%
2	No	3254	93%
Sysmiss		131	

▍ WEIGHT:

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3631   Invalid: 0   Mean: 853.233   Standard deviation: 172.075
Type: Continuous   Decimal: 0   Width: 10   Range: 42.0329 - 329.5608   Format: Numeric

▍ STRATUM:

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3631   Invalid: 0   Mean: 201502006.273   Standard deviation: 24.776
Type: Discrete   Decimal: 0   Width: 9   Range: 201501001 - 201501019   Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201502001		315	8.7%
201502002		306	8.4%
201502003		272	7.5%
201502004		329	9.1%
201502005		439	12.1%

201502006		280	7.7%
201502007		326	9%
201502008		274	7.5%
201502009		321	8.8%
201502010		210	5.8%
201502011		326	9%
201502012		233	6.4%

PSU:

Data file: IDN2015_Public_Use_Sumatra

Overview

Valid: 3631   Invalid: 0   Mean: 12.089   Standard deviation: 6.774
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

Q1: Custom Age

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3746   Invalid: 5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	127	3.4%
2	12 years old	592	15.8%
3	13 years old	810	21.6%
4	14 years old	804	21.5%
5	15 years old	619	16.5%
6	16 years old	411	11%
7	17 years old	269	7.2%
8	18 years old or older	114	3%
Sysmiss		5	

Q2: Sex

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3745   Invalid: 6
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1683	44.9%
2	Female	2062	55.1%
Sysmiss		6	

Q3: In what grade are you

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3736   Invalid: 15
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

LITERAL QUESTION
In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	M 3	897	24%
2	M 4	910	24.4%
3	M 5	934	25%
4	M 6	373	10%
5	M 7	393	10.5%
6		229	6.1%
Sysmiss		15	

Q4: How tall are you

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3549   Invalid: 202   Minimum: 1.23   Maximum: 1.79   Mean: 1.517   Standard deviation: 0.081
Type: Continuous   Decimal: 2   Width: 5   Range: 1.27 - 1.87   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3549   Invalid: 202   Minimum: 23   Maximum: 98   Mean: 44.413   Standard deviation: 9.69
Type: Continuous   Decimal: 2   Width: 5   Range: 28 - 116   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1461	39%
2	Rarely	364	9.7%
3	Sometimes	1693	45.2%
4	Most of the time	137	3.7%
5	Always	89	2.4%
Sysmiss		7	

Q7: No fruit eating

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	436	11.7%
2	Less than one time per day	1147	30.7%
3	1 time per day	1032	27.7%
4	2 times per day	615	16.5%
5	3 times per day	284	7.6%
6	4 times per day	69	1.8%
7	5 or more times per day	148	4%
Sysmiss		20	

Q8: No vegetable eating

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	121	3.2%
2	Less than one time per day	622	16.6%
3	1 time per day	1001	26.7%
4	2 times per day	1076	28.7%
5	3 times per day	662	17.7%
6	4 times per day	80	2.1%
7	5 or more times per day	182	4.9%
Sysmiss		7	

Q9: Soft drinks

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1360	36.3%
2	Less than one time per day	1218	32.5%
3	1 time per day	767	20.5%
4	2 times per day	231	6.2%
5	3 times per day	85	2.3%
6	4 times per day	33	0.9%
7	5 or more times per day	53	1.4%
Sysmiss		4	

Q10: Fast food eating

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3749   Invalid: 2
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1834	48.9%
2	1 day	1074	28.6%
3	2 days	396	10.6%
4	3 days	222	5.9%

5	4 days	91	2.4%
6	5 days	38	1%
7	6 days	24	0.6%
8	7 days	70	1.9%
Sysmiss		2	

Q11: Tooth brushing

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	23	0.6%
2	Less than 1 time per day	87	2.3%
3	1 time per day	394	10.6%
4	2 times per day	1967	52.7%
5	3 times per day	1095	29.3%
6	4 or more times per day	167	4.5%
Sysmiss		18	

Q12: Hand washing before eating

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	46	1.2%
2	Rarely	49	1.3%
3	Sometimes	707	18.9%
4	Most of the time	825	22%
5	Always	2117	56.5%
Sysmiss		7	

Q13: Hand washing after toilet

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3741   Invalid: 10
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	86	2.3%
2	Rarely	58	1.6%
3	Sometimes	744	19.9%
4	Most of the time	858	22.9%
5	Always	1995	53.3%
Sysmiss		10	

Q14: Hand washing with soap

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	78	2.1%
2	Rarely	78	2.1%
3	Sometimes	1361	36.5%
4	Most of the time	850	22.8%
5	Always	1364	36.6%
Sysmiss		20	

▌ Q15: Physically attacked

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3748   Invalid: 3
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2299	61.3%
2	1 time	664	17.7%
3	2 or 3 times	558	14.9%
4	4 or 5 times	100	2.7%
5	6 or 7 times	38	1%
6	8 or 9 times	53	1.4%
7	10 or 11 times	5	0.1%
8	12 or more times	31	0.8%
Sysmiss		3	

Q16: Physical fighting

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3729   Invalid: 22
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2606	69.9%
2	1 time	604	16.2%
3	2 or 3 times	333	8.9%
4	4 or 5 times	69	1.9%
5	6 or 7 times	28	0.8%
6	8 or 9 times	19	0.5%
7	10 or 11 times	13	0.3%
8	12 or more times	57	1.5%
Sysmiss		22	

Q17: Seriously injured

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3343   Invalid: 408
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2112	63.2%
2	1 time	765	22.9%
3	2 or 3 times	324	9.7%
4	4 or 5 times	59	1.8%
5	6 or 7 times	26	0.8%
6	8 or 9 times	15	0.4%
7	10 or 11 times	9	0.3%
8	12 or more times	33	1%
Sysmiss		408	

Q18: Serious injury broken bone

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3531   Invalid: 220
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2579	73%
2	Broken bone/dislocated joint	305	8.6%
3	I had a cut or stab wound	143	4%
4	Concussion/head injury	42	1.2%
5	I had a gunshot wound	15	0.4%
6	I had a bad burn	34	1%
7	I was poisoned	8	0.2%
8	Something else happened to me	405	11.5%
Sysmiss		220	

Q19: Serious injury motor vehicle

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3394   Invalid: 357
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2359	69.5%
2	Motor vehicle accident	215	6.3%
3	I fell	548	16.1%
4	Something fell on me or hit me	62	1.8%
5	I was attacked	39	1.1%
6	Was in a fire	19	0.6%
7	breathed something bad	27	0.8%
8	Something else	125	3.7%
Sysmiss		357	

Q20: Bullied

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3459   Invalid: 292
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2571	74.3%

2	1 or 2 days	625	18.1%
3	3 to 5 days	139	4%
4	6 to 9 days	41	1.2%
5	10 to 19 days	27	0.8%
6	20 to 29 days	11	0.3%
7	All 30 days	45	1.3%
Sysmiss		292	

Q21: Bullied by hitting

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3474   Invalid: 277
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2725	78.4%
2	Kicked, pushed, or shoved	108	3.1%
3	Made fun of race	57	1.6%
4	Made fun because of religion	23	0.7%
5	Made fun of about sex	121	3.5%
6	Left out of activities	54	1.6%
7	Made fun of about body	138	4%
8	Some other way	248	7.1%
Sysmiss		277	

Q22: Felt lonely

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3717   Invalid: 34

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1448	39%
2	Rarely	317	8.5%
3	Sometimes	1670	44.9%
4	Most of the time	218	5.9%
5	Always	64	1.7%
Sysmiss		34	

Q23: Could not sleep

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3745   Invalid: 6
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1722	46%
2	Rarely	335	8.9%
3	Sometimes	1490	39.8%
4	Most of the time	145	3.9%
5	Always	53	1.4%
Sysmiss		6	

Q24: Considered suicide

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3710   Invalid: 41
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	256	6.9%
2	No	3454	93.1%
Sysmiss		41	

Q25: Made a suicide plan

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3713   Invalid: 38
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	250	6.7%
2	No	3463	93.3%
Sysmiss		38	

Q26: Attempted suicide

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3592	95.9%
2	1 time	98	2.6%
3	2 or 3 times	22	0.6%
4	4 or 5 times	31	0.8%
5	6 or more times	4	0.1%
Sysmiss		4	

Q27: Close friends

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3737   Invalid: 14
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	96	2.6%
2	1	275	7.4%
3	2	333	8.9%
4	3 or more	3033	81.2%
Sysmiss		14	

Q28: Initiation of cigarette use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3625   Invalid: 126
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2816	77.7%
2	7 years old or younger	124	3.4%
3	8 or 9 years old	121	3.3%
4	10 or 11 years old	171	4.7%
5	12 or 13 years old	229	6.3%
6	14 or 15 years old	124	3.4%
7	16 or 17 years old	38	1%
8	18 years old or older	2	0.1%
Sysmiss		126	

Q29: Current cigarette use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3714   Invalid: 37
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3272	88.1%
2	1 or 2 days	276	7.4%

3	3 to 5 days	47	1.3%
4	6 to 9 days	26	0.7%
5	10 to 19 days	35	0.9%
6	20 to 29 days	12	0.3%
7	All 30 days	46	1.2%
Sysmiss		37	

Q30: Other tobacco use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3588	96.2%
2	1 or 2 days	92	2.5%
3	3 to 5 days	30	0.8%
4	6 to 9 days	9	0.2%
5	10 to 19 days	7	0.2%
6	20 to 29 days	1	0%
7	All 30 days	4	0.1%
Sysmiss		20	

Q31: Smoking cessation

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3653   Invalid: 98
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2970	81.3%
2	Did not smoke cigarettes	198	5.4%
3	Yes	432	11.8%
4	No	53	1.5%
Sysmiss		98	

Q32: Smoking in their presence

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3740   Invalid: 11
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	777	20.8%
2	1 or 2 days	970	25.9%
3	3 or 4 days	348	9.3%
4	5 or 6 days	185	4.9%
5	All 7 days	1460	39%
Sysmiss		11	

Q33: Parental tobacco use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1491	39.9%
2	My father or male guardian	1864	49.9%
3	My mother or female guardian	41	1.1%
4	Both	76	2%
5	I do not know	261	7%
Sysmiss		18	

Q34: Initiation of alcohol use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3444   Invalid: 307
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	3061	88.9%
2	7 years old or younger	57	1.7%
3	8 or 9 years old	41	1.2%
4	10 or 11 years old	68	2%
5	12 or 13 years old	96	2.8%
6	14 or 15 years old	87	2.5%

7	16 or 17 years old	32	0.9%
8	18 years old or older	2	0.1%
Sysmiss		307	

Q35: Current alcohol use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3688   Invalid: 63
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	3480	94.4%
2	1 or 2 days	156	4.2%
3	3 to 5 days	27	0.7%
4	6 to 9 days	12	0.3%
5	10 to 19 days	6	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	5	0.1%
Sysmiss		63	

Q36: Drank 2+ drinks

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3708   Invalid: 43
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3427	92.4%
2	Less than one drink	154	4.2%
3	1 drink	60	1.6%
4	2 drinks	29	0.8%
5	3 drinks	12	0.3%
6	4 drinks	7	0.2%
7	5 or more drinks	19	0.5%
Sysmiss		43	

Q37: Source of alchohol

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3665   Invalid: 86
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3438	93.8%
2	I bought in a store	69	1.9%
3	I gave someone money to buy	14	0.4%
4	I got it from my friends	97	2.6%
5	I got it from my family	31	0.8%
6	I stole it	6	0.2%
7	Some other way	10	0.3%
Sysmiss		86	

Q38: Really drunk

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3661   Invalid: 90

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3489	95.3%
2	1 or 2 times	120	3.3%
3	3 to 9 times	32	0.9%
4	10 or more times	20	0.5%
Sysmiss		90	

Q39: Trouble from drinking

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3547   Invalid: 204

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3444	97.1%

2	1 or 2 times	63	1.8%
3	3 to 9 times	20	0.6%
4	10 or more times	20	0.6%
Sysmiss		204	

Q40: Initiation of drug use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3612   Invalid: 139
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3532	97.8%
2	7 years old or younger	34	0.9%
3	8 or 9 years old	15	0.4%
4	10 or 11 years old	11	0.3%
5	12 or 13 years old	10	0.3%
6	14 or 15 years old	8	0.2%
7	16 or 17 years old	1	0%
8	18 years old or older	1	0%
Sysmiss		139	

Q41: Ever marijuana use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3705   Invalid: 46
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3658	98.7%
2	1 or 2 times	17	0.5%
3	3 to 9 times	16	0.4%
4	10 to 19 times	9	0.2%
5	20 or more times	5	0.1%
Sysmiss		46	

Q42: Current marijuana use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3718   Invalid: 33
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3679	99%
2	1 or 2 times	23	0.6%
3	3 to 9 times	9	0.2%
4	10 to 19 times	3	0.1%
5	20 or more times	4	0.1%
Sysmiss		33	

Q43: Amphethamine or methamphetamine use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3641   Invalid: 110
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3593	98.7%
2	1 or 2 times	20	0.5%
3	3 to 9 times	14	0.4%
4	10 to 19 times	10	0.3%
5	20 or more times	4	0.1%
Sysmiss		110	

Q44: Ever sexual intercourse

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3187   Invalid: 564
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	202	6.3%
2	No	2985	93.7%
Sysmiss		564	

Q45: Sex before 14 years

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3692   Invalid: 59

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3630	98.3%
2	11 years old or younger	30	0.8%
3	12 years old	10	0.3%
4	13 years old	5	0.1%
5	14 years old	6	0.2%
6	15 years old	6	0.2%
7	16 or 17 years old	4	0.1%
8	18 years old or older	1	0%
Sysmiss		59	

Q46: Multiple sex partners

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3690   Invalid: 61

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3624	98.2%
2	1 person	22	0.6%

3	2 people	18	0.5%
4	3 people	7	0.2%
5	4 people	10	0.3%
6	5 people	3	0.1%
7	6 or more people	6	0.2%
Sysmiss		61	

Q47: Condom use

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3337   Invalid: 414
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 3   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3261	97.7%
2	Yes	24	0.7%
3	No	52	1.6%
Sysmiss		414	

Q48: Birth control used

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3421   Invalid: 330
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3345	97.8%
2	Yes	22	0.6%
3	No	33	1%
4	I do not know	21	0.6%
Sysmiss		330	

Q49: Physical activity >= 5 days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3735   Invalid: 16
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1202	32.2%
2	1 day	1117	29.9%
3	2 days	389	10.4%
4	3 days	265	7.1%
5	4 days	126	3.4%
6	5 days	80	2.1%
7	6 days	68	1.8%
8	7 days	488	13.1%
Sysmiss		16	

Q50: Walk or bike to school

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3741   Invalid: 10

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2235	59.7%
2	1 day	304	8.1%
3	2 days	163	4.4%
4	3 days	78	2.1%
5	4 days	40	1.1%
6	5 days	46	1.2%
7	6 days	223	6%
8	7 days	652	17.4%
Sysmiss		10	

Q51: PE attendance

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3729   Invalid: 22
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	380	10.2%
2	1 day	2332	62.5%
3	2 days	371	9.9%

4	3 days	139	3.7%
5	4 days	46	1.2%
6	5 or more days	461	12.4%
Sysmiss		22	

Q52: Sitting activities

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3726   Invalid: 25
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION
How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1607	43.1%
2	1 to 2 hours per day	1234	33.1%
3	3 to 4 hours per day	531	14.3%
4	5 to 6 hours per day	139	3.7%
5	7 to 8 hours per day	64	1.7%
6	More than 8 hours per day	151	4.1%
Sysmiss		25	

Q53: Miss school no permission

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3743   Invalid: 8
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2615	69.9%
2	1 or 2 days	944	25.2%
3	3 to 5 days	116	3.1%
4	6 to 9 days	28	0.7%
5	10 or more days	40	1.1%
Sysmiss		8	

Q54: Other students kind and helpful

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	249	6.7%
2	Rarely	142	3.8%
3	Sometimes	1992	53.4%
4	Most of the time	761	20.4%
5	Always	589	15.8%
Sysmiss		18	

Q55: Parents check homework

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3716   Invalid: 35
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	984	26.5%
2	Rarely	222	6%
3	Sometimes	1347	36.2%
4	Most of the time	468	12.6%
5	Always	695	18.7%
Sysmiss		35	

Q56: Parents understand problems

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3739   Invalid: 12
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	936	25%
2	Rarely	241	6.4%
3	Sometimes	1340	35.8%
4	Most of the time	524	14%
5	Always	698	18.7%
Sysmiss		12	

Q57: Parents know about free time

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	925	24.8%
2	Rarely	243	6.5%
3	Sometimes	1341	35.9%
4	Most of the time	591	15.8%
5	Always	633	17%
Sysmiss		18	

Q58: Parents go through their things

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3720   Invalid: 31   Mean: 1.941   Standard deviation: 1.208
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2086	56.1%
2		322	8.7%
3		945	25.4%
4		178	4.8%
5		189	5.1%
Sysmiss		31	

QN6: Most of the time or always went hungry

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.94   Standard deviation: 0.238
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	226	6%
2	No	3518	94%
Sysmiss		7	

QN7: Did not eat fruit

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.883   Standard deviation: 0.321
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	436	11.7%
2	No	3295	88.3%
Sysmiss		20	

QN8: Did not eat vegetables

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.968   Standard deviation: 0.177

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	121	3.2%
2	No	3623	96.8%
Sysmiss		7	

QN9: Did not drink carbonated soft drinks

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4   Mean: 1.637   Standard deviation: 0.481
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1360	36.3%
2	No	2387	63.7%
Sysmiss		4	

QN10: Did not eat food from a fast food restaurant

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3749   Invalid: 2   Mean: 1.511   Standard deviation: 0.5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1834	48.9%
2	No	1915	51.1%
Sysmiss		2	

QN11: Usually cleaned or brushed their teeth

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18   Mean: 1.029   Standard deviation: 0.169
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3623	97.1%
2	No	110	2.9%
Sysmiss		18	

QN12: Never or rarely washed their hands before eating

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.975   Standard deviation: 0.157
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	95	2.5%
2	No	3649	97.5%
Sysmiss		7	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3741   Invalid: 10   Mean: 1.962   Standard deviation: 0.192
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	144	3.8%
2	No	3597	96.2%
Sysmiss		10	

QN14: Never or rarely used soap when washing their hands

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.958   Standard deviation: 0.2
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	156	4.2%
2	No	3575	95.8%
Sysmiss		20	

QN15: Were physically attacked

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3748   Invalid: 3   Mean: 1.613   Standard deviation: 0.487
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1449	38.7%
2	No	2299	61.3%
Sysmiss		3	

QN16: Were in a physical fight

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3729   Invalid: 22   Mean: 1.699   Standard deviation: 0.459
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1123	30.1%
2	No	2606	69.9%
Sysmiss		22	

QN17: Were seriously injured

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3343   Invalid: 408   Mean: 1.632   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	1231	36.8%
2	No	2112	63.2%
Sysmiss		408	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 952   Invalid: 2799   Mean: 1.68   Standard deviation: 0.467
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	305	32%
2	No	647	68%
Sysmiss		2799	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 1035   Invalid: 2716   Mean: 1.792   Standard deviation: 0.406
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	215	20.8%
2	No	820	79.2%
Sysmiss		2716	

QN20: Were bullied

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3459   Invalid: 292   Mean: 1.743   Standard deviation: 0.437
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	888	25.7%
2	No	2571	74.3%
Sysmiss		292	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 749   Invalid: 3002   Mean: 1.856   Standard deviation: 0.352
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	108	14.4%
2	No	641	85.6%
Sysmiss		3002	

QN22: Most of the time or always felt lonely

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3717   Invalid: 34   Mean: 1.924   Standard deviation: 0.265
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	282	7.6%
2	No	3435	92.4%
Sysmiss		34	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3745   Invalid: 6   Mean: 1.947   Standard deviation: 0.224
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	198	5.3%
2	No	3547	94.7%
Sysmiss		6	

QN24: Seriously considered attempting suicide

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3710   Invalid: 41   Mean: 1.931   Standard deviation: 0.253
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	256	6.9%
2	No	3454	93.1%
Sysmiss		41	

QN25: Made a plan about how they would attempt suicide

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3713   Invalid: 38   Mean: 1.933   Standard deviation: 0.251
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	250	6.7%
2	No	3463	93.3%
Sysmiss		38	

QN26: Attempted suicide

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4   Mean: 1.959   Standard deviation: 0.199
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	155	4.1%
2	No	3592	95.9%
Sysmiss		4	

QN27: Did not have any close friends

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3737   Invalid: 14   Mean: 1.974   Standard deviation: 0.158
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	96	2.6%
2	No	3641	97.4%
Sysmiss		14	

QN28: Tried a cigarette before age 14 years

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 809   Invalid: 2942   Mean: 1.203   Standard deviation: 0.402
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	645	79.7%
2	No	164	20.3%
Sysmiss		2942	

QN29: Currently smoked cigarettes

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3714   Invalid: 37   Mean: 1.881   Standard deviation: 0.324
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	442	11.9%
2	No	3272	88.1%
Sysmiss		37	

QN30: Currently used any tobacco products other than cigarettes

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.962   Standard deviation: 0.192
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	143	3.8%
2	No	3588	96.2%
Sysmiss		20	

QN31: Tried to quit smoking cigarettes

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 485   Invalid: 3266   Mean: 1.109   Standard deviation: 0.312
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	432	89.1%
2	No	53	10.9%
Sysmiss		3266	

QN32: Reported that people smoked in their presence

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3740   Invalid: 11   Mean: 1.208   Standard deviation: 0.406
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2963	79.2%
2	No	777	20.8%
Sysmiss		11	

QN33: Had parents or guardians who used any form of tobacco

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18   Mean: 1.469   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1981	53.1%
2	No	1752	46.9%
Sysmiss		18	

QN34: Drank alcohol before age 14 years

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 383   Invalid: 3368   Mean: 1.316   Standard deviation: 0.465
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	262	68.4%
2	No	121	31.6%
Sysmiss		3368	

QN35: Currently drank alcohol

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3688   Invalid: 63   Mean: 1.944   Standard deviation: 0.231
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	208	5.6%
2	No	3480	94.4%
Sysmiss		63	

QN36: Usually drank two or more drinks per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 281   Invalid: 3470   Mean: 1.762   Standard deviation: 0.427
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	67	23.8%
2	No	214	76.2%
Sysmiss		3470	

QN37: Usually obtained the alcohol they drank from friends

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 227   Invalid: 3524   Mean: 1.573   Standard deviation: 0.496
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	97	42.7%
2	No	130	57.3%
Sysmiss		3524	

QN38: Ever drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3661   Invalid: 90   Mean: 1.953   Standard deviation: 0.212
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	172	4.7%
2	No	3489	95.3%
Sysmiss		90	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3547   Invalid: 204   Mean: 1.971   Standard deviation: 0.168
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	103	2.9%
2	No	3444	97.1%
Sysmiss		204	

QN40: Used drugs before age 14 years

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 80   Invalid: 3671   Mean: 1.125   Standard deviation: 0.333
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	70	87.5%
2	No	10	12.5%
Sysmiss		3671	

QN41: Ever used marijuana

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3705   Invalid: 46   Mean: 1.987   Standard deviation: 0.112
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	47	1.3%
2	No	3658	98.7%
Sysmiss		46	

QN42: Currently used marijuana

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3718   Invalid: 33   Mean: 1.99   Standard deviation: 0.102
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	39	1%
2	No	3679	99%
Sysmiss		33	

QN43: Ever used amphethamines or methamphetamines

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3641   Invalid: 110   Mean: 1.987   Standard deviation: 0.114
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	48	1.3%
2	No	3593	98.7%
Sysmiss		110	

QN44: Ever had sexual intercourse

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3187   Invalid: 564   Mean: 1.937   Standard deviation: 0.244
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	202	6.3%
2	No	2985	93.7%
Sysmiss		564	

QN45: Had sexual intercourse before age 14 years

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 62   Invalid: 3689   Mean: 1.274   Standard deviation: 0.45
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	

1	Yes	45	72.6%
2	No	17	27.4%
Sysmiss		3689	

QN46: Had sexual intercourse with two or more persons

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3690   Invalid: 61   Mean: 1.988   Standard deviation: 0.109
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	44	1.2%
2	No	3646	98.8%
Sysmiss		61	

QN47: Used a condom

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 76   Invalid: 3675   Mean: 1.684   Standard deviation: 0.468
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	24	31.6%
2	No	52	68.4%
Sysmiss		3675	

QN48: Used a method of birth control other than condoms

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 76   Invalid: 3675   Mean: 1.711   Standard deviation: 0.457
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	22	28.9%
2	No	54	71.1%
Sysmiss		3675	

QN49: Were not physically active

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3735   Invalid: 16   Mean: 1.678   Standard deviation: 0.467
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1202	32.2%
2	No	2533	67.8%
Sysmiss		16	

QN50: Did not walk or ride a bicycle to or from school

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3741   Invalid: 10   Mean: 1.403   Standard deviation: 0.49
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2235	59.7%
2	No	1506	40.3%
Sysmiss		10	

QN51: Did not attend physical education classes

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3729   Invalid: 22   Mean: 1.898   Standard deviation: 0.303
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	380	10.2%
2	No	3349	89.8%
Sysmiss		22	

QN52: Spent three or more hours per day doing sitting activities

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3726   Invalid: 25   Mean: 1.762   Standard deviation: 0.426
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	

1	Yes	885	23.8%
2	No	2841	76.2%
Sysmiss		25	

QN53: Missed classes or school without permission

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3743   Invalid: 8   Mean: 1.699   Standard deviation: 0.459
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1128	30.1%
2	No	2615	69.9%
Sysmiss		8	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18   Mean: 1.638   Standard deviation: 0.481
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1350	36.2%
2	No	2383	63.8%
Sysmiss		18	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3716   Invalid: 35   Mean: 1.687   Standard deviation: 0.464
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1163	31.3%
2	No	2553	68.7%
Sysmiss		35	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3739   Invalid: 12   Mean: 1.673   Standard deviation: 0.469
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1222	32.7%
2	No	2517	67.3%
Sysmiss		12	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3733   Invalid: 18   Mean: 1.672   Standard deviation: 0.47
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1224	32.8%
2	No	2509	67.2%
Sysmiss		18	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3720   Invalid: 31   Mean: 1.353   Standard deviation: 0.478
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2408	64.7%
2	No	1312	35.3%
Sysmiss		31	

QNUNWTG: Were underweight

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3549   Invalid: 202   Mean: 1.915   Standard deviation: 0.279
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	301	8.5%
2	No	3248	91.5%
Sysmiss		202	

QNOWTG: Were overweight

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3549   Invalid: 202   Mean: 1.883   Standard deviation: 0.322
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	417	11.7%
2	No	3132	88.3%
Sysmiss		202	

QNOBESEG: Were obese

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3549   Invalid: 202   Mean: 1.965   Standard deviation: 0.184
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	

1	Yes	124	3.5%
2	No	3425	96.5%
Sysmiss		202	

QNFRLG: Usually ate fruit less than one time per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.693   Standard deviation: 0.461
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1147	30.7%
2	No	2584	69.3%
Sysmiss		20	

QNFR1G: Usually ate fruit one or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.424   Standard deviation: 0.494
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2148	57.6%
2	No	1583	42.4%
Sysmiss		20	

QNFR2G: Usually ate fruit two or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.701   Standard deviation: 0.458
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1116	29.9%
2	No	2615	70.1%
Sysmiss		20	

QNFR3G: Usually ate fruit three or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3731   Invalid: 20   Mean: 1.866   Standard deviation: 0.341
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	501	13.4%
2	No	3230	86.6%
Sysmiss		20	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.834   Standard deviation: 0.372
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	622	16.6%
2	No	3122	83.4%
Sysmiss		7	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.198   Standard deviation: 0.399
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3001	80.2%
2	No	743	19.8%
Sysmiss		7	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.466   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	2000	53.4%
2	No	1744	46.6%
Sysmiss		7	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3744   Invalid: 7   Mean: 1.753   Standard deviation: 0.431
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	924	24.7%
2	No	2820	75.3%
Sysmiss		7	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4   Mean: 1.675   Standard deviation: 0.468
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1218	32.5%
2	No	2529	67.5%
Sysmiss		4	

▊ QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4   Mean: 1.688   Standard deviation: 0.463
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1169	31.2%
2	No	2578	68.8%
Sysmiss		4	

▊ QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4   Mean: 1.893   Standard deviation: 0.31
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	402	10.7%
2	No	3345	89.3%
Sysmiss		4	

▊ QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3747   Invalid: 4   Mean: 1.954   Standard deviation: 0.209
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	171	4.6%
2	No	3576	95.4%
Sysmiss		4	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3749   Invalid: 2   Mean: 1.489   Standard deviation: 0.5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1915	51.1%
2	No	1834	48.9%
Sysmiss		2	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3749   Invalid: 2   Mean: 1.776   Standard deviation: 0.417
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	

1	Yes	841	22.4%
2	No	2908	77.6%
Sysmiss		2	

▍ QNFF3G: Ate food from a fast food restaurant three or more days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3749   Invalid: 2   Mean: 1.881   Standard deviation: 0.323
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	**Category**	**Cases**	
1	Yes	445	11.9%
2	No	3304	88.1%
Sysmiss		2	

▍ QNC2G: Were bullied and could not sleep at night

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 174   Invalid: 3577   Mean: 1.5   Standard deviation: 0.501
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	**Category**	**Cases**	
1	Yes	87	50%
2	No	87	50%
Sysmiss		3577	

QNTOB2G: Currently used any tobacco product

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3719   Invalid: 32   Mean: 1.866   Standard deviation: 0.34
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	497	13.4%
2	No	3222	86.6%
Sysmiss		32	

QNNOTB2G: Did not currently use any tobacco products

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3698   Invalid: 53   Mean: 1.129   Standard deviation: 0.335
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3222	87.1%
2	No	476	12.9%
Sysmiss		53	

QNBCANYG: Used a method of birth control

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 49   Invalid: 3702   Mean: 1.49   Standard deviation: 0.505
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	25	51%
2	No	24	49%
Sysmiss		3702	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 130   Invalid: 3621   Mean: 1.831   Standard deviation: 0.376
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	22	16.9%
2	No	108	83.1%
Sysmiss		3621	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3735   Invalid: 16   Mean: 1.83   Standard deviation: 0.376
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	636	17%
2	No	3099	83%
Sysmiss		16	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3735   Invalid: 16   Mean: 1.869   Standard deviation: 0.337
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	488	13.1%
2	No	3247	86.9%
Sysmiss		16	

QNPE3G: Attended physical education classes on three or more days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3729   Invalid: 22   Mean: 1.827   Standard deviation: 0.379
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	646	17.3%
2	No	3083	82.7%
Sysmiss		22	

QNPE5G: Attended physical education classes on five or more days

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3729   Invalid: 22   Mean: 1.876   Standard deviation: 0.329
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	461	12.4%
2	No	3268	87.6%
Sysmiss		22	

WEIGHT:

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3751   Invalid: 0   Mean: 734.063   Standard deviation: 155.906
Type: Continuous   Decimal: 0   Width: 10   Range: 42.0329 - 329.5608   Format: Numeric

STRATUM:

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3751   Invalid: 0   Mean: 201503006.491   Standard deviation: 36.204
Type: Discrete   Decimal: 0   Width: 9   Range: 201501001 - 201501019   Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201503001		292	7.8%
201503002		282	7.5%
201503003		325	8.7%
201503004		339	9%
201503005		326	8.7%

201503006		325	8.7%
201503007		331	8.8%
201503008		359	9.6%
201503009		202	5.4%
201503010		333	8.9%
201503011		400	10.7%
201503012		237	6.3%

PSU:

Data file: IDN2015_Public_Use_restofcountry

Overview

Valid: 3751   Invalid: 0   Mean: 12.467   Standard deviation: 6.773
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

study_resources

questionnaires

Questionnaire

title   Questionnaire
filename 2015_GSHS_Indonesia_Questionnaire.pdf

reports

National Fact Sheet

title   National Fact Sheet
filename 2015_Indonesia_GSHS_Fact_Sheet_National.pdf

National Fact Sheet (Bahasa)

title   National Fact Sheet (Bahasa)
filename 2015_Indonesia_GSHS_Fact_Sheet_National_Bahasa.pdf

Java Fact Sheet

title   Java Fact Sheet
filename 2015_Indonesia_GSHS_Fact_Sheet_Java.pdf

Sumatra Fact Sheet

title   Sumatra Fact Sheet
filename 2015_Indonesia_GSHS_Fact_Sheet_Sumatra.pdf

Rest of Country Fact Sheet

title   Rest of Country Fact Sheet
filename 2015_Indonesia_GSHS_Fact_Sheet_restofcountry.pdf

Country Report (Bahasa)

title   Country Report (Bahasa)
filename GSHS_2015_Indonesia_Report_National_Bahasa.pdf

technical_documents

National Codebook

title   National Codebook

filename IDN2015_public_use_codebook_national.pdf

Java Codebook

title   Java Codebook
filename IDN2015_public_use_codebook_Java.pdf

Sumatra Codebook

title   Sumatra Codebook
filename IDN2015_public_use_codebook_Sumatra.pdf

Rest of Country Codebook

title   Rest of Country Codebook
filename IDN2015_public_use_codebook_restofcountry.pdf