

# Global School-Based Student Health Survey 2017

**National Council on Drug Abuse**

report\_generated\_on: January 18, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

JAM\_2017\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2017

### COUNTRY

Name	Country code
Jamaica	JAM

### STUDY TYPE

Other Household Survey [hh/oth]

### SERIES INFORMATION

This is the second GSHS conducted by Jamaica.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

## Scope

### NOTES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

### TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

### KEYWORDS

Keyword
---------

adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

### GEOGRAPHIC COVERAGE

National

### UNIVERSE

School-going adolescents aged 13-17 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

Name
National Council on Drug Abuse

### FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 7th - 12th in Jamaica.

At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

#### RESPONSE RATE

The school response rate was 84%, the student response rate was 71%, and the overall response rate was 60%.

#### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

#### DATES OF DATA COLLECTION

Start	End
2017	2017

#### DATA COLLECTION MODE

self-administered

## questionnaires

#### QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

mental health

physical activity

protective factors

sexual behaviours

tobacco use

violence and unintentional injury

## data\_processing

#### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

#### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

#### ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

#### CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

---

#### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

---

#### DDI DOCUMENT ID

DDI\_JAM\_2017\_GSHS\_v01\_M

#### PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

#### DATE OF METADATA PRODUCTION

2020-02-12

#### DDI DOCUMENT VERSION

Identical to a metadata (JAM\_2017\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>JMH2017_GSHS</b>	1667	141



**Data file: JMH2017\_GSHS**

Cases: 1667

variables: 141

**variables**

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?



ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141



**Q1: Custom Age****Data file:** JMH2017\_GSHS**Overview**

Valid: 1659 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.2%
2	12 years old	7	0.4%
3	13 years old	185	11.2%
4	14 years old	432	26%
5	15 years old	437	26.3%
6	16 years old	361	21.8%
7	17 years old	186	11.2%
8	18 years old or older	47	2.8%
Sysmiss		8	

**Q10: Fast food eating****Data file:** JMH2017\_GSHS**Overview**

Valid: 1655 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	672	40.6%
2	1 day	413	25%
3	2 days	217	13.1%

4	3 days	128	7.7%
5	4 days	76	4.6%
6	5 days	52	3.1%
7	6 days	25	1.5%
8	7 days	72	4.4%
Sysmiss		12	

## Q2: Sex

Data file: JMH2017\_GSHS

### Overview

Valid: 1655 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

What is your sex?

#### CATEGORIES

Value	Category	Cases	
1	Male	755	45.6%
2	Female	900	54.4%
Sysmiss		12	

## Q3: In what grade are you

Data file: JMH2017\_GSHS

### Overview

Valid: 1650 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

#### CATEGORIES

Value	Category	Cases	
1	7th	41	2.5%
2	8th	412	25%
3	9th	557	33.8%



4	10th	388	23.5%
5	11th	208	12.6%
6	12th	44	2.7%
Sysmiss		17	

#### Q4: How tall are you

Data file: JMH2017\_GSHS

##### Overview

Valid: 1585 Invalid: 82 Minimum: 1.33 Maximum: 1.95 Mean: 1.656 Standard deviation: 0.0879  
Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q5: How much do you weigh

Data file: JMH2017\_GSHS

##### Overview

Valid: 1585 Invalid: 82 Minimum: 31 Maximum: 162 Mean: 59.302 Standard deviation: 13.89  
Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

##### Questions and instructions

###### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

###### LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

#### Q6: How often went hungry

Data file: JMH2017\_GSHS

##### Overview

Valid: 1662 Invalid: 5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

### CATEGORIES

Value	Category	Cases	
1	Never	852	51.3%
2	Rarely	333	20%
3	Sometimes	365	22%
4	Most of the time	79	4.8%
5	Always	33	2%
Sysmiss		5	

## Q7: No fruit eating

Data file: JMH2017\_GSHS

### Overview

Valid: 1656 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	298	18%
2	Less than one time per day	362	21.9%
3	1 time per day	506	30.6%
4	2 times per day	243	14.7%
5	3 times per day	89	5.4%
6	4 times per day	41	2.5%
7	5 or more times per day	117	7.1%
Sysmiss		11	

**Q8: No vegetable eating****Data file: JMH2017\_GSHS****Overview**

Valid: 1635 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

**LITERAL QUESTION**

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	Did not eat vegetables	224	13.7%
2	Less than one time per day	311	19%
3	1 time per day	596	36.5%
4	2 times per day	243	14.9%
5	3 times per day	89	5.4%
6	4 times per day	32	2%
7	5 or more times per day	140	8.6%
Sysmiss		32	

**Q9: Soft drinks****Data file: JMH2017\_GSHS****Overview**

Valid: 1654 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about what you might eat and drink.

**LITERAL QUESTION**

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

**CATEGORIES**

Value	Category	Cases	
1	Did not drink soft drinks	238	14.4%
2	Less than one time per day	273	16.5%

3	1 time per day	374	22.6%
4	2 times per day	313	18.9%
5	3 times per day	164	9.9%
6	4 times per day	61	3.7%
7	5 or more times per day	231	14%
Sysmiss		13	

## Q11: Tooth brushing

Data file: JMH2017\_GSHS

### Overview

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category
1	Did not brush my teeth
2	Less than 1 time per day
3	1 time per day
4	2 times per day
5	3 times per day
6	4 or more times per day
Sysmiss	

## Q12: Hand washing before eating

Data file: JMH2017\_GSHS

### Overview

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

## LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

## CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

### Q13: Hand washing after toilet

Data file: JMH2017\_GSHS

#### Overview

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

## LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

## CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

### Q14: Hand washing with soap

Data file: JMH2017\_GSHS

#### Overview

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

### CATEGORIES

Value	Category
1	Never
2	Rarely
3	Sometimes
4	Most of the time
5	Always
Sysmiss	

## Q15: Physically attacked

Data file: JMH2017\_GSHS

### Overview

Valid: 1655 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

### CATEGORIES

Value	Category	Cases	
1	0 times	1207	72.9%
2	1 time	171	10.3%
3	2 or 3 times	144	8.7%
4	4 or 5 times	46	2.8%
5	6 or 7 times	14	0.8%
6	8 or 9 times	16	1%
7	10 or 11 times	7	0.4%
8	12 or more times	50	3%
Sysmiss		12	

**Q16: Physical fighting****Data file:** JMH2017\_GSHS**Overview**

Valid: 1662    Invalid: 5

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1130	68%
2	1 time	249	15%
3	2 or 3 times	168	10.1%
4	4 or 5 times	39	2.3%
5	6 or 7 times	23	1.4%
6	8 or 9 times	14	0.8%
7	10 or 11 times	6	0.4%
8	12 or more times	33	2%
Sysmiss		5	

**Q17: Seriously injured****Data file:** JMH2017\_GSHS**Overview**

Valid: 1458    Invalid: 209

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	873	59.9%
2	1 time	280	19.2%
3	2 or 3 times	197	13.5%
4	4 or 5 times	45	3.1%
5	6 or 7 times	20	1.4%
6	8 or 9 times	9	0.6%
7	10 or 11 times	6	0.4%
8	12 or more times	28	1.9%
Sysmiss		209	

### Q18: Serious injury type

Data file: JMH2017\_GSHS

#### Overview

Valid: 1491 Invalid: 176

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1062	71.2%
2	Broken bone/dislocated joint	60	4%
3	I had a cut or stab wound	119	8%
4	Concussion/head injury	48	3.2%
5	I had a gunshot wound	7	0.5%
6	I had a bad burn	42	2.8%
7	I was poisoned	10	0.7%
8	Something else happened to me	143	9.6%
Sysmiss		176	

### Q19: Serious injury cause

Data file: JMH2017\_GSHS



## Overview

Valid: 1491 Invalid: 176

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1039	69.7%
2	Motor vehicle accident	30	2%
3	I fell	99	6.6%
4	Something fell on me or hit me	45	3%
5	I was attacked	43	2.9%
6	Was in a fire	11	0.7%
7	breathed something bad	15	1%
8	Something else	209	14%
Sysmiss		176	

## Q20: Bullied

Data file: JMH2017\_GSHS

## Overview

Valid: 1575 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1180	74.9%

2	1 or 2 days	198	12.6%
3	3 to 5 days	77	4.9%
4	6 to 9 days	33	2.1%
5	10 to 19 days	28	1.8%
6	20 to 29 days	9	0.6%
7	All 30 days	50	3.2%
Sysmiss		92	

## Q21: Bullied how

Data file: JMH2017\_GSHS

### Overview

Valid: 1551 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1205	77.7%
2	Kicked, pushed, or shoved	30	1.9%
3	Made fun of race	38	2.5%
4	Made fun because of religion	20	1.3%
5	Made fun of about sex	51	3.3%
6	Left out of activities	17	1.1%
7	Made fun of about body	78	5%
8	Some other way	112	7.2%
Sysmiss		116	

## Q22: Felt lonely

Data file: JMH2017\_GSHS

### Overview

Valid: 1655 Invalid: 12

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

### CATEGORIES

Value	Category	Cases	
1	Never	539	32.6%
2	Rarely	298	18%
3	Sometimes	500	30.2%
4	Most of the time	208	12.6%
5	Always	110	6.6%
Sysmiss		12	

## Q23: Could not sleep

Data file: JMH2017\_GSHS

### Overview

Valid: 1646    Invalid: 21

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

### CATEGORIES

Value	Category	Cases	
1	Never	693	42.1%
2	Rarely	339	20.6%
3	Sometimes	398	24.2%
4	Most of the time	146	8.9%
5	Always	70	4.3%
Sysmiss		21	

**Q24: Considered suicide****Data file:** JMH2017\_GSHS**Overview**

Valid: 1600 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	422	26.4%
2	No	1178	73.6%
Sysmiss		67	

**Q25: Made a suicide plan****Data file:** JMH2017\_GSHS**Overview**

Valid: 1635 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

## LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

## CATEGORIES

Value	Category	Cases	
1	Yes	408	25%
2	No	1227	75%
Sysmiss		32	

**Q26: Attempted suicide****Data file:** JMH2017\_GSHS

## Overview

Valid: 1636 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	0 times	1322	80.8%
2	1 time	155	9.5%
3	2 or 3 times	86	5.3%
4	4 or 5 times	31	1.9%
5	6 or more times	42	2.6%
Sysmiss		31	

## Q27: Close friends

Data file: JMH2017\_GSHS

## Overview

Valid: 1619 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

How many close friends do you have?

### CATEGORIES

Value	Category	Cases	
1	0	144	8.9%
2	1	179	11.1%
3	2	295	18.2%
4	3 or more	1001	61.8%
Sysmiss		48	

**Q28: Initiation of cigarette use****Data file:** JMH2017\_GSHS**Overview**

Valid: 1562 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

How old were you when you first tried a cigarette?

## CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	971	62.2%
2	7 years old or younger	94	6%
3	8 or 9 years old	81	5.2%
4	10 or 11 years old	115	7.4%
5	12 or 13 years old	144	9.2%
6	14 or 15 years old	116	7.4%
7	16 or 17 years old	39	2.5%
8	18 years old or older	2	0.1%
Sysmiss		105	

**Q29: Current cigarette use****Data file:** JMH2017\_GSHS**Overview**

Valid: 1634 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

## CATEGORIES

Value	Category	Cases	
1	0 days	1397	85.5%
2	1 or 2 days	122	7.5%

3	3 to 5 days	52	3.2%
4	6 to 9 days	18	1.1%
5	10 to 19 days	17	1%
6	20 to 29 days	8	0.5%
7	All 30 days	20	1.2%
Sysmiss		33	

### Q30: Other tobacco use

Data file: JMH2017\_GSHS

#### Overview

Valid: 1637 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

##### CATEGORIES

Value	Category	Cases	
1	0 days	1458	89.1%
2	1 or 2 days	97	5.9%
3	3 to 5 days	33	2%
4	6 to 9 days	20	1.2%
5	10 to 19 days	10	0.6%
6	20 to 29 days	3	0.2%
7	All 30 days	16	1%
Sysmiss		30	

### Q31: Smoking cessation

Data file: JMH2017\_GSHS

#### Overview

Valid: 1559 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1068	68.5%
2	Did not smoke cigarettes	252	16.2%
3	Yes	145	9.3%
4	No	94	6%
Sysmiss		108	

## Q32: Smoking in their presence

Data file: JMH2017\_GSHS

### Overview

Valid: 1646 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

### CATEGORIES

Value	Category	Cases	
1	0 days	545	33.1%
2	1 or 2 days	397	24.1%
3	3 or 4 days	155	9.4%
4	5 or 6 days	67	4.1%
5	All 7 days	482	29.3%
Sysmiss		21	

## Q33: Parental tobacco use

Data file: JMH2017\_GSHS



## Overview

Valid: 1637 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

### CATEGORIES

Value	Category	Cases	
1	Neither	1056	64.5%
2	My father or male guardian	260	15.9%
3	My mother or female guardian	55	3.4%
4	Both	48	2.9%
5	I do not know	218	13.3%
Sysmiss		30	

## Q34: Initiation of alcohol use

Data file: JMH2017\_GSHS

## Overview

Valid: 1553 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

### CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	337	21.7%
2	7 years old or younger	214	13.8%
3	8 or 9 years old	147	9.5%
4	10 or 11 years old	230	14.8%
5	12 or 13 years old	289	18.6%
6	14 or 15 years old	262	16.9%

7	16 or 17 years old	73	4.7%
8	18 years old or older	1	0.1%
Sysmiss		114	

### Q35: Current alcohol use

Data file: JMH2017\_GSHS

#### Overview

Valid: 1591 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

##### CATEGORIES

Value	Category	Cases	
1	0 days	837	52.6%
2	1 or 2 days	458	28.8%
3	3 to 5 days	126	7.9%
4	6 to 9 days	62	3.9%
5	10 to 19 days	64	4%
6	20 to 29 days	14	0.9%
7	All 30 days	30	1.9%
Sysmiss		76	

### Q36: Drank 2+ drinks

Data file: JMH2017\_GSHS

#### Overview

Valid: 1614 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	824	51.1%
2	Less than one drink	245	15.2%
3	1 drink	255	15.8%
4	2 drinks	134	8.3%
5	3 drinks	61	3.8%
6	4 drinks	38	2.4%
7	5 or more drinks	57	3.5%
Sysmiss		53	

### Q37: Source of alcohol

Data file: JMH2017\_GSHS

#### Overview

Valid: 1604 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

#### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

#### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	838	52.2%
2	I bought in a store	222	13.8%
3	I gave someone money to buy	35	2.2%
4	I got it from my friends	161	10%
5	I got it from my family	187	11.7%
6	I stole it	35	2.2%
7	Some other way	126	7.9%
Sysmiss		63	

**Q38: Really drunk****Data file:** JMH2017\_GSHS**Overview**

Valid: 1609 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	1157	71.9%
2	1 or 2 times	293	18.2%
3	3 to 9 times	88	5.5%
4	10 or more times	71	4.4%
Sysmiss		58	

**Q39: Trouble from drinking****Data file:** JMH2017\_GSHS**Overview**

Valid: 1592 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1419	89.1%

2	1 or 2 times	101	6.3%
3	3 to 9 times	34	2.1%
4	10 or more times	38	2.4%
Sysmiss		75	

## Q40: Initiation of drug use

Data file: JMH2017\_GSHS

### Overview

Valid: 1446 Invalid: 221

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

How old were you when you first used drugs?

#### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1074	74.3%
2	7 years old or younger	66	4.6%
3	8 or 9 years old	37	2.6%
4	10 or 11 years old	58	4%
5	12 or 13 years old	100	6.9%
6	14 or 15 years old	90	6.2%
7	16 or 17 years old	19	1.3%
8	18 years old or older	2	0.1%
Sysmiss		221	

## Q41: Ever marijuana use

Data file: JMH2017\_GSHS

### Overview

Valid: 1471 Invalid: 196

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1175	79.9%
2	1 or 2 times	106	7.2%
3	3 to 9 times	78	5.3%
4	10 to 19 times	33	2.2%
5	20 or more times	79	5.4%
Sysmiss		196	

### Q42: Current marijuana use

Data file: JMH2017\_GSHS

#### Overview

Valid: 1550 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1352	87.2%
2	1 or 2 times	93	6%
3	3 to 9 times	46	3%
4	10 to 19 times	16	1%
5	20 or more times	43	2.8%
Sysmiss		117	

### Q43: Amphetamine or methamphetamine use

Data file: JMH2017\_GSHS

## Overview

Valid: 1580 Invalid: 87

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1534	97.1%
2	1 or 2 times	21	1.3%
3	3 to 9 times	13	0.8%
4	10 to 19 times	8	0.5%
5	20 or more times	4	0.3%
Sysmiss		87	

## Q44: Ever sexual intercourse

Data file: JMH2017\_GSHS

## Overview

Valid: 1535 Invalid: 132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	677	44.1%
2	No	858	55.9%
Sysmiss		132	

**Q45: Age first had sex****Data file:** JMH2017\_GSHS**Overview**

Valid: 1615 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	964	59.7%
2	11 years old or younger	214	13.3%
3	12 years old	94	5.8%
4	13 years old	89	5.5%
5	14 years old	102	6.3%
6	15 years old	76	4.7%
7	16 or 17 years old	73	4.5%
8	18 years old or older	3	0.2%
Sysmiss		52	

**Q46: Number of sex partners****Data file:** JMH2017\_GSHS**Overview**

Valid: 1610 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	969	60.2%
2	1 person	193	12%



3	2 people	115	7.1%
4	3 people	94	5.8%
5	4 people	52	3.2%
6	5 people	44	2.7%
7	6 or more people	143	8.9%
Sysmiss		57	

## Q47: Condom use

Data file: JMH2017\_GSHS

### Overview

Valid: 1583 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	976	61.7%
2	Yes	402	25.4%
3	No	205	13%
Sysmiss		84	

## Q48: Birth control used

Data file: JMH2017\_GSHS

### Overview

Valid: 1573 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	959	61%
2	Yes	208	13.2%
3	No	318	20.2%
4	I do not know	88	5.6%
Sysmiss		94	

**Q49: Physical activity past 7 days****Data file:** JMH2017\_GSHS**Overview**

Valid: 1611 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	479	29.7%
2	1 day	226	14%
3	2 days	192	11.9%
4	3 days	149	9.2%
5	4 days	69	4.3%
6	5 days	100	6.2%
7	6 days	31	1.9%
8	7 days	365	22.7%
Sysmiss		56	

**Q50: Walk or bike to school****Data file:** JMH2017\_GSHS**Overview**

Valid: 1643 Invalid: 24

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1039	63.2%
2	1 day	77	4.7%
3	2 days	51	3.1%
4	3 days	49	3%
5	4 days	48	2.9%
6	5 days	110	6.7%
7	6 days	19	1.2%
8	7 days	250	15.2%
Sysmiss		24	

**Q51: PE attendance****Data file: JMH2017\_GSHS****Overview**

Valid: 1621    Invalid: 46

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During this school year, on how many days did you go to physical education (PE) class each week?

**CATEGORIES**

Value	Category	Cases	
1	0 days	557	34.4%
2	1 day	648	40%
3	2 days	84	5.2%

4	3 days	57	3.5%
5	4 days	30	1.9%
6	5 or more days	245	15.1%
Sysmiss		46	

## Q52: Sitting activities

Data file: JMH2017\_GSHS

### Overview

Valid: 1599 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

#### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	336	21%
2	1 to 2 hours per day	365	22.8%
3	3 to 4 hours per day	305	19.1%
4	5 to 6 hours per day	181	11.3%
5	7 to 8 hours per day	87	5.4%
6	More than 8 hours per day	325	20.3%
Sysmiss		68	

## Q53: Miss school no permission

Data file: JMH2017\_GSHS

### Overview

Valid: 1629 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

#### CATEGORIES

Value	Category	Cases	
1	0 days	1192	73.2%
2	1 or 2 days	254	15.6%
3	3 to 5 days	93	5.7%
4	6 to 9 days	48	2.9%
5	10 or more days	42	2.6%
Sysmiss		38	

### Q54: Other students kind and helpful

Data file: JMH2017\_GSHS

#### Overview

Valid: 1629 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

#### CATEGORIES

Value	Category	Cases	
1	Never	261	16%
2	Rarely	438	26.9%
3	Sometimes	634	38.9%
4	Most of the time	252	15.5%
5	Always	44	2.7%
Sysmiss		38	

### Q55: Parents check homework

Data file: JMH2017\_GSHS

#### Overview

Valid: 1607 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

### CATEGORIES

Value	Category	Cases	
1	Never	409	25.5%
2	Rarely	278	17.3%
3	Sometimes	372	23.1%
4	Most of the time	253	15.7%
5	Always	295	18.4%
Sysmiss		60	

## Q56: Parents understand problems

Data file: JMH2017\_GSHS

### Overview

Valid: 1622 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

### CATEGORIES

Value	Category	Cases	
1	Never	504	31.1%
2	Rarely	255	15.7%
3	Sometimes	354	21.8%
4	Most of the time	193	11.9%
5	Always	316	19.5%
Sysmiss		45	

## Q57: Parents know about free time

Data file: JMH2017\_GSHS

## Overview

Valid: 1621 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

### CATEGORIES

Value	Category	Cases	
1	Never	321	19.8%
2	Rarely	270	16.7%
3	Sometimes	381	23.5%
4	Most of the time	261	16.1%
5	Always	388	23.9%
Sysmiss		46	

## Q58: Parents go through their things

Data file: JMH2017\_GSHS

## Overview

Valid: 1609 Invalid: 58 Mean: 2.195 Standard deviation: 1.306

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

### CATEGORIES

Value	Category	Cases	
1		718	44.6%
2		276	17.2%
3		309	19.2%
4		195	12.1%
5		111	6.9%
Sysmiss		58	

**QN6: Most of the time or always went hungry****Data file:** JMH2017\_GSHS**Overview**

Valid: 1662   Invalid: 5   Mean: 1.933   Standard deviation: 0.251  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		112	6.7%
2		1550	93.3%
Sysmiss		5	

**QN7: Did not eat fruit****Data file:** JMH2017\_GSHS**Overview**

Valid: 1656   Invalid: 11   Mean: 1.82   Standard deviation: 0.384  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		298	18%
2		1358	82%
Sysmiss		11	

**QN8: Did not eat vegetables****Data file:** JMH2017\_GSHS**Overview**

Valid: 1635   Invalid: 32   Mean: 1.863   Standard deviation: 0.344



Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		224	13.7%
2		1411	86.3%
Sysmiss		32	

## QN9: Did not drink carbonated soft drinks

Data file: JMH2017\_GSHS

### Overview

Valid: 1654    Invalid: 13    Mean: 1.856    Standard deviation: 0.351  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		238	14.4%
2		1416	85.6%
Sysmiss		13	

## QN10: Did not eat food from a fast food restaurant

Data file: JMH2017\_GSHS

### Overview

Valid: 1655    Invalid: 12    Mean: 1.594    Standard deviation: 0.491  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		672	40.6%
2		983	59.4%
Sysmiss		12	

## QN11: Usually cleaned or brushed their teeth

Data file: JMH2017\_GSHS

### Overview

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

#### CATEGORIES

Value	Category
Sysmiss	

## QN12: Never or rarely washed their hands before eating

Data file: JMH2017\_GSHS

### Overview

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

#### CATEGORIES

Value	Category
Sysmiss	

## QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: JMH2017\_GSHS

**Overview**

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QN14: Never or rarely used soap when washing their hands****Data file:** JMH2017\_GSHS**Overview**

Valid: 0 Invalid: 1667

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

## CATEGORIES

Value	Category
Sysmiss	

**QN15: Were physically attacked****Data file:** JMH2017\_GSHS**Overview**

Valid: 1655 Invalid: 12 Mean: 1.729 Standard deviation: 0.444

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		448	27.1%

2		1207	72.9%
Sysmiss		12	

**QN16: Were in a physical fight****Data file:** JMH2017\_GSHS**Overview**

Valid: 1662   Invalid: 5   Mean: 1.68   Standard deviation: 0.467  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		532	32%
2		1130	68%
Sysmiss		5	

**QN17: Were seriously injured****Data file:** JMH2017\_GSHS**Overview**

Valid: 1458   Invalid: 209   Mean: 1.599   Standard deviation: 0.49  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

## CATEGORIES

Value	Category	Cases	
1		585	40.1%
2		873	59.9%
Sysmiss		209	

**QN18: Reported that their most serious injury was a broken bone or dislocated joint****Data file:** JMH2017\_GSHS

## Overview

Valid: 429    Invalid: 1238    Mean: 1.86    Standard deviation: 0.347  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		60	14%
2		369	86%
Sysmiss		1238	

## QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: JMH2017\_GSHS

## Overview

Valid: 452    Invalid: 1215    Mean: 1.934    Standard deviation: 0.249  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

### CATEGORIES

Value	Category	Cases	
1		30	6.6%
2		422	93.4%
Sysmiss		1215	

## QN20: Were bullied

Data file: JMH2017\_GSHS

## Overview

Valid: 1575    Invalid: 92    Mean: 1.749    Standard deviation: 0.434  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		395	25.1%
2		1180	74.9%
Sysmiss		92	

### QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: JMH2017\_GSHS

#### Overview

Valid: 346 Invalid: 1321 Mean: 1.913 Standard deviation: 0.282  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey )

#### CATEGORIES

Value	Category	Cases	
1		30	8.7%
2		316	91.3%
Sysmiss		1321	

### QN22: Most of the time or always felt lonely

Data file: JMH2017\_GSHS

#### Overview

Valid: 1655 Invalid: 12 Mean: 1.808 Standard deviation: 0.394  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

#### CATEGORIES

Value	Category	Cases	
1		318	19.2%
2		1337	80.8%
Sysmiss		12	

### QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: JMH2017\_GSHS

#### Overview

Valid: 1646 Invalid: 21 Mean: 1.869 Standard deviation: 0.338  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		216	13.1%
2		1430	86.9%
Sysmiss		21	

### QN24: Seriously considered attempting suicide

Data file: JMH2017\_GSHS

#### Overview

Valid: 1600 Invalid: 67 Mean: 1.736 Standard deviation: 0.441  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		422	26.4%
2		1178	73.6%
Sysmiss		67	

**QN25: Made a plan about how they would attempt suicide****Data file:** JMH2017\_GSHS**Overview**

Valid: 1635   Invalid: 32   Mean: 1.75   Standard deviation: 0.433  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		408	25%
2		1227	75%
Sysmiss		32	

**QN26: Attempted suicide****Data file:** JMH2017\_GSHS**Overview**

Valid: 1636   Invalid: 31   Mean: 1.808   Standard deviation: 0.394  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

**CATEGORIES**

Value	Category	Cases	
1		314	19.2%
2		1322	80.8%
Sysmiss		31	

**QN27: Did not have any close friends****Data file:** JMH2017\_GSHS**Overview**

Valid: 1619   Invalid: 48   Mean: 1.911   Standard deviation: 0.285  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not have any close friends

#### CATEGORIES

Value	Category	Cases	
1		144	8.9%
2		1475	91.1%
Sysmiss		48	

### QN28: Tried a cigarette before age 14 years

Data file: JMH2017\_GSHS

#### Overview

Valid: 591 Invalid: 1076 Mean: 1.266 Standard deviation: 0.442  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

#### CATEGORIES

Value	Category	Cases	
1		434	73.4%
2		157	26.6%
Sysmiss		1076	

### QN29: Currently smoked cigarettes

Data file: JMH2017\_GSHS

#### Overview

Valid: 1634 Invalid: 33 Mean: 1.855 Standard deviation: 0.352  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		237	14.5%
2		1397	85.5%
Sysmiss		33	

### QN30: Currently used any tobacco products other than cigarettes

Data file: JMH2017\_GSHS

#### Overview

Valid: 1637 Invalid: 30 Mean: 1.891 Standard deviation: 0.312  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		179	10.9%
2		1458	89.1%
Sysmiss		30	

### QN31: Tried to quit smoking cigarettes

Data file: JMH2017\_GSHS

#### Overview

Valid: 239 Invalid: 1428 Mean: 1.393 Standard deviation: 0.49  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

##### CATEGORIES

Value	Category	Cases	
1		145	60.7%
2		94	39.3%
Sysmiss		1428	

**QN32: Reported that people smoked in their presence****Data file:** JMH2017\_GSHS**Overview**

Valid: 1646   Invalid: 21   Mean: 1.331   Standard deviation: 0.471  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		1101	66.9%
2		545	33.1%
Sysmiss		21	

**QN33: Had parents or guardians who used any form of tobacco****Data file:** JMH2017\_GSHS**Overview**

Valid: 1637   Invalid: 30   Mean: 1.778   Standard deviation: 0.416  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

## CATEGORIES

Value	Category	Cases	
1		363	22.2%
2		1274	77.8%
Sysmiss		30	

**QN34: Drank alcohol before age 14 years****Data file:** JMH2017\_GSHS**Overview**

Valid: 1216   Invalid: 451   Mean: 1.276   Standard deviation: 0.447  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

### CATEGORIES

Value	Category	Cases	
1		880	72.4%
2		336	27.6%
Sysmiss		451	

## QN35: Currently drank alcohol

Data file: JMH2017\_GSHS

### Overview

Valid: 1591 Invalid: 76 Mean: 1.526 Standard deviation: 0.499  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		754	47.4%
2		837	52.6%
Sysmiss		76	

## QN36: Usually drank two or more drinks per day

Data file: JMH2017\_GSHS

### Overview

Valid: 790 Invalid: 877 Mean: 1.633 Standard deviation: 0.482  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		290	36.7%
2		500	63.3%
Sysmiss		877	

### QN37: Usually obtained the alcohol they drank from friends

Data file: JMH2017\_GSHS

#### Overview

Valid: 766 Invalid: 901 Mean: 1.79 Standard deviation: 0.408  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		161	21%
2		605	79%
Sysmiss		901	

### QN47: Used a condom

Data file: JMH2017\_GSHS

#### Overview

Valid: 607 Invalid: 1060 Mean: 1.338 Standard deviation: 0.473  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

##### CATEGORIES

Value	Category	Cases	
1		402	66.2%
2		205	33.8%
Sysmiss		1060	

**QN38: Ever drank so much alcohol that they were really drunk****Data file:** JMH2017\_GSHS**Overview**

Valid: 1609   Invalid: 58   Mean: 1.719   Standard deviation: 0.45  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1		452	28.1%
2		1157	71.9%
Sysmiss		58	

**QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol****Data file:** JMH2017\_GSHS**Overview**

Valid: 1592   Invalid: 75   Mean: 1.891   Standard deviation: 0.311  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

**CATEGORIES**

Value	Category	Cases	
1		173	10.9%
2		1419	89.1%
Sysmiss		75	

**QN40: Used drugs before age 14 years****Data file:** JMH2017\_GSHS

## Overview

Valid: 372    Invalid: 1295    Mean: 1.298    Standard deviation: 0.458  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

### CATEGORIES

Value	Category	Cases	
1		261	70.2%
2		111	29.8%
Sysmiss		1295	

## QN41: Ever used marijuana

Data file: JMH2017\_GSHS

## Overview

Valid: 1471    Invalid: 196    Mean: 1.799    Standard deviation: 0.401  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

### CATEGORIES

Value	Category	Cases	
1		296	20.1%
2		1175	79.9%
Sysmiss		196	

## QN42: Currently used marijuana

Data file: JMH2017\_GSHS

## Overview

Valid: 1550    Invalid: 117    Mean: 1.872    Standard deviation: 0.334  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		198	12.8%
2		1352	87.2%
Sysmiss		117	

**QN43: Ever used amphetamines or methamphetamines****Data file:** JMH2017\_GSHS**Overview**

Valid: 1580   Invalid: 87   Mean: 1.971   Standard deviation: 0.168  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

## CATEGORIES

Value	Category	Cases	
1		46	2.9%
2		1534	97.1%
Sysmiss		87	

**QN44: Ever had sexual intercourse****Data file:** JMH2017\_GSHS**Overview**

Valid: 1535   Invalid: 132   Mean: 1.559   Standard deviation: 0.497  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1		677	44.1%
2		858	55.9%
Sysmiss		132	



**QN45: Had sexual intercourse before age 14 years****Data file:** JMH2017\_GSHS**Overview**

Valid: 651    Invalid: 1016    Mean: 1.39    Standard deviation: 0.488  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

## CATEGORIES

Value	Category	Cases	
1		397	61%
2		254	39%
Sysmiss		1016	

**QN46: Had sexual intercourse with two or more persons****Data file:** JMH2017\_GSHS**Overview**

Valid: 1610    Invalid: 57    Mean: 1.722    Standard deviation: 0.448  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

## CATEGORIES

Value	Category	Cases	
1		448	27.8%
2		1162	72.2%
Sysmiss		57	

**QN48: Used a method of birth control other than condoms****Data file:** JMH2017\_GSHS**Overview**

Valid: 614    Invalid: 1053    Mean: 1.661    Standard deviation: 0.474  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		208	33.9%
2		406	66.1%
Sysmiss		1053	

## QN49: Were not physically active

Data file: JMH2017\_GSHS

### Overview

Valid: 1611 Invalid: 56 Mean: 1.703 Standard deviation: 0.457  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		479	29.7%
2		1132	70.3%
Sysmiss		56	

## QN50: Did not walk or ride a bicycle to or from school

Data file: JMH2017\_GSHS

### Overview

Valid: 1643 Invalid: 24 Mean: 1.368 Standard deviation: 0.482  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1039	63.2%
2		604	36.8%
Sysmiss		24	

### QN51: Did not attend physical education classes

Data file: JMH2017\_GSHS

#### Overview

Valid: 1621   Invalid: 46   Mean: 1.656   Standard deviation: 0.475  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

##### CATEGORIES

Value	Category	Cases	
1		557	34.4%
2		1064	65.6%
Sysmiss		46	

### QN52: Spent three or more hours per day doing sitting activities

Data file: JMH2017\_GSHS

#### Overview

Valid: 1599   Invalid: 68   Mean: 1.438   Standard deviation: 0.496  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

##### CATEGORIES

Value	Category	Cases	
1		898	56.2%
2		701	43.8%
Sysmiss		68	

**QN53: Missed classes or school without permission****Data file:** JMH2017\_GSHS**Overview**

Valid: 1629   Invalid: 38   Mean: 1.732   Standard deviation: 0.443  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		437	26.8%
2		1192	73.2%
Sysmiss		38	

**QN54: Reported that most of the students in their school were most of the time or always kind and helpful****Data file:** JMH2017\_GSHS**Overview**

Valid: 1629   Invalid: 38   Mean: 1.818   Standard deviation: 0.386  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		296	18.2%
2		1333	81.8%
Sysmiss		38	

**QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done****Data file:** JMH2017\_GSHS

## Overview

Valid: 1607 Invalid: 60 Mean: 1.659 Standard deviation: 0.474  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		548	34.1%
2		1059	65.9%
Sysmiss		60	

## QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: JMH2017\_GSHS

## Overview

Valid: 1622 Invalid: 45 Mean: 1.686 Standard deviation: 0.464  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		509	31.4%
2		1113	68.6%
Sysmiss		45	

## QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: JMH2017\_GSHS

## Overview

Valid: 1621 Invalid: 46 Mean: 1.6 Standard deviation: 0.49  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		649	40%
2		972	60%
Sysmiss		46	

## QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: JMH2017\_GSHS

### Overview

Valid: 1609   Invalid: 58   Mean: 1.382   Standard deviation: 0.486  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		994	61.8%
2		615	38.2%
Sysmiss		58	

## QNUNWTG: Were underweight

Data file: JMH2017\_GSHS

### Overview

Valid: 1585   Invalid: 82   Mean: 1.967   Standard deviation: 0.178  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1		52	3.3%
2		1533	96.7%
Sysmiss		82	

## QNOWTG: Were overweight

Data file: JMH2017\_GSHS

### Overview

Valid: 1585 Invalid: 82 Mean: 1.759 Standard deviation: 0.428  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		382	24.1%
2		1203	75.9%
Sysmiss		82	

## QNOBESEG: Were obese

Data file: JMH2017\_GSHS

### Overview

Valid: 1585 Invalid: 82 Mean: 1.904 Standard deviation: 0.295  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1		152	9.6%
2		1433	90.4%
Sysmiss		82	

**QNFR1G: Usually ate fruit less than one time per day****Data file:** JMH2017\_GSHS**Overview**

Valid: 1656   Invalid: 11   Mean: 1.781   Standard deviation: 0.413  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		362	21.9%
2		1294	78.1%
Sysmiss		11	

**QNFR1G: Usually ate fruit one or more times per day****Data file:** JMH2017\_GSHS**Overview**

Valid: 1656   Invalid: 11   Mean: 1.399   Standard deviation: 0.49  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		996	60.1%
2		660	39.9%
Sysmiss		11	

**QNFR2G: Usually ate fruit two or more times per day****Data file:** JMH2017\_GSHS**Overview**

Valid: 1656   Invalid: 11   Mean: 1.704   Standard deviation: 0.457  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		490	29.6%
2		1166	70.4%
Sysmiss		11	

## QNFR3G: Usually ate fruit three or more times per day

Data file: JMH2017\_GSHS

### Overview

Valid: 1656 Invalid: 11 Mean: 1.851 Standard deviation: 0.356  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		247	14.9%
2		1409	85.1%
Sysmiss		11	

## QNVEGLG: Usually ate vegetables less than one time per day

Data file: JMH2017\_GSHS

### Overview

Valid: 1635 Invalid: 32 Mean: 1.81 Standard deviation: 0.393  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		311	19%
2		1324	81%
Sysmiss		32	

### QNVEG1G: Usually ate vegetables one or more times per day

Data file: JMH2017\_GSHS

#### Overview

Valid: 1635 Invalid: 32 Mean: 1.327 Standard deviation: 0.469  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		1100	67.3%
2		535	32.7%
Sysmiss		32	

### QNVEG2G: Usually ate vegetables two or more times per day

Data file: JMH2017\_GSHS

#### Overview

Valid: 1635 Invalid: 32 Mean: 1.692 Standard deviation: 0.462  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		504	30.8%
2		1131	69.2%
Sysmiss		32	

**QNVEG3G: Usually ate vegetables three or more times per day****Data file:** JMH2017\_GSHS**Overview**

Valid: 1635   Invalid: 32   Mean: 1.84   Standard deviation: 0.366  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		261	16%
2		1374	84%
Sysmiss		32	

**QNSODALG: Usually drank carbonated soft drinks less than one time per day****Data file:** JMH2017\_GSHS**Overview**

Valid: 1654   Invalid: 13   Mean: 1.835   Standard deviation: 0.371  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

## CATEGORIES

Value	Category	Cases	
1		273	16.5%
2		1381	83.5%
Sysmiss		13	

**QNSODA1G: Usually drank carbonated soft drinks one or more times per day****Data file:** JMH2017\_GSHS**Overview**

Valid: 1654   Invalid: 13   Mean: 1.309   Standard deviation: 0.462  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1143	69.1%
2		511	30.9%
Sysmiss		13	

## QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: JMH2017\_GSHS

### Overview

Valid: 1654 Invalid: 13 Mean: 1.535 Standard deviation: 0.499  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		769	46.5%
2		885	53.5%
Sysmiss		13	

## QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: JMH2017\_GSHS

### Overview

Valid: 1654 Invalid: 13 Mean: 1.724 Standard deviation: 0.447  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		456	27.6%
2		1198	72.4%
Sysmiss		13	

## QNFF1G: Ate food from a fast food restaurant one or more days

Data file: JMH2017\_GSHS

### Overview

Valid: 1655   Invalid: 12   Mean: 1.406   Standard deviation: 0.491  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		983	59.4%
2		672	40.6%
Sysmiss		12	

## QNFF2G: Ate food from a fast food restaurant two or more days

Data file: JMH2017\_GSHS

### Overview

Valid: 1655   Invalid: 12   Mean: 1.656   Standard deviation: 0.475  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

#### CATEGORIES

Value	Category	Cases	
1		570	34.4%
2		1085	65.6%
Sysmiss		12	

**QNFF3G: Ate food from a fast food restaurant three or more days****Data file:** JMH2017\_GSHS**Overview**

Valid: 1655   Invalid: 12   Mean: 1.787   Standard deviation: 0.41  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		353	21.3%
2		1302	78.7%
Sysmiss		12	

**QNC2G: Were bullied and could not sleep at night****Data file:** JMH2017\_GSHS**Overview**

Valid: 201   Invalid: 1466   Mean: 1.582   Standard deviation: 0.494  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

**CATEGORIES**

Value	Category	Cases	
1		84	41.8%
2		117	58.2%
Sysmiss		1466	

**QNTOB2G: Currently used any tobacco product****Data file:** JMH2017\_GSHS**Overview**

Valid: 1629   Invalid: 38   Mean: 1.808   Standard deviation: 0.394  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		312	19.2%
2		1317	80.8%
Sysmiss		38	

## QNNOTB2G: Did not currently use any tobacco products

Data file: JMH2017\_GSHS

### Overview

Valid: 1609   Invalid: 58   Mean: 1.181   Standard deviation: 0.386  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

### CATEGORIES

Value	Category	Cases	
1		1317	81.9%
2		292	18.1%
Sysmiss		58	

## QNBCANYG: Used a method of birth control

Data file: JMH2017\_GSHS

### Overview

Valid: 551   Invalid: 1116   Mean: 1.214   Standard deviation: 0.411  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

### CATEGORIES

Value	Category	Cases	
1		433	78.6%
2		118	21.4%
Sysmiss		1116	

### QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: JMH2017\_GSHS

#### Overview

Valid: 403    Invalid: 1264    Mean: 1.35    Standard deviation: 0.478  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

##### CATEGORIES

Value	Category	Cases	
1		262	65%
2		141	35%
Sysmiss		1264	

### QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: JMH2017\_GSHS

#### Overview

Valid: 1611    Invalid: 56    Mean: 1.692    Standard deviation: 0.462  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

##### CATEGORIES

Value	Category	Cases	
1		496	30.8%
2		1115	69.2%
Sysmiss		56	



**QNPA7G: Were physically active at least 60 minutes per day on all 7 days****Data file:** JMH2017\_GSHS**Overview**

Valid: 1611   Invalid: 56   Mean: 1.773   Standard deviation: 0.419  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey )

**CATEGORIES**

Value	Category	Cases	
1		365	22.7%
2		1246	77.3%
Sysmiss		56	

**QNPE3G: Attended physical education classes on three or more days****Data file:** JMH2017\_GSHS**Overview**

Valid: 1621   Invalid: 46   Mean: 1.795   Standard deviation: 0.404  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who attended physical education classes on three or more days (each week during this school year)

**CATEGORIES**

Value	Category	Cases	
1		332	20.5%
2		1289	79.5%
Sysmiss		46	

**QNPE5G: Attended physical education classes on five or more days****Data file:** JMH2017\_GSHS**Overview**

Valid: 1621   Invalid: 46   Mean: 1.849   Standard deviation: 0.358

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

## CATEGORIES

Value	Category	Cases	
1		245	15.1%
2		1376	84.9%
Sysmiss		46	

**WEIGHT:****Data file:** JMH2017\_GSHS**Overview**

Valid: 1667    Invalid: 0    Mean: 110.413    Standard deviation: 49.015  
 Type: Continuous    Decimal: 0    Width: 10    Range: 42.0329 - 329.5608    Format: Numeric

**STRATUM:****Data file:** JMH2017\_GSHS**Overview**

Valid: 1667    Invalid: 0    Mean: 201701010.939    Standard deviation: 19.075  
 Type: Discrete    Decimal: 0    Width: 9    Range: 201501001 - 201501019    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
201701001		50	3%
201701002		105	6.3%
201701003		75	4.5%
201701004		79	4.7%
201701005		96	5.8%
201701006		97	5.8%
201701007		61	3.7%
201701008		49	2.9%
201701009		83	5%
201701010		76	4.6%
201701011		101	6.1%

201701012		80	4.8%
201701013		51	3.1%
201701014		79	4.7%
201701015		106	6.4%
201701016		80	4.8%
201701017		102	6.1%
201701018		127	7.6%
201701019		83	5%
201701020		87	5.2%

**PSU:****Data file: JMH2017\_GSHS****Overview**

Valid: 1667   Invalid: 0   Mean: 21.362   Standard deviation: 11.676  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
filename 2017\_GSHS\_Jamaica\_Questionnaire.pdf

---

## reports

### Fact Sheet

---

title Fact Sheet  
filename Jamaica\_2017\_GSHS\_FS.pdf

---

## technical\_documents

### Codebook

---

title Codebook  
filename 2017JMH\_Public\_Use\_Codebook.pdf

---