

# Global School-Based Student Health Survey 2011

**Ministry of Health**

report\_generated\_on: February 12, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

---

SURVEY ID NUMBER  
KNA\_2011\_GSHS\_v01\_M

TITLE  
Global School-Based Student Health Survey 2011

COUNTRY

Name	Country code
St. Kitts and Nevis	KNA

STUDY TYPE  
Other Household Survey [hh/oth]

SERIES INFORMATION  
This is the first GSHS conducted by Saint Kitts and Nevis.

ABSTRACT  
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA  
Sample survey data [ssd]

UNIT OF ANALYSIS  
Individuals

## Version

---

VERSION DESCRIPTION  
Public-use dataset

VERSION DATE  
2018-08-09

## Scope

---

NOTES  
The following core modules were included in the survey:  
dietary behaviours  
hygiene  
mental health  
physical activity  
protective factors  
sexual behaviours  
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

<b>Keyword</b>
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
hygiene
mental health
physical activity
sexual behaviours
violence and unintentional injury
overweight
obesity
bullying

## Coverage

### GEOGRAPHIC COVERAGE

National coverage

### UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

<b>Name</b>
Ministry of Health

### FUNDING AGENCY/SPONSOR

<b>Name</b>	<b>Abbreviation</b>
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

The 2010 Saint Kitts & Nevis GSHS was a school-based survey of students in Forms 2-4. A census was used to produce data representative of all students in Forms 2-4 in Saint Kitts & Nevis. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

**RESPONSE RATE**

The school response rate was 100%, the student response rate was 70%, and the overall response rate was 70%.

**WEIGHTING**

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

**data\_collection****DATES OF DATA COLLECTION**

Start	End
2010-11	2010-11

**DATA COLLECTION MODE**

self-administered

**questionnaires****QUESTIONNAIRES**

The following core modules were included in the survey:

dietary behaviours

hygiene

mental health

physical activity

protective factors

sexual behaviours

violence and unintentional injury

**data\_processing****DATA EDITING**

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

**Access policy****CONTACTS**

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

**ACCESS CONDITIONS**

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

**CITATION REQUIREMENTS**

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

---

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

---

### DDI DOCUMENT ID

DDI\_KNA\_2011\_GSHS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2018-08-09

### DDI DOCUMENT VERSION

Identical to a metadata (KNA\_2011\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>KNA2011_Public_Use</b> National public-use dataset	1740	105



**Data file: KNA2011\_Public\_Use**

National public-use dataset

Cases: 1740

variables: 105

**variables**

ID	Name	Label	Question
V127	Q1	How old are you	How old are you?
V128	Q2	Sex	What is your sex?
V129	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V130	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V131	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V132	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V133	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V134	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V135	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V136	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V137	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V138	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V139	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V140	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V141	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V142	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V143	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V144	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V145	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V146	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V147	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V148	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V149	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V150	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V151	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V152	Q26	How many times attempt suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V153	Q27	Number close friends	How many close friends do you have?
V154	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V155	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V156	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V157	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V158	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V159	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V160	Q34	Age first drink of alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V161	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V162	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V163	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V164	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V165	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V166	Q40	Age first drugs	How old were you when you first used drugs?
V167	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V168	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V169	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V170	Q44	Ever had sex	Have you ever had sexual intercourse?
V171	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V172	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V173	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V174	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V175	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V176	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V177	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V178	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V179	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V180	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V181	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V182	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V183	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V184	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V185	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V186	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V187	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V188	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V189	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V190	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V191	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V192	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V193	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V194	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V195	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V196	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V197	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V198	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V199	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V200	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V201	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V202	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V203	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V204	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V205	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V206	QN27	No close friends	Percentage of students who had no close friends
V223	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V224	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V225	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V226	QN47	Among ever sex, used condoms at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V227	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V228	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V229	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V230	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V231	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V232	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V233	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V234	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V235	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V236	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V237	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V241	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V242	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V243	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V244	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V246	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

ID	Name	Label	Question
V247	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V249	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V250	weight	Weight	
V251	stratum	Stratum	
V252	psu	Primary Sampling Unit	

total: 105



**Q1: How old are you****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1730 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	6	0.3%
2	12 years old	14	0.8%
3	13 years old	366	21.2%
4	14 years old	585	33.8%
5	15 years old	506	29.2%
6	16 years old or older	253	14.6%
Sysmiss		10	

**Q2: Sex****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1722 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	759	44.1%
2	Female	963	55.9%
Sysmiss		18	

**Q3: In what grade are you****Data file: KNA2011\_Public\_Use**

**Overview**

Valid: 1725 Invalid: 15  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

## CATEGORIES

Value	Category	Cases	
1	Form 2	604	35%
2	Form 3	629	36.5%
3	Form 4	487	28.2%
4	Another Form	5	0.3%
5	Ungraded or other grade	0	0%
Sysmiss		15	

**Q4: How tall are you**

Data file: KNA2011\_Public\_Use

**Overview**

Valid: 1479 Invalid: 261 Minimum: 1.27 Maximum: 1.99  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.99 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh**

Data file: KNA2011\_Public\_Use

**Overview**

Valid: 1479 Invalid: 261 Minimum: 28 Maximum: 175  
 Type: Continuous Decimal: 0 Width: 3 Range: 28 - 175 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

Data file: KNA2011\_Public\_Use

**Overview**

Valid: 1724 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1017	59%
2	Rarely	261	15.1%
3	Sometimes	365	21.2%
4	Most of the time	48	2.8%
5	Always	33	1.9%
Sysmiss		16	

**Q7: Eat fruit per day past 30 days**

Data file: KNA2011\_Public\_Use

**Overview**

Valid: 1728 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	246	14.2%

2	Less than one time per day	469	27.1%
3	1 time per day	532	30.8%
4	2 times per day	265	15.3%
5	3 times per day	100	5.8%
6	4 times per day	31	1.8%
7	5 or more times per day	85	4.9%
Sysmiss		12	

## Q8: Eat vegetables past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1704 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	181	10.6%
2	Less than one time per day	372	21.8%
3	1 time per day	613	36%
4	2 times per day	286	16.8%
5	3 times per day	103	6%
6	4 times per day	42	2.5%
7	5 or more times per day	107	6.3%
Sysmiss		36	

## Q9: Drink soft drinks past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1731 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	243	14%
2	Less than one time per day	416	24%
3	1 time per day	501	28.9%
4	2 times per day	284	16.4%
5	3 times per day	118	6.8%
6	4 times per day	36	2.1%
7	5 or more times per day	133	7.7%
Sysmiss		9	

## Q10: Ate fast food past 7 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1728 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	652	37.7%
2	1 day	498	28.8%
3	2 days	237	13.7%
4	3 days	148	8.6%
5	4 days	58	3.4%
6	5 days	50	2.9%
7	6 days	23	1.3%

8	7 days	62	3.6%
Sysmiss		12	

## Q11: How many times per day brush teeth

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1734 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	20	1.2%
2	Less than 1 time per day	48	2.8%
3	1 time per day	226	13%
4	2 times per day	830	47.9%
5	3 times per day	445	25.7%
6	4 or more times per day	165	9.5%
Sysmiss		6	

## Q12: Wash hands before eating past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1729 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	36	2.1%
2	Rarely	171	9.9%
3	Sometimes	548	31.7%
4	Most of the time	507	29.3%
5	Always	467	27%
Sysmiss		11	

### Q13: Wash hands after toilet past 30 day

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1715 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	16	0.9%
2	Rarely	36	2.1%
3	Sometimes	137	8%
4	Most of the time	262	15.3%
5	Always	1264	73.7%
Sysmiss		25	

### Q14: Used soap on hands past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1730 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	38	2.2%
2	Rarely	77	4.5%
3	Sometimes	364	21%
4	Most of the time	447	25.8%
5	Always	804	46.5%
Sysmiss		10	

### Q15: Times attacked past 12 mo.

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1715 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

##### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	1133	66.1%
2	1 time	188	11%
3	2 or 3 times	191	11.1%
4	4 or 5 times	68	4%
5	6 or 7 times	27	1.6%
6	8 or 9 times	16	0.9%
7	10 or 11 times	6	0.3%
8	12 or more times	86	5%
Sysmiss		25	

### Q16: How many times in fight 12 mos

Data file: KNA2011\_Public\_Use

**Overview**

Valid: 1735 Invalid: 5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

## LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

## CATEGORIES

Value	Category	Cases	
1	0 times	1098	63.3%
2	1 time	275	15.9%
3	2 or 3 times	219	12.6%
4	4 or 5 times	62	3.6%
5	6 or 7 times	24	1.4%
6	8 or 9 times	10	0.6%
7	10 or 11 times	4	0.2%
8	12 or more times	43	2.5%
Sysmiss		5	

**Q17: How many times injured past 12 months**

Data file: KNA2011\_Public\_Use

**Overview**

Valid: 1497 Invalid: 243  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

## LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

## CATEGORIES

Value	Category	Cases	
1	0 times	812	54.2%
2	1 time	301	20.1%
3	2 or 3 times	258	17.2%

4	4 or 5 times	60	4%
5	6 or 7 times	24	1.6%
6	8 or 9 times	10	0.7%
7	10 or 11 times	6	0.4%
8	12 or more times	26	1.7%
Sysmiss		243	

### Q18: What was serious injury past 12 mo.

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1495 Invalid: 245

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	905	60.5%
2	Broken bone/dislocated joint	118	7.9%
3	I had a cut or stab wound	86	5.8%
4	Concussion/head injury	46	3.1%
5	I had a gunshot wound	5	0.3%
6	I had a bad burn	25	1.7%
7	I was poisoned	12	0.8%
8	Something else happened to me	298	19.9%
Sysmiss		245	

### Q19: Cause of injury past 12 mo.

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1536 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	966	62.9%
2	Motor vehicle accident	26	1.7%
3	I fell	142	9.2%
4	Something fell on me or hit me	52	3.4%
5	I was attacked	32	2.1%
6	Was in a fire	15	1%
7	breathed something bad	31	2%
8	Something else	272	17.7%
Sysmiss		204	

## Q20: How many days bullied past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1652 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1289	78%
2	1 or 2 days	174	10.5%
3	3 to 5 days	64	3.9%
4	6 to 9 days	39	2.4%
5	10 to 19 days	26	1.6%

6	20 to 29 days	15	0.9%
7	All 30 days	45	2.7%
Sysmiss		88	

## Q21: How bullied past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1617 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1306	80.8%
2	Kicked, pushed, or shoved	66	4.1%
3	Made fun of race	36	2.2%
4	Made fun because of religion	18	1.1%
5	Made fun of about sex	39	2.4%
6	Left out of activities	15	0.9%
7	Made fun of about body	51	3.2%
8	Some other way	86	5.3%
Sysmiss		123	

## Q22: Times felt lonely past 12 mo.

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1731 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	635	36.7%
2	Rarely	314	18.1%
3	Sometimes	571	33%
4	Most of the time	142	8.2%
5	Always	69	4%
Sysmiss		9	

### Q23: Times could not sleep past 12 mo.

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1725 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	698	40.5%
2	Rarely	352	20.4%
3	Sometimes	521	30.2%
4	Most of the time	111	6.4%
5	Always	43	2.5%
Sysmiss		15	

### Q24: Ever considered suicide 12 mos

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1657 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	278	16.8%
2	No	1379	83.2%
Sysmiss		83	

---

## Q25: Ever make suicide plan 12 mos

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1698 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	281	16.5%
2	No	1417	83.5%
Sysmiss		42	

---

## Q26: How many times attempt suicide 12 mos

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1718 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1480	86.1%
2	1 time	124	7.2%
3	2 or 3 times	59	3.4%
4	4 or 5 times	23	1.3%
5	6 or more times	32	1.9%
Sysmiss		22	

### Q27: Number close friends

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1726 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	199	11.5%
2	1	205	11.9%
3	2	340	19.7%
4	3 or more	982	56.9%
Sysmiss		14	

### Q28: Age first tried cigarette

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 years old or older

---

## Q29: How many days smoked 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days

---

**Q30: Other forms of tobacco****Data file: KNA2011\_Public\_Use****Overview**

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days

**Q31: Try stop smoking past 12 mo.****Data file: KNA2011\_Public\_Use****Overview**

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	Did not smoke cigarettes
3	Yes

4	No
---	----

### Q32: Others present smoking past 7 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 or 4 days
4	5 or 6 days
5	All 7 days

### Q33: Parents who use tobacco

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

##### CATEGORIES

Value	Category
1	Neither
2	My father or male guardian
3	My mother or female guardian

4	Both
5	I do not know

### Q34: Age first drink of alcohol

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

##### CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 years old or older

### Q35: Days one drink or more past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

## CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days

### Q36: Number of drinks past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

## CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks

### Q37: How got drinks past 30 days

Data file: KNA2011\_Public\_Use

## Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

### CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	I got it some other way

## Q38: Times drunk during life

Data file: KNA2011\_Public\_Use

## Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

### CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times

4	10 or more times
---	------------------

### Q39: Number of troubles as result of drinking

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

##### CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times

### Q40: Age first drugs

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

How old were you when you first used drugs?

##### CATEGORIES

Value	Category
1	I have never used drugs

2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 years old or older

### Q41: Times used marijuana lifetime

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

##### CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times

### Q42: Times used marijuana past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

## CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times

### Q43: Times used amphetamines lifetime

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 0 Invalid: 1740

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

## CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times

### Q44: Ever had sex

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1544 Invalid: 196

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

Have you ever had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Yes	523	33.9%
2	No	1021	66.1%
Sysmiss		196	

## Q45: Age first sexual intercourse

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1646 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1141	69.3%
2	11 years old or younger	141	8.6%
3	12 years old	86	5.2%
4	13 years old	77	4.7%
5	14 years old	99	6%
6	15 years old	83	5%
7	16 years old or older	19	1.2%
Sysmiss		94	

## Q46: How many sex partners

Data file: KNA2011\_Public\_Use

## Overview

Valid: 1646 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1151	69.9%
2	1 person	164	10%
3	2 people	120	7.3%
4	3 people	72	4.4%
5	4 people	42	2.6%
6	5 people	15	0.9%
7	6 or more people	82	5%
Sysmiss		94	

## Q47: Used condom at last intercourse

Data file: KNA2011\_Public\_Use

## Overview

Valid: 1628 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	1145	70.3%
2	Yes	264	16.2%
3	No	219	13.5%
Sysmiss		112	

**Q48: Used birth control last intercourse****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1596 Invalid: 144

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

## LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

## CATEGORIES

Value	Category	Cases	
1	Never had sex	1122	70.3%
2	Yes	132	8.3%
3	No	271	17%
4	I do not know	71	4.4%
Sysmiss		144	

**Q49: Days active 60 min plus past 7 days****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1710 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	560	32.7%
2	1 day	269	15.7%

3	2 days	189	11.1%
4	3 days	163	9.5%
5	4 days	100	5.8%
6	5 days	87	5.1%
7	6 days	36	2.1%
8	7 days	306	17.9%
Sysmiss		30	

## Q50: Walk or bike to school past 7 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1711 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	941	55%
2	1 day	114	6.7%
3	2 days	77	4.5%
4	3 days	58	3.4%
5	4 days	39	2.3%
6	5 days	169	9.9%
7	6 days	22	1.3%
8	7 days	291	17%
Sysmiss		29	

## Q51: Days went to PE each week

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1683 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

### CATEGORIES

Value	Category	Cases	
1	0 days	586	34.8%
2	1 day	677	40.2%
3	2 days	72	4.3%
4	3 days	38	2.3%
5	4 days	30	1.8%
6	5 or more days	280	16.6%
Sysmiss		57	

## Q52: Time spent sitting on usual day

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1702 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	285	16.7%
2	1 to 2 hours per day	399	23.4%
3	3 to 4 hours per day	405	23.8%
4	5 to 6 hours per day	238	14%
5	7 to 8 hours per day	78	4.6%
6	More than 8 hours per day	297	17.5%
Sysmiss		38	

**Q53: Miss school no permission past 30 days****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1700 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

## CATEGORIES

Value	Category	Cases	
1	0 days	1063	62.5%
2	1 or 2 days	405	23.8%
3	3 to 5 days	129	7.6%
4	6 to 9 days	50	2.9%
5	10 or more days	53	3.1%
Sysmiss		40	

**Q54: Others helpful in school past 30 days****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1691 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	325	19.2%
2	Rarely	415	24.5%
3	Sometimes	696	41.2%

4	Most of the time	183	10.8%
5	Always	72	4.3%
Sysmiss		49	

### Q55: Parents check homework past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1697 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

##### CATEGORIES

Value	Category	Cases	
1	Never	508	29.9%
2	Rarely	246	14.5%
3	Sometimes	456	26.9%
4	Most of the time	196	11.5%
5	Always	291	17.1%
Sysmiss		43	

### Q56: Parent understand troubles past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1701 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	549	32.3%
2	Rarely	274	16.1%
3	Sometimes	424	24.9%
4	Most of the time	187	11%
5	Always	267	15.7%
Sysmiss		39	

## Q57: Parent know what you do past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1698 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	381	22.4%
2	Rarely	299	17.6%
3	Sometimes	453	26.7%
4	Most of the time	268	15.8%
5	Always	297	17.5%
Sysmiss		42	

## Q58: Parent go through things past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1663 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		739	44.4%
2		296	17.8%
3		385	23.2%
4		110	6.6%
5		133	8%
Sysmiss		77	

### QN6: Went hungry most of time/always past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1724 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	81	4.7%
2	No	1643	95.3%
Sysmiss		16	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1728 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	481	27.8%
2	No	1247	72.2%
Sysmiss		12	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1704 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	252	14.8%
2	No	1452	85.2%
Sysmiss		36	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1731 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1072	61.9%
2	No	659	38.1%
Sysmiss		9	

**QN10: Ate fast food 3+ days past 7 day****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1728 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	341	19.7%
2	No	1387	80.3%
Sysmiss		12	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1734 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	68	3.9%
2	No	1666	96.1%
Sysmiss		6	

**QN12: Never/rarely wash hands before eating past 30 days****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1729 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	207	12%
2	No	1522	88%
Sysmiss		11	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1715 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	52	3%
2	No	1663	97%
Sysmiss		25	

## QN14: Never/rarely use soap on hands past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1730 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	115	6.6%
2	No	1615	93.4%
Sysmiss		10	

### QN15: Attacked 1+ times past 12 months

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1715 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	582	33.9%
2	No	1133	66.1%
Sysmiss		25	

### QN16: In fight 1+ times past 12 months

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1735 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	637	36.7%
2	No	1098	63.3%
Sysmiss		5	

**QN17: Seriously injured 1+ times past 12 months****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1497 Invalid: 243

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	685	45.8%
2	No	812	54.2%
Sysmiss		243	

**QN18: Broken bone as most serious injury****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 590 Invalid: 1150

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

## CATEGORIES

Value	Category	Cases	
1	Yes	118	20%
2	No	472	80%
Sysmiss		1150	

**QN19: Motor vehicle caused most serious injury****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 570 Invalid: 1170

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	26	4.6%
2	No	544	95.4%
Sysmiss		1170	

## QN20: Bullied 1+ of past 30 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1652 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	363	22%
2	No	1289	78%
Sysmiss		88	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: KNA2011\_Public\_Use

### Overview

Valid: 311 Invalid: 1429

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

### CATEGORIES

Value	Category	Cases	
1	Yes	66	21.2%
2	No	245	78.8%
Sysmiss		1429	

## QN22: Lonely most times/always past 12 months

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1731 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	211	12.2%
2	No	1520	87.8%
Sysmiss		9	

## QN23: Worry prevented sleep most time/always past 12 mos

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1725 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	154	8.9%
2	No	1571	91.1%
Sysmiss		15	

**QN24: Considered suicide past 12 months****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1657    Invalid: 83  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	278	16.8%
2	No	1379	83.2%
Sysmiss		83	

**QN25: Made suicide plan past 12 months****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1698    Invalid: 42  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	281	16.5%
2	No	1417	83.5%
Sysmiss		42	

**QN26: 1+ times attempt suicide 12 mos.****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1718    Invalid: 22  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	238	13.9%
2	No	1480	86.1%
Sysmiss		22	

---

### QN27: No close friends

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1726 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	199	11.5%
2	No	1527	88.5%
Sysmiss		14	

---

### QN44: Ever had sex

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1544 Invalid: 196

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who ever had sexual intercourse

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	523	33.9%
2	No	1021	66.1%
Sysmiss		196	

### QN45: Age first sexual intercourse before 14

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 505 Invalid: 1235

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

##### CATEGORIES

Value	Category	Cases	
1	Yes	304	60.2%
2	No	201	39.8%
Sysmiss		1235	

### QN46: 2+ sex partners lifetime

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1646 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	331	20.1%
2	No	1315	79.9%
Sysmiss		94	

**QN47: Among ever sex, used condoms at last sex****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 483 Invalid: 1257

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	264	54.7%
2	No	219	45.3%
Sysmiss		1257	

**QN48: Used birth control at last sex****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 474 Invalid: 1266

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	132	27.8%
2	No	342	72.2%
Sysmiss		1266	

**QN49: Active 60+ mins/day for 5+ of past 7 days****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1710 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	429	25.1%
2	No	1281	74.9%
Sysmiss		30	

---

## QN50: Walk/Bike to/from school 0 of past 7 days

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1711 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	941	55%
2	No	770	45%
Sysmiss		29	

---

## QN51: 3+ days PE each week

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1683 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	348	20.7%
2	No	1335	79.3%
Sysmiss		57	

### QN52: Sitting activities 3+ hours/day of usual day

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1702 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

##### CATEGORIES

Value	Category	Cases	
1	Yes	1018	59.8%
2	No	684	40.2%
Sysmiss		38	

### QN53: Miss school no permission 1+ of past 30 days

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1700 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	637	37.5%
2	No	1063	62.5%
Sysmiss		40	

**QN54: Students most/always kind 30 days****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1691 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	255	15.1%
2	No	1436	84.9%
Sysmiss		49	

**QN55: Parents most/always check homework****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1697 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	487	28.7%
2	No	1210	71.3%
Sysmiss		43	

**QN56: Parents most/always understand problems****Data file:** KNA2011\_Public\_Use**Overview**

Valid: 1701 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	454	26.7%
2	No	1247	73.3%
Sysmiss		39	

---

## QN57: Parents most/always know about free time

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1698 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	565	33.3%
2	No	1133	66.7%
Sysmiss		42	

---

## QN58: Parents never/rarely go thru things

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1663 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1035	62.2%
2	No	628	37.8%
Sysmiss		77	

## QNOWTG: Overweight

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1479 Invalid: 261

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	479	32.4%
2	No	1000	67.6%
Sysmiss		261	

## QNOBESEG: Obese

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1479 Invalid: 261

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	214	14.5%
2	No	1265	85.5%
Sysmiss		261	

**QNUNWTG: Underweight****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1479 Invalid: 261

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were underweight (&lt;-2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	51	3.4%
2	No	1428	96.6%
Sysmiss		261	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1695 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	266	15.7%
2	No	1429	84.3%
Sysmiss		45	

**QNPA7G: Physically active all past 7 days****Data file: KNA2011\_Public\_Use****Overview**

Valid: 1710 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	306	17.9%
2	No	1404	82.1%
Sysmiss		30	

---

## QNPE5G: Attended PE 5+ days each week

Data file: KNA2011\_Public\_Use

### Overview

Valid: 1683 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	280	16.6%
2	No	1403	83.4%
Sysmiss		57	

---

## QNC2G: Among those worried, currently bullied

Data file: KNA2011\_Public\_Use

### Overview

Valid: 141 Invalid: 1599

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	63	44.7%
2	No	78	55.3%
Sysmiss		1599	

### WEIGHT: Weight

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1740 Invalid: 0 Minimum: 0.762 Maximum: 4.427  
 Type: Continuous Decimal: 0 Width: 6 Range: 0.7622 - 4.4272 Format: Numeric Weighted: yes

### STRATUM: Stratum

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1740 Invalid: 0 Minimum: 201101000 Maximum: 201101000  
 Type: Continuous Decimal: 0 Width: 9 Range: 201101000 - 201101000 Format: Numeric

### PSU: Primary Sampling Unit

Data file: KNA2011\_Public\_Use

#### Overview

Valid: 1740 Invalid: 0  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 1 Format: Numeric

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
country St. Kitts / Nevis  
filename 2010\_Saint\_Kitts\_and\_Nevis\_GSHS\_Questionnaire.pdf

---

## reports

### National Fact Sheet

---

title National Fact Sheet  
country St. Kitts / Nevis  
filename 2011\_GSHS\_FS\_Saint\_Kitts\_Nevis.pdf

---

## technical\_documents

### Codebook

---

title Codebook  
country St. Kitts / Nevis  
filename KNA2011\_public\_use\_codebook.pdf

---