

Global School-Based Student Health Survey 2015

Ministry of Health

report_generated_on: February 12, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

KWT_2015_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
Kuwait	KWT

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Kuwait.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

VERSION DATE

2018-08-13

Scope

NOTES

The following core modules were included in the survey:

dietary behaviours

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2015 Kuwait GSHS was a school-based survey of students in grades 8-12, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in grades 8-12 in Kuwait. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 97%, the student response rate was 80%, and the overall response rate was 78%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2015	2015

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

dietary behaviours

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_KWT_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-13

DDI DOCUMENT VERSION

Identical to a metadata (KWT_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
KWT2015_Public_Use Kuwait public-use dataset	3637	109

Data file: KWT2015_Public_Use

Kuwait public-use dataset

Cases: 3637

variables: 109

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V49	Q49	Physical activity \geq 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

ID	Name	Label	Question
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)

ID	Name	Label	Question
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

ID	Name	Label	Question
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight	Weight	
V143	stratum	Stratum	
V144	psu	Primary Sampling Unit	

total: 109

Q1: Custom Age**Data file: KWT2015_Public_Use****Overview**

Valid: 3605 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	41	1.1%
2	12 years old	44	1.2%
3	13 years old	587	16.3%
4	14 years old	730	20.2%
5	15 years old	673	18.7%
6	16 years old	655	18.2%
7	17 years old	650	18%
8	18 years old or older	225	6.2%
Sysmiss		32	

Q10: Fast food eating**Data file: KWT2015_Public_Use****Overview**

Valid: 3609 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	866	24%
2	1 day	1056	29.3%
3	2 days	720	20%

4	3 days	425	11.8%
5	4 days	196	5.4%
6	5 days	126	3.5%
7	6 days	65	1.8%
8	7 days	155	4.3%
Sysmiss		28	

Q2: Sex

Data file: KWT2015_Public_Use

Overview

Valid: 3563 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1657	46.5%
2	Female	1906	53.5%
Sysmiss		74	

Q3: In what grade are you

Data file: KWT2015_Public_Use

Overview

Valid: 3560 Invalid: 77

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	18	0.5%
2	Grade 8	852	23.9%
3	Grade 9	796	22.4%

4	Grade 10	645	18.1%
5	Grade 11	648	18.2%
6	Grade 12	601	16.9%
Sysmiss		77	

Q4: How tall are you

Data file: KWT2015_Public_Use

Overview

Valid: 3151 Invalid: 486 Minimum: 1.27 Maximum: 1.99 Mean: 1.623 Standard deviation: 0.097
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.99 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: KWT2015_Public_Use

Overview

Valid: 3151 Invalid: 486 Minimum: 29 Maximum: 170 Mean: 64.704 Standard deviation: 19.367
 Type: Continuous Decimal: 0 Width: 6 Range: 29 - 170 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: KWT2015_Public_Use

Overview

Valid: 3608 Invalid: 29
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1840	51%
2	Rarely	816	22.6%
3	Sometimes	675	18.7%
4	Most of the time	200	5.5%
5	Always	77	2.1%
Sysmiss		29	

Q7: No fruit eating

Data file: KWT2015_Public_Use

Overview

Valid: 3559 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	488	13.7%
2	Less than one time per day	1044	29.3%
3	1 time per day	988	27.8%
4	2 times per day	614	17.3%
5	3 times per day	250	7%
6	4 times per day	56	1.6%
7	5 or more times per day	119	3.3%
Sysmiss		78	

Q8: No vegetable eating**Data file: KWT2015_Public_Use****Overview**

Valid: 3601 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	334	9.3%
2	Less than one time per day	825	22.9%
3	1 time per day	1177	32.7%
4	2 times per day	705	19.6%
5	3 times per day	287	8%
6	4 times per day	97	2.7%
7	5 or more times per day	176	4.9%
Sysmiss		36	

Q9: Soft drinks**Data file: KWT2015_Public_Use****Overview**

Valid: 3591 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	636	17.7%
2	Less than one time per day	1053	29.3%

3	1 time per day	734	20.4%
4	2 times per day	598	16.7%
5	3 times per day	270	7.5%
6	4 times per day	103	2.9%
7	5 or more times per day	197	5.5%
Sysmiss		46	

Q11: Tooth brushing

Data file: KWT2015_Public_Use

Overview

Valid: 3535 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	224	6.3%
2	Less than 1 time per day	304	8.6%
3	1 time per day	909	25.7%
4	2 times per day	1260	35.6%
5	3 times per day	642	18.2%
6	4 or more times per day	196	5.5%
Sysmiss		102	

Q12: Hand washing before eating

Data file: KWT2015_Public_Use

Overview

Valid: 3578 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	129	3.6%
2	Rarely	272	7.6%
3	Sometimes	529	14.8%
4	Most of the time	706	19.7%
5	Always	1942	54.3%
Sysmiss		59	

Q13: Hand washing after toilet

Data file: KWT2015_Public_Use

Overview

Valid: 3532 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	123	3.5%
2	Rarely	133	3.8%
3	Sometimes	234	6.6%
4	Most of the time	318	9%
5	Always	2724	77.1%
Sysmiss		105	

Q14: Hand washing with soap

Data file: KWT2015_Public_Use

Overview

Valid: 3551 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	152	4.3%
2	Rarely	130	3.7%
3	Sometimes	266	7.5%
4	Most of the time	585	16.5%
5	Always	2418	68.1%
Sysmiss		86	

Q15: Physically attacked

Data file: KWT2015_Public_Use

Overview

Valid: 3588 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2656	74%
2	1 time	346	9.6%
3	2 or 3 times	257	7.2%
4	4 or 5 times	101	2.8%
5	6 or 7 times	53	1.5%
6	8 or 9 times	36	1%
7	10 or 11 times	24	0.7%
8	12 or more times	115	3.2%
Sysmiss		49	

Q16: Physical fighting**Data file: KWT2015_Public_Use****Overview**

Valid: 3577 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2173	60.7%
2	1 time	527	14.7%
3	2 or 3 times	424	11.9%
4	4 or 5 times	145	4.1%
5	6 or 7 times	78	2.2%
6	8 or 9 times	59	1.6%
7	10 or 11 times	26	0.7%
8	12 or more times	145	4.1%
Sysmiss		60	

Q17: Seriously injured**Data file: KWT2015_Public_Use****Overview**

Valid: 3117 Invalid: 520

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1398	44.9%
2	1 time	831	26.7%
3	2 or 3 times	533	17.1%
4	4 or 5 times	139	4.5%
5	6 or 7 times	69	2.2%
6	8 or 9 times	34	1.1%
7	10 or 11 times	22	0.7%
8	12 or more times	91	2.9%
Sysmiss		520	

Q18: Serious injury broken bone

Data file: KWT2015_Public_Use

Overview

Valid: 3182 Invalid: 455

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1909	60%
2	Broken bone/dislocated joint	297	9.3%
3	I had a cut or stab wound	156	4.9%
4	Concussion/head injury	83	2.6%
5	I had a gunshot wound	29	0.9%
6	I had a bad burn	52	1.6%
7	I was poisoned	61	1.9%
8	Something else happened to me	595	18.7%
Sysmiss		455	

Q19: Serious injury motor vehicle

Data file: KWT2015_Public_Use

Overview

Valid: 3180 Invalid: 457

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1930	60.7%
2	Motor vehicle accident	102	3.2%
3	I fell	260	8.2%
4	Something fell on me or hit me	139	4.4%
5	I was attacked	109	3.4%
6	Was in a fire	40	1.3%
7	breathed something bad	37	1.2%
8	Something else	563	17.7%
Sysmiss		457	

Q20: Bullied

Data file: KWT2015_Public_Use

Overview

Valid: 3304 Invalid: 333

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2305	69.8%

2	1 or 2 days	526	15.9%
3	3 to 5 days	199	6%
4	6 to 9 days	112	3.4%
5	10 to 19 days	65	2%
6	20 to 29 days	33	1%
7	All 30 days	64	1.9%
Sysmiss		333	

Q21: Bullied by hitting

Data file: KWT2015_Public_Use

Overview

Valid: 3266 Invalid: 371

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2566	78.6%
2	Kicked, pushed, or shoved	122	3.7%
3	Made fun of race	82	2.5%
4	Made fun because of religion	50	1.5%
5	Made fun of about sex	75	2.3%
6	Left out of activities	33	1%
7	Made fun of about body	133	4.1%
8	Some other way	205	6.3%
Sysmiss		371	

Q22: Felt lonely

Data file: KWT2015_Public_Use

Overview

Valid: 3472 Invalid: 165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1142	32.9%
2	Rarely	848	24.4%
3	Sometimes	819	23.6%
4	Most of the time	427	12.3%
5	Always	236	6.8%
Sysmiss		165	

Q23: Could not sleep

Data file: KWT2015_Public_Use

Overview

Valid: 3497 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	941	26.9%
2	Rarely	959	27.4%
3	Sometimes	856	24.5%
4	Most of the time	508	14.5%
5	Always	233	6.7%
Sysmiss		140	

Q24: Considered suicide**Data file: KWT2015_Public_Use****Overview**

Valid: 3305 Invalid: 332

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	569	17.2%
2	No	2736	82.8%
Sysmiss		332	

Q25: Made a suicide plan**Data file: KWT2015_Public_Use****Overview**

Valid: 3285 Invalid: 352

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	564	17.2%
2	No	2721	82.8%
Sysmiss		352	

Q26: Attempted suicide**Data file: KWT2015_Public_Use**

Overview

Valid: 3475 Invalid: 162

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2868	82.5%
2	1 time	320	9.2%
3	2 or 3 times	166	4.8%
4	4 or 5 times	68	2%
5	6 or more times	53	1.5%
Sysmiss		162	

Q27: Close friends

Data file: KWT2015_Public_Use

Overview

Valid: 3391 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	260	7.7%
2	1	303	8.9%
3	2	583	17.2%
4	3 or more	2245	66.2%
Sysmiss		246	

Q28: Initiation of cigarette use**Data file:** KWT2015_Public_Use**Overview**

Valid: 3296 Invalid: 341

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2193	66.5%
2	7 years old or younger	225	6.8%
3	8 or 9 years old	185	5.6%
4	10 or 11 years old	166	5%
5	12 or 13 years old	236	7.2%
6	14 or 15 years old	211	6.4%
7	16 or 17 years old	75	2.3%
8	18 years old or older	5	0.2%
Sysmiss		341	

Q29: Current cigarette use**Data file:** KWT2015_Public_Use**Overview**

Valid: 3408 Invalid: 229

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2693	79%
2	1 or 2 days	183	5.4%

3	3 to 5 days	110	3.2%
4	6 to 9 days	82	2.4%
5	10 to 19 days	79	2.3%
6	20 to 29 days	56	1.6%
7	All 30 days	205	6%
Sysmiss		229	

Q30: Other tobacco use

Data file: KWT2015_Public_Use

Overview

Valid: 3445 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2710	78.7%
2	1 or 2 days	302	8.8%
3	3 to 5 days	166	4.8%
4	6 to 9 days	110	3.2%
5	10 to 19 days	68	2%
6	20 to 29 days	27	0.8%
7	All 30 days	62	1.8%
Sysmiss		192	

Q31: Smoking cessation

Data file: KWT2015_Public_Use

Overview

Valid: 3262 Invalid: 375

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2414	74%
2	Did not smoke cigarettes	246	7.5%
3	Yes	412	12.6%
4	No	190	5.8%
Sysmiss		375	

Q32: Smoking in their presence

Data file: KWT2015_Public_Use

Overview

Valid: 3414 Invalid: 223

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1234	36.1%
2	1 or 2 days	847	24.8%
3	3 or 4 days	451	13.2%
4	5 or 6 days	186	5.4%
5	All 7 days	696	20.4%
Sysmiss		223	

Q33: Parental tobacco use

Data file: KWT2015_Public_Use

Overview

Valid: 3391 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2053	60.5%
2	My father or male guardian	967	28.5%
3	My mother or female guardian	104	3.1%
4	Both	129	3.8%
5	I do not know	138	4.1%
Sysmiss		246	

Q49: Physical activity \geq 5 days

Data file: KWT2015_Public_Use

Overview

Valid: 3341 Invalid: 296

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	778	23.3%
2	1 day	606	18.1%
3	2 days	476	14.2%
4	3 days	376	11.3%
5	4 days	275	8.2%

6	5 days	212	6.3%
7	6 days	108	3.2%
8	7 days	510	15.3%
Sysmiss		296	

Q50: Walk or bike to school

Data file: KWT2015_Public_Use

Overview

Valid: 3434 Invalid: 203

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2379	69.3%
2	1 day	302	8.8%
3	2 days	196	5.7%
4	3 days	130	3.8%
5	4 days	73	2.1%
6	5 days	75	2.2%
7	6 days	17	0.5%
8	7 days	262	7.6%
Sysmiss		203	

Q51: PE attendance

Data file: KWT2015_Public_Use

Overview

Valid: 3369 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	629	18.7%
2	1 day	999	29.7%
3	2 days	1224	36.3%
4	3 days	178	5.3%
5	4 days	111	3.3%
6	5 or more days	228	6.8%
Sysmiss		268	

Q52: Sitting activities

Data file: KWT2015_Public_Use

Overview

Valid: 3327 Invalid: 310

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	487	14.6%
2	1 to 2 hours per day	690	20.7%
3	3 to 4 hours per day	842	25.3%
4	5 to 6 hours per day	503	15.1%
5	7 to 8 hours per day	226	6.8%
6	More than 8 hours per day	579	17.4%
Sysmiss		310	

Q53: Miss school no permission**Data file: KWT2015_Public_Use****Overview**

Valid: 3381 Invalid: 256

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1777	52.6%
2	1 or 2 days	1085	32.1%
3	3 to 5 days	324	9.6%
4	6 to 9 days	99	2.9%
5	10 or more days	96	2.8%
Sysmiss		256	

Q54: Other students kind and helpful**Data file: KWT2015_Public_Use****Overview**

Valid: 3372 Invalid: 265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	419	12.4%
2	Rarely	721	21.4%
3	Sometimes	788	23.4%

4	Most of the time	691	20.5%
5	Always	753	22.3%
Sysmiss		265	

Q55: Parents check homework

Data file: KWT2015_Public_Use

Overview

Valid: 3339 Invalid: 298

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	990	29.6%
2	Rarely	628	18.8%
3	Sometimes	576	17.3%
4	Most of the time	474	14.2%
5	Always	671	20.1%
Sysmiss		298	

Q56: Parents understand problems

Data file: KWT2015_Public_Use

Overview

Valid: 3363 Invalid: 274

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	954	28.4%
2	Rarely	613	18.2%
3	Sometimes	695	20.7%
4	Most of the time	491	14.6%
5	Always	610	18.1%
Sysmiss		274	

Q57: Parents know about free time

Data file: KWT2015_Public_Use

Overview

Valid: 3333 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	656	19.7%
2	Rarely	629	18.9%
3	Sometimes	659	19.8%
4	Most of the time	608	18.2%
5	Always	781	23.4%
Sysmiss		304	

Q58: Parents go through their things

Data file: KWT2015_Public_Use

Overview

Valid: 3305 Invalid: 332

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1455	44%
2		838	25.4%
3		507	15.3%
4		268	8.1%
5		237	7.2%
Sysmiss		332	

QN6: Most of the time or always went hungry

Data file: KWT2015_Public_Use

Overview

Valid: 3608 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	277	7.7%
2	No	3331	92.3%
Sysmiss		29	

QN7: Did not eat fruit

Data file: KWT2015_Public_Use

Overview

Valid: 3559 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	488	13.7%
2	No	3071	86.3%
Sysmiss		78	

QN8: Did not eat vegetables**Data file:** KWT2015_Public_Use**Overview**

Valid: 3601 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	334	9.3%
2	No	3267	90.7%
Sysmiss		36	

QN9: Did not drink carbonated soft drinks**Data file:** KWT2015_Public_Use**Overview**

Valid: 3591 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	636	17.7%
2	No	2955	82.3%
Sysmiss		46	

QN10: Did not eat food from a fast food restaurant**Data file:** KWT2015_Public_Use**Overview**

Valid: 3609 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	866	24%
2	No	2743	76%
Sysmiss		28	

QN11: Usually cleaned or brushed their teeth**Data file:** KWT2015_Public_Use**Overview**

Valid: 3535 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3007	85.1%
2	No	528	14.9%
Sysmiss		102	

QN12: Never or rarely washed their hands before eating**Data file:** KWT2015_Public_Use**Overview**

Valid: 3578 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	401	11.2%
2	No	3177	88.8%
Sysmiss		59	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: KWT2015_Public_Use

Overview

Valid: 3532 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	256	7.2%
2	No	3276	92.8%
Sysmiss		105	

QN14: Never or rarely used soap when washing their hands

Data file: KWT2015_Public_Use

Overview

Valid: 3551 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	282	7.9%
2	No	3269	92.1%
Sysmiss		86	

QN15: Were physically attacked

Data file: KWT2015_Public_Use

Overview

Valid: 3588 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	932	26%
2	No	2656	74%
Sysmiss		49	

QN16: Were in a physical fight

Data file: KWT2015_Public_Use

Overview

Valid: 3577 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1404	39.3%
2	No	2173	60.7%
Sysmiss		60	

QN17: Were seriously injured**Data file:** KWT2015_Public_Use**Overview**

Valid: 3117 Invalid: 520

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1719	55.1%
2	No	1398	44.9%
Sysmiss		520	

QN18: Reported that their most serious injury was a broken bone or dislocated joint**Data file:** KWT2015_Public_Use**Overview**

Valid: 1273 Invalid: 2364

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	297	23.3%
2	No	976	76.7%
Sysmiss		2364	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle**Data file:** KWT2015_Public_Use**Overview**

Valid: 1250 Invalid: 2387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	102	8.2%
2	No	1148	91.8%
Sysmiss		2387	

QN20: Were bullied

Data file: KWT2015_Public_Use

Overview

Valid: 3304 Invalid: 333

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	999	30.2%
2	No	2305	69.8%
Sysmiss		333	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: KWT2015_Public_Use

Overview

Valid: 700 Invalid: 2937

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	122	17.4%
2	No	578	82.6%
Sysmiss		2937	

QN22: Most of the time or always felt lonely

Data file: KWT2015_Public_Use

Overview

Valid: 3472 Invalid: 165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	663	19.1%
2	No	2809	80.9%
Sysmiss		165	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: KWT2015_Public_Use

Overview

Valid: 3497 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	741	21.2%
2	No	2756	78.8%
Sysmiss		140	

QN24: Seriously considered attempting suicide**Data file:** KWT2015_Public_Use**Overview**

Valid: 3305 Invalid: 332

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	569	17.2%
2	No	2736	82.8%
Sysmiss		332	

QN25: Made a plan about how they would attempt suicide**Data file:** KWT2015_Public_Use**Overview**

Valid: 3285 Invalid: 352

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	564	17.2%
2	No	2721	82.8%
Sysmiss		352	

QN26: Attempted suicide**Data file:** KWT2015_Public_Use**Overview**

Valid: 3475 Invalid: 162

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	607	17.5%
2	No	2868	82.5%
Sysmiss		162	

QN27: Did not have any close friends

Data file: KWT2015_Public_Use

Overview

Valid: 3391 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	260	7.7%
2	No	3131	92.3%
Sysmiss		246	

QN28: Tried a cigarette before age 14 years

Data file: KWT2015_Public_Use

Overview

Valid: 1103 Invalid: 2534

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	812	73.6%
2	No	291	26.4%
Sysmiss		2534	

QN29: Currently smoked cigarettes

Data file: KWT2015_Public_Use

Overview

Valid: 3408 Invalid: 229

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	715	21%
2	No	2693	79%
Sysmiss		229	

QN30: Currently used any tobacco products other than cigarettes

Data file: KWT2015_Public_Use

Overview

Valid: 3445 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	735	21.3%
2	No	2710	78.7%
Sysmiss		192	

QN31: Tried to quit smoking cigarettes**Data file:** KWT2015_Public_Use**Overview**

Valid: 602 Invalid: 3035

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	412	68.4%
2	No	190	31.6%
Sysmiss		3035	

QN32: Reported that people smoked in their presence**Data file:** KWT2015_Public_Use**Overview**

Valid: 3414 Invalid: 223

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2180	63.9%
2	No	1234	36.1%
Sysmiss		223	

QN49: Were not physically active**Data file:** KWT2015_Public_Use**Overview**

Valid: 3341 Invalid: 296

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	778	23.3%
2	No	2563	76.7%
Sysmiss		296	

QN50: Did not walk or ride a bicycle to or from school

Data file: KWT2015_Public_Use

Overview

Valid: 3434 Invalid: 203

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2379	69.3%
2	No	1055	30.7%
Sysmiss		203	

QN51: Did not attend physical education classes

Data file: KWT2015_Public_Use

Overview

Valid: 3369 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	629	18.7%
2	No	2740	81.3%
Sysmiss		268	

QN52: Spent three or more hours per day doing sitting activities

Data file: KWT2015_Public_Use

Overview

Valid: 3327 Invalid: 310

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1	Yes	2150	64.6%
2	No	1177	35.4%
Sysmiss		310	

QN53: Missed classes or school without permission

Data file: KWT2015_Public_Use

Overview

Valid: 3381 Invalid: 256

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1604	47.4%
2	No	1777	52.6%
Sysmiss		256	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: KWT2015_Public_Use

Overview

Valid: 3372 Invalid: 265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1444	42.8%
2	No	1928	57.2%
Sysmiss		265	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: KWT2015_Public_Use

Overview

Valid: 3339 Invalid: 298

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1145	34.3%
2	No	2194	65.7%
Sysmiss		298	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: KWT2015_Public_Use

Overview

Valid: 3363 Invalid: 274

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1101	32.7%
2	No	2262	67.3%
Sysmiss		274	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: KWT2015_Public_Use

Overview

Valid: 3333 Invalid: 304

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1389	41.7%
2	No	1944	58.3%
Sysmiss		304	

QN33: Had parents or guardians who used any form of tobacco

Data file: KWT2015_Public_Use

Overview

Valid: 3391 Invalid: 246

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1200	35.4%
2	No	2191	64.6%
Sysmiss		246	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: KWT2015_Public_Use

Overview

Valid: 3305 Invalid: 332

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2293	69.4%
2	No	1012	30.6%
Sysmiss		332	

QNUNWTG: Were underweight

Data file: KWT2015_Public_Use

Overview

Valid: 3151 Invalid: 486

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	96	3%
2	No	3055	97%
Sysmiss		486	

QNOWTG: Were overweight

Data file: KWT2015_Public_Use

Overview

Valid: 3151 Invalid: 486

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	1515	48.1%
2	No	1636	51.9%
Sysmiss		486	

QNOBESEG: Were obese

Data file: KWT2015_Public_Use

Overview

Valid: 3151 Invalid: 486

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	727	23.1%
2	No	2424	76.9%
Sysmiss		486	

QNFR1G: Usually ate fruit less than one time per day**Data file:** KWT2015_Public_Use**Overview**

Valid: 3559 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1044	29.3%
2	No	2515	70.7%
Sysmiss		78	

QNFR1G: Usually ate fruit one or more times per day**Data file:** KWT2015_Public_Use**Overview**

Valid: 3559 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2027	57%
2	No	1532	43%
Sysmiss		78	

QNFR2G: Usually ate fruit two or more times per day**Data file:** KWT2015_Public_Use**Overview**

Valid: 3559 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1039	29.2%
2	No	2520	70.8%
Sysmiss		78	

QNFR3G: Usually ate fruit three or more times per day

Data file: KWT2015_Public_Use

Overview

Valid: 3559 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	425	11.9%
2	No	3134	88.1%
Sysmiss		78	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: KWT2015_Public_Use

Overview

Valid: 3601 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	825	22.9%
2	No	2776	77.1%
Sysmiss		36	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: KWT2015_Public_Use

Overview

Valid: 3601 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2442	67.8%
2	No	1159	32.2%
Sysmiss		36	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: KWT2015_Public_Use

Overview

Valid: 3601 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1265	35.1%
2	No	2336	64.9%
Sysmiss		36	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: KWT2015_Public_Use****Overview**

Valid: 3601 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	560	15.6%
2	No	3041	84.4%
Sysmiss		36	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: KWT2015_Public_Use****Overview**

Valid: 3591 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1053	29.3%
2	No	2538	70.7%
Sysmiss		46	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: KWT2015_Public_Use****Overview**

Valid: 3591 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1902	53%
2	No	1689	47%
Sysmiss		46	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: KWT2015_Public_Use

Overview

Valid: 3591 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1168	32.5%
2	No	2423	67.5%
Sysmiss		46	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: KWT2015_Public_Use

Overview

Valid: 3591 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	570	15.9%
2	No	3021	84.1%
Sysmiss		46	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: KWT2015_Public_Use

Overview

Valid: 3609 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2743	76%
2	No	866	24%
Sysmiss		28	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: KWT2015_Public_Use

Overview

Valid: 3609 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1687	46.7%
2	No	1922	53.3%
Sysmiss		28	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file:** KWT2015_Public_Use**Overview**

Valid: 3609 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	967	26.8%
2	No	2642	73.2%
Sysmiss		28	

QNC2G: Were bullied and could not sleep at night**Data file:** KWT2015_Public_Use**Overview**

Valid: 666 Invalid: 2971

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	269	40.4%
2	No	397	59.6%
Sysmiss		2971	

QNTOB2G: Currently used any tobacco product**Data file:** KWT2015_Public_Use**Overview**

Valid: 3442 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	963	28%
2	No	2479	72%
Sysmiss		195	

QNNOTB2G: Did not currently use any tobacco products

Data file: KWT2015_Public_Use

Overview

Valid: 3368 Invalid: 269

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2479	73.6%
2	No	889	26.4%
Sysmiss		269	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: KWT2015_Public_Use

Overview

Valid: 3341 Invalid: 296

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	830	24.8%
2	No	2511	75.2%
Sysmiss		296	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: KWT2015_Public_Use

Overview

Valid: 3341 Invalid: 296

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	510	15.3%
2	No	2831	84.7%
Sysmiss		296	

QNPE3G: Attended physical education classes on three or more days

Data file: KWT2015_Public_Use

Overview

Valid: 3369 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	517	15.3%
2	No	2852	84.7%
Sysmiss		268	

QNPE5G: Attended physical education classes on five or more days**Data file: KWT2015_Public_Use****Overview**

Valid: 3369 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	228	6.8%
2	No	3141	93.2%
Sysmiss		268	

WEIGHT: Weight**Data file: KWT2015_Public_Use****Overview**

Valid: 3637 Invalid: 0 Minimum: 34.498 Maximum: 142.172 Mean: 51.736 Standard deviation: 13.451

Type: Continuous Decimal: 0 Width: 10 Range: 34.4984 - 142.172 Format: Numeric

STRATUM: Stratum**Data file: KWT2015_Public_Use****Overview**

Valid: 3637 Invalid: 0 Minimum: 201501001 Maximum: 201501015 Mean: 201501007.178 Standard deviation: 22.06

Type: Continuous Decimal: 0 Width: 9 Range: 201501001 - 201501015 Format: Numeric

PSU: Primary Sampling Unit**Data file: KWT2015_Public_Use****Overview**

Valid: 3637 Invalid: 0 Minimum: 1 Maximum: 30 Mean: 13.846 Standard deviation: 8.464

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 30 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2015_Kuwait_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename 2015_GSHS_Kuwait_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook
filename KWT2015_public_use_codebook.pdf
