

Global School-Based Student Health Survey 2017

report_generated_on: February 14, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
LBN_2017_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2017

COUNTRY

Name	Country code
Lebanon	LBN

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the third GSHS conducted by Lebanon.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
hygiene
mental health
physical activity
protective factors
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword

adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National plus public and private

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 7-12 in Lebanon. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 88%, the student response rate was 93%, and the overall response rate was 82%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2017	2017

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health

Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_LBN_2017_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (LBN_2017_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
LBN2017 (National)	5708	141
LBN2017 (Private)	2057	141
LBN2017 (Public)	3651	141

Data file: LBN2017 (National)

Cases: 5708

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Data file: LBN2017 (Private)

Cases: 2057

variables: 141

variables

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V190	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight		
V287	stratum		
V288	psu		

total: 141

Data file: LBN2017 (Public)

Cases:	3651
variables:	141

variables

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V299	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V300	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V301	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V302	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V323	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V324	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V325	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V326	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V327	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V332	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V333	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V334	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V335	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V336	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V337	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V338	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V339	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V340	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V352	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V353	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V354	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V355	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V376	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V377	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V378	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V379	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V380	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V385	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V386	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V387	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V388	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V389	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V390	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V391	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V392	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V393	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V423	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V424	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V425	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V426	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V427	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V428	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V429	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V430	weight		
V431	stratum		
V432	psu		

total: 141

Q1: Custom Age**Data file: LBN2017 (National)****Overview**

Valid: 5692 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	74	1.3%
2	12 years old	596	10.5%
3	13 years old	873	15.3%
4	14 years old	953	16.7%
5	15 years old	925	16.3%
6	16 years old	958	16.8%
7	17 years old	874	15.4%
8	18 years old or older	439	7.7%
Sysmiss		16	

Q10: Fast food eating**Data file: LBN2017 (National)****Overview**

Valid: 5677 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1346	23.7%
2	1 day	1730	30.5%
3	2 days	1224	21.6%

4	3 days	656	11.6%
5	4 days	278	4.9%
6	5 days	180	3.2%
7	6 days	70	1.2%
8	7 days	193	3.4%
Sysmiss		31	

Q2: Sex

Data file: LBN2017 (National)

Overview

Valid: 5700 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	2330	40.9%
2	Female	3370	59.1%
Sysmiss		8	

Q3: In what grade are you

Data file: LBN2017 (National)

Overview

Valid: 5681 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	1247	22%
2	Grade 8	1125	19.8%
3	Grade 9	783	13.8%

4	Grade 10	959	16.9%
5	Grade11	708	12.5%
6	Grade 12	859	15.1%
Sysmiss		27	

Q4: How tall are you

Data file: LBN2017 (National)

Overview

Valid: 4740 Invalid: 968 Minimum: 1.2 Maximum: 2 Mean: 1.625 Standard deviation: 0.103
 Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: LBN2017 (National)

Overview

Valid: 4740 Invalid: 968 Minimum: 23 Maximum: 161 Mean: 57.207 Standard deviation: 13.782
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: LBN2017 (National)

Overview

Valid: 5684 Invalid: 24
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	4018	70.7%
2	Rarely	1001	17.6%
3	Sometimes	502	8.8%
4	Most of the time	103	1.8%
5	Always	60	1.1%
Sysmiss		24	

Q7: No fruit eating

Data file: LBN2017 (National)

Overview

Valid: 5657 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	202	3.6%
2	Less than one time per day	1230	21.7%
3	1 time per day	1558	27.5%
4	2 times per day	1393	24.6%
5	3 times per day	700	12.4%
6	4 times per day	225	4%
7	5 or more times per day	349	6.2%
Sysmiss		51	

Q8: No vegetable eating**Data file: LBN2017 (National)****Overview**

Valid: 5668 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	203	3.6%
2	Less than one time per day	1286	22.7%
3	1 time per day	2115	37.3%
4	2 times per day	1162	20.5%
5	3 times per day	476	8.4%
6	4 times per day	174	3.1%
7	5 or more times per day	252	4.4%
Sysmiss		40	

Q9: Soft drinks**Data file: LBN2017 (National)****Overview**

Valid: 5685 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	991	17.4%
2	Less than one time per day	1978	34.8%

3	1 time per day	1288	22.7%
4	2 times per day	711	12.5%
5	3 times per day	318	5.6%
6	4 times per day	129	2.3%
7	5 or more times per day	270	4.7%
Sysmiss		23	

Q11: Tooth brushing

Data file: LBN2017 (National)

Overview

Valid: 5684 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	210	3.7%
2	Less than 1 time per day	335	5.9%
3	1 time per day	1547	27.2%
4	2 times per day	2079	36.6%
5	3 times per day	1174	20.7%
6	4 or more times per day	339	6%
Sysmiss		24	

Q12: Hand washing before eating

Data file: LBN2017 (National)

Overview

Valid: 5626 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	79	1.4%
2	Rarely	202	3.6%
3	Sometimes	581	10.3%
4	Most of the time	987	17.5%
5	Always	3777	67.1%
Sysmiss		82	

Q13: Hand washing after toilet

Data file: LBN2017 (National)

Overview

Valid: 5623 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	52	0.9%
2	Rarely	42	0.7%
3	Sometimes	108	1.9%
4	Most of the time	304	5.4%
5	Always	5117	91%
Sysmiss		85	

Q14: Hand washing with soap

Data file: LBN2017 (National)

Overview

Valid: 5678 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	73	1.3%
2	Rarely	63	1.1%
3	Sometimes	177	3.1%
4	Most of the time	863	15.2%
5	Always	4502	79.3%
Sysmiss		30	

Q15: Physically attacked

Data file: LBN2017 (National)

Overview

Valid: 5690 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	4561	80.2%
2	1 time	523	9.2%
3	2 or 3 times	303	5.3%
4	4 or 5 times	101	1.8%
5	6 or 7 times	48	0.8%
6	8 or 9 times	28	0.5%
7	10 or 11 times	15	0.3%
8	12 or more times	111	2%
Sysmiss		18	

Q16: Physical fighting**Data file: LBN2017 (National)****Overview**

Valid: 5645 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	3684	65.3%
2	1 time	814	14.4%
3	2 or 3 times	601	10.6%
4	4 or 5 times	149	2.6%
5	6 or 7 times	202	3.6%
6	8 or 9 times	23	0.4%
7	10 or 11 times	10	0.2%
8	12 or more times	162	2.9%
Sysmiss		63	

Q17: Seriously injured**Data file: LBN2017 (National)****Overview**

Valid: 5116 Invalid: 592

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	3332	65.1%
2	1 time	1130	22.1%
3	2 or 3 times	450	8.8%
4	4 or 5 times	96	1.9%
5	6 or 7 times	43	0.8%
6	8 or 9 times	13	0.3%
7	10 or 11 times	7	0.1%
8	12 or more times	45	0.9%
Sysmiss		592	

Q18: Serious injury type

Data file: LBN2017 (National)

Overview

Valid: 5212 Invalid: 496

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3837	73.6%
2	Broken bone/dislocated joint	353	6.8%
3	I had a cut or stab wound	182	3.5%
4	Concussion/head injury	158	3%
5	I had a gunshot wound	24	0.5%
6	I had a bad burn	45	0.9%
7	I was poisoned	16	0.3%
8	Something else happened to me	597	11.5%
Sysmiss		496	

Q19: Serious injury cause

Data file: LBN2017 (National)

Overview

Valid: 5204 Invalid: 504
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	3832	73.6%
2	Motor vehicle accident	141	2.7%
3	I fell	410	7.9%
4	Something fell on me or hit me	103	2%
5	I was attacked	66	1.3%
6	Was in a fire	30	0.6%
7	breathed something bad	26	0.5%
8	Something else	596	11.5%
Sysmiss		504	

Q20: Bullied

Data file: LBN2017 (National)

Overview

Valid: 5461 Invalid: 247
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	4651	85.2%

2	1 or 2 days	509	9.3%
3	3 to 5 days	159	2.9%
4	6 to 9 days	51	0.9%
5	10 to 19 days	24	0.4%
6	20 to 29 days	17	0.3%
7	All 30 days	50	0.9%
Sysmiss		247	

Q21: Bullied how

Data file: LBN2017 (National)

Overview

Valid: 5423 Invalid: 285

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	4765	87.9%
2	Kicked, pushed, or shoved	149	2.7%
3	Made fun of race	68	1.3%
4	Made fun because of religion	42	0.8%
5	Made fun of about sex	91	1.7%
6	Left out of activities	21	0.4%
7	Made fun of about body	58	1.1%
8	Some other way	229	4.2%
Sysmiss		285	

Q22: Felt lonely

Data file: LBN2017 (National)

Overview

Valid: 5592 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	2520	45.1%
2	Rarely	1230	22%
3	Sometimes	1105	19.8%
4	Most of the time	484	8.7%
5	Always	253	4.5%
Sysmiss		116	

Q23: Could not sleep**Data file: LBN2017 (National)****Overview**

Valid: 5664 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1825	32.2%
2	Rarely	1632	28.8%
3	Sometimes	1368	24.2%
4	Most of the time	574	10.1%
5	Always	265	4.7%
Sysmiss		44	

Q24: Considered suicide**Data file: LBN2017 (National)****Overview**

Valid: 5570 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	765	13.7%
2	No	4805	86.3%
Sysmiss		138	

Q25: Made a suicide plan**Data file: LBN2017 (National)****Overview**

Valid: 5580 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	498	8.9%
2	No	5082	91.1%
Sysmiss		128	

Q26: Attempted suicide**Data file: LBN2017 (National)**

Overview

Valid: 5661 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	5093	90%
2	1 time	375	6.6%
3	2 or 3 times	98	1.7%
4	4 or 5 times	50	0.9%
5	6 or more times	45	0.8%
Sysmiss		47	

Q27: Close friends**Data file: LBN2017 (National)****Overview**

Valid: 5622 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	268	4.8%
2	1	698	12.4%
3	2	987	17.6%
4	3 or more	3669	65.3%
Sysmiss		86	

Q28: Initiation of cigarette use**Data file: LBN2017 (National)****Overview**

Valid: 5457 Invalid: 251

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4147	76%
2	7 years old or younger	173	3.2%
3	8 or 9 years old	149	2.7%
4	10 or 11 years old	213	3.9%
5	12 or 13 years old	291	5.3%
6	14 or 15 years old	310	5.7%
7	16 or 17 years old	149	2.7%
8	18 years old or older	25	0.5%
Sysmiss		251	

Q29: Current cigarette use**Data file: LBN2017 (National)****Overview**

Valid: 5552 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	4847	87.3%
2	1 or 2 days	287	5.2%

3	3 to 5 days	114	2.1%
4	6 to 9 days	54	1%
5	10 to 19 days	63	1.1%
6	20 to 29 days	46	0.8%
7	All 30 days	141	2.5%
Sysmiss		156	

Q30: Other tobacco use

Data file: LBN2017 (National)

Overview

Valid: 5622 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3781	67.3%
2	1 or 2 days	881	15.7%
3	3 to 5 days	261	4.6%
4	6 to 9 days	166	3%
5	10 to 19 days	163	2.9%
6	20 to 29 days	110	2%
7	All 30 days	260	4.6%
Sysmiss		86	

Q31: Smoking cessation

Data file: LBN2017 (National)

Overview

Valid: 5448 Invalid: 260

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4597	84.4%
2	Did not smoke cigarettes	199	3.7%
3	Yes	406	7.5%
4	No	246	4.5%
Sysmiss		260	

Q32: Smoking in their presence

Data file: LBN2017 (National)

Overview

Valid: 5607 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1571	28%
2	1 or 2 days	1124	20%
3	3 or 4 days	598	10.7%
4	5 or 6 days	309	5.5%
5	All 7 days	2005	35.8%
Sysmiss		101	

Q33: Parental tobacco use

Data file: LBN2017 (National)

Overview

Valid: 5570 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2362	42.4%
2	My father or male guardian	1343	24.1%
3	My mother or female guardian	505	9.1%
4	Both	1207	21.7%
5	I do not know	153	2.7%
Sysmiss		138	

Q34: Initiation of alcohol use**Data file: LBN2017 (National)****Overview**

Valid: 5117 Invalid: 591

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	3989	78%
2	7 years old or younger	186	3.6%
3	8 or 9 years old	134	2.6%
4	10 or 11 years old	190	3.7%
5	12 or 13 years old	291	5.7%
6	14 or 15 years old	226	4.4%

7	16 or 17 years old	86	1.7%
8	18 years old or older	15	0.3%
Sysmiss		591	

Q35: Current alcohol use

Data file: LBN2017 (National)

Overview

Valid: 5480 Invalid: 228

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	4664	85.1%
2	1 or 2 days	392	7.2%
3	3 to 5 days	174	3.2%
4	6 to 9 days	113	2.1%
5	10 to 19 days	72	1.3%
6	20 to 29 days	26	0.5%
7	All 30 days	39	0.7%
Sysmiss		228	

Q36: Drank 2+ drinks

Data file: LBN2017 (National)

Overview

Valid: 5525 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	4673	84.6%
2	Less than one drink	235	4.3%
3	1 drink	218	3.9%
4	2 drinks	156	2.8%
5	3 drinks	92	1.7%
6	4 drinks	60	1.1%
7	5 or more drinks	91	1.6%
Sysmiss		183	

Q37: Source of alcohol

Data file: LBN2017 (National)

Overview

Valid: 5492 Invalid: 216

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	4660	84.9%
2	I bought in a store	222	4%
3	I gave someone money to buy	35	0.6%
4	I got it from my friends	77	1.4%
5	I got it from my family	411	7.5%
6	I stole it	13	0.2%
7	Some other way	74	1.3%
Sysmiss		216	

Q38: Really drunk**Data file: LBN2017 (National)****Overview**

Valid: 5471 Invalid: 237

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	4884	89.3%
2	1 or 2 times	467	8.5%
3	3 to 9 times	71	1.3%
4	10 or more times	49	0.9%
Sysmiss		237	

Q39: Trouble from drinking**Data file: LBN2017 (National)****Overview**

Valid: 4916 Invalid: 792

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	4316	87.8%

2	1 or 2 times	518	10.5%
3	3 to 9 times	59	1.2%
4	10 or more times	23	0.5%
Sysmiss		792	

Q40: Initiation of drug use

Data file: LBN2017 (National)

Overview

Valid: 5228 Invalid: 480

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	5036	96.3%
2	7 years old or younger	67	1.3%
3	8 or 9 years old	33	0.6%
4	10 or 11 years old	25	0.5%
5	12 or 13 years old	18	0.3%
6	14 or 15 years old	22	0.4%
7	16 or 17 years old	25	0.5%
8	18 years old or older	2	0%
Sysmiss		480	

Q41: Ever marijuana use

Data file: LBN2017 (National)

Overview

Valid: 5448 Invalid: 260

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	5307	97.4%
2	1 or 2 times	48	0.9%
3	3 to 9 times	43	0.8%
4	10 to 19 times	18	0.3%
5	20 or more times	32	0.6%
Sysmiss		260	

Q42: Current marijuana use

Data file: LBN2017 (National)

Overview

Valid: 5436 Invalid: 272

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	5327	98%
2	1 or 2 times	42	0.8%
3	3 to 9 times	25	0.5%
4	10 to 19 times	20	0.4%
5	20 or more times	22	0.4%
Sysmiss		272	

Q43: Amphetamine or methamphetamine use

Data file: LBN2017 (National)

Overview

Valid: 5251 Invalid: 457
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	5161	98.3%
2	1 or 2 times	25	0.5%
3	3 to 9 times	32	0.6%
4	10 to 19 times	12	0.2%
5	20 or more times	21	0.4%
Sysmiss		457	

Q44: Ever sexual intercourse

Data file: LBN2017 (National)

Overview

Valid: 0 Invalid: 5708
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: LBN2017 (National)****Overview**

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: LBN2017 (National)****Overview**

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: LBN2017 (National)

Overview

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: LBN2017 (National)

Overview

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: LBN2017 (National)****Overview**

Valid: 5388 Invalid: 320

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1631	30.3%
2	1 day	1195	22.2%
3	2 days	770	14.3%
4	3 days	495	9.2%
5	4 days	299	5.5%
6	5 days	217	4%
7	6 days	79	1.5%
8	7 days	702	13%
Sysmiss		320	

Q50: Walk or bike to school**Data file: LBN2017 (National)****Overview**

Valid: 5331 Invalid: 377

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	3324	62.4%
2	1 day	538	10.1%
3	2 days	365	6.8%
4	3 days	198	3.7%
5	4 days	99	1.9%
6	5 days	202	3.8%
7	6 days	47	0.9%
8	7 days	558	10.5%
Sysmiss		377	

Q51: PE attendance

Data file: LBN2017 (National)

Overview

Valid: 5284 Invalid: 424

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	2398	45.4%
2	1 day	1318	24.9%
3	2 days	474	9%

4	3 days	156	3%
5	4 days	113	2.1%
6	5 or more days	825	15.6%
Sysmiss		424	

Q52: Sitting activities

Data file: LBN2017 (National)

Overview

Valid: 5325 Invalid: 383

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1117	21%
2	1 to 2 hours per day	1862	35%
3	3 to 4 hours per day	1208	22.7%
4	5 to 6 hours per day	531	10%
5	7 to 8 hours per day	213	4%
6	More than 8 hours per day	394	7.4%
Sysmiss		383	

Q53: Miss school no permission

Data file: LBN2017 (National)

Overview

Valid: 5304 Invalid: 404

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	4406	83.1%
2	1 or 2 days	610	11.5%
3	3 to 5 days	187	3.5%
4	6 to 9 days	45	0.8%
5	10 or more days	56	1.1%
Sysmiss		404	

Q54: Other students kind and helpful

Data file: LBN2017 (National)

Overview

Valid: 5253 Invalid: 455

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	418	8%
2	Rarely	560	10.7%
3	Sometimes	716	13.6%
4	Most of the time	1421	27.1%
5	Always	2138	40.7%
Sysmiss		455	

Q55: Parents check homework

Data file: LBN2017 (National)

Overview

Valid: 5190 Invalid: 518

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1337	25.8%
2	Rarely	780	15%
3	Sometimes	726	14%
4	Most of the time	834	16.1%
5	Always	1513	29.2%
Sysmiss		518	

Q56: Parents understand problems

Data file: LBN2017 (National)

Overview

Valid: 5244 Invalid: 464

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1062	20.3%
2	Rarely	763	14.5%
3	Sometimes	958	18.3%
4	Most of the time	956	18.2%
5	Always	1505	28.7%
Sysmiss		464	

Q57: Parents know about free time

Data file: LBN2017 (National)

Overview

Valid: 5177 Invalid: 531

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	1239	23.9%
2	Rarely	763	14.7%
3	Sometimes	690	13.3%
4	Most of the time	827	16%
5	Always	1658	32%
Sysmiss		531	

Q58: Parents go through their things

Data file: LBN2017 (National)

Overview

Valid: 5131 Invalid: 577 Mean: 1.601 Standard deviation: 1.034

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		3401	66.3%
2		958	18.7%
3		384	7.5%
4		195	3.8%
5		193	3.8%
Sysmiss		577	

QN6: Most of the time or always went hungry**Data file: LBN2017 (National)****Overview**

Valid: 5684 Invalid: 24 Mean: 1.971 Standard deviation: 0.167
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		163	2.9%
2		5521	97.1%
Sysmiss		24	

QN7: Did not eat fruit**Data file: LBN2017 (National)****Overview**

Valid: 5657 Invalid: 51 Mean: 1.964 Standard deviation: 0.186
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		202	3.6%
2		5455	96.4%
Sysmiss		51	

QN8: Did not eat vegetables**Data file: LBN2017 (National)****Overview**

Valid: 5668 Invalid: 40 Mean: 1.964 Standard deviation: 0.186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		203	3.6%
2		5465	96.4%
Sysmiss		40	

QN9: Did not drink carbonated soft drinks

Data file: LBN2017 (National)

Overview

Valid: 5685 Invalid: 23 Mean: 1.826 Standard deviation: 0.379
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		991	17.4%
2		4694	82.6%
Sysmiss		23	

QN10: Did not eat food from a fast food restaurant

Data file: LBN2017 (National)

Overview

Valid: 5677 Invalid: 31 Mean: 1.763 Standard deviation: 0.425
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1346	23.7%
2		4331	76.3%
Sysmiss		31	

QN11: Usually cleaned or brushed their teeth

Data file: LBN2017 (National)

Overview

Valid: 5684 Invalid: 24 Mean: 1.096 Standard deviation: 0.294
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		5139	90.4%
2		545	9.6%
Sysmiss		24	

QN12: Never or rarely washed their hands before eating

Data file: LBN2017 (National)

Overview

Valid: 5626 Invalid: 82 Mean: 1.95 Standard deviation: 0.218
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		281	5%
2		5345	95%
Sysmiss		82	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: LBN2017 (National)****Overview**

Valid: 5623 Invalid: 85 Mean: 1.983 Standard deviation: 0.128
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		94	1.7%
2		5529	98.3%
Sysmiss		85	

QN14: Never or rarely used soap when washing their hands**Data file: LBN2017 (National)****Overview**

Valid: 5678 Invalid: 30 Mean: 1.976 Standard deviation: 0.153
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		136	2.4%
2		5542	97.6%
Sysmiss		30	

QN15: Were physically attacked**Data file: LBN2017 (National)****Overview**

Valid: 5690 Invalid: 18 Mean: 1.802 Standard deviation: 0.399
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1129	19.8%
2		4561	80.2%
Sysmiss		18	

QN16: Were in a physical fight

Data file: LBN2017 (National)

Overview

Valid: 5645 Invalid: 63 Mean: 1.653 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1961	34.7%
2		3684	65.3%
Sysmiss		63	

QN17: Were seriously injured

Data file: LBN2017 (National)

Overview

Valid: 5116 Invalid: 592 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1784	34.9%
2		3332	65.1%
Sysmiss		592	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: LBN2017 (National)

Overview

Valid: 1375 Invalid: 4333 Mean: 1.743 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		353	25.7%
2		1022	74.3%
Sysmiss		4333	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: LBN2017 (National)

Overview

Valid: 1372 Invalid: 4336 Mean: 1.897 Standard deviation: 0.304
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		141	10.3%
2		1231	89.7%
Sysmiss		4336	

QN20: Were bullied**Data file: LBN2017 (National)****Overview**

Valid: 5461 Invalid: 247 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		810	14.8%
2		4651	85.2%
Sysmiss		247	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: LBN2017 (National)****Overview**

Valid: 658 Invalid: 5050 Mean: 1.774 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		149	22.6%
2		509	77.4%
Sysmiss		5050	

QN22: Most of the time or always felt lonely**Data file: LBN2017 (National)****Overview**

Valid: 5592 Invalid: 116 Mean: 1.868 Standard deviation: 0.338
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		737	13.2%
2		4855	86.8%
Sysmiss		116	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: LBN2017 (National)

Overview

Valid: 5664 Invalid: 44 Mean: 1.852 Standard deviation: 0.355
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		839	14.8%
2		4825	85.2%
Sysmiss		44	

QN24: Seriously considered attempting suicide

Data file: LBN2017 (National)

Overview

Valid: 5570 Invalid: 138 Mean: 1.863 Standard deviation: 0.344
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		765	13.7%
2		4805	86.3%
Sysmiss		138	

QN25: Made a plan about how they would attempt suicide

Data file: LBN2017 (National)

Overview

Valid: 5580 Invalid: 128 Mean: 1.911 Standard deviation: 0.285
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		498	8.9%
2		5082	91.1%
Sysmiss		128	

QN26: Attempted suicide

Data file: LBN2017 (National)

Overview

Valid: 5661 Invalid: 47 Mean: 1.9 Standard deviation: 0.3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		568	10%
2		5093	90%
Sysmiss		47	

QN27: Did not have any close friends**Data file: LBN2017 (National)****Overview**

Valid: 5622 Invalid: 86 Mean: 1.952 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		268	4.8%
2		5354	95.2%
Sysmiss		86	

QN28: Tried a cigarette before age 14 years**Data file: LBN2017 (National)****Overview**

Valid: 1310 Invalid: 4398 Mean: 1.369 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		826	63.1%
2		484	36.9%
Sysmiss		4398	

QN29: Currently smoked cigarettes**Data file: LBN2017 (National)****Overview**

Valid: 5552 Invalid: 156 Mean: 1.873 Standard deviation: 0.333
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		705	12.7%
2		4847	87.3%
Sysmiss		156	

QN30: Currently used any tobacco products other than cigarettes

Data file: LBN2017 (National)

Overview

Valid: 5622 Invalid: 86 Mean: 1.673 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1841	32.7%
2		3781	67.3%
Sysmiss		86	

QN31: Tried to quit smoking cigarettes

Data file: LBN2017 (National)

Overview

Valid: 652 Invalid: 5056 Mean: 1.377 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		406	62.3%
2		246	37.7%
Sysmiss		5056	

QN32: Reported that people smoked in their presence

Data file: LBN2017 (National)

Overview

Valid: 5607 Invalid: 101 Mean: 1.28 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4036	72%
2		1571	28%
Sysmiss		101	

QN33: Had parents or guardians who used any form of tobacco

Data file: LBN2017 (National)

Overview

Valid: 5570 Invalid: 138 Mean: 1.452 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		3055	54.8%
2		2515	45.2%
Sysmiss		138	

QN34: Drank alcohol before age 14 years**Data file: LBN2017 (National)****Overview**

Valid: 1128 Invalid: 4580 Mean: 1.29 Standard deviation: 0.454
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		801	71%
2		327	29%
Sysmiss		4580	

QN35: Currently drank alcohol**Data file: LBN2017 (National)****Overview**

Valid: 5480 Invalid: 228 Mean: 1.851 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		816	14.9%
2		4664	85.1%
Sysmiss		228	

QN36: Usually drank two or more drinks per day**Data file: LBN2017 (National)****Overview**

Valid: 852 Invalid: 4856 Mean: 1.532 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		399	46.8%
2		453	53.2%
Sysmiss		4856	

QN37: Usually obtained the alcohol they drank from friends

Data file: LBN2017 (National)

Overview

Valid: 832 Invalid: 4876 Mean: 1.907 Standard deviation: 0.29
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		77	9.3%
2		755	90.7%
Sysmiss		4876	

QN47: Used a condom

Data file: LBN2017 (National)

Overview

Valid: 0 Invalid: 5708
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk

Data file: LBN2017 (National)

Overview

Valid: 5471 Invalid: 237 Mean: 1.893 Standard deviation: 0.31
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		587	10.7%
2		4884	89.3%
Sysmiss		237	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: LBN2017 (National)

Overview

Valid: 4916 Invalid: 792 Mean: 1.878 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		600	12.2%
2		4316	87.8%
Sysmiss		792	

QN40: Used drugs before age 14 years**Data file: LBN2017 (National)****Overview**

Valid: 192 Invalid: 5516 Mean: 1.255 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		143	74.5%
2		49	25.5%
Sysmiss		5516	

QN41: Ever used marijuana**Data file: LBN2017 (National)****Overview**

Valid: 5448 Invalid: 260 Mean: 1.974 Standard deviation: 0.159
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		141	2.6%
2		5307	97.4%
Sysmiss		260	

QN42: Currently used marijuana**Data file: LBN2017 (National)****Overview**

Valid: 5436 Invalid: 272 Mean: 1.98 Standard deviation: 0.14
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		109	2%
2		5327	98%
Sysmiss		272	

QN43: Ever used amphetamines or methamphetamines

Data file: LBN2017 (National)

Overview

Valid: 5251 Invalid: 457 Mean: 1.983 Standard deviation: 0.13
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		90	1.7%
2		5161	98.3%
Sysmiss		457	

QN44: Ever had sexual intercourse

Data file: LBN2017 (National)

Overview

Valid: 0 Invalid: 5708
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
-------	----------

Sysmiss	
---------	--

QN45: Had sexual intercourse before age 14 years**Data file: LBN2017 (National)****Overview**

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons**Data file: LBN2017 (National)****Overview**

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: LBN2017 (National)****Overview**

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active

Data file: LBN2017 (National)

Overview

Valid: 5388 Invalid: 320 Mean: 1.697 Standard deviation: 0.459
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1631	30.3%
2		3757	69.7%
Sysmiss		320	

QN50: Did not walk or ride a bicycle to or from school

Data file: LBN2017 (National)

Overview

Valid: 5331 Invalid: 377 Mean: 1.376 Standard deviation: 0.485
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3324	62.4%

2		2007	37.6%
Sysmiss		377	

QN51: Did not attend physical education classes

Data file: LBN2017 (National)

Overview

Valid: 5284 Invalid: 424 Mean: 1.546 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		2398	45.4%
2		2886	54.6%
Sysmiss		424	

QN52: Spent three or more hours per day doing sitting activities

Data file: LBN2017 (National)

Overview

Valid: 5325 Invalid: 383 Mean: 1.559 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		2346	44.1%
2		2979	55.9%
Sysmiss		383	

QN53: Missed classes or school without permission

Data file: LBN2017 (National)

Overview

Valid: 5304 Invalid: 404 Mean: 1.831 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		898	16.9%
2		4406	83.1%
Sysmiss		404	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: LBN2017 (National)

Overview

Valid: 5253 Invalid: 455 Mean: 1.322 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3559	67.8%
2		1694	32.2%
Sysmiss		455	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: LBN2017 (National)

Overview

Valid: 5190 Invalid: 518 Mean: 1.548 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2347	45.2%
2		2843	54.8%
Sysmiss		518	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: LBN2017 (National)

Overview

Valid: 5244 Invalid: 464 Mean: 1.531 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2461	46.9%
2		2783	53.1%
Sysmiss		464	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: LBN2017 (National)

Overview

Valid: 5177 Invalid: 531 Mean: 1.52 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were

doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2485	48%
2		2692	52%
Sysmiss		531	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: LBN2017 (National)

Overview

Valid: 5131 Invalid: 577 Mean: 1.15 Standard deviation: 0.358
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4359	85%
2		772	15%
Sysmiss		577	

QNUNWTG: Were underweight

Data file: LBN2017 (National)

Overview

Valid: 4740 Invalid: 968 Mean: 1.961 Standard deviation: 0.193
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		183	3.9%
2		4557	96.1%

Sysmiss		968	
---------	--	-----	--

QNOWTG: Were overweight

Data file: LBN2017 (National)

Overview

Valid: 4740 Invalid: 968 Mean: 1.733 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		1266	26.7%
2		3474	73.3%
Sysmiss		968	

QNOBESEG: Were obese

Data file: LBN2017 (National)

Overview

Valid: 4740 Invalid: 968 Mean: 1.93 Standard deviation: 0.256
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		334	7%
2		4406	93%
Sysmiss		968	

QNFRLG: Usually ate fruit less than one time per day

Data file: LBN2017 (National)

Overview

Valid: 5657 Invalid: 51 Mean: 1.783 Standard deviation: 0.413
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1230	21.7%
2		4427	78.3%
Sysmiss		51	

QNFR1G: Usually ate fruit one or more times per day

Data file: LBN2017 (National)

Overview

Valid: 5657 Invalid: 51 Mean: 1.253 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4225	74.7%
2		1432	25.3%
Sysmiss		51	

QNFR2G: Usually ate fruit two or more times per day

Data file: LBN2017 (National)

Overview

Valid: 5657 Invalid: 51 Mean: 1.529 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2667	47.1%
2		2990	52.9%
Sysmiss		51	

QNFR3G: Usually ate fruit three or more times per day

Data file: LBN2017 (National)

Overview

Valid: 5657 Invalid: 51 Mean: 1.775 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1274	22.5%
2		4383	77.5%
Sysmiss		51	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: LBN2017 (National)

Overview

Valid: 5668 Invalid: 40 Mean: 1.773 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1286	22.7%
2		4382	77.3%
Sysmiss		40	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: LBN2017 (National)****Overview**

Valid: 5668 Invalid: 40 Mean: 1.263 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4179	73.7%
2		1489	26.3%
Sysmiss		40	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: LBN2017 (National)****Overview**

Valid: 5668 Invalid: 40 Mean: 1.636 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2064	36.4%
2		3604	63.6%
Sysmiss		40	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: LBN2017 (National)****Overview**

Valid: 5668 Invalid: 40 Mean: 1.841 Standard deviation: 0.366
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		902	15.9%
2		4766	84.1%
Sysmiss		40	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: LBN2017 (National)

Overview

Valid: 5685 Invalid: 23 Mean: 1.652 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1978	34.8%
2		3707	65.2%
Sysmiss		23	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: LBN2017 (National)

Overview

Valid: 5685 Invalid: 23 Mean: 1.522 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2716	47.8%
2		2969	52.2%
Sysmiss		23	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: LBN2017 (National)

Overview

Valid: 5685 Invalid: 23 Mean: 1.749 Standard deviation: 0.434
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1428	25.1%
2		4257	74.9%
Sysmiss		23	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: LBN2017 (National)

Overview

Valid: 5685 Invalid: 23 Mean: 1.874 Standard deviation: 0.332
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		717	12.6%
2		4968	87.4%
Sysmiss		23	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: LBN2017 (National)****Overview**

Valid: 5677 Invalid: 31 Mean: 1.237 Standard deviation: 0.425
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		4331	76.3%
2		1346	23.7%
Sysmiss		31	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: LBN2017 (National)****Overview**

Valid: 5677 Invalid: 31 Mean: 1.542 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2601	45.8%
2		3076	54.2%
Sysmiss		31	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: LBN2017 (National)****Overview**

Valid: 5677 Invalid: 31 Mean: 1.757 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1377	24.3%
2		4300	75.7%
Sysmiss		31	

QNC2G: Were bullied and could not sleep at night

Data file: LBN2017 (National)

Overview

Valid: 789 Invalid: 4919 Mean: 1.75 Standard deviation: 0.433
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		197	25%
2		592	75%
Sysmiss		4919	

QNTOB2G: Currently used any tobacco product

Data file: LBN2017 (National)

Overview

Valid: 5583 Invalid: 125 Mean: 1.644 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1987	35.6%
2		3596	64.4%
Sysmiss		125	

QNNOTB2G: Did not currently use any tobacco products

Data file: LBN2017 (National)

Overview

Valid: 5513 Invalid: 195 Mean: 1.348 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3596	65.2%
2		1917	34.8%
Sysmiss		195	

QNBCANYG: Used a method of birth control

Data file: LBN2017 (National)

Overview

Valid: 0 Invalid: 5708
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk**Data file: LBN2017 (National)****Overview**

Valid: 0 Invalid: 5708

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: LBN2017 (National)****Overview**

Valid: 5388 Invalid: 320 Mean: 1.815 Standard deviation: 0.389

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		998	18.5%
2		4390	81.5%
Sysmiss		320	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days**Data file: LBN2017 (National)****Overview**

Valid: 5388 Invalid: 320 Mean: 1.87 Standard deviation: 0.337

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		702	13%
2		4686	87%
Sysmiss		320	

QNPE3G: Attended physical education classes on three or more days

Data file: LBN2017 (National)

Overview

Valid: 5284 Invalid: 424 Mean: 1.793 Standard deviation: 0.405
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1094	20.7%
2		4190	79.3%
Sysmiss		424	

QNPE5G: Attended physical education classes on five or more days

Data file: LBN2017 (National)

Overview

Valid: 5284 Invalid: 424 Mean: 1.844 Standard deviation: 0.363
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		825	15.6%
2		4459	84.4%
Sysmiss		424	

WEIGHT:**Data file: LBN2017 (National)****Overview**

Valid: 5708 Invalid: 0 Mean: 57.215 Standard deviation: 36.155
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric Weighted: yes

STRATUM:**Data file: LBN2017 (National)****Overview**

Valid: 5708 Invalid: 0 Mean: 201701007.086 Standard deviation: 37.506
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201701001		365	6.4%
201701002		283	5%
201701003		554	9.7%
201701004		395	6.9%
201701005		531	9.3%
201701006		554	9.7%
201701007		496	8.7%
201701008		494	8.7%
201701009		468	8.2%
201701010		464	8.1%
201701011		300	5.3%
201701012		360	6.3%
201701013		124	2.2%
201701014		108	1.9%
201701015		117	2%
201701016		95	1.7%

PSU:

Data file: LBN2017 (National)

Overview

Valid: 5708 Invalid: 0 Mean: 13.655 Standard deviation: 7.533
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: LBN2017 (Private)****Overview**

Valid: 2054 Invalid: 3

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	25	1.2%
2	12 years old	342	16.7%
3	13 years old	439	21.4%
4	14 years old	395	19.2%
5	15 years old	276	13.4%
6	16 years old	281	13.7%
7	17 years old	227	11.1%
8	18 years old or older	69	3.4%
Sysmiss		3	

Q2: Sex**Data file: LBN2017 (Private)****Overview**

Valid: 2057 Invalid: 0

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1059	51.5%
2	Female	998	48.5%

Q3: In what grade are you**Data file: LBN2017 (Private)****Overview**

Valid: 2055 Invalid: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	517	25.2%
2	Grade 8	480	23.4%
3	Grade 9	343	16.7%
4	Grade 10	222	10.8%
5	Grade11	267	13%
6	Grade 12	226	11%
Sysmiss		2	

Q4: How tall are you**Data file: LBN2017 (Private)****Overview**

Valid: 1405 Invalid: 652 Minimum: 1.2 Maximum: 1.92 Mean: 1.634 Standard deviation: 0.111
 Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: LBN2017 (Private)****Overview**

Valid: 1405 Invalid: 652 Minimum: 25 Maximum: 145 Mean: 56.598 Standard deviation: 14.329
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: LBN2017 (Private)

Overview

Valid: 2051 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1394	68%
2	Rarely	412	20.1%
3	Sometimes	172	8.4%
4	Most of the time	46	2.2%
5	Always	27	1.3%
Sysmiss		6	

Q7: No fruit eating

Data file: LBN2017 (Private)

Overview

Valid: 2043 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	82	4%
2	Less than one time per day	410	20.1%
3	1 time per day	581	28.4%
4	2 times per day	532	26%
5	3 times per day	232	11.4%
6	4 times per day	78	3.8%
7	5 or more times per day	128	6.3%
Sysmiss		14	

Q8: No vegetable eating

Data file: LBN2017 (Private)

Overview

Valid: 2044 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	91	4.5%
2	Less than one time per day	422	20.6%
3	1 time per day	760	37.2%
4	2 times per day	421	20.6%
5	3 times per day	183	9%
6	4 times per day	64	3.1%
7	5 or more times per day	103	5%
Sysmiss		13	

Q9: Soft drinks

Data file: LBN2017 (Private)

Overview

Valid: 2047 Invalid: 10
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	403	19.7%
2	Less than one time per day	726	35.5%
3	1 time per day	447	21.8%
4	2 times per day	230	11.2%
5	3 times per day	118	5.8%
6	4 times per day	40	2%
7	5 or more times per day	83	4.1%
Sysmiss		10	

Q10: Fast food eating

Data file: LBN2017 (Private)

Overview

Valid: 2045 Invalid: 12
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	426	20.8%
2	1 day	652	31.9%
3	2 days	468	22.9%
4	3 days	258	12.6%

5	4 days	87	4.3%
6	5 days	57	2.8%
7	6 days	27	1.3%
8	7 days	70	3.4%
Sysmiss		12	

Q11: Tooth brushing

Data file: LBN2017 (Private)

Overview

Valid: 2048 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	55	2.7%
2	Less than 1 time per day	97	4.7%
3	1 time per day	519	25.3%
4	2 times per day	810	39.6%
5	3 times per day	443	21.6%
6	4 or more times per day	124	6.1%
Sysmiss		9	

Q12: Hand washing before eating

Data file: LBN2017 (Private)

Overview

Valid: 2028 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	25	1.2%
2	Rarely	72	3.6%
3	Sometimes	183	9%
4	Most of the time	354	17.5%
5	Always	1394	68.7%
Sysmiss		29	

Q13: Hand washing after toilet

Data file: LBN2017 (Private)

Overview

Valid: 2032 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	20	1%
2	Rarely	14	0.7%
3	Sometimes	37	1.8%
4	Most of the time	108	5.3%
5	Always	1853	91.2%
Sysmiss		25	

Q14: Hand washing with soap

Data file: LBN2017 (Private)

Overview

Valid: 2044 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	21	1%
2	Rarely	17	0.8%
3	Sometimes	60	2.9%
4	Most of the time	251	12.3%
5	Always	1695	82.9%
Sysmiss		13	

Q15: Physically attacked

Data file: LBN2017 (Private)

Overview

Valid: 2050 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1619	79%
2	1 time	195	9.5%
3	2 or 3 times	115	5.6%
4	4 or 5 times	46	2.2%
5	6 or 7 times	15	0.7%
6	8 or 9 times	11	0.5%
7	10 or 11 times	4	0.2%
8	12 or more times	45	2.2%
Sysmiss		7	

Q16: Physical fighting**Data file: LBN2017 (Private)****Overview**

Valid: 2036 Invalid: 21
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1204	59.1%
2	1 time	326	16%
3	2 or 3 times	258	12.7%
4	4 or 5 times	65	3.2%
5	6 or 7 times	95	4.7%
6	8 or 9 times	7	0.3%
7	10 or 11 times	2	0.1%
8	12 or more times	79	3.9%
Sysmiss		21	

Q17: Seriously injured**Data file: LBN2017 (Private)****Overview**

Valid: 1830 Invalid: 227
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1112	60.8%
2	1 time	449	24.5%
3	2 or 3 times	190	10.4%
4	4 or 5 times	37	2%
5	6 or 7 times	14	0.8%
6	8 or 9 times	4	0.2%
7	10 or 11 times	3	0.2%
8	12 or more times	21	1.1%
Sysmiss		227	

Q18: Serious injury type

Data file: LBN2017 (Private)

Overview

Valid: 1877 Invalid: 180

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1319	70.3%
2	Broken bone/dislocated joint	145	7.7%
3	I had a cut or stab wound	87	4.6%
4	Concussion/head injury	56	3%
5	I had a gunshot wound	10	0.5%
6	I had a bad burn	16	0.9%
7	I was poisoned	3	0.2%
8	Something else happened to me	241	12.8%
Sysmiss		180	

Q19: Serious injury cause

Data file: LBN2017 (Private)

Overview

Valid: 1869 Invalid: 188

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1306	69.9%
2	Motor vehicle accident	67	3.6%
3	I fell	157	8.4%
4	Something fell on me or hit me	40	2.1%
5	I was attacked	23	1.2%
6	Was in a fire	10	0.5%
7	breathed something bad	10	0.5%
8	Something else	256	13.7%
Sysmiss		188	

Q20: Bullied

Data file: LBN2017 (Private)

Overview

Valid: 1971 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1625	82.4%

2	1 or 2 days	220	11.2%
3	3 to 5 days	75	3.8%
4	6 to 9 days	13	0.7%
5	10 to 19 days	7	0.4%
6	20 to 29 days	8	0.4%
7	All 30 days	23	1.2%
Sysmiss		86	

Q21: Bullied how

Data file: LBN2017 (Private)

Overview

Valid: 1954 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1680	86%
2	Kicked, pushed, or shoved	72	3.7%
3	Made fun of race	26	1.3%
4	Made fun because of religion	11	0.6%
5	Made fun of about sex	43	2.2%
6	Left out of activities	11	0.6%
7	Made fun of about body	22	1.1%
8	Some other way	89	4.6%
Sysmiss		103	

Q22: Felt lonely

Data file: LBN2017 (Private)

Overview

Valid: 2014 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	958	47.6%
2	Rarely	475	23.6%
3	Sometimes	375	18.6%
4	Most of the time	139	6.9%
5	Always	67	3.3%
Sysmiss		43	

Q23: Could not sleep

Data file: LBN2017 (Private)

Overview

Valid: 2037 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	701	34.4%
2	Rarely	636	31.2%
3	Sometimes	456	22.4%
4	Most of the time	164	8.1%
5	Always	80	3.9%
Sysmiss		20	

Q24: Considered suicide**Data file: LBN2017 (Private)****Overview**

Valid: 2013 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	249	12.4%
2	No	1764	87.6%
Sysmiss		44	

Q25: Made a suicide plan**Data file: LBN2017 (Private)****Overview**

Valid: 2011 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	144	7.2%
2	No	1867	92.8%
Sysmiss		46	

Q26: Attempted suicide**Data file: LBN2017 (Private)**

Overview

Valid: 2038 Invalid: 19
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1857	91.1%
2	1 time	123	6%
3	2 or 3 times	28	1.4%
4	4 or 5 times	15	0.7%
5	6 or more times	15	0.7%
Sysmiss		19	

Q27: Close friends

Data file: LBN2017 (Private)

Overview

Valid: 2028 Invalid: 29
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	61	3%
2	1	202	10%
3	2	347	17.1%
4	3 or more	1418	69.9%
Sysmiss		29	

Q28: Initiation of cigarette use**Data file: LBN2017 (Private)****Overview**

Valid: 1966 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1479	75.2%
2	7 years old or younger	55	2.8%
3	8 or 9 years old	60	3.1%
4	10 or 11 years old	84	4.3%
5	12 or 13 years old	126	6.4%
6	14 or 15 years old	111	5.6%
7	16 or 17 years old	47	2.4%
8	18 years old or older	4	0.2%
Sysmiss		91	

Q29: Current cigarette use**Data file: LBN2017 (Private)****Overview**

Valid: 1987 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1721	86.6%
2	1 or 2 days	104	5.2%

3	3 to 5 days	53	2.7%
4	6 to 9 days	18	0.9%
5	10 to 19 days	28	1.4%
6	20 to 29 days	19	1%
7	All 30 days	44	2.2%
Sysmiss		70	

Q30: Other tobacco use

Data file: LBN2017 (Private)

Overview

Valid: 2015 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1434	71.2%
2	1 or 2 days	297	14.7%
3	3 to 5 days	82	4.1%
4	6 to 9 days	47	2.3%
5	10 to 19 days	51	2.5%
6	20 to 29 days	28	1.4%
7	All 30 days	76	3.8%
Sysmiss		42	

Q31: Smoking cessation

Data file: LBN2017 (Private)

Overview

Valid: 1963 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1624	82.7%
2	Did not smoke cigarettes	71	3.6%
3	Yes	162	8.3%
4	No	106	5.4%
Sysmiss		94	

Q32: Smoking in their presence

Data file: LBN2017 (Private)

Overview

Valid: 2015 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	636	31.6%
2	1 or 2 days	463	23%
3	3 or 4 days	209	10.4%
4	5 or 6 days	100	5%
5	All 7 days	607	30.1%
Sysmiss		42	

Q33: Parental tobacco use

Data file: LBN2017 (Private)

Overview

Valid: 2000 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	920	46%
2	My father or male guardian	432	21.6%
3	My mother or female guardian	184	9.2%
4	Both	407	20.4%
5	I do not know	57	2.9%
Sysmiss		57	

Q34: Initiation of alcohol use

Data file: LBN2017 (Private)

Overview

Valid: 1844 Invalid: 213

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1265	68.6%
2	7 years old or younger	91	4.9%
3	8 or 9 years old	70	3.8%
4	10 or 11 years old	104	5.6%
5	12 or 13 years old	159	8.6%
6	14 or 15 years old	115	6.2%

7	16 or 17 years old	35	1.9%
8	18 years old or older	5	0.3%
Sysmiss		213	

Q35: Current alcohol use

Data file: LBN2017 (Private)

Overview

Valid: 1954 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1539	78.8%
2	1 or 2 days	199	10.2%
3	3 to 5 days	96	4.9%
4	6 to 9 days	62	3.2%
5	10 to 19 days	32	1.6%
6	20 to 29 days	11	0.6%
7	All 30 days	15	0.8%
Sysmiss		103	

Q36: Drank 2+ drinks

Data file: LBN2017 (Private)

Overview

Valid: 1965 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1528	77.8%
2	Less than one drink	126	6.4%
3	1 drink	118	6%
4	2 drinks	82	4.2%
5	3 drinks	54	2.7%
6	4 drinks	22	1.1%
7	5 or more drinks	35	1.8%
Sysmiss		92	

Q37: Source of alcohol

Data file: LBN2017 (Private)

Overview

Valid: 1955 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1539	78.7%
2	I bought in a store	83	4.2%
3	I gave someone money to buy	11	0.6%
4	I got it from my friends	31	1.6%
5	I got it from my family	244	12.5%
6	I stole it	4	0.2%
7	Some other way	43	2.2%
Sysmiss		102	

Q38: Really drunk**Data file: LBN2017 (Private)****Overview**

Valid: 1916 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1634	85.3%
2	1 or 2 times	237	12.4%
3	3 to 9 times	27	1.4%
4	10 or more times	18	0.9%
Sysmiss		141	

Q39: Trouble from drinking**Data file: LBN2017 (Private)****Overview**

Valid: 1648 Invalid: 409

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1377	83.6%

2	1 or 2 times	243	14.7%
3	3 to 9 times	22	1.3%
4	10 or more times	6	0.4%
Sysmiss		409	

Q40: Initiation of drug use

Data file: LBN2017 (Private)

Overview

Valid: 1871 Invalid: 186

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1815	97%
2	7 years old or younger	19	1%
3	8 or 9 years old	6	0.3%
4	10 or 11 years old	6	0.3%
5	12 or 13 years old	5	0.3%
6	14 or 15 years old	10	0.5%
7	16 or 17 years old	9	0.5%
8	18 years old or older	1	0.1%
Sysmiss		186	

Q41: Ever marijuana use

Data file: LBN2017 (Private)

Overview

Valid: 1935 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1895	97.9%
2	1 or 2 times	20	1%
3	3 to 9 times	7	0.4%
4	10 to 19 times	5	0.3%
5	20 or more times	8	0.4%
Sysmiss		122	

Q42: Current marijuana use

Data file: LBN2017 (Private)

Overview

Valid: 1924 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1892	98.3%
2	1 or 2 times	18	0.9%
3	3 to 9 times	6	0.3%
4	10 to 19 times	6	0.3%
5	20 or more times	2	0.1%
Sysmiss		133	

Q43: Amphetamine or methamphetamine use

Data file: LBN2017 (Private)

Overview

Valid: 1876 Invalid: 181
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1856	98.9%
2	1 or 2 times	8	0.4%
3	3 to 9 times	8	0.4%
4	10 to 19 times	1	0.1%
5	20 or more times	3	0.2%
Sysmiss		181	

Q44: Ever sexual intercourse

Data file: LBN2017 (Private)

Overview

Valid: 0 Invalid: 2057
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: LBN2017 (Private)****Overview**

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: LBN2017 (Private)****Overview**

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: LBN2017 (Private)

Overview

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: LBN2017 (Private)

Overview

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: LBN2017 (Private)****Overview**

Valid: 1879 Invalid: 178

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	414	22%
2	1 day	401	21.3%
3	2 days	312	16.6%
4	3 days	188	10%
5	4 days	131	7%
6	5 days	98	5.2%
7	6 days	38	2%
8	7 days	297	15.8%
Sysmiss		178	

Q50: Walk or bike to school**Data file: LBN2017 (Private)****Overview**

Valid: 1862 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1212	65.1%
2	1 day	178	9.6%
3	2 days	119	6.4%
4	3 days	67	3.6%
5	4 days	34	1.8%
6	5 days	38	2%
7	6 days	17	0.9%
8	7 days	197	10.6%
Sysmiss		195	

Q51: PE attendance

Data file: LBN2017 (Private)

Overview

Valid: 1852 Invalid: 205

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	639	34.5%
2	1 day	577	31.2%
3	2 days	173	9.3%

4	3 days	51	2.8%
5	4 days	38	2.1%
6	5 or more days	374	20.2%
Sysmiss		205	

Q52: Sitting activities

Data file: LBN2017 (Private)

Overview

Valid: 1857 Invalid: 200

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	347	18.7%
2	1 to 2 hours per day	660	35.5%
3	3 to 4 hours per day	438	23.6%
4	5 to 6 hours per day	205	11%
5	7 to 8 hours per day	64	3.4%
6	More than 8 hours per day	143	7.7%
Sysmiss		200	

Q53: Miss school no permission

Data file: LBN2017 (Private)

Overview

Valid: 1830 Invalid: 227

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1548	84.6%
2	1 or 2 days	188	10.3%
3	3 to 5 days	52	2.8%
4	6 to 9 days	18	1%
5	10 or more days	24	1.3%
Sysmiss		227	

Q54: Other students kind and helpful

Data file: LBN2017 (Private)

Overview

Valid: 1813 Invalid: 244

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	126	6.9%
2	Rarely	148	8.2%
3	Sometimes	237	13.1%
4	Most of the time	538	29.7%
5	Always	764	42.1%
Sysmiss		244	

Q55: Parents check homework

Data file: LBN2017 (Private)

Overview

Valid: 1793 Invalid: 264

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	416	23.2%
2	Rarely	267	14.9%
3	Sometimes	266	14.8%
4	Most of the time	280	15.6%
5	Always	564	31.5%
Sysmiss		264	

Q56: Parents understand problems

Data file: LBN2017 (Private)

Overview

Valid: 1802 Invalid: 255

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	311	17.3%
2	Rarely	224	12.4%
3	Sometimes	349	19.4%
4	Most of the time	390	21.6%
5	Always	528	29.3%
Sysmiss		255	

Q57: Parents know about free time

Data file: LBN2017 (Private)

Overview

Valid: 1779 Invalid: 278

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	377	21.2%
2	Rarely	252	14.2%
3	Sometimes	252	14.2%
4	Most of the time	302	17%
5	Always	596	33.5%
Sysmiss		278	

Q58: Parents go through their things

Data file: LBN2017 (Private)

Overview

Valid: 1762 Invalid: 295 Mean: 1.679 Standard deviation: 1.1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1106	62.8%
2		359	20.4%
3		142	8.1%
4		66	3.7%
5		89	5.1%
Sysmiss		295	

QN6: Most of the time or always went hungry**Data file: LBN2017 (Private)****Overview**

Valid: 2051 Invalid: 6 Mean: 1.964 Standard deviation: 0.185
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		73	3.6%
2		1978	96.4%
Sysmiss		6	

QN7: Did not eat fruit**Data file: LBN2017 (Private)****Overview**

Valid: 2043 Invalid: 14 Mean: 1.96 Standard deviation: 0.196
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		82	4%
2		1961	96%
Sysmiss		14	

QN8: Did not eat vegetables**Data file: LBN2017 (Private)****Overview**

Valid: 2044 Invalid: 13 Mean: 1.955 Standard deviation: 0.206

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		91	4.5%
2		1953	95.5%
Sysmiss		13	

QN9: Did not drink carbonated soft drinks

Data file: LBN2017 (Private)

OverviewValid: 2047 Invalid: 10 Mean: 1.803 Standard deviation: 0.398
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		403	19.7%
2		1644	80.3%
Sysmiss		10	

QN10: Did not eat food from a fast food restaurant

Data file: LBN2017 (Private)

OverviewValid: 2045 Invalid: 12 Mean: 1.792 Standard deviation: 0.406
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		426	20.8%
2		1619	79.2%
Sysmiss		12	

QN11: Usually cleaned or brushed their teeth

Data file: LBN2017 (Private)

Overview

Valid: 2048 Invalid: 9 Mean: 1.074 Standard deviation: 0.262
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1896	92.6%
2		152	7.4%
Sysmiss		9	

QN12: Never or rarely washed their hands before eating

Data file: LBN2017 (Private)

Overview

Valid: 2028 Invalid: 29 Mean: 1.952 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		97	4.8%
2		1931	95.2%
Sysmiss		29	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: LBN2017 (Private)****Overview**

Valid: 2032 Invalid: 25 Mean: 1.983 Standard deviation: 0.128
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		34	1.7%
2		1998	98.3%
Sysmiss		25	

QN14: Never or rarely used soap when washing their hands**Data file: LBN2017 (Private)****Overview**

Valid: 2044 Invalid: 13 Mean: 1.981 Standard deviation: 0.135
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		38	1.9%
2		2006	98.1%
Sysmiss		13	

QN15: Were physically attacked**Data file: LBN2017 (Private)****Overview**

Valid: 2050 Invalid: 7 Mean: 1.79 Standard deviation: 0.408
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		431	21%
2		1619	79%
Sysmiss		7	

QN16: Were in a physical fight

Data file: LBN2017 (Private)

Overview

Valid: 2036 Invalid: 21 Mean: 1.591 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		832	40.9%
2		1204	59.1%
Sysmiss		21	

QN17: Were seriously injured

Data file: LBN2017 (Private)

Overview

Valid: 1830 Invalid: 227 Mean: 1.608 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		718	39.2%
2		1112	60.8%
Sysmiss		227	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: LBN2017 (Private)

Overview

Valid: 558 Invalid: 1499 Mean: 1.74 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		145	26%
2		413	74%
Sysmiss		1499	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: LBN2017 (Private)

Overview

Valid: 563 Invalid: 1494 Mean: 1.881 Standard deviation: 0.324
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		67	11.9%
2		496	88.1%
Sysmiss		1494	

QN20: Were bullied**Data file: LBN2017 (Private)****Overview**

Valid: 1971 Invalid: 86 Mean: 1.824 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		346	17.6%
2		1625	82.4%
Sysmiss		86	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: LBN2017 (Private)****Overview**

Valid: 274 Invalid: 1783 Mean: 1.737 Standard deviation: 0.441
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		72	26.3%
2		202	73.7%
Sysmiss		1783	

QN22: Most of the time or always felt lonely**Data file: LBN2017 (Private)****Overview**

Valid: 2014 Invalid: 43 Mean: 1.898 Standard deviation: 0.303
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		206	10.2%
2		1808	89.8%
Sysmiss		43	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: LBN2017 (Private)

Overview

Valid: 2037 Invalid: 20 Mean: 1.88 Standard deviation: 0.325
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		244	12%
2		1793	88%
Sysmiss		20	

QN24: Seriously considered attempting suicide

Data file: LBN2017 (Private)

Overview

Valid: 2013 Invalid: 44 Mean: 1.876 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		249	12.4%
2		1764	87.6%
Sysmiss		44	

QN25: Made a plan about how they would attempt suicide

Data file: LBN2017 (Private)

Overview

Valid: 2011 Invalid: 46 Mean: 1.928 Standard deviation: 0.258
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		144	7.2%
2		1867	92.8%
Sysmiss		46	

QN26: Attempted suicide

Data file: LBN2017 (Private)

Overview

Valid: 2038 Invalid: 19 Mean: 1.911 Standard deviation: 0.285
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		181	8.9%
2		1857	91.1%
Sysmiss		19	

QN27: Did not have any close friends**Data file: LBN2017 (Private)****Overview**

Valid: 2028 Invalid: 29 Mean: 1.97 Standard deviation: 0.171
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		61	3%
2		1967	97%
Sysmiss		29	

QN28: Tried a cigarette before age 14 years**Data file: LBN2017 (Private)****Overview**

Valid: 487 Invalid: 1570 Mean: 1.333 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		325	66.7%
2		162	33.3%
Sysmiss		1570	

QN29: Currently smoked cigarettes**Data file: LBN2017 (Private)****Overview**

Valid: 1987 Invalid: 70 Mean: 1.866 Standard deviation: 0.341
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		266	13.4%
2		1721	86.6%
Sysmiss		70	

QN30: Currently used any tobacco products other than cigarettes

Data file: LBN2017 (Private)

Overview

Valid: 2015 Invalid: 42 Mean: 1.712 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		581	28.8%
2		1434	71.2%
Sysmiss		42	

QN31: Tried to quit smoking cigarettes

Data file: LBN2017 (Private)

Overview

Valid: 268 Invalid: 1789 Mean: 1.396 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		162	60.4%
2		106	39.6%
Sysmiss		1789	

QN32: Reported that people smoked in their presence

Data file: LBN2017 (Private)

Overview

Valid: 2015 Invalid: 42 Mean: 1.316 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1379	68.4%
2		636	31.6%
Sysmiss		42	

QN33: Had parents or guardians who used any form of tobacco

Data file: LBN2017 (Private)

Overview

Valid: 2000 Invalid: 57 Mean: 1.489 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		1023	51.2%
2		977	48.9%
Sysmiss		57	

QN34: Drank alcohol before age 14 years**Data file: LBN2017 (Private)****Overview**

Valid: 579 Invalid: 1478 Mean: 1.268 Standard deviation: 0.443
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		424	73.2%
2		155	26.8%
Sysmiss		1478	

QN35: Currently drank alcohol**Data file: LBN2017 (Private)****Overview**

Valid: 1954 Invalid: 103 Mean: 1.788 Standard deviation: 0.409
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		415	21.2%
2		1539	78.8%
Sysmiss		103	

QN36: Usually drank two or more drinks per day**Data file: LBN2017 (Private)****Overview**

Valid: 437 Invalid: 1620 Mean: 1.558 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		193	44.2%
2		244	55.8%
Sysmiss		1620	

QN37: Usually obtained the alcohol they drank from friends

Data file: LBN2017 (Private)

Overview

Valid: 416 Invalid: 1641 Mean: 1.925 Standard deviation: 0.263
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		31	7.5%
2		385	92.5%
Sysmiss		1641	

QN38: Ever drank so much alcohol that they were really drunk

Data file: LBN2017 (Private)

Overview

Valid: 1916 Invalid: 141 Mean: 1.853 Standard deviation: 0.354
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		282	14.7%
2		1634	85.3%
Sysmiss		141	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: LBN2017 (Private)

Overview

Valid: 1648 Invalid: 409 Mean: 1.836 Standard deviation: 0.371
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		271	16.4%
2		1377	83.6%
Sysmiss		409	

QN40: Used drugs before age 14 years

Data file: LBN2017 (Private)

Overview

Valid: 56 Invalid: 2001 Mean: 1.357 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		36	64.3%
2		20	35.7%
Sysmiss		2001	

QN41: Ever used marijuana**Data file: LBN2017 (Private)****Overview**

Valid: 1935 Invalid: 122 Mean: 1.979 Standard deviation: 0.142
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		40	2.1%
2		1895	97.9%
Sysmiss		122	

QN42: Currently used marijuana**Data file: LBN2017 (Private)****Overview**

Valid: 1924 Invalid: 133 Mean: 1.983 Standard deviation: 0.128
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		32	1.7%
2		1892	98.3%
Sysmiss		133	

QN43: Ever used amphetamines or methamphetamines**Data file: LBN2017 (Private)****Overview**

Valid: 1876 Invalid: 181 Mean: 1.989 Standard deviation: 0.103
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		20	1.1%
2		1856	98.9%
Sysmiss		181	

QN44: Ever had sexual intercourse

Data file: LBN2017 (Private)

Overview

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: LBN2017 (Private)

Overview

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons**Data file: LBN2017 (Private)****Overview**

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: LBN2017 (Private)****Overview**

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: LBN2017 (Private)****Overview**

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active

Data file: LBN2017 (Private)

Overview

Valid: 1879 Invalid: 178 Mean: 1.78 Standard deviation: 0.415
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		414	22%
2		1465	78%
Sysmiss		178	

QN50: Did not walk or ride a bicycle to or from school

Data file: LBN2017 (Private)

Overview

Valid: 1862 Invalid: 195 Mean: 1.349 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1212	65.1%
2		650	34.9%
Sysmiss		195	

QN51: Did not attend physical education classes**Data file: LBN2017 (Private)****Overview**

Valid: 1852 Invalid: 205 Mean: 1.655 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		639	34.5%
2		1213	65.5%
Sysmiss		205	

QN52: Spent three or more hours per day doing sitting activities**Data file: LBN2017 (Private)****Overview**

Valid: 1857 Invalid: 200 Mean: 1.542 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		850	45.8%
2		1007	54.2%
Sysmiss		200	

QN53: Missed classes or school without permission**Data file: LBN2017 (Private)****Overview**

Valid: 1830 Invalid: 227 Mean: 1.846 Standard deviation: 0.361

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		282	15.4%
2		1548	84.6%
Sysmiss		227	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: LBN2017 (Private)

Overview

Valid: 1813 Invalid: 244 Mean: 1.282 Standard deviation: 0.45
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1302	71.8%
2		511	28.2%
Sysmiss		244	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: LBN2017 (Private)

Overview

Valid: 1793 Invalid: 264 Mean: 1.529 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		844	47.1%
2		949	52.9%
Sysmiss		264	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: LBN2017 (Private)

Overview

Valid: 1802 Invalid: 255 Mean: 1.491 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		918	50.9%
2		884	49.1%
Sysmiss		255	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: LBN2017 (Private)

Overview

Valid: 1779 Invalid: 278 Mean: 1.495 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		898	50.5%
2		881	49.5%
Sysmiss		278	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: LBN2017 (Private)

Overview

Valid: 1762 Invalid: 295 Mean: 1.169 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1465	83.1%
2		297	16.9%
Sysmiss		295	

QNUNWTG: Were underweight

Data file: LBN2017 (Private)

Overview

Valid: 1405 Invalid: 652 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		62	4.4%
2		1343	95.6%
Sysmiss		652	

QNOWTG: Were overweight**Data file: LBN2017 (Private)****Overview**

Valid: 1405 Invalid: 652 Mean: 1.752 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		348	24.8%
2		1057	75.2%
Sysmiss		652	

QNOBESEG: Were obese**Data file: LBN2017 (Private)****Overview**

Valid: 1405 Invalid: 652 Mean: 1.943 Standard deviation: 0.232
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		80	5.7%
2		1325	94.3%
Sysmiss		652	

QNFRLG: Usually ate fruit less than one time per day**Data file: LBN2017 (Private)****Overview**

Valid: 2043 Invalid: 14 Mean: 1.799 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		410	20.1%
2		1633	79.9%
Sysmiss		14	

QNFR1G: Usually ate fruit one or more times per day

Data file: LBN2017 (Private)

Overview

Valid: 2043 Invalid: 14 Mean: 1.241 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1551	75.9%
2		492	24.1%
Sysmiss		14	

QNFR2G: Usually ate fruit two or more times per day

Data file: LBN2017 (Private)

Overview

Valid: 2043 Invalid: 14 Mean: 1.525 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		970	47.5%
2		1073	52.5%
Sysmiss		14	

QNFR3G: Usually ate fruit three or more times per day

Data file: LBN2017 (Private)

Overview

Valid: 2043 Invalid: 14 Mean: 1.786 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		438	21.4%
2		1605	78.6%
Sysmiss		14	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: LBN2017 (Private)

Overview

Valid: 2044 Invalid: 13 Mean: 1.794 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		422	20.6%
2		1622	79.4%
Sysmiss		13	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: LBN2017 (Private)****Overview**

Valid: 2044 Invalid: 13 Mean: 1.251 Standard deviation: 0.434
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1531	74.9%
2		513	25.1%
Sysmiss		13	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: LBN2017 (Private)****Overview**

Valid: 2044 Invalid: 13 Mean: 1.623 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		771	37.7%
2		1273	62.3%
Sysmiss		13	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: LBN2017 (Private)****Overview**

Valid: 2044 Invalid: 13 Mean: 1.829 Standard deviation: 0.377
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		350	17.1%
2		1694	82.9%
Sysmiss		13	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: LBN2017 (Private)

Overview

Valid: 2047 Invalid: 10 Mean: 1.645 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		726	35.5%
2		1321	64.5%
Sysmiss		10	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: LBN2017 (Private)

Overview

Valid: 2047 Invalid: 10 Mean: 1.552 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		918	44.8%
2		1129	55.2%
Sysmiss		10	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: LBN2017 (Private)

Overview

Valid: 2047 Invalid: 10 Mean: 1.77 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		471	23%
2		1576	77%
Sysmiss		10	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: LBN2017 (Private)

Overview

Valid: 2047 Invalid: 10 Mean: 1.882 Standard deviation: 0.322
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		241	11.8%
2		1806	88.2%
Sysmiss		10	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: LBN2017 (Private)****Overview**

Valid: 2045 Invalid: 12 Mean: 1.208 Standard deviation: 0.406
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1619	79.2%
2		426	20.8%
Sysmiss		12	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: LBN2017 (Private)****Overview**

Valid: 2045 Invalid: 12 Mean: 1.527 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		967	47.3%
2		1078	52.7%
Sysmiss		12	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: LBN2017 (Private)****Overview**

Valid: 2045 Invalid: 12 Mean: 1.756 Standard deviation: 0.43
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		499	24.4%
2		1546	75.6%
Sysmiss		12	

QNC2G: Were bullied and could not sleep at night

Data file: LBN2017 (Private)

Overview

Valid: 228 Invalid: 1829 Mean: 1.671 Standard deviation: 0.471
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		75	32.9%
2		153	67.1%
Sysmiss		1829	

QNTOB2G: Currently used any tobacco product

Data file: LBN2017 (Private)

Overview

Valid: 1998 Invalid: 59 Mean: 1.676 Standard deviation: 0.468
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		648	32.4%
2		1350	67.6%
Sysmiss		59	

QNNOTB2G: Did not currently use any tobacco products

Data file: LBN2017 (Private)

Overview

Valid: 1973 Invalid: 84 Mean: 1.316 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1350	68.4%
2		623	31.6%
Sysmiss		84	

QNBCANYG: Used a method of birth control

Data file: LBN2017 (Private)

Overview

Valid: 0 Invalid: 2057
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk**Data file: LBN2017 (Private)****Overview**

Valid: 0 Invalid: 2057

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: LBN2017 (Private)****Overview**

Valid: 1879 Invalid: 178 Mean: 1.77 Standard deviation: 0.421

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		433	23%
2		1446	77%
Sysmiss		178	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days**Data file: LBN2017 (Private)****Overview**

Valid: 1879 Invalid: 178 Mean: 1.842 Standard deviation: 0.365

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		297	15.8%
2		1582	84.2%
Sysmiss		178	

QNPE3G: Attended physical education classes on three or more days

Data file: LBN2017 (Private)

Overview

Valid: 1852 Invalid: 205 Mean: 1.75 Standard deviation: 0.433
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		463	25%
2		1389	75%
Sysmiss		205	

QNPE5G: Attended physical education classes on five or more days

Data file: LBN2017 (Private)

Overview

Valid: 1852 Invalid: 205 Mean: 1.798 Standard deviation: 0.402
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		374	20.2%
2		1478	79.8%
Sysmiss		205	

WEIGHT:**Data file: LBN2017 (Private)****Overview**

Valid: 2057 Invalid: 0 Mean: 101.701 Standard deviation: 20.509
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file: LBN2017 (Private)****Overview**

Valid: 2057 Invalid: 0 Mean: 201701006.665 Standard deviation: 28.788
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201701001		136	6.6%
201701002		35	1.7%
201701003		249	12.1%
201701004		146	7.1%
201701005		168	8.2%
201701006		232	11.3%
201701007		232	11.3%
201701008		198	9.6%
201701009		200	9.7%
201701010		237	11.5%
201701011		125	6.1%
201701012		99	4.8%

PSU:**Data file: LBN2017 (Private)**

Overview

Valid: 2057 Invalid: 0 Mean: 12.795 Standard deviation: 6.199
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file: LBN2017 (Public)****Overview**

Valid: 3638 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	49	1.3%
2	12 years old	254	7%
3	13 years old	434	11.9%
4	14 years old	558	15.3%
5	15 years old	649	17.8%
6	16 years old	677	18.6%
7	17 years old	647	17.8%
8	18 years old or older	370	10.2%
Sysmiss		13	

Q2: Sex**Data file: LBN2017 (Public)****Overview**

Valid: 3643 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1271	34.9%
2	Female	2372	65.1%
Sysmiss		8	

Q3: In what grade are you**Data file: LBN2017 (Public)****Overview**

Valid: 3626 Invalid: 25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	730	20.1%
2	Grade 8	645	17.8%
3	Grade 9	440	12.1%
4	Grade 10	737	20.3%
5	Grade11	441	12.2%
6	Grade 12	633	17.5%
Sysmiss		25	

Q4: How tall are you**Data file: LBN2017 (Public)****Overview**

Valid: 3335 Invalid: 316 Minimum: 1.2 Maximum: 2 Mean: 1.621 Standard deviation: 0.0985
 Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: LBN2017 (Public)****Overview**

Valid: 3335 Invalid: 316 Minimum: 23 Maximum: 161 Mean: 57.463 Standard deviation: 13.54
 Type: Continuous Decimal: 2 Width: 5 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: LBN2017 (Public)

Overview

Valid: 3633 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2624	72.2%
2	Rarely	589	16.2%
3	Sometimes	330	9.1%
4	Most of the time	57	1.6%
5	Always	33	0.9%
Sysmiss		18	

Q7: No fruit eating

Data file: LBN2017 (Public)

Overview

Valid: 3614 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	120	3.3%
2	Less than one time per day	820	22.7%
3	1 time per day	977	27%
4	2 times per day	861	23.8%
5	3 times per day	468	12.9%
6	4 times per day	147	4.1%
7	5 or more times per day	221	6.1%
Sysmiss		37	

Q8: No vegetable eating

Data file: LBN2017 (Public)

Overview

Valid: 3624 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	112	3.1%
2	Less than one time per day	864	23.8%
3	1 time per day	1355	37.4%
4	2 times per day	741	20.4%
5	3 times per day	293	8.1%
6	4 times per day	110	3%
7	5 or more times per day	149	4.1%
Sysmiss		27	

Q9: Soft drinks

Data file: LBN2017 (Public)

Overview

Valid: 3638 Invalid: 13
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	588	16.2%
2	Less than one time per day	1252	34.4%
3	1 time per day	841	23.1%
4	2 times per day	481	13.2%
5	3 times per day	200	5.5%
6	4 times per day	89	2.4%
7	5 or more times per day	187	5.1%
Sysmiss		13	

Q10: Fast food eating

Data file: LBN2017 (Public)

Overview

Valid: 3632 Invalid: 19
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	920	25.3%
2	1 day	1078	29.7%
3	2 days	756	20.8%
4	3 days	398	11%

5	4 days	191	5.3%
6	5 days	123	3.4%
7	6 days	43	1.2%
8	7 days	123	3.4%
Sysmiss		19	

Q11: Tooth brushing

Data file: LBN2017 (Public)

Overview

Valid: 3636 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	155	4.3%
2	Less than 1 time per day	238	6.5%
3	1 time per day	1028	28.3%
4	2 times per day	1269	34.9%
5	3 times per day	731	20.1%
6	4 or more times per day	215	5.9%
Sysmiss		15	

Q12: Hand washing before eating

Data file: LBN2017 (Public)

Overview

Valid: 3598 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	54	1.5%
2	Rarely	130	3.6%
3	Sometimes	398	11.1%
4	Most of the time	633	17.6%
5	Always	2383	66.2%
Sysmiss		53	

Q13: Hand washing after toilet

Data file: LBN2017 (Public)

Overview

Valid: 3591 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	32	0.9%
2	Rarely	28	0.8%
3	Sometimes	71	2%
4	Most of the time	196	5.5%
5	Always	3264	90.9%
Sysmiss		60	

Q14: Hand washing with soap

Data file: LBN2017 (Public)

Overview

Valid: 3634 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	52	1.4%
2	Rarely	46	1.3%
3	Sometimes	117	3.2%
4	Most of the time	612	16.8%
5	Always	2807	77.2%
Sysmiss		17	

Q15: Physically attacked

Data file: LBN2017 (Public)

Overview

Valid: 3640 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2942	80.8%
2	1 time	328	9%
3	2 or 3 times	188	5.2%
4	4 or 5 times	55	1.5%
5	6 or 7 times	33	0.9%
6	8 or 9 times	17	0.5%
7	10 or 11 times	11	0.3%
8	12 or more times	66	1.8%
Sysmiss		11	

Q16: Physical fighting**Data file: LBN2017 (Public)****Overview**

Valid: 3609 Invalid: 42
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2480	68.7%
2	1 time	488	13.5%
3	2 or 3 times	343	9.5%
4	4 or 5 times	84	2.3%
5	6 or 7 times	107	3%
6	8 or 9 times	16	0.4%
7	10 or 11 times	8	0.2%
8	12 or more times	83	2.3%
Sysmiss		42	

Q17: Seriously injured**Data file: LBN2017 (Public)****Overview**

Valid: 3286 Invalid: 365
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2220	67.6%
2	1 time	681	20.7%
3	2 or 3 times	260	7.9%
4	4 or 5 times	59	1.8%
5	6 or 7 times	29	0.9%
6	8 or 9 times	9	0.3%
7	10 or 11 times	4	0.1%
8	12 or more times	24	0.7%
Sysmiss		365	

Q18: Serious injury type

Data file: LBN2017 (Public)

Overview

Valid: 3335 Invalid: 316

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2518	75.5%
2	Broken bone/dislocated joint	208	6.2%
3	I had a cut or stab wound	95	2.8%
4	Concussion/head injury	102	3.1%
5	I had a gunshot wound	14	0.4%
6	I had a bad burn	29	0.9%
7	I was poisoned	13	0.4%
8	Something else happened to me	356	10.7%
Sysmiss		316	

Q19: Serious injury cause

Data file: LBN2017 (Public)

Overview

Valid: 3335 Invalid: 316
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2526	75.7%
2	Motor vehicle accident	74	2.2%
3	I fell	253	7.6%
4	Something fell on me or hit me	63	1.9%
5	I was attacked	43	1.3%
6	Was in a fire	20	0.6%
7	breathed something bad	16	0.5%
8	Something else	340	10.2%
Sysmiss		316	

Q20: Bullied

Data file: LBN2017 (Public)

Overview

Valid: 3490 Invalid: 161
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	3026	86.7%

2	1 or 2 days	289	8.3%
3	3 to 5 days	84	2.4%
4	6 to 9 days	38	1.1%
5	10 to 19 days	17	0.5%
6	20 to 29 days	9	0.3%
7	All 30 days	27	0.8%
Sysmiss		161	

Q21: Bullied how

Data file: LBN2017 (Public)

Overview

Valid: 3469 Invalid: 182

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	3085	88.9%
2	Kicked, pushed, or shoved	77	2.2%
3	Made fun of race	42	1.2%
4	Made fun because of religion	31	0.9%
5	Made fun of about sex	48	1.4%
6	Left out of activities	10	0.3%
7	Made fun of about body	36	1%
8	Some other way	140	4%
Sysmiss		182	

Q22: Felt lonely

Data file: LBN2017 (Public)

Overview

Valid: 3578 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1562	43.7%
2	Rarely	755	21.1%
3	Sometimes	730	20.4%
4	Most of the time	345	9.6%
5	Always	186	5.2%
Sysmiss		73	

Q23: Could not sleep**Data file: LBN2017 (Public)****Overview**

Valid: 3627 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1124	31%
2	Rarely	996	27.5%
3	Sometimes	912	25.1%
4	Most of the time	410	11.3%
5	Always	185	5.1%
Sysmiss		24	

Q24: Considered suicide**Data file: LBN2017 (Public)****Overview**

Valid: 3557 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	516	14.5%
2	No	3041	85.5%
Sysmiss		94	

Q25: Made a suicide plan**Data file: LBN2017 (Public)****Overview**

Valid: 3569 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	354	9.9%
2	No	3215	90.1%
Sysmiss		82	

Q26: Attempted suicide**Data file: LBN2017 (Public)**

Overview

Valid: 3623 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3236	89.3%
2	1 time	252	7%
3	2 or 3 times	70	1.9%
4	4 or 5 times	35	1%
5	6 or more times	30	0.8%
Sysmiss		28	

Q27: Close friends

Data file: LBN2017 (Public)

Overview

Valid: 3594 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	207	5.8%
2	1	496	13.8%
3	2	640	17.8%
4	3 or more	2251	62.6%
Sysmiss		57	

Q28: Initiation of cigarette use**Data file: LBN2017 (Public)****Overview**

Valid: 3491 Invalid: 160

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2668	76.4%
2	7 years old or younger	118	3.4%
3	8 or 9 years old	89	2.5%
4	10 or 11 years old	129	3.7%
5	12 or 13 years old	165	4.7%
6	14 or 15 years old	199	5.7%
7	16 or 17 years old	102	2.9%
8	18 years old or older	21	0.6%
Sysmiss		160	

Q29: Current cigarette use**Data file: LBN2017 (Public)****Overview**

Valid: 3565 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3126	87.7%
2	1 or 2 days	183	5.1%

3	3 to 5 days	61	1.7%
4	6 to 9 days	36	1%
5	10 to 19 days	35	1%
6	20 to 29 days	27	0.8%
7	All 30 days	97	2.7%
Sysmiss		86	

Q30: Other tobacco use

Data file: LBN2017 (Public)

Overview

Valid: 3607 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2347	65.1%
2	1 or 2 days	584	16.2%
3	3 to 5 days	179	5%
4	6 to 9 days	119	3.3%
5	10 to 19 days	112	3.1%
6	20 to 29 days	82	2.3%
7	All 30 days	184	5.1%
Sysmiss		44	

Q31: Smoking cessation

Data file: LBN2017 (Public)

Overview

Valid: 3485 Invalid: 166

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2973	85.3%
2	Did not smoke cigarettes	128	3.7%
3	Yes	244	7%
4	No	140	4%
Sysmiss		166	

Q32: Smoking in their presence

Data file: LBN2017 (Public)

Overview

Valid: 3592 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	935	26%
2	1 or 2 days	661	18.4%
3	3 or 4 days	389	10.8%
4	5 or 6 days	209	5.8%
5	All 7 days	1398	38.9%
Sysmiss		59	

Q33: Parental tobacco use

Data file: LBN2017 (Public)

Overview

Valid: 3570 Invalid: 81
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1442	40.4%
2	My father or male guardian	911	25.5%
3	My mother or female guardian	321	9%
4	Both	800	22.4%
5	I do not know	96	2.7%
Sysmiss		81	

Q34: Initiation of alcohol use

Data file: LBN2017 (Public)

Overview

Valid: 3273 Invalid: 378
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2724	83.2%
2	7 years old or younger	95	2.9%
3	8 or 9 years old	64	2%
4	10 or 11 years old	86	2.6%
5	12 or 13 years old	132	4%
6	14 or 15 years old	111	3.4%

7	16 or 17 years old	51	1.6%
8	18 years old or older	10	0.3%
Sysmiss		378	

Q35: Current alcohol use

Data file: LBN2017 (Public)

Overview

Valid: 3526 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	3125	88.6%
2	1 or 2 days	193	5.5%
3	3 to 5 days	78	2.2%
4	6 to 9 days	51	1.4%
5	10 to 19 days	40	1.1%
6	20 to 29 days	15	0.4%
7	All 30 days	24	0.7%
Sysmiss		125	

Q36: Drank 2+ drinks

Data file: LBN2017 (Public)

Overview

Valid: 3560 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3145	88.3%
2	Less than one drink	109	3.1%
3	1 drink	100	2.8%
4	2 drinks	74	2.1%
5	3 drinks	38	1.1%
6	4 drinks	38	1.1%
7	5 or more drinks	56	1.6%
Sysmiss		91	

Q37: Source of alcohol

Data file: LBN2017 (Public)

Overview

Valid: 3537 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3121	88.2%
2	I bought in a store	139	3.9%
3	I gave someone money to buy	24	0.7%
4	I got it from my friends	46	1.3%
5	I got it from my family	167	4.7%
6	I stole it	9	0.3%
7	Some other way	31	0.9%
Sysmiss		114	

Q38: Really drunk**Data file: LBN2017 (Public)****Overview**

Valid: 3555 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	3250	91.4%
2	1 or 2 times	230	6.5%
3	3 to 9 times	44	1.2%
4	10 or more times	31	0.9%
Sysmiss		96	

Q39: Trouble from drinking**Data file: LBN2017 (Public)****Overview**

Valid: 3268 Invalid: 383

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2939	89.9%

2	1 or 2 times	275	8.4%
3	3 to 9 times	37	1.1%
4	10 or more times	17	0.5%
Sysmiss		383	

Q40: Initiation of drug use

Data file: LBN2017 (Public)

Overview

Valid: 3357 Invalid: 294

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3221	95.9%
2	7 years old or younger	48	1.4%
3	8 or 9 years old	27	0.8%
4	10 or 11 years old	19	0.6%
5	12 or 13 years old	13	0.4%
6	14 or 15 years old	12	0.4%
7	16 or 17 years old	16	0.5%
8	18 years old or older	1	0%
Sysmiss		294	

Q41: Ever marijuana use

Data file: LBN2017 (Public)

Overview

Valid: 3513 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3412	97.1%
2	1 or 2 times	28	0.8%
3	3 to 9 times	36	1%
4	10 to 19 times	13	0.4%
5	20 or more times	24	0.7%
Sysmiss		138	

Q42: Current marijuana use

Data file: LBN2017 (Public)

Overview

Valid: 3512 Invalid: 139

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3435	97.8%
2	1 or 2 times	24	0.7%
3	3 to 9 times	19	0.5%
4	10 to 19 times	14	0.4%
5	20 or more times	20	0.6%
Sysmiss		139	

Q43: Amphetamine or methamphetamine use

Data file: LBN2017 (Public)

Overview

Valid: 3375 Invalid: 276
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3305	97.9%
2	1 or 2 times	17	0.5%
3	3 to 9 times	24	0.7%
4	10 to 19 times	11	0.3%
5	20 or more times	18	0.5%
Sysmiss		276	

Q44: Ever sexual intercourse

Data file: LBN2017 (Public)

Overview

Valid: 0 Invalid: 3651
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: LBN2017 (Public)****Overview**

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: LBN2017 (Public)****Overview**

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: LBN2017 (Public)

Overview

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: LBN2017 (Public)

Overview

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: LBN2017 (Public)****Overview**

Valid: 3509 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1217	34.7%
2	1 day	794	22.6%
3	2 days	458	13.1%
4	3 days	307	8.7%
5	4 days	168	4.8%
6	5 days	119	3.4%
7	6 days	41	1.2%
8	7 days	405	11.5%
Sysmiss		142	

Q50: Walk or bike to school**Data file: LBN2017 (Public)****Overview**

Valid: 3469 Invalid: 182

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2112	60.9%
2	1 day	360	10.4%
3	2 days	246	7.1%
4	3 days	131	3.8%
5	4 days	65	1.9%
6	5 days	164	4.7%
7	6 days	30	0.9%
8	7 days	361	10.4%
Sysmiss		182	

Q51: PE attendance

Data file: LBN2017 (Public)

Overview

Valid: 3432 Invalid: 219

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1759	51.3%
2	1 day	741	21.6%
3	2 days	301	8.8%

4	3 days	105	3.1%
5	4 days	75	2.2%
6	5 or more days	451	13.1%
Sysmiss		219	

Q52: Sitting activities

Data file: LBN2017 (Public)

Overview

Valid: 3468 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	770	22.2%
2	1 to 2 hours per day	1202	34.7%
3	3 to 4 hours per day	770	22.2%
4	5 to 6 hours per day	326	9.4%
5	7 to 8 hours per day	149	4.3%
6	More than 8 hours per day	251	7.2%
Sysmiss		183	

Q53: Miss school no permission

Data file: LBN2017 (Public)

Overview

Valid: 3474 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2858	82.3%
2	1 or 2 days	422	12.1%
3	3 to 5 days	135	3.9%
4	6 to 9 days	27	0.8%
5	10 or more days	32	0.9%
Sysmiss		177	

Q54: Other students kind and helpful

Data file: LBN2017 (Public)

Overview

Valid: 3440 Invalid: 211

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	292	8.5%
2	Rarely	412	12%
3	Sometimes	479	13.9%
4	Most of the time	883	25.7%
5	Always	1374	39.9%
Sysmiss		211	

Q55: Parents check homework

Data file: LBN2017 (Public)

Overview

Valid: 3397 Invalid: 254

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	921	27.1%
2	Rarely	513	15.1%
3	Sometimes	460	13.5%
4	Most of the time	554	16.3%
5	Always	949	27.9%
Sysmiss		254	

Q56: Parents understand problems

Data file: LBN2017 (Public)

Overview

Valid: 3442 Invalid: 209

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	751	21.8%
2	Rarely	539	15.7%
3	Sometimes	609	17.7%
4	Most of the time	566	16.4%
5	Always	977	28.4%
Sysmiss		209	

Q57: Parents know about free time

Data file: LBN2017 (Public)

Overview

Valid: 3398 Invalid: 253
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	862	25.4%
2	Rarely	511	15%
3	Sometimes	438	12.9%
4	Most of the time	525	15.5%
5	Always	1062	31.3%
Sysmiss		253	

Q58: Parents go through their things

Data file: LBN2017 (Public)

Overview

Valid: 3369 Invalid: 282 Mean: 1.56 Standard deviation: 0.995
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		2295	68.1%
2		599	17.8%
3		242	7.2%
4		129	3.8%
5		104	3.1%
Sysmiss		282	

QN6: Most of the time or always went hungry**Data file: LBN2017 (Public)****Overview**

Valid: 3633 Invalid: 18 Mean: 1.975 Standard deviation: 0.155
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		90	2.5%
2		3543	97.5%
Sysmiss		18	

QN7: Did not eat fruit**Data file: LBN2017 (Public)****Overview**

Valid: 3614 Invalid: 37 Mean: 1.967 Standard deviation: 0.179
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		120	3.3%
2		3494	96.7%
Sysmiss		37	

QN8: Did not eat vegetables**Data file: LBN2017 (Public)****Overview**

Valid: 3624 Invalid: 27 Mean: 1.969 Standard deviation: 0.173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		112	3.1%
2		3512	96.9%
Sysmiss		27	

QN9: Did not drink carbonated soft drinks

Data file: LBN2017 (Public)

OverviewValid: 3638 Invalid: 13 Mean: 1.838 Standard deviation: 0.368
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		588	16.2%
2		3050	83.8%
Sysmiss		13	

QN10: Did not eat food from a fast food restaurant

Data file: LBN2017 (Public)

OverviewValid: 3632 Invalid: 19 Mean: 1.747 Standard deviation: 0.435
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		920	25.3%
2		2712	74.7%
Sysmiss		19	

QN11: Usually cleaned or brushed their teeth

Data file: LBN2017 (Public)

Overview

Valid: 3636 Invalid: 15 Mean: 1.108 Standard deviation: 0.311
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3243	89.2%
2		393	10.8%
Sysmiss		15	

QN12: Never or rarely washed their hands before eating

Data file: LBN2017 (Public)

Overview

Valid: 3598 Invalid: 53 Mean: 1.949 Standard deviation: 0.22
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		184	5.1%
2		3414	94.9%
Sysmiss		53	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: LBN2017 (Public)****Overview**

Valid: 3591 Invalid: 60 Mean: 1.983 Standard deviation: 0.128
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		60	1.7%
2		3531	98.3%
Sysmiss		60	

QN14: Never or rarely used soap when washing their hands**Data file: LBN2017 (Public)****Overview**

Valid: 3634 Invalid: 17 Mean: 1.973 Standard deviation: 0.162
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		98	2.7%
2		3536	97.3%
Sysmiss		17	

QN15: Were physically attacked**Data file: LBN2017 (Public)****Overview**

Valid: 3640 Invalid: 11 Mean: 1.808 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		698	19.2%
2		2942	80.8%
Sysmiss		11	

QN16: Were in a physical fight

Data file: LBN2017 (Public)

Overview

Valid: 3609 Invalid: 42 Mean: 1.687 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1129	31.3%
2		2480	68.7%
Sysmiss		42	

QN17: Were seriously injured

Data file: LBN2017 (Public)

Overview

Valid: 3286 Invalid: 365 Mean: 1.676 Standard deviation: 0.468
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1066	32.4%
2		2220	67.6%
Sysmiss		365	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: LBN2017 (Public)

Overview

Valid: 817 Invalid: 2834 Mean: 1.745 Standard deviation: 0.436
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		208	25.5%
2		609	74.5%
Sysmiss		2834	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: LBN2017 (Public)

Overview

Valid: 809 Invalid: 2842 Mean: 1.909 Standard deviation: 0.288
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		74	9.1%
2		735	90.9%
Sysmiss		2842	

QN20: Were bullied**Data file: LBN2017 (Public)****Overview**

Valid: 3490 Invalid: 161 Mean: 1.867 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		464	13.3%
2		3026	86.7%
Sysmiss		161	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: LBN2017 (Public)****Overview**

Valid: 384 Invalid: 3267 Mean: 1.799 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		77	20.1%
2		307	79.9%
Sysmiss		3267	

QN22: Most of the time or always felt lonely**Data file: LBN2017 (Public)****Overview**

Valid: 3578 Invalid: 73 Mean: 1.852 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		531	14.8%
2		3047	85.2%
Sysmiss		73	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: LBN2017 (Public)

Overview

Valid: 3627 Invalid: 24 Mean: 1.836 Standard deviation: 0.37
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		595	16.4%
2		3032	83.6%
Sysmiss		24	

QN24: Seriously considered attempting suicide

Data file: LBN2017 (Public)

Overview

Valid: 3557 Invalid: 94 Mean: 1.855 Standard deviation: 0.352
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		516	14.5%
2		3041	85.5%
Sysmiss		94	

QN25: Made a plan about how they would attempt suicide

Data file: LBN2017 (Public)

Overview

Valid: 3569 Invalid: 82 Mean: 1.901 Standard deviation: 0.299
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		354	9.9%
2		3215	90.1%
Sysmiss		82	

QN26: Attempted suicide

Data file: LBN2017 (Public)

Overview

Valid: 3623 Invalid: 28 Mean: 1.893 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		387	10.7%
2		3236	89.3%
Sysmiss		28	

QN27: Did not have any close friends**Data file: LBN2017 (Public)****Overview**

Valid: 3594 Invalid: 57 Mean: 1.942 Standard deviation: 0.233
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		207	5.8%
2		3387	94.2%
Sysmiss		57	

QN28: Tried a cigarette before age 14 years**Data file: LBN2017 (Public)****Overview**

Valid: 823 Invalid: 2828 Mean: 1.391 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		501	60.9%
2		322	39.1%
Sysmiss		2828	

QN29: Currently smoked cigarettes**Data file: LBN2017 (Public)****Overview**

Valid: 3565 Invalid: 86 Mean: 1.877 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		439	12.3%
2		3126	87.7%
Sysmiss		86	

QN30: Currently used any tobacco products other than cigarettes

Data file: LBN2017 (Public)

Overview

Valid: 3607 Invalid: 44 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1260	34.9%
2		2347	65.1%
Sysmiss		44	

QN31: Tried to quit smoking cigarettes

Data file: LBN2017 (Public)

Overview

Valid: 384 Invalid: 3267 Mean: 1.365 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		244	63.5%
2		140	36.5%
Sysmiss		3267	

QN32: Reported that people smoked in their presence

Data file: LBN2017 (Public)

Overview

Valid: 3592 Invalid: 59 Mean: 1.26 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2657	74%
2		935	26%
Sysmiss		59	

QN33: Had parents or guardians who used any form of tobacco

Data file: LBN2017 (Public)

Overview

Valid: 3570 Invalid: 81 Mean: 1.431 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		2032	56.9%
2		1538	43.1%
Sysmiss		81	

QN34: Drank alcohol before age 14 years**Data file: LBN2017 (Public)****Overview**

Valid: 549 Invalid: 3102 Mean: 1.313 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		377	68.7%
2		172	31.3%
Sysmiss		3102	

QN35: Currently drank alcohol**Data file: LBN2017 (Public)****Overview**

Valid: 3526 Invalid: 125 Mean: 1.886 Standard deviation: 0.318
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		401	11.4%
2		3125	88.6%
Sysmiss		125	

QN36: Usually drank two or more drinks per day**Data file: LBN2017 (Public)****Overview**

Valid: 415 Invalid: 3236 Mean: 1.504 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		206	49.6%
2		209	50.4%
Sysmiss		3236	

QN37: Usually obtained the alcohol they drank from friends

Data file: LBN2017 (Public)

Overview

Valid: 416 Invalid: 3235 Mean: 1.889 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		46	11.1%
2		370	88.9%
Sysmiss		3235	

QN38: Ever drank so much alcohol that they were really drunk

Data file: LBN2017 (Public)

Overview

Valid: 3555 Invalid: 96 Mean: 1.914 Standard deviation: 0.28
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		305	8.6%
2		3250	91.4%
Sysmiss		96	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: LBN2017 (Public)

Overview

Valid: 3268 Invalid: 383 Mean: 1.899 Standard deviation: 0.301
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		329	10.1%
2		2939	89.9%
Sysmiss		383	

QN40: Used drugs before age 14 years

Data file: LBN2017 (Public)

Overview

Valid: 136 Invalid: 3515 Mean: 1.213 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		107	78.7%
2		29	21.3%
Sysmiss		3515	

QN41: Ever used marijuana**Data file: LBN2017 (Public)****Overview**

Valid: 3513 Invalid: 138 Mean: 1.971 Standard deviation: 0.167
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		101	2.9%
2		3412	97.1%
Sysmiss		138	

QN42: Currently used marijuana**Data file: LBN2017 (Public)****Overview**

Valid: 3512 Invalid: 139 Mean: 1.978 Standard deviation: 0.146
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		77	2.2%
2		3435	97.8%
Sysmiss		139	

QN43: Ever used amphetamines or methamphetamines**Data file: LBN2017 (Public)****Overview**

Valid: 3375 Invalid: 276 Mean: 1.979 Standard deviation: 0.143
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		70	2.1%
2		3305	97.9%
Sysmiss		276	

QN44: Ever had sexual intercourse

Data file: LBN2017 (Public)

Overview

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: LBN2017 (Public)

Overview

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons**Data file: LBN2017 (Public)****Overview**

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: LBN2017 (Public)****Overview**

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: LBN2017 (Public)****Overview**

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active

Data file: LBN2017 (Public)

Overview

Valid: 3509 Invalid: 142 Mean: 1.653 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1217	34.7%
2		2292	65.3%
Sysmiss		142	

QN50: Did not walk or ride a bicycle to or from school

Data file: LBN2017 (Public)

Overview

Valid: 3469 Invalid: 182 Mean: 1.391 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2112	60.9%
2		1357	39.1%
Sysmiss		182	

QN51: Did not attend physical education classes**Data file: LBN2017 (Public)****Overview**

Valid: 3432 Invalid: 219 Mean: 1.487 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1759	51.3%
2		1673	48.7%
Sysmiss		219	

QN52: Spent three or more hours per day doing sitting activities**Data file: LBN2017 (Public)****Overview**

Valid: 3468 Invalid: 183 Mean: 1.569 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1496	43.1%
2		1972	56.9%
Sysmiss		183	

QN53: Missed classes or school without permission**Data file: LBN2017 (Public)****Overview**

Valid: 3474 Invalid: 177 Mean: 1.823 Standard deviation: 0.382

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		616	17.7%
2		2858	82.3%
Sysmiss		177	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: LBN2017 (Public)

Overview

Valid: 3440 Invalid: 211 Mean: 1.344 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2257	65.6%
2		1183	34.4%
Sysmiss		211	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: LBN2017 (Public)

Overview

Valid: 3397 Invalid: 254 Mean: 1.558 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1503	44.2%
2		1894	55.8%
Sysmiss		254	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: LBN2017 (Public)

Overview

Valid: 3442 Invalid: 209 Mean: 1.552 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1543	44.8%
2		1899	55.2%
Sysmiss		209	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: LBN2017 (Public)

Overview

Valid: 3398 Invalid: 253 Mean: 1.533 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1587	46.7%
2		1811	53.3%
Sysmiss		253	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: LBN2017 (Public)

Overview

Valid: 3369 Invalid: 282 Mean: 1.141 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2894	85.9%
2		475	14.1%
Sysmiss		282	

QNUNWTG: Were underweight

Data file: LBN2017 (Public)

Overview

Valid: 3335 Invalid: 316 Mean: 1.964 Standard deviation: 0.187
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		121	3.6%
2		3214	96.4%
Sysmiss		316	

QNOWTG: Were overweight**Data file: LBN2017 (Public)****Overview**

Valid: 3335 Invalid: 316 Mean: 1.725 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		918	27.5%
2		2417	72.5%
Sysmiss		316	

QNOBESEG: Were obese**Data file: LBN2017 (Public)****Overview**

Valid: 3335 Invalid: 316 Mean: 1.924 Standard deviation: 0.265
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		254	7.6%
2		3081	92.4%
Sysmiss		316	

QNFRLG: Usually ate fruit less than one time per day**Data file: LBN2017 (Public)****Overview**

Valid: 3614 Invalid: 37 Mean: 1.773 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		820	22.7%
2		2794	77.3%
Sysmiss		37	

QNFR1G: Usually ate fruit one or more times per day

Data file: LBN2017 (Public)

Overview

Valid: 3614 Invalid: 37 Mean: 1.26 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2674	74%
2		940	26%
Sysmiss		37	

QNFR2G: Usually ate fruit two or more times per day

Data file: LBN2017 (Public)

Overview

Valid: 3614 Invalid: 37 Mean: 1.53 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1697	47%
2		1917	53%
Sysmiss		37	

QNFR3G: Usually ate fruit three or more times per day

Data file: LBN2017 (Public)

Overview

Valid: 3614 Invalid: 37 Mean: 1.769 Standard deviation: 0.422
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		836	23.1%
2		2778	76.9%
Sysmiss		37	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: LBN2017 (Public)

Overview

Valid: 3624 Invalid: 27 Mean: 1.762 Standard deviation: 0.426
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		864	23.8%
2		2760	76.2%
Sysmiss		27	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: LBN2017 (Public)****Overview**

Valid: 3624 Invalid: 27 Mean: 1.269 Standard deviation: 0.444
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2648	73.1%
2		976	26.9%
Sysmiss		27	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: LBN2017 (Public)****Overview**

Valid: 3624 Invalid: 27 Mean: 1.643 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1293	35.7%
2		2331	64.3%
Sysmiss		27	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: LBN2017 (Public)****Overview**

Valid: 3624 Invalid: 27 Mean: 1.848 Standard deviation: 0.359
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		552	15.2%
2		3072	84.8%
Sysmiss		27	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: LBN2017 (Public)

Overview

Valid: 3638 Invalid: 13 Mean: 1.656 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1252	34.4%
2		2386	65.6%
Sysmiss		13	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: LBN2017 (Public)

Overview

Valid: 3638 Invalid: 13 Mean: 1.506 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1798	49.4%
2		1840	50.6%
Sysmiss		13	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: LBN2017 (Public)

Overview

Valid: 3638 Invalid: 13 Mean: 1.737 Standard deviation: 0.44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		957	26.3%
2		2681	73.7%
Sysmiss		13	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: LBN2017 (Public)

Overview

Valid: 3638 Invalid: 13 Mean: 1.869 Standard deviation: 0.337
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		476	13.1%
2		3162	86.9%
Sysmiss		13	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: LBN2017 (Public)****Overview**

Valid: 3632 Invalid: 19 Mean: 1.253 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2712	74.7%
2		920	25.3%
Sysmiss		19	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: LBN2017 (Public)****Overview**

Valid: 3632 Invalid: 19 Mean: 1.55 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1634	45%
2		1998	55%
Sysmiss		19	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: LBN2017 (Public)****Overview**

Valid: 3632 Invalid: 19 Mean: 1.758 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		878	24.2%
2		2754	75.8%
Sysmiss		19	

QNC2G: Were bullied and could not sleep at night

Data file: LBN2017 (Public)

Overview

Valid: 561 Invalid: 3090 Mean: 1.783 Standard deviation: 0.413
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		122	21.7%
2		439	78.3%
Sysmiss		3090	

QNTOB2G: Currently used any tobacco product

Data file: LBN2017 (Public)

Overview

Valid: 3585 Invalid: 66 Mean: 1.626 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1339	37.4%
2		2246	62.6%
Sysmiss		66	

QNNOTB2G: Did not currently use any tobacco products

Data file: LBN2017 (Public)

Overview

Valid: 3540 Invalid: 111 Mean: 1.366 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2246	63.4%
2		1294	36.6%
Sysmiss		111	

QNBCANYG: Used a method of birth control

Data file: LBN2017 (Public)

Overview

Valid: 0 Invalid: 3651
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk**Data file: LBN2017 (Public)****Overview**

Valid: 0 Invalid: 3651

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days**Data file: LBN2017 (Public)****Overview**

Valid: 3509 Invalid: 142 Mean: 1.839 Standard deviation: 0.368

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		565	16.1%
2		2944	83.9%
Sysmiss		142	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days**Data file: LBN2017 (Public)****Overview**

Valid: 3509 Invalid: 142 Mean: 1.885 Standard deviation: 0.32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		405	11.5%
2		3104	88.5%
Sysmiss		142	

QNPE3G: Attended physical education classes on three or more days

Data file: LBN2017 (Public)

Overview

Valid: 3432 Invalid: 219 Mean: 1.816 Standard deviation: 0.387
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		631	18.4%
2		2801	81.6%
Sysmiss		219	

QNPE5G: Attended physical education classes on five or more days

Data file: LBN2017 (Public)

Overview

Valid: 3432 Invalid: 219 Mean: 1.869 Standard deviation: 0.338
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		451	13.1%
2		2981	86.9%
Sysmiss		219	

WEIGHT:**Data file: LBN2017 (Public)****Overview**

Valid: 3651 Invalid: 0 Mean: 32.152 Standard deviation: 7.957
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file: LBN2017 (Public)****Overview**

Valid: 3651 Invalid: 0 Mean: 201701007.323 Standard deviation: 33.766
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201701001		229	6.3%
201701002		248	6.8%
201701003		305	8.4%
201701004		249	6.8%
201701005		363	9.9%
201701006		322	8.8%
201701007		264	7.2%
201701008		296	8.1%
201701009		268	7.3%
201701010		227	6.2%
201701011		175	4.8%
201701012		261	7.1%
201701013		124	3.4%
201701014		108	3%
201701015		117	3.2%
201701016		95	2.6%

PSU:

Data file: LBN2017 (Public)

Overview

Valid: 3651 Invalid: 0 Mean: 14.14 Standard deviation: 8.15
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2017_Lebanon_GSHS_Questionnaire.pdf

Questionnaire (Arabic)

title Questionnaire (Arabic)
filename 2017_Lebanon_GSHS_Questionnaire_AR.pdf

reports

Fact Sheet (National)

title Fact Sheet (National)
filename Lebanon_2017_GSHS_FS.pdf

Fact Sheet (Private)

title Fact Sheet (Private)
filename Lebanon_Private_2017_GSHS_FS.pdf

Fact Sheet (Public)

title Fact Sheet (Public)
filename Lebanon_Public_2017_GSHS_FS.pdf

technical_documents

Codebook (National)

title Codebook (National)
filename 2017LBH_Public_Use_Codebook.pdf

Codebook (Private)

title Codebook (Private)
filename 2017LBAH_Public_Use_Codebook.pdf

Codebook (Public)

title Codebook (Public)

filename 2017LBBH_Public_Use_Codebook.pdf
