Global School-Based Student Health Survey 2017

Ministry of Education

report_generated_on: February 14, 2024

visit_data_catalog_at: http://catalog.ihsn.org/

Identification

SURVEY ID NUMBER
LBR_2017_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2017

COUNTRY

Name	Country code
Liberia	LBR

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Liberia.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
hygiene
mental health
physical activity
protective factors
sexual behaviours
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
bullying

Coverage

GEOGRAPHIC COVERAGE
National

UNIVERSE
School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Education

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE
A two-stage cluster sample design was used to produce data representative of all students in grades 7-12 in Liberia. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were

randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE
The school response rate was 98%, the student response rate was 73%, and the overall response rate was 71%.

WEIGHTING
The weighting formula used is:
$W = W1 * W2 * f1 * f2 * f3$.
The list below shows what each variable in the formula represents.
W1 - The inverse of the probability of selecting each school
W2 - The inverse of the probability of selecting each classroom
f1 - A school-level non response adjustment factor
f2 - A student-level non response adjustment factor calculated by classroom
f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2017	2017

DATA COLLECTION MODE
self-administered

questionnaires

QUESTIONNAIRES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
hygiene
mental health
physical activity
protective factors
sexual behaviours
tobacco use
violence and unintentional injury

data_processing

DATA EDITING
All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS
The user undertakes:
(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.
(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS
Publications based on GSHS data should use the following acknowledgement:
"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER
The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID
DDI_LBR_2017_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION
2020-02-12

DDI DOCUMENT VERSION
Identical to a metadata (LBR_2017_GSHS_v01) published on WHO NCD microdata repository (http://extranet.who.int/ncdsmicrodata/index.php/catalog). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
LBR2017	2744	141

Data file	Cases	variables
LBR2017	2744	141

Data file: LBR2017

Cases:	2744
variables:	141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alchohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphethamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphethamines or methamphetamines	Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age

Data file: LBR2017

Overview

Valid: 2661   Invalid: 83
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

LITERAL QUESTION
How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	63	2.4%
2	12 years old	52	2%
3	13 years old	100	3.8%
4	14 years old	177	6.7%
5	15 years old	212	8%
6	16 years old	301	11.3%
7	17 years old	419	15.7%
8	18 years old or older	1337	50.2%
Sysmiss		83	

Q10: Fast food eating

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1571	59.1%
2	1 day	479	18%
3	2 days	215	8.1%

4	3 days	120	4.5%
5	4 days	64	2.4%
6	5 days	47	1.8%
7	6 days	38	1.4%
8	7 days	123	4.6%
Sysmiss		87	

Q2: Sex

Data file: LBR2017

Overview

Valid: 2635   Invalid: 109
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1382	52.4%
2	Female	1253	47.6%
Sysmiss		109	

Q3: In what grade are you

Data file: LBR2017

Overview

Valid: 2700   Invalid: 44
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

LITERAL QUESTION
In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	621	23%
2	Grade 8	376	13.9%
3	Grade 9	526	19.5%

4	Grade 10	491	18.2%
5	Grade 11	507	18.8%
6	Grade 12	179	6.6%
Sysmiss		44	

Q4: How tall are you

Data file: LBR2017

Overview

Valid: 29   Invalid: 2715   Minimum: 1.42   Maximum: 1.85   Mean: 1.583   Standard deviation: 0.115
Type: Continuous   Decimal: 2   Width: 4   Range: 1.27 - 1.87   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: LBR2017

Overview

Valid: 29   Invalid: 2715   Minimum: 32   Maximum: 159   Mean: 73.034   Standard deviation: 36.327
Type: Continuous   Decimal: 2   Width: 6   Range: 28 - 116   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: LBR2017

Overview

Valid: 2641   Invalid: 103
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION
During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	827	31.3%
2	Rarely	83	3.1%
3	Sometimes	1292	48.9%
4	Most of the time	328	12.4%
5	Always	111	4.2%
Sysmiss		103	

Q7: No fruit eating

Data file: LBR2017

Overview

Valid: 2666   Invalid: 78
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	369	13.8%
2	Less than one time per day	668	25.1%
3	1 time per day	719	27%
4	2 times per day	354	13.3%
5	3 times per day	168	6.3%
6	4 times per day	94	3.5%
7	5 or more times per day	294	11%
Sysmiss		78	

Q8: No vegetable eating

Data file: LBR2017

Overview

Valid: 2622   Invalid: 122
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	261	10%
2	Less than one time per day	559	21.3%
3	1 time per day	791	30.2%
4	2 times per day	291	11.1%
5	3 times per day	191	7.3%
6	4 times per day	103	3.9%
7	5 or more times per day	426	16.2%
Sysmiss		122	

Q9: Soft drinks

Data file: LBR2017

Overview

Valid: 2653   Invalid: 91
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	857	32.3%
2	Less than one time per day	623	23.5%

3	1 time per day	661	24.9%
4	2 times per day	178	6.7%
5	3 times per day	120	4.5%
6	4 times per day	63	2.4%
7	5 or more times per day	151	5.7%
Sysmiss		91	

Q11: Tooth brushing

Data file: LBR2017

Overview

Valid: 2688   Invalid: 56
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	112	4.2%
2	Less than 1 time per day	213	7.9%
3	1 time per day	465	17.3%
4	2 times per day	1258	46.8%
5	3 times per day	388	14.4%
6	4 or more times per day	252	9.4%
Sysmiss		56	

Q12: Hand washing before eating

Data file: LBR2017

Overview

Valid: 2658   Invalid: 86
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	140	5.3%
2	Rarely	89	3.3%
3	Sometimes	647	24.3%
4	Most of the time	631	23.7%
5	Always	1151	43.3%
Sysmiss		86	

Q13: Hand washing after toilet

Data file: LBR2017

Overview

Valid: 2663   Invalid: 81
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	91	3.4%
2	Rarely	85	3.2%
3	Sometimes	390	14.6%
4	Most of the time	601	22.6%
5	Always	1496	56.2%
Sysmiss		81	

Q14: Hand washing with soap

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION
During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	125	4.7%
2	Rarely	105	4%
3	Sometimes	759	28.6%
4	Most of the time	650	24.5%
5	Always	1018	38.3%
Sysmiss		87	

▌Q15: Physically attacked

Data file: LBR2017

Overview

Valid: 2661   Invalid: 83
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1136	42.7%
2	1 time	515	19.4%
3	2 or 3 times	485	18.2%
4	4 or 5 times	171	6.4%
5	6 or 7 times	78	2.9%
6	8 or 9 times	32	1.2%
7	10 or 11 times	43	1.6%
8	12 or more times	201	7.6%
Sysmiss		83	

Q16: Physical fighting

Data file: LBR2017

Overview

Valid: 2672   Invalid: 72
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION
During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1585	59.3%
2	1 time	458	17.1%
3	2 or 3 times	254	9.5%
4	4 or 5 times	99	3.7%
5	6 or 7 times	47	1.8%
6	8 or 9 times	46	1.7%
7	10 or 11 times	35	1.3%
8	12 or more times	148	5.5%
Sysmiss		72	

Q17: Seriously injured

Data file: LBR2017

Overview

Valid: 2291   Invalid: 453
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	655	28.6%
2	1 time	735	32.1%
3	2 or 3 times	504	22%
4	4 or 5 times	137	6%
5	6 or 7 times	64	2.8%
6	8 or 9 times	26	1.1%
7	10 or 11 times	25	1.1%
8	12 or more times	145	6.3%
Sysmiss		453	

Q18: Serious injury type

Data file: LBR2017

Overview

Valid: 2375   Invalid: 369
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION
During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1206	50.8%
2	Broken bone/dislocated joint	191	8%
3	I had a cut or stab wound	321	13.5%
4	Concussion/head injury	118	5%
5	I had a gunshot wound	33	1.4%
6	I had a bad burn	65	2.7%
7	I was poisoned	30	1.3%
8	Something else happened to me	411	17.3%
Sysmiss		369	

Q19: Serious injury cause

Data file: LBR2017

Overview

Valid: 2373   Invalid: 371
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1208	50.9%
2	Motor vehicle accident	217	9.1%
3	I fell	201	8.5%
4	Something fell on me or hit me	238	10%
5	I was attacked	135	5.7%
6	Was in a fire	54	2.3%
7	breathed something bad	34	1.4%
8	Something else	286	12.1%
Sysmiss		371	

Q20: Bullied

Data file: LBR2017

Overview

Valid: 2353   Invalid: 391
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1176	50%

2	1 or 2 days	649	27.6%
3	3 to 5 days	208	8.8%
4	6 to 9 days	89	3.8%
5	10 to 19 days	49	2.1%
6	20 to 29 days	30	1.3%
7	All 30 days	152	6.5%
Sysmiss		391	

Q21: Bullied how

Data file: LBR2017

Overview

Valid: 2323   Invalid: 421
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION
During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1387	59.7%
2	Kicked, pushed, or shoved	197	8.5%
3	Made fun of race	144	6.2%
4	Made fun because of religion	102	4.4%
5	Made fun of about sex	59	2.5%
6	Left out of activities	63	2.7%
7	Made fun of about body	94	4%
8	Some other way	277	11.9%
Sysmiss		421	

Q22: Felt lonely

Data file: LBR2017

Overview

Valid: 2634   Invalid: 110

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	794	30.1%
2	Rarely	128	4.9%
3	Sometimes	1345	51.1%
4	Most of the time	244	9.3%
5	Always	123	4.7%
Sysmiss		110	

Q23: Could not sleep

Data file: LBR2017

Overview

Valid: 2638   Invalid: 106
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	638	24.2%
2	Rarely	137	5.2%
3	Sometimes	1323	50.2%
4	Most of the time	381	14.4%
5	Always	159	6%
Sysmiss		106	

Q24: Considered suicide

Data file: LBR2017

Overview

Valid: 2548   Invalid: 196
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	682	26.8%
2	No	1866	73.2%
Sysmiss		196	

Q25: Made a suicide plan

Data file: LBR2017

Overview

Valid: 2543   Invalid: 201
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	928	36.5%
2	No	1615	63.5%
Sysmiss		201	

Q26: Attempted suicide

Data file: LBR2017

Overview

Valid: 2552   Invalid: 192
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1691	66.3%
2	1 time	422	16.5%
3	2 or 3 times	221	8.7%
4	4 or 5 times	112	4.4%
5	6 or more times	106	4.2%
Sysmiss		192	

Q27: Close friends

Data file: LBR2017

Overview

Valid: 2627   Invalid: 117
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION
How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	330	12.6%
2	1	678	25.8%
3	2	542	20.6%
4	3 or more	1077	41%
Sysmiss		117	

Q28: Initiation of cigarette use

Data file: LBR2017

Overview

Valid: 2253   Invalid: 491
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1756	77.9%
2	7 years old or younger	143	6.3%
3	8 or 9 years old	71	3.2%
4	10 or 11 years old	52	2.3%
5	12 or 13 years old	44	2%
6	14 or 15 years old	31	1.4%
7	16 or 17 years old	63	2.8%
8	18 years old or older	93	4.1%
Sysmiss		491	

Q29: Current cigarette use

Data file: LBR2017

Overview

Valid: 2549   Invalid: 195
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2297	90.1%
2	1 or 2 days	96	3.8%

3	3 to 5 days	55	2.2%
4	6 to 9 days	28	1.1%
5	10 to 19 days	24	0.9%
6	20 to 29 days	18	0.7%
7	All 30 days	31	1.2%
Sysmiss		195	

Q30: Other tobacco use

Data file: LBR2017

Overview

Valid: 2655   Invalid: 89
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2324	87.5%
2	1 or 2 days	160	6%
3	3 to 5 days	75	2.8%
4	6 to 9 days	35	1.3%
5	10 to 19 days	22	0.8%
6	20 to 29 days	17	0.6%
7	All 30 days	22	0.8%
Sysmiss		89	

Q31: Smoking cessation

Data file: LBR2017

Overview

Valid: 2280   Invalid: 464
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1922	84.3%
2	Did not smoke cigarettes	101	4.4%
3	Yes	132	5.8%
4	No	125	5.5%
Sysmiss		464	

Q32: Smoking in their presence

Data file: LBR2017

Overview

Valid: 2627   Invalid: 117
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	985	37.5%
2	1 or 2 days	626	23.8%
3	3 or 4 days	267	10.2%
4	5 or 6 days	140	5.3%
5	All 7 days	609	23.2%
Sysmiss		117	

Q33: Parental tobacco use

Data file: LBR2017

Overview

Valid: 2579   Invalid: 165
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION
Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1185	45.9%
2	My father or male guardian	179	6.9%
3	My mother or female guardian	95	3.7%
4	Both	84	3.3%
5	I do not know	1036	40.2%
Sysmiss		165	

▌ Q34: Initiation of alcohol use

Data file: LBR2017

Overview

Valid: 2152   Invalid: 592
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1163	54%
2	7 years old or younger	152	7.1%
3	8 or 9 years old	83	3.9%
4	10 or 11 years old	83	3.9%
5	12 or 13 years old	116	5.4%
6	14 or 15 years old	136	6.3%

7	16 or 17 years old	186	8.6%
8	18 years old or older	233	10.8%
Sysmiss		592	

Q35: Current alcohol use

Data file: LBR2017

Overview

Valid: 2484   Invalid: 260
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1866	75.1%
2	1 or 2 days	424	17.1%
3	3 to 5 days	80	3.2%
4	6 to 9 days	38	1.5%
5	10 to 19 days	29	1.2%
6	20 to 29 days	20	0.8%
7	All 30 days	27	1.1%
Sysmiss		260	

Q36: Drank 2+ drinks

Data file: LBR2017

Overview

Valid: 2542   Invalid: 202
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1811	71.2%
2	Less than one drink	320	12.6%
3	1 drink	257	10.1%
4	2 drinks	69	2.7%
5	3 drinks	32	1.3%
6	4 drinks	16	0.6%
7	5 or more drinks	37	1.5%
Sysmiss		202	

Q37: Source of alchohol

Data file: LBR2017

Overview

Valid: 2454   Invalid: 290
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION
During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1815	74%
2	I bought in a store	212	8.6%
3	I gave someone money to buy	72	2.9%
4	I got it from my friends	235	9.6%
5	I got it from my family	40	1.6%
6	I stole it	9	0.4%
7	Some other way	71	2.9%
Sysmiss		290	

Q38: Really drunk

Data file: LBR2017

Overview

Valid: 2462   Invalid: 282
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1967	79.9%
2	1 or 2 times	369	15%
3	3 to 9 times	55	2.2%
4	10 or more times	71	2.9%
Sysmiss		282	

Q39: Trouble from drinking

Data file: LBR2017

Overview

Valid: 2368   Invalid: 376
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2010	84.9%

2	1 or 2 times	228	9.6%
3	3 to 9 times	82	3.5%
4	10 or more times	48	2%
Sysmiss		376	

Q40: Initiation of drug use

Data file: LBR2017

Overview

Valid: 2254   Invalid: 490
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1888	83.8%
2	7 years old or younger	164	7.3%
3	8 or 9 years old	50	2.2%
4	10 or 11 years old	33	1.5%
5	12 or 13 years old	20	0.9%
6	14 or 15 years old	21	0.9%
7	16 or 17 years old	35	1.6%
8	18 years old or older	43	1.9%
Sysmiss		490	

Q41: Ever marijuana use

Data file: LBR2017

Overview

Valid: 2383   Invalid: 361
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2187	91.8%
2	1 or 2 times	82	3.4%
3	3 to 9 times	51	2.1%
4	10 to 19 times	24	1%
5	20 or more times	39	1.6%
Sysmiss		361	

Q42: Current marijuana use

Data file: LBR2017

Overview

Valid: 2363   Invalid: 381
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2170	91.8%
2	1 or 2 times	86	3.6%
3	3 to 9 times	45	1.9%
4	10 to 19 times	32	1.4%
5	20 or more times	30	1.3%
Sysmiss		381	

Q43: Amphethamine or methamphetamine use

Data file: LBR2017

Overview

Valid: 2350   Invalid: 394
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2170	92.3%
2	1 or 2 times	82	3.5%
3	3 to 9 times	37	1.6%
4	10 to 19 times	38	1.6%
5	20 or more times	23	1%
Sysmiss		394	

Q44: Ever sexual intercourse

Data file: LBR2017

Overview

Valid: 1953   Invalid: 791
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	1264	64.7%
2	No	689	35.3%
Sysmiss		791	

Q45: Age first had sex

Data file: LBR2017

Overview

Valid: 2240   Invalid: 504
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1158	51.7%
2	11 years old or younger	104	4.6%
3	12 years old	64	2.9%
4	13 years old	38	1.7%
5	14 years old	72	3.2%
6	15 years old	110	4.9%
7	16 or 17 years old	351	15.7%
8	18 years old or older	343	15.3%
Sysmiss		504	

Q46: Number of sex partners

Data file: LBR2017

Overview

Valid: 2258   Invalid: 486
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 7   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1133	50.2%
2	1 person	441	19.5%

3	2 people	205	9.1%
4	3 people	141	6.2%
5	4 people	66	2.9%
6	5 people	51	2.3%
7	6 or more people	221	9.8%
Sysmiss		486	

Q47: Condom use

Data file: LBR2017

Overview

Valid: 2130   Invalid: 614
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 3   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1087	51%
2	Yes	632	29.7%
3	No	411	19.3%
Sysmiss		614	

Q48: Birth control used

Data file: LBR2017

Overview

Valid: 2140   Invalid: 604
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 4   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 5 questions ask about sexual intercourse.

LITERAL QUESTION
The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1056	49.3%
2	Yes	581	27.1%
3	No	314	14.7%
4	I do not know	189	8.8%
Sysmiss		604	

Q49: Physical activity past 7 days

Data file: LBR2017

Overview

Valid: 2451   Invalid: 293
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	854	34.8%
2	1 day	561	22.9%
3	2 days	291	11.9%
4	3 days	169	6.9%
5	4 days	123	5%
6	5 days	80	3.3%
7	6 days	69	2.8%
8	7 days	304	12.4%
Sysmiss		293	

Q50: Walk or bike to school

Data file: LBR2017

Overview

Valid: 2455   Invalid: 289

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 8   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1081	44%
2	1 day	305	12.4%
3	2 days	211	8.6%
4	3 days	136	5.5%
5	4 days	101	4.1%
6	5 days	162	6.6%
7	6 days	49	2%
8	7 days	410	16.7%
Sysmiss		289	

Q51: PE attendance

Data file: LBR2017

Overview

Valid: 2481   Invalid: 263
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION
During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	847	34.1%
2	1 day	648	26.1%
3	2 days	284	11.4%

4	3 days	143	5.8%
5	4 days	88	3.5%
6	5 or more days	471	19%
Sysmiss		263	

Q52: Sitting activities

Data file: LBR2017

Overview

Valid: 2452   Invalid: 292
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 6   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION
How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1252	51.1%
2	1 to 2 hours per day	710	29%
3	3 to 4 hours per day	221	9%
4	5 to 6 hours per day	82	3.3%
5	7 to 8 hours per day	51	2.1%
6	More than 8 hours per day	136	5.5%
Sysmiss		292	

Q53: Miss school no permission

Data file: LBR2017

Overview

Valid: 2460   Invalid: 284
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1331	54.1%
2	1 or 2 days	781	31.7%
3	3 to 5 days	214	8.7%
4	6 to 9 days	60	2.4%
5	10 or more days	74	3%
Sysmiss		284	

Q54: Other students kind and helpful

Data file: LBR2017

Overview

Valid: 2409   Invalid: 335
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	387	16.1%
2	Rarely	184	7.6%
3	Sometimes	951	39.5%
4	Most of the time	400	16.6%
5	Always	487	20.2%
Sysmiss		335	

Q55: Parents check homework

Data file: LBR2017

Overview

Valid: 2453   Invalid: 291
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	565	23%
2	Rarely	169	6.9%
3	Sometimes	601	24.5%
4	Most of the time	384	15.7%
5	Always	734	29.9%
Sysmiss		291	

Q56: Parents understand problems

Data file: LBR2017

Overview

Valid: 2402   Invalid: 342
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	440	18.3%
2	Rarely	192	8%
3	Sometimes	784	32.6%
4	Most of the time	412	17.2%
5	Always	574	23.9%
Sysmiss		342	

Q57: Parents know about free time

Data file: LBR2017

Overview

Valid: 2351   Invalid: 393
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	491	20.9%
2	Rarely	169	7.2%
3	Sometimes	791	33.6%
4	Most of the time	369	15.7%
5	Always	531	22.6%
Sysmiss		393	

Q58: Parents go through their things

Data file: LBR2017

Overview

Valid: 2428   Invalid: 316   Mean: 2.391   Standard deviation: 1.373
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

Questions and instructions

QUESTION PRETEXT
The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION
During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1014	41.8%
2		185	7.6%
3		747	30.8%
4		230	9.5%
5		252	10.4%
Sysmiss		316	

QN6: Most of the time or always went hungry

Data file: LBR2017

Overview

Valid: 2641   Invalid: 103   Mean: 1.834   Standard deviation: 0.372
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		439	16.6%
2		2202	83.4%
Sysmiss		103	

QN7: Did not eat fruit

Data file: LBR2017

Overview

Valid: 2666   Invalid: 78   Mean: 1.862   Standard deviation: 0.345
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		369	13.8%
2		2297	86.2%
Sysmiss		78	

QN8: Did not eat vegetables

Data file: LBR2017

Overview

Valid: 2622   Invalid: 122   Mean: 1.9   Standard deviation: 0.299

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		261	10%
2		2361	90%
Sysmiss		122	

QN9: Did not drink carbonated soft drinks

Data file: LBR2017

Overview

Valid: 2653   Invalid: 91   Mean: 1.677   Standard deviation: 0.468
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		857	32.3%
2		1796	67.7%
Sysmiss		91	

QN10: Did not eat food from a fast food restaurant

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87   Mean: 1.409   Standard deviation: 0.492
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1571	59.1%
2		1086	40.9%
Sysmiss		87	

QN11: Usually cleaned or brushed their teeth

Data file: LBR2017

Overview

Valid: 2688   Invalid: 56   Mean: 1.121   Standard deviation: 0.326
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2363	87.9%
2		325	12.1%
Sysmiss		56	

QN12: Never or rarely washed their hands before eating

Data file: LBR2017

Overview

Valid: 2658   Invalid: 86   Mean: 1.914   Standard deviation: 0.281
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		229	8.6%
2		2429	91.4%
Sysmiss		86	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: LBR2017

Overview

Valid: 2663   Invalid: 81   Mean: 1.934   Standard deviation: 0.248
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		176	6.6%
2		2487	93.4%
Sysmiss		81	

QN14: Never or rarely used soap when washing their hands

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87   Mean: 1.913   Standard deviation: 0.281
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		230	8.7%
2		2427	91.3%
Sysmiss		87	

QN15: Were physically attacked

Data file: LBR2017

Overview

Valid: 2661   Invalid: 83   Mean: 1.427   Standard deviation: 0.495
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1525	57.3%
2		1136	42.7%
Sysmiss		83	

QN16: Were in a physical fight

Data file: LBR2017

Overview

Valid: 2672   Invalid: 72   Mean: 1.593   Standard deviation: 0.491
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1087	40.7%
2		1585	59.3%
Sysmiss		72	

QN17: Were seriously injured

Data file: LBR2017

Overview

Valid: 2291   Invalid: 453   Mean: 1.286   Standard deviation: 0.452
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	

1		1636	71.4%
2		655	28.6%
Sysmiss		453	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: LBR2017

Overview

Valid: 1169   Invalid: 1575   Mean: 1.837   Standard deviation: 0.37
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		191	16.3%
2		978	83.7%
Sysmiss		1575	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: LBR2017

Overview

Valid: 1165   Invalid: 1579   Mean: 1.814   Standard deviation: 0.389
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		217	18.6%
2		948	81.4%
Sysmiss		1579	

QN20: Were bullied

Data file: LBR2017

Overview

Valid: 2353   Invalid: 391   Mean: 1.5   Standard deviation: 0.5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1177	50%
2		1176	50%
Sysmiss		391	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: LBR2017

Overview

Valid: 936   Invalid: 1808   Mean: 1.79   Standard deviation: 0.408
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		197	21%
2		739	79%
Sysmiss		1808	

QN22: Most of the time or always felt lonely

Data file: LBR2017

Overview

Valid: 2634   Invalid: 110   Mean: 1.861   Standard deviation: 0.346
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		367	13.9%
2		2267	86.1%
Sysmiss		110	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: LBR2017

Overview

Valid: 2638   Invalid: 106   Mean: 1.795   Standard deviation: 0.404
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		540	20.5%
2		2098	79.5%
Sysmiss		106	

QN24: Seriously considered attempting suicide

Data file: LBR2017

Overview

Valid: 2548   Invalid: 196   Mean: 1.732   Standard deviation: 0.443
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		682	26.8%
2		1866	73.2%
Sysmiss		196	

QN25: Made a plan about how they would attempt suicide

Data file: LBR2017

Overview

Valid: 2543   Invalid: 201   Mean: 1.635   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		928	36.5%
2		1615	63.5%
Sysmiss		201	

QN26: Attempted suicide

Data file: LBR2017

Overview

Valid: 2552   Invalid: 192   Mean: 1.663   Standard deviation: 0.473
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		861	33.7%
2		1691	66.3%
Sysmiss		192	

QN27: Did not have any close friends

Data file: LBR2017

Overview

Valid: 2627   Invalid: 117   Mean: 1.874   Standard deviation: 0.331
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		330	12.6%
2		2297	87.4%
Sysmiss		117	

QN28: Tried a cigarette before age 14 years

Data file: LBR2017

Overview

Valid: 497   Invalid: 2247   Mean: 1.376   Standard deviation: 0.485
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		310	62.4%
2		187	37.6%
Sysmiss		2247	

QN29: Currently smoked cigarettes

Data file: LBR2017

Overview

Valid: 2549   Invalid: 195   Mean: 1.901   Standard deviation: 0.299
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		252	9.9%
2		2297	90.1%
Sysmiss		195	

QN30: Currently used any tobacco products other than cigarettes

Data file: LBR2017

Overview

Valid: 2655   Invalid: 89   Mean: 1.875   Standard deviation: 0.33
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		331	12.5%
2		2324	87.5%
Sysmiss		89	

QN31: Tried to quit smoking cigarettes

Data file: LBR2017

Overview

Valid: 257   Invalid: 2487   Mean: 1.486   Standard deviation: 0.501
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		132	51.4%
2		125	48.6%
Sysmiss		2487	

QN32: Reported that people smoked in their presence

Data file: LBR2017

Overview

Valid: 2627   Invalid: 117   Mean: 1.375   Standard deviation: 0.484
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1642	62.5%
2		985	37.5%
Sysmiss		117	

QN33: Had parents or guardians who used any form of tobacco

Data file: LBR2017

Overview

Valid: 2579   Invalid: 165   Mean: 1.861   Standard deviation: 0.346
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		358	13.9%
2		2221	86.1%
Sysmiss		165	

QN34: Drank alcohol before age 14 years

Data file: LBR2017

Overview

Valid: 989   Invalid: 1755   Mean: 1.561   Standard deviation: 0.496
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		434	43.9%
2		555	56.1%
Sysmiss		1755	

QN35: Currently drank alcohol

Data file: LBR2017

Overview

Valid: 2484   Invalid: 260   Mean: 1.751   Standard deviation: 0.432
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		618	24.9%
2		1866	75.1%
Sysmiss		260	

QN36: Usually drank two or more drinks per day

Data file: LBR2017

Overview

Valid: 731   Invalid: 2013   Mean: 1.789   Standard deviation: 0.408
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		154	21.1%
2		577	78.9%
Sysmiss		2013	

QN37: Usually obtained the alcohol they drank from friends

Data file: LBR2017

Overview

Valid: 639   Invalid: 2105   Mean: 1.632   Standard deviation: 0.483
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		235	36.8%
2		404	63.2%
Sysmiss		2105	

QN47: Used a condom

Data file: LBR2017

Overview

Valid: 1043   Invalid: 1701   Mean: 1.394   Standard deviation: 0.489
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		632	60.6%
2		411	39.4%
Sysmiss		1701	

QN38: Ever drank so much alcohol that they were really drunk

Data file: LBR2017

Overview

Valid: 2462   Invalid: 282   Mean: 1.799   Standard deviation: 0.401
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		495	20.1%
2		1967	79.9%
Sysmiss		282	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: LBR2017

Overview

Valid: 2368   Invalid: 376   Mean: 1.849   Standard deviation: 0.358
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		358	15.1%
2		2010	84.9%
Sysmiss		376	

QN40: Used drugs before age 14 years

Data file: LBR2017

Overview

Valid: 366   Invalid: 2378   Mean: 1.27   Standard deviation: 0.445
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		267	73%
2		99	27%
Sysmiss		2378	

QN41: Ever used marijuana

Data file: LBR2017

Overview

Valid: 2383   Invalid: 361   Mean: 1.918   Standard deviation: 0.275
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		196	8.2%
2		2187	91.8%
Sysmiss		361	

QN42: Currently used marijuana

Data file: LBR2017

Overview

Valid: 2363   Invalid: 381   Mean: 1.918   Standard deviation: 0.274
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		193	8.2%
2		2170	91.8%
Sysmiss		381	

QN43: Ever used amphethamines or methamphetamines

Data file: LBR2017

Overview

Valid: 2350   Invalid: 394   Mean: 1.923   Standard deviation: 0.266
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphethamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		180	7.7%
2		2170	92.3%
Sysmiss		394	

QN44: Ever had sexual intercourse

Data file: LBR2017

Overview

Valid: 1953   Invalid: 791   Mean: 1.353   Standard deviation: 0.478
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	

1		1264	64.7%
2		689	35.3%
Sysmiss		791	

▌ QN45: Had sexual intercourse before age 14 years

Data file: LBR2017

Overview

Valid: 1082   Invalid: 1662   Mean: 1.81   Standard deviation: 0.393
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		206	19%
2		876	81%
Sysmiss		1662	

▌ QN46: Had sexual intercourse with two or more persons

Data file: LBR2017

Overview

Valid: 2258   Invalid: 486   Mean: 1.697   Standard deviation: 0.46
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1		684	30.3%
2		1574	69.7%
Sysmiss		486	

QN48: Used a method of birth control other than condoms

Data file: LBR2017

Overview

Valid: 1084   Invalid: 1660   Mean: 1.464   Standard deviation: 0.499
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a method of birth control other than condoms (such as withdrawl, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		581	53.6%
2		503	46.4%
Sysmiss		1660	

QN49: Were not physically active

Data file: LBR2017

Overview

Valid: 2451   Invalid: 293   Mean: 1.652   Standard deviation: 0.477
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		854	34.8%
2		1597	65.2%
Sysmiss		293	

QN50: Did not walk or ride a bicycle to or from school

Data file: LBR2017

Overview

Valid: 2455   Invalid: 289   Mean: 1.56   Standard deviation: 0.497
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1081	44%
2		1374	56%
Sysmiss		289	

QN51: Did not attend physical education classes

Data file: LBR2017

Overview

Valid: 2481   Invalid: 263   Mean: 1.659   Standard deviation: 0.474
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		847	34.1%
2		1634	65.9%
Sysmiss		263	

QN52: Spent three or more hours per day doing sitting activities

Data file: LBR2017

Overview

Valid: 2452   Invalid: 292   Mean: 1.8   Standard deviation: 0.4
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	

1		490	20%
2		1962	80%
Sysmiss		292	

QN53: Missed classes or school without permission

Data file: LBR2017

Overview

Valid: 2460   Invalid: 284   Mean: 1.541   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1129	45.9%
2		1331	54.1%
Sysmiss		284	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: LBR2017

Overview

Valid: 2409   Invalid: 335   Mean: 1.632   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		887	36.8%
2		1522	63.2%
Sysmiss		335	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: LBR2017

Overview

Valid: 2453   Invalid: 291   Mean: 1.544   Standard deviation: 0.498
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1118	45.6%
2		1335	54.4%
Sysmiss		291	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: LBR2017

Overview

Valid: 2402   Invalid: 342   Mean: 1.59   Standard deviation: 0.492
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		986	41%
2		1416	59%
Sysmiss		342	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: LBR2017

Overview

Valid: 2351   Invalid: 393   Mean: 1.617   Standard deviation: 0.486
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		900	38.3%
2		1451	61.7%
Sysmiss		393	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: LBR2017

Overview

Valid: 2428   Invalid: 316   Mean: 1.506   Standard deviation: 0.5
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1199	49.4%
2		1229	50.6%
Sysmiss		316	

QNUNWTG: Were underweight

Data file: LBR2017

Overview

Valid: 0   Invalid: 2744
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category
Sysmiss	

QNOWTG: Were overweight

Data file: LBR2017

Overview

Valid: 0   Invalid: 2744
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category
Sysmiss	

QNOBESEG: Were obese

Data file: LBR2017

Overview

Valid: 0   Invalid: 2744
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category
Sysmiss	

█ QNFRLG: Usually ate fruit less than one time per day

Data file: LBR2017

Overview

Valid: 2666   Invalid: 78   Mean: 1.749   Standard deviation: 0.433
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		668	25.1%
2		1998	74.9%
Sysmiss		78	

█ QNFR1G: Usually ate fruit one or more times per day

Data file: LBR2017

Overview

Valid: 2666   Invalid: 78   Mean: 1.389   Standard deviation: 0.488
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1629	61.1%
2		1037	38.9%
Sysmiss		78	

█ QNFR2G: Usually ate fruit two or more times per day

Data file: LBR2017

Overview

Valid: 2666   Invalid: 78   Mean: 1.659   Standard deviation: 0.474
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit two or mores times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		910	34.1%
2		1756	65.9%
Sysmiss		78	

QNFR3G: Usually ate fruit three or more times per day

Data file: LBR2017

Overview

Valid: 2666   Invalid: 78   Mean: 1.791   Standard deviation: 0.406
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		556	20.9%
2		2110	79.1%
Sysmiss		78	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: LBR2017

Overview

Valid: 2622   Invalid: 122   Mean: 1.787   Standard deviation: 0.41
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	

1		559	21.3%
2		2063	78.7%
Sysmiss		122	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: LBR2017

Overview

Valid: 2622   Invalid: 122   Mean: 1.313   Standard deviation: 0.464
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1802	68.7%
2		820	31.3%
Sysmiss		122	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: LBR2017

Overview

Valid: 2622   Invalid: 122   Mean: 1.614   Standard deviation: 0.487
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1011	38.6%
2		1611	61.4%
Sysmiss		122	

▍ QNVEG3G: Usually ate vegetables three or more times per day

Data file: LBR2017

Overview

Valid: 2622   Invalid: 122   Mean: 1.725   Standard deviation: 0.446
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		720	27.5%
2		1902	72.5%
Sysmiss		122	

▍ QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: LBR2017

Overview

Valid: 2653   Invalid: 91   Mean: 1.765   Standard deviation: 0.424
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		623	23.5%
2		2030	76.5%
Sysmiss		91	

▍ QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: LBR2017

Overview

Valid: 2653   Invalid: 91   Mean: 1.558   Standard deviation: 0.497
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		1173	44.2%
2		1480	55.8%
Sysmiss		91	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: LBR2017

Overview

Valid: 2653   Invalid: 91   Mean: 1.807   Standard deviation: 0.395
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		512	19.3%
2		2141	80.7%
Sysmiss		91	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: LBR2017

Overview

Valid: 2653   Invalid: 91   Mean: 1.874   Standard deviation: 0.332
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		334	12.6%
2		2319	87.4%
Sysmiss		91	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87   Mean: 1.591   Standard deviation: 0.492
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1086	40.9%
2		1571	59.1%
Sysmiss		87	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87   Mean: 1.772   Standard deviation: 0.42
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		607	22.8%
2		2050	77.2%
Sysmiss		87	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: LBR2017

Overview

Valid: 2657   Invalid: 87   Mean: 1.852   Standard deviation: 0.355
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		392	14.8%
2		2265	85.2%
Sysmiss		87	

QNC2G: Were bullied and could not sleep at night

Data file: LBR2017

Overview

Valid: 457   Invalid: 2287   Mean: 1.365   Standard deviation: 0.482
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		290	63.5%
2		167	36.5%
Sysmiss		2287	

QNTOB2G: Currently used any tobacco product

Data file: LBR2017

Overview

Valid: 2565   Invalid: 179   Mean: 1.839   Standard deviation: 0.368
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		414	16.1%
2		2151	83.9%
Sysmiss		179	

QNNOTB2G: Did not currently use any tobacco products

Data file: LBR2017

Overview

Valid: 2499   Invalid: 245   Mean: 1.139   Standard deviation: 0.346
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2151	86.1%
2		348	13.9%
Sysmiss		245	

QNBCANYG: Used a method of birth control

Data file: LBR2017

Overview

Valid: 915   Invalid: 1829   Mean: 1.176   Standard deviation: 0.381
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		754	82.4%
2		161	17.6%
Sysmiss		1829	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: LBR2017

Overview

Valid: 331   Invalid: 2413   Mean: 1.145   Standard deviation: 0.353
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		283	85.5%
2		48	14.5%
Sysmiss		2413	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: LBR2017

Overview

Valid: 2451   Invalid: 293   Mean: 1.815   Standard deviation: 0.388
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		453	18.5%
2		1998	81.5%
Sysmiss		293	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: LBR2017

Overview

Valid: 2451   Invalid: 293   Mean: 1.876   Standard deviation: 0.33
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		304	12.4%
2		2147	87.6%
Sysmiss		293	

QNPE3G: Attended physical education classes on three or more days

Data file: LBR2017

Overview

Valid: 2481   Invalid: 263   Mean: 1.717   Standard deviation: 0.451
Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION
Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		702	28.3%
2		1779	71.7%
Sysmiss		263	

QNPE5G: Attended physical education classes on five or more days

Data file: LBR2017

Overview

Valid: 2481   Invalid: 263   Mean: 1.81   Standard deviation: 0.392

Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		471	19%
2		2010	81%
Sysmiss		263	

WEIGHT:

Data file: LBR2017

Overview

Valid: 2744   Invalid: 0   Mean: 92.034   Standard deviation: 38.487
Type: Continuous   Decimal: 0   Width: 10   Range: 42.0329 - 329.5608   Format: Numeric   Weighted: yes

STRATUM:

Data file: LBR2017

Overview

Valid: 2744   Invalid: 0   Mean: 201701012.548   Standard deviation: 3.456
Type: Discrete   Decimal: 0   Width: 9   Range: 201501001 - 201501019   Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201701001		148	5.4%
201701002		79	2.9%
201701003		88	3.2%
201701004		99	3.6%
201701005		157	5.7%
201701006		125	4.6%
201701007		113	4.1%
201701008		72	2.6%
201701009		112	4.1%
201701010		211	7.7%
201701011		84	3.1%

201701012		97	3.5%
201701013		94	3.4%
201701014		194	7.1%
201701015		85	3.1%
201701016		57	2.1%
201701017		61	2.2%
201701018		138	5%
201701019		136	5%
201701020		101	3.7%
201701021		152	5.5%
201701022		84	3.1%
201701023		100	3.6%
201701024		157	5.7%

PSU:

Data file: LBR2017

Overview

Valid: 2744   Invalid: 0   Mean: 24.591   Standard deviation: 14.015
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 38   Format: Numeric

study_resources

questionnaires

Questionnaire

title   Questionnaire
filename   2017_Liberia_GSHS_Questionnaire.pdf

reports

Fact Sheet

title   Fact Sheet
filename   Liberia_2017_GSHS_FS.pdf

technical_documents

Codebook

title   Codebook
filename   2017LIH_Public_Use_Codebook.pdf