

Global School-Based Student Health Survey 2016

Epidemiology Unit, Colombo

report_generated_on: February 16, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

LKA_2016_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2016

COUNTRY

Name	Country code
Sri Lanka	LKA

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Sri Lanka.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

alcohol use
 dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword

adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Epidemiology Unit, Colombo

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 8-13 in Sri Lanka. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were

randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 89%, and the overall response rate was 89%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2016	2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
 (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_LKA_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (LKA_2016_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
2016LKA	3262	141

Data file: 2016LKA

Cases: 3262

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age**Data file: 2016LKA****Overview**

Valid: 3261 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.2%
2	12 years old	58	1.8%
3	13 years old	641	19.7%
4	14 years old	832	25.5%
5	15 years old	723	22.2%
6	16 years old	666	20.4%
7	17 years old	311	9.5%
8	18 years old or older	22	0.7%
Sysmiss		1	

Q10: Fast food eating**Data file: 2016LKA****Overview**

Valid: 3253 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1880	57.8%
2	1 day	688	21.1%
3	2 days	320	9.8%

4	3 days	144	4.4%
5	4 days	94	2.9%
6	5 days	58	1.8%
7	6 days	20	0.6%
8	7 days	49	1.5%
Sysmiss		9	

Q2: Sex

Data file: 2016LKA

Overview

Valid: 3242 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1437	44.3%
2	Female	1805	55.7%
Sysmiss		20	

Q3: In what grade are you

Data file: 2016LKA

Overview

Valid: 3250 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 8	686	21.1%
2	Grade 9	805	24.8%
3	Grade 10	731	22.5%

4	Grade 11	664	20.4%
5	Grade 12	349	10.7%
6	Grade 13	15	0.5%
Sysmiss		12	

Q4: How tall are you

Data file: 2016LKA

Overview

Valid: 1637 Invalid: 1625 Minimum: 0.42 Maximum: 1.95 Mean: 1.547 Standard deviation: 0.11
 Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: 2016LKA

Overview

Valid: 1637 Invalid: 1625 Minimum: 21 Maximum: 183 Mean: 48.733 Standard deviation: 21.731
 Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: 2016LKA

Overview

Valid: 3246 Invalid: 16
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2331	71.8%
2	Rarely	415	12.8%
3	Sometimes	399	12.3%
4	Most of the time	36	1.1%
5	Always	65	2%
Sysmiss		16	

Q7: No fruit eating

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	226	7%
2	Less than one time per day	876	27%
3	1 time per day	1111	34.2%
4	2 times per day	572	17.6%
5	3 times per day	241	7.4%
6	4 times per day	85	2.6%
7	5 or more times per day	134	4.1%
Sysmiss		17	

Q8: No vegetable eating**Data file: 2016LKA****Overview**

Valid: 3227 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	51	1.6%
2	Less than one time per day	263	8.1%
3	1 time per day	792	24.5%
4	2 times per day	969	30%
5	3 times per day	881	27.3%
6	4 times per day	110	3.4%
7	5 or more times per day	161	5%
Sysmiss		35	

Q9: Soft drinks**Data file: 2016LKA****Overview**

Valid: 3245 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1170	36.1%
2	Less than one time per day	1222	37.7%

3	1 time per day	483	14.9%
4	2 times per day	153	4.7%
5	3 times per day	65	2%
6	4 times per day	34	1%
7	5 or more times per day	118	3.6%
Sysmiss		17	

Q11: Tooth brushing

Data file: 2016LKA

Overview

Valid: 3246 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	35	1.1%
2	Less than 1 time per day	63	1.9%
3	1 time per day	875	27%
4	2 times per day	1868	57.5%
5	3 times per day	325	10%
6	4 or more times per day	80	2.5%
Sysmiss		16	

Q12: Hand washing before eating

Data file: 2016LKA

Overview

Valid: 3224 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	19	0.6%
2	Rarely	61	1.9%
3	Sometimes	131	4.1%
4	Most of the time	386	12%
5	Always	2627	81.5%
Sysmiss		38	

Q13: Hand washing after toilet

Data file: 2016LKA

Overview

Valid: 3251 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	28	0.9%
2	Rarely	58	1.8%
3	Sometimes	105	3.2%
4	Most of the time	263	8.1%
5	Always	2797	86%
Sysmiss		11	

Q14: Hand washing with soap

Data file: 2016LKA

Overview

Valid: 3252 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	53	1.6%
2	Rarely	150	4.6%
3	Sometimes	405	12.5%
4	Most of the time	946	29.1%
5	Always	1698	52.2%
Sysmiss		10	

Q15: Physically attacked

Data file: 2016LKA

Overview

Valid: 3239 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2120	65.5%
2	1 time	420	13%
3	2 or 3 times	400	12.3%
4	4 or 5 times	104	3.2%
5	6 or 7 times	62	1.9%
6	8 or 9 times	36	1.1%
7	10 or 11 times	24	0.7%
8	12 or more times	73	2.3%
Sysmiss		23	

Q16: Physical fighting**Data file: 2016LKA****Overview**

Valid: 3258 Invalid: 4

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1838	56.4%
2	1 time	472	14.5%
3	2 or 3 times	527	16.2%
4	4 or 5 times	163	5%
5	6 or 7 times	77	2.4%
6	8 or 9 times	35	1.1%
7	10 or 11 times	27	0.8%
8	12 or more times	119	3.7%
Sysmiss		4	

Q17: Seriously injured**Data file: 2016LKA****Overview**

Valid: 3025 Invalid: 237

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1981	65.5%
2	1 time	564	18.6%
3	2 or 3 times	309	10.2%
4	4 or 5 times	84	2.8%
5	6 or 7 times	38	1.3%
6	8 or 9 times	17	0.6%
7	10 or 11 times	9	0.3%
8	12 or more times	23	0.8%
Sysmiss		237	

Q18: Serious injury type

Data file: 2016LKA

Overview

Valid: 3084 Invalid: 178

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2266	73.5%
2	Broken bone/dislocated joint	173	5.6%
3	I had a cut or stab wound	181	5.9%
4	Concussion/head injury	40	1.3%
5	I had a gunshot wound	9	0.3%
6	I had a bad burn	22	0.7%
7	I was poisoned	12	0.4%
8	Something else happened to me	381	12.4%
Sysmiss		178	

Q19: Serious injury cause

Data file: 2016LKA

Overview

Valid: 3064 Invalid: 198

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2248	73.4%
2	Motor vehicle accident	99	3.2%
3	I fell	395	12.9%
4	Something fell on me or hit me	87	2.8%
5	I was attacked	22	0.7%
6	Was in a fire	9	0.3%
7	breathed something bad	14	0.5%
8	Something else	190	6.2%
Sysmiss		198	

Q20: Bullied

Data file: 2016LKA

Overview

Valid: 3196 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1988	62.2%

2	1 or 2 days	767	24%
3	3 to 5 days	222	6.9%
4	6 to 9 days	93	2.9%
5	10 to 19 days	64	2%
6	20 to 29 days	21	0.7%
7	All 30 days	41	1.3%
Sysmiss		66	

Q21: Bullied how

Data file: 2016LKA

Overview

Valid: 3186 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2221	69.7%
2	Kicked, pushed, or shoved	78	2.4%
3	Made fun of race	97	3%
4	Made fun because of religion	29	0.9%
5	Made fun of about sex	77	2.4%
6	Left out of activities	90	2.8%
7	Made fun of about body	141	4.4%
8	Some other way	453	14.2%
Sysmiss		76	

Q22: Felt lonely

Data file: 2016LKA

Overview

Valid: 3250 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1229	37.8%
2	Rarely	1019	31.4%
3	Sometimes	708	21.8%
4	Most of the time	213	6.6%
5	Always	81	2.5%
Sysmiss		12	

Q23: Could not sleep

Data file: 2016LKA

Overview

Valid: 3225 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1782	55.3%
2	Rarely	793	24.6%
3	Sometimes	496	15.4%
4	Most of the time	124	3.8%
5	Always	30	0.9%
Sysmiss		37	

Q24: Considered suicide**Data file: 2016LKA****Overview**

Valid: 3221 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	298	9.3%
2	No	2923	90.7%
Sysmiss		41	

Q25: Made a suicide plan**Data file: 2016LKA****Overview**

Valid: 3211 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	201	6.3%
2	No	3010	93.7%
Sysmiss		51	

Q26: Attempted suicide**Data file: 2016LKA**

Overview

Valid: 3220 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	3006	93.4%
2	1 time	150	4.7%
3	2 or 3 times	35	1.1%
4	4 or 5 times	17	0.5%
5	6 or more times	12	0.4%
Sysmiss		42	

Q27: Close friends

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	180	5.5%
2	1	391	12%
3	2	574	17.7%
4	3 or more	2100	64.7%
Sysmiss		17	

Q28: Initiation of cigarette use**Data file: 2016LKA****Overview**

Valid: 3095 Invalid: 167

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2906	93.9%
2	7 years old or younger	24	0.8%
3	8 or 9 years old	31	1%
4	10 or 11 years old	20	0.6%
5	12 or 13 years old	27	0.9%
6	14 or 15 years old	56	1.8%
7	16 or 17 years old	31	1%
8	18 years old or older	0	0%
Sysmiss		167	

Q29: Current cigarette use**Data file: 2016LKA****Overview**

Valid: 3244 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3137	96.7%
2	1 or 2 days	39	1.2%

3	3 to 5 days	26	0.8%
4	6 to 9 days	13	0.4%
5	10 to 19 days	10	0.3%
6	20 to 29 days	8	0.2%
7	All 30 days	11	0.3%
Sysmiss		18	

Q30: Other tobacco use

Data file: 2016LKA

Overview

Valid: 3256 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2997	92%
2	1 or 2 days	166	5.1%
3	3 to 5 days	32	1%
4	6 to 9 days	21	0.6%
5	10 to 19 days	19	0.6%
6	20 to 29 days	9	0.3%
7	All 30 days	12	0.4%
Sysmiss		6	

Q31: Smoking cessation

Data file: 2016LKA

Overview

Valid: 3104 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2953	95.1%
2	Did not smoke cigarettes	36	1.2%
3	Yes	80	2.6%
4	No	35	1.1%
Sysmiss		158	

Q32: Smoking in their presence

Data file: 2016LKA

Overview

Valid: 3247 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1891	58.2%
2	1 or 2 days	863	26.6%
3	3 or 4 days	247	7.6%
4	5 or 6 days	92	2.8%
5	All 7 days	154	4.7%
Sysmiss		15	

Q33: Parental tobacco use

Data file: 2016LKA

Overview

Valid: 3248 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	2404	74%
2	My father or male guardian	583	17.9%
3	My mother or female guardian	39	1.2%
4	Both	37	1.1%
5	I do not know	185	5.7%
Sysmiss		14	

Q34: Initiation of alcohol use

Data file: 2016LKA

Overview

Valid: 3148 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2929	93%
2	7 years old or younger	25	0.8%
3	8 or 9 years old	20	0.6%
4	10 or 11 years old	16	0.5%
5	12 or 13 years old	32	1%
6	14 or 15 years old	79	2.5%

7	16 or 17 years old	45	1.4%
8	18 years old or older	2	0.1%
Sysmiss		114	

Q35: Current alcohol use

Data file: 2016LKA

Overview

Valid: 3191 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	3088	96.8%
2	1 or 2 days	55	1.7%
3	3 to 5 days	19	0.6%
4	6 to 9 days	16	0.5%
5	10 to 19 days	8	0.3%
6	20 to 29 days	4	0.1%
7	All 30 days	1	0%
Sysmiss		71	

Q36: Drank 2+ drinks

Data file: 2016LKA

Overview

Valid: 3228 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3108	96.3%
2	Less than one drink	48	1.5%
3	1 drink	39	1.2%
4	2 drinks	10	0.3%
5	3 drinks	7	0.2%
6	4 drinks	6	0.2%
7	5 or more drinks	10	0.3%
Sysmiss		34	

Q37: Source of alcohol

Data file: 2016LKA

Overview

Valid: 3203 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	3093	96.6%
2	I bought in a store	19	0.6%
3	I gave someone money to buy	28	0.9%
4	I got it from my friends	31	1%
5	I got it from my family	11	0.3%
6	I stole it	6	0.2%
7	Some other way	15	0.5%
Sysmiss		59	

Q38: Really drunk**Data file: 2016LKA****Overview**

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file: 2016LKA****Overview**

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: 2016LKA

Overview

Valid: 3203 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3032	94.7%
2	7 years old or younger	36	1.1%
3	8 or 9 years old	31	1%
4	10 or 11 years old	18	0.6%
5	12 or 13 years old	21	0.7%
6	14 or 15 years old	48	1.5%
7	16 or 17 years old	16	0.5%
8	18 years old or older	1	0%
Sysmiss		59	

Q41: Ever marijuana use

Data file: 2016LKA

Overview

Valid: 3215 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3130	97.4%
2	1 or 2 times	28	0.9%
3	3 to 9 times	26	0.8%
4	10 to 19 times	14	0.4%
5	20 or more times	17	0.5%
Sysmiss		47	

Q42: Current marijuana use

Data file: 2016LKA

Overview

Valid: 3217 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3138	97.5%
2	1 or 2 times	33	1%
3	3 to 9 times	25	0.8%
4	10 to 19 times	9	0.3%
5	20 or more times	12	0.4%
Sysmiss		45	

Q43: Amphetamine or methamphetamine use

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: 2016LKA****Overview**

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: 2016LKA****Overview**

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days**Data file: 2016LKA****Overview**

Valid: 3241 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	598	18.5%
2	1 day	539	16.6%
3	2 days	495	15.3%
4	3 days	443	13.7%
5	4 days	273	8.4%
6	5 days	326	10.1%
7	6 days	84	2.6%
8	7 days	483	14.9%
Sysmiss		21	

Q50: Walk or bike to school**Data file: 2016LKA****Overview**

Valid: 3213 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1257	39.1%
2	1 day	188	5.9%
3	2 days	176	5.5%
4	3 days	153	4.8%
5	4 days	111	3.5%
6	5 days	480	14.9%
7	6 days	62	1.9%
8	7 days	786	24.5%
Sysmiss		49	

Q51: PE attendance**Data file: 2016LKA****Overview**

Valid: 3217 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	993	30.9%
2	1 day	428	13.3%
3	2 days	474	14.7%

4	3 days	339	10.5%
5	4 days	207	6.4%
6	5 or more days	776	24.1%
Sysmiss		45	

Q52: Sitting activities

Data file: 2016LKA

Overview

Valid: 3240 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	827	25.5%
2	1 to 2 hours per day	1217	37.6%
3	3 to 4 hours per day	736	22.7%
4	5 to 6 hours per day	257	7.9%
5	7 to 8 hours per day	92	2.8%
6	More than 8 hours per day	111	3.4%
Sysmiss		22	

Q53: Miss school no permission

Data file: 2016LKA

Overview

Valid: 3238 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2158	66.6%
2	1 or 2 days	770	23.8%
3	3 to 5 days	196	6.1%
4	6 to 9 days	72	2.2%
5	10 or more days	42	1.3%
Sysmiss		24	

Q54: Other students kind and helpful

Data file: 2016LKA

Overview

Valid: 3230 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	136	4.2%
2	Rarely	467	14.5%
3	Sometimes	961	29.8%
4	Most of the time	1012	31.3%
5	Always	654	20.2%
Sysmiss		32	

Q55: Parents check homework

Data file: 2016LKA

Overview

Valid: 3211 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	250	7.8%
2	Rarely	313	9.7%
3	Sometimes	542	16.9%
4	Most of the time	806	25.1%
5	Always	1300	40.5%
Sysmiss		51	

Q56: Parents understand problems

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	341	10.5%
2	Rarely	357	11%
3	Sometimes	516	15.9%
4	Most of the time	807	24.9%
5	Always	1224	37.7%
Sysmiss		17	

Q57: Parents know about free time

Data file: 2016LKA

Overview

Valid: 3233 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	187	5.8%
2	Rarely	289	8.9%
3	Sometimes	511	15.8%
4	Most of the time	794	24.6%
5	Always	1452	44.9%
Sysmiss		29	

Q58: Parents go through their things

Data file: 2016LKA

Overview

Valid: 3210 Invalid: 52 Mean: 2.048 Standard deviation: 1.287

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1595	49.7%
2		611	19%
3		502	15.6%
4		259	8.1%
5		243	7.6%
Sysmiss		52	

QN6: Most of the time or always went hungry**Data file: 2016LKA****Overview**

Valid: 3246 Invalid: 16 Mean: 1.969 Standard deviation: 0.174
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		101	3.1%
2		3145	96.9%
Sysmiss		16	

QN7: Did not eat fruit**Data file: 2016LKA****Overview**

Valid: 3245 Invalid: 17 Mean: 1.93 Standard deviation: 0.255
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		226	7%
2		3019	93%
Sysmiss		17	

QN8: Did not eat vegetables**Data file: 2016LKA****Overview**

Valid: 3227 Invalid: 35 Mean: 1.984 Standard deviation: 0.125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		51	1.6%
2		3176	98.4%
Sysmiss		35	

QN9: Did not drink carbonated soft drinks

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.639 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1170	36.1%
2		2075	63.9%
Sysmiss		17	

QN10: Did not eat food from a fast food restaurant

Data file: 2016LKA

Overview

Valid: 3253 Invalid: 9 Mean: 1.422 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1880	57.8%
2		1373	42.2%
Sysmiss		9	

QN11: Usually cleaned or brushed their teeth

Data file: 2016LKA

Overview

Valid: 3246 Invalid: 16 Mean: 1.03 Standard deviation: 0.171
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3148	97%
2		98	3%
Sysmiss		16	

QN12: Never or rarely washed their hands before eating

Data file: 2016LKA

Overview

Valid: 3224 Invalid: 38 Mean: 1.975 Standard deviation: 0.156
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		80	2.5%
2		3144	97.5%
Sysmiss		38	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: 2016LKA****Overview**

Valid: 3251 Invalid: 11 Mean: 1.974 Standard deviation: 0.161
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		86	2.6%
2		3165	97.4%
Sysmiss		11	

QN14: Never or rarely used soap when washing their hands**Data file: 2016LKA****Overview**

Valid: 3252 Invalid: 10 Mean: 1.938 Standard deviation: 0.242
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		203	6.2%
2		3049	93.8%
Sysmiss		10	

QN15: Were physically attacked**Data file: 2016LKA****Overview**

Valid: 3239 Invalid: 23 Mean: 1.655 Standard deviation: 0.476
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1119	34.5%
2		2120	65.5%
Sysmiss		23	

QN16: Were in a physical fight

Data file: 2016LKA

Overview

Valid: 3258 Invalid: 4 Mean: 1.564 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1420	43.6%
2		1838	56.4%
Sysmiss		4	

QN17: Were seriously injured

Data file: 2016LKA

Overview

Valid: 3025 Invalid: 237 Mean: 1.655 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1044	34.5%
2		1981	65.5%
Sysmiss		237	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: 2016LKA

Overview

Valid: 818 Invalid: 2444 Mean: 1.789 Standard deviation: 0.409
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		173	21.1%
2		645	78.9%
Sysmiss		2444	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: 2016LKA

Overview

Valid: 816 Invalid: 2446 Mean: 1.879 Standard deviation: 0.327
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		99	12.1%
2		717	87.9%
Sysmiss		2446	

QN20: Were bullied**Data file: 2016LKA****Overview**

Valid: 3196 Invalid: 66 Mean: 1.622 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1208	37.8%
2		1988	62.2%
Sysmiss		66	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: 2016LKA****Overview**

Valid: 965 Invalid: 2297 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		78	8.1%
2		887	91.9%
Sysmiss		2297	

QN22: Most of the time or always felt lonely**Data file: 2016LKA****Overview**

Valid: 3250 Invalid: 12 Mean: 1.91 Standard deviation: 0.287
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		294	9%
2		2956	91%
Sysmiss		12	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016LKA

Overview

Valid: 3225 Invalid: 37 Mean: 1.952 Standard deviation: 0.213
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		154	4.8%
2		3071	95.2%
Sysmiss		37	

QN24: Seriously considered attempting suicide

Data file: 2016LKA

Overview

Valid: 3221 Invalid: 41 Mean: 1.907 Standard deviation: 0.29
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		298	9.3%
2		2923	90.7%
Sysmiss		41	

QN25: Made a plan about how they would attempt suicide

Data file: 2016LKA

Overview

Valid: 3211 Invalid: 51 Mean: 1.937 Standard deviation: 0.242
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		201	6.3%
2		3010	93.7%
Sysmiss		51	

QN26: Attempted suicide

Data file: 2016LKA

Overview

Valid: 3220 Invalid: 42 Mean: 1.934 Standard deviation: 0.249
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		214	6.6%
2		3006	93.4%
Sysmiss		42	

QN27: Did not have any close friends**Data file: 2016LKA****Overview**

Valid: 3245 Invalid: 17 Mean: 1.945 Standard deviation: 0.229
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		180	5.5%
2		3065	94.5%
Sysmiss		17	

QN28: Tried a cigarette before age 14 years**Data file: 2016LKA****Overview**

Valid: 189 Invalid: 3073 Mean: 1.46 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		102	54%
2		87	46%
Sysmiss		3073	

QN29: Currently smoked cigarettes**Data file: 2016LKA****Overview**

Valid: 3244 Invalid: 18 Mean: 1.967 Standard deviation: 0.179
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		107	3.3%
2		3137	96.7%
Sysmiss		18	

QN30: Currently used any tobacco products other than cigarettes

Data file: 2016LKA

Overview

Valid: 3256 Invalid: 6 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		259	8%
2		2997	92%
Sysmiss		6	

QN31: Tried to quit smoking cigarettes

Data file: 2016LKA

Overview

Valid: 115 Invalid: 3147 Mean: 1.304 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		80	69.6%
2		35	30.4%
Sysmiss		3147	

QN32: Reported that people smoked in their presence

Data file: 2016LKA

Overview

Valid: 3247 Invalid: 15 Mean: 1.582 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1356	41.8%
2		1891	58.2%
Sysmiss		15	

QN33: Had parents or guardians who used any form of tobacco

Data file: 2016LKA

Overview

Valid: 3248 Invalid: 14 Mean: 1.797 Standard deviation: 0.402
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		659	20.3%
2		2589	79.7%
Sysmiss		14	

QN34: Drank alcohol before age 14 years**Data file: 2016LKA****Overview**

Valid: 219 Invalid: 3043 Mean: 1.575 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		93	42.5%
2		126	57.5%
Sysmiss		3043	

QN35: Currently drank alcohol**Data file: 2016LKA****Overview**

Valid: 3191 Invalid: 71 Mean: 1.968 Standard deviation: 0.177
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		103	3.2%
2		3088	96.8%
Sysmiss		71	

QN36: Usually drank two or more drinks per day**Data file: 2016LKA****Overview**

Valid: 120 Invalid: 3142 Mean: 1.725 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		33	27.5%
2		87	72.5%
Sysmiss		3142	

QN37: Usually obtained the alcohol they drank from friends

Data file: 2016LKA

Overview

Valid: 110 Invalid: 3152 Mean: 1.718 Standard deviation: 0.452
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		31	28.2%
2		79	71.8%
Sysmiss		3152	

QN47: Used a condom

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: 2016LKA

Overview

Valid: 171 Invalid: 3091 Mean: 1.38 Standard deviation: 0.487

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		106	62%
2		65	38%
Sysmiss		3091	

QN41: Ever used marijuana

Data file: 2016LKA

Overview

Valid: 3215 Invalid: 47 Mean: 1.974 Standard deviation: 0.16
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		85	2.6%
2		3130	97.4%
Sysmiss		47	

QN42: Currently used marijuana

Data file: 2016LKA

Overview

Valid: 3217 Invalid: 45 Mean: 1.975 Standard deviation: 0.155
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		79	2.5%
2		3138	97.5%
Sysmiss		45	

QN43: Ever used amphetamines or methamphetamines

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: 2016LKA****Overview**

Valid: 3241 Invalid: 21 Mean: 1.815 Standard deviation: 0.388
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		598	18.5%
2		2643	81.5%
Sysmiss		21	

QN50: Did not walk or ride a bicycle to or from school**Data file: 2016LKA****Overview**

Valid: 3213 Invalid: 49 Mean: 1.609 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1257	39.1%
2		1956	60.9%
Sysmiss		49	

QN51: Did not attend physical education classes**Data file: 2016LKA****Overview**

Valid: 3217 Invalid: 45 Mean: 1.691 Standard deviation: 0.462
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		993	30.9%
2		2224	69.1%
Sysmiss		45	

QN52: Spent three or more hours per day doing sitting activities

Data file: 2016LKA

Overview

Valid: 3240 Invalid: 22 Mean: 1.631 Standard deviation: 0.483
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1196	36.9%
2		2044	63.1%
Sysmiss		22	

QN53: Missed classes or school without permission

Data file: 2016LKA

Overview

Valid: 3238 Invalid: 24 Mean: 1.666 Standard deviation: 0.472
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1080	33.4%
2		2158	66.6%
Sysmiss		24	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: 2016LKA

Overview

Valid: 3230 Invalid: 32 Mean: 1.484 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1666	51.6%
2		1564	48.4%
Sysmiss		32	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016LKA

Overview

Valid: 3211 Invalid: 51 Mean: 1.344 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2106	65.6%
2		1105	34.4%
Sysmiss		51	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.374 Standard deviation: 0.484
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2031	62.6%
2		1214	37.4%
Sysmiss		17	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016LKA

Overview

Valid: 3233 Invalid: 29 Mean: 1.305 Standard deviation: 0.461
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2246	69.5%
2		987	30.5%
Sysmiss		29	

QN58: Reported that their parents or guardians never or rarely went through their things

without their approval**Data file: 2016LKA****Overview**

Valid: 3210 Invalid: 52 Mean: 1.313 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2206	68.7%
2		1004	31.3%
Sysmiss		52	

QNUNWTG: Were underweight**Data file: 2016LKA****Overview**

Valid: 0 Invalid: 3262
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category
Sysmiss	

QNOWTG: Were overweight**Data file: 2016LKA****Overview**

Valid: 0 Invalid: 3262
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category
Sysmiss	

QNOBESEG: Were obese

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category
Sysmiss	

QNFR1G: Usually ate fruit less than one time per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.73 Standard deviation: 0.444

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		876	27%
2		2369	73%
Sysmiss		17	

QNFR1G: Usually ate fruit one or more times per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.34 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2143	66%
2		1102	34%
Sysmiss		17	

QNFR2G: Usually ate fruit two or more times per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.682 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1032	31.8%
2		2213	68.2%
Sysmiss		17	

QNFR3G: Usually ate fruit three or more times per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.858 Standard deviation: 0.349
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		460	14.2%
2		2785	85.8%
Sysmiss		17	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: 2016LKA****Overview**

Valid: 3227 Invalid: 35 Mean: 1.919 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		263	8.1%
2		2964	91.9%
Sysmiss		35	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: 2016LKA****Overview**

Valid: 3227 Invalid: 35 Mean: 1.097 Standard deviation: 0.296
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2913	90.3%
2		314	9.7%
Sysmiss		35	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: 2016LKA****Overview**

Valid: 3227 Invalid: 35 Mean: 1.343 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2121	65.7%
2		1106	34.3%
Sysmiss		35	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: 2016LKA****Overview**

Valid: 3227 Invalid: 35 Mean: 1.643 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1152	35.7%
2		2075	64.3%
Sysmiss		35	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: 2016LKA****Overview**

Valid: 3245 Invalid: 17 Mean: 1.623 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1222	37.7%
2		2023	62.3%
Sysmiss		17	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.737 Standard deviation: 0.44
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		853	26.3%
2		2392	73.7%
Sysmiss		17	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.886 Standard deviation: 0.318
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		370	11.4%
2		2875	88.6%
Sysmiss		17	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: 2016LKA

Overview

Valid: 3245 Invalid: 17 Mean: 1.933 Standard deviation: 0.25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		217	6.7%
2		3028	93.3%
Sysmiss		17	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: 2016LKA

Overview

Valid: 3253 Invalid: 9 Mean: 1.578 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1373	42.2%
2		1880	57.8%
Sysmiss		9	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: 2016LKA****Overview**

Valid: 3253 Invalid: 9 Mean: 1.789 Standard deviation: 0.408
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		685	21.1%
2		2568	78.9%
Sysmiss		9	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: 2016LKA****Overview**

Valid: 3253 Invalid: 9 Mean: 1.888 Standard deviation: 0.316
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		365	11.2%
2		2888	88.8%
Sysmiss		9	

QNC2G: Were bullied and could not sleep at night**Data file: 2016LKA****Overview**

Valid: 150 Invalid: 3112 Mean: 1.28 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		108	72%
2		42	28%
Sysmiss		3112	

QNTOB2G: Currently used any tobacco product

Data file: 2016LKA

Overview

Valid: 3255 Invalid: 7 Mean: 1.913 Standard deviation: 0.282
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		284	8.7%
2		2971	91.3%
Sysmiss		7	

QNNOTB2G: Did not currently use any tobacco products

Data file: 2016LKA

Overview

Valid: 3241 Invalid: 21 Mean: 1.083 Standard deviation: 0.276
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2971	91.7%
2		270	8.3%
Sysmiss		21	

QNBCANYG: Used a method of birth control

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: 2016LKA

Overview

Valid: 0 Invalid: 3262

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2016LKA

Overview

Valid: 3241 Invalid: 21 Mean: 1.724 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		893	27.6%
2		2348	72.4%
Sysmiss		21	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: 2016LKA

Overview

Valid: 3241 Invalid: 21 Mean: 1.851 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		483	14.9%
2		2758	85.1%
Sysmiss		21	

QNPE3G: Attended physical education classes on three or more days

Data file: 2016LKA

Overview

Valid: 3217 Invalid: 45 Mean: 1.589 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1322	41.1%
2		1895	58.9%
Sysmiss		45	

QNPE5G: Attended physical education classes on five or more days

Data file: 2016LKA

Overview

Valid: 3217 Invalid: 45 Mean: 1.759 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		776	24.1%
2		2441	75.9%
Sysmiss		45	

WEIGHT:

Data file: 2016LKA

Overview

Valid: 3262 Invalid: 0 Mean: 413.882 Standard deviation: 90.277
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: 2016LKA

Overview

Valid: 3262 Invalid: 0 Mean: 201601010.047 Standard deviation: 40.409
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201601001		186	5.7%
201601002		178	5.5%
201601003		216	6.6%
201601004		175	5.4%
201601005		156	4.8%
201601006		143	4.4%
201601007		169	5.2%
201601008		149	4.6%
201601009		159	4.9%
201601010		150	4.6%
201601011		173	5.3%
201601012		173	5.3%
201601013		141	4.3%
201601014		174	5.3%
201601015		218	6.7%
201601016		172	5.3%
201601017		168	5.2%
201601018		142	4.4%
201601019		142	4.4%
201601020		78	2.4%

PSU:

Data file: 2016LKA

Overview

Valid: 3262 Invalid: 0 Mean: 19.583 Standard deviation: 11.345
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2016_Sri_Lanka_GSHS_Questionnaire.pdf

Questionnaire (Sinhala)

title Questionnaire (Sinhala)
filename 2016_Sri_Lanka_GSHS_Questionnaire_Sinhala.pdf

reports

Fact Sheet

title Fact Sheet
filename 2016SRH_FactSheet.pdf

technical_documents

Codebook

title Codebook
filename 2016SRH_Public_Use_Codebook.pdf
