

Global School-Based Student Health Survey 2014

Ministry of Education

report_generated_on: February 28, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
MDV_2014_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2014

COUNTRY

Name	Country code
Maldives	MDV

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the second GSHS conducted by Maldives.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-10

Scope

NOTES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
mental health
protective factors
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
mental health
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Education

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

The 2014 Maldives GSHS was a school-based survey of students in grades 8, 9, 10, 11, and 12, which are typically attended by students aged 13-17. A two-stage cluster sample design was used to produce data representative of all students in grades 8, 9, 10, 11, and 12 in Maldives. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all

students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 60%, and the overall response rate was 60%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2014	2014

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

mental health

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

(3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.

(4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_MDV_2014_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (MDV_2014_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
MDV2014_national_Public_Use Maldives public-use dataset	3493	99
MDV2014_atolls_Public_Use Atolls public-use dataset	1618	99
MDV2014_male_Public_Use Male public-use dataset	1875	99

Data file: MDV2014_national_Public_Use

Maldives public-use dataset

Cases: 3493

variables: 99

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?

ID	Name	Label	Question
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

ID	Name	Label	Question
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

ID	Name	Label	Question
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

ID	Name	Label	Question
V135	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V142	weight		
V143	stratum		
V144	psu		

total: 99

Data file: MDV2014_atolls_Public_Use

Atolls public-use dataset

Cases: 1618

variables: 99

variables

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?

ID	Name	Label	Question
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

ID	Name	Label	Question
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

ID	Name	Label	Question
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

ID	Name	Label	Question
V279	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V286	weight		
V287	stratum		
V288	psu		

total: 99

Data file: MDV2014__male_Public_Use

Male public-use dataset

Cases: 1875

variables: 99

variables

ID	Name	Label	Question
V289	Q1	Custom Age	How old are you?
V290	Q2	Sex	What is your sex?
V291	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V292	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V293	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V294	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V295	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V296	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V297	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V298	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V303	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V304	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V305	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V306	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V307	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V308	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V309	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V310	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V311	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V312	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V313	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V314	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V315	Q27	Close friends	How many close friends do you have?

ID	Name	Label	Question
V316	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V317	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V318	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V319	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V320	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V321	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V322	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V328	Q40	Initiation of drug use	How old were you when you first used drugs?
V329	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V330	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V331	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V341	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V342	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V343	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V344	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V345	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V346	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V347	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V348	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V349	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V350	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V351	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V356	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V357	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V358	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V359	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

ID	Name	Label	Question
V360	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V361	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V362	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)
V363	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V364	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V365	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V366	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V367	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V368	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V369	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V370	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V371	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V372	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V373	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V374	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V375	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V381	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V382	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V383	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V384	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V394	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V395	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V396	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

ID	Name	Label	Question
V397	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V398	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V399	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V403	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V404	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V405	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V406	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V407	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V408	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V409	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V410	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V411	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V412	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V413	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V414	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V415	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V416	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V417	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V418	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V419	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V420	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V421	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V422	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

ID	Name	Label	Question
V423	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V430	weight		
V431	stratum		
V432	psu		

total: 99

Q1: Custom Age**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3479 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	17	0.5%
2	12 years old	16	0.5%
3	13 years old	169	4.9%
4	14 years old	828	23.8%
5	15 years old	768	22.1%
6	16 years old	714	20.5%
7	17 years old	560	16.1%
8	18 years old or older	407	11.7%
Sysmiss		14	

Q10: Fast food eating**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3445 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1906	55.3%
2	1 day	643	18.7%
3	2 days	373	10.8%

4	3 days	207	6%
5	4 days	115	3.3%
6	5 days	69	2%
7	6 days	32	0.9%
8	7 days	100	2.9%
Sysmiss		48	

Q2: Sex

Data file: MDV2014_national_Public_Use

Overview

Valid: 3436 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1457	42.4%
2	Female	1979	57.6%
Sysmiss		57	

Q3: In what grade are you

Data file: MDV2014_national_Public_Use

Overview

Valid: 3434 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 8	987	28.7%
2	Grade 9	877	25.5%
3	Grade 10	771	22.5%

4	Grade 11	467	13.6%
5	Grade 12	332	9.7%
Sysmiss		59	

Q4: How tall are you

Data file: MDV2014_national_Public_Use

Overview

Valid: 2548 Invalid: 945 Minimum: 1.27 Maximum: 2.01 Mean: 1.607 Standard deviation: 0.098
 Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 2.01 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: MDV2014_national_Public_Use

Overview

Valid: 2548 Invalid: 945 Minimum: 29 Maximum: 167 Mean: 51.491 Standard deviation: 12.943
 Type: Continuous Decimal: 2 Width: 5 Range: 29 - 167 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: MDV2014_national_Public_Use

Overview

Valid: 3463 Invalid: 30
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2132	61.6%
2	Rarely	508	14.7%
3	Sometimes	606	17.5%
4	Most of the time	146	4.2%
5	Always	71	2.1%
Sysmiss		30	

Q7: No fruit eating

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	613	17.8%
2	Less than one time per day	1500	43.5%
3	1 time per day	728	21.1%
4	2 times per day	337	9.8%
5	3 times per day	138	4%
6	4 times per day	33	1%
7	5 or more times per day	101	2.9%
Sysmiss		43	

Q8: No vegetable eating**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3418 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	779	22.8%
2	Less than one time per day	1356	39.7%
3	1 time per day	645	18.9%
4	2 times per day	343	10%
5	3 times per day	146	4.3%
6	4 times per day	39	1.1%
7	5 or more times per day	110	3.2%
Sysmiss		75	

Q9: Soft drinks**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3450 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	735	21.3%
2	Less than one time per day	1554	45%

3	1 time per day	580	16.8%
4	2 times per day	283	8.2%
5	3 times per day	98	2.8%
6	4 times per day	42	1.2%
7	5 or more times per day	158	4.6%
Sysmiss		43	

Q15: Physically attacked

Data file: MDV2014_national_Public_Use

Overview

Valid: 3381 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2476	73.2%
2	1 time	255	7.5%
3	2 or 3 times	287	8.5%
4	4 or 5 times	100	3%
5	6 or 7 times	44	1.3%
6	8 or 9 times	41	1.2%
7	10 or 11 times	13	0.4%
8	12 or more times	165	4.9%
Sysmiss		112	

Q16: Physical fighting

Data file: MDV2014_national_Public_Use

Overview

Valid: 3454 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2514	72.8%
2	1 time	277	8%
3	2 or 3 times	308	8.9%
4	4 or 5 times	88	2.5%
5	6 or 7 times	56	1.6%
6	8 or 9 times	29	0.8%
7	10 or 11 times	14	0.4%
8	12 or more times	168	4.9%
Sysmiss		39	

Q17: Seriously injured

Data file: MDV2014_national_Public_Use

Overview

Valid: 3068 Invalid: 425

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1616	52.7%
2	1 time	657	21.4%
3	2 or 3 times	446	14.5%
4	4 or 5 times	143	4.7%
5	6 or 7 times	66	2.2%
6	8 or 9 times	32	1%

7	10 or 11 times	21	0.7%
8	12 or more times	87	2.8%
Sysmiss		425	

Q18: Serious injury broken bone

Data file: MDV2014_national_Public_Use

Overview

Valid: 3107 Invalid: 386

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1840	59.2%
2	Broken bone/dislocated joint	221	7.1%
3	I had a cut or stab wound	213	6.9%
4	Concussion/head injury	85	2.7%
5	I had a gunshot wound	37	1.2%
6	I had a bad burn	41	1.3%
7	I was poisoned	22	0.7%
8	Something else happened to me	648	20.9%
Sysmiss		386	

Q19: Serious injury motor vehicle

Data file: MDV2014_national_Public_Use

Overview

Valid: 3124 Invalid: 369

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1895	60.7%
2	Motor vehicle accident	98	3.1%
3	I fell	297	9.5%
4	Something fell on me or hit me	100	3.2%
5	I was attacked	85	2.7%
6	Was in a fire	28	0.9%
7	breathed something bad	31	1%
8	Something else	590	18.9%
Sysmiss		369	

Q20: Bullied

Data file: MDV2014_national_Public_Use

Overview

Valid: 3325 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2468	74.2%
2	1 or 2 days	376	11.3%
3	3 to 5 days	178	5.4%
4	6 to 9 days	64	1.9%
5	10 to 19 days	93	2.8%
6	20 to 29 days	28	0.8%
7	All 30 days	118	3.5%
Sysmiss		168	

Q21: Bullied by hitting**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3295 Invalid: 198

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2519	76.4%
2	Kicked, pushed, or shoved	57	1.7%
3	Made fun of race	74	2.2%
4	Made fun because of religion	30	0.9%
5	Made fun of about sex	107	3.2%
6	Left out of activities	44	1.3%
7	Made fun of about body	159	4.8%
8	Some other way	305	9.3%
Sysmiss		198	

Q22: Felt lonely**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3431 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	1037	30.2%
2	Rarely	655	19.1%
3	Sometimes	1144	33.3%
4	Most of the time	440	12.8%
5	Always	155	4.5%
Sysmiss		62	

Q23: Could not sleep

Data file: MDV2014_national_Public_Use

Overview

Valid: 3413 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1097	32.1%
2	Rarely	734	21.5%
3	Sometimes	1046	30.6%
4	Most of the time	380	11.1%
5	Always	156	4.6%
Sysmiss		80	

Q24: Considered suicide

Data file: MDV2014_national_Public_Use

Overview

Valid: 3292 Invalid: 201

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	465	14.1%
2	No	2827	85.9%
Sysmiss		201	

Q25: Made a suicide plan

Data file: MDV2014_national_Public_Use

Overview

Valid: 3312 Invalid: 181

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	630	19%
2	No	2682	81%
Sysmiss		181	

Q26: Attempted suicide

Data file: MDV2014_national_Public_Use

Overview

Valid: 3385 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	2932	86.6%
2	1 time	230	6.8%
3	2 or 3 times	87	2.6%
4	4 or 5 times	77	2.3%
5	6 or more times	59	1.7%
Sysmiss		108	

Q27: Close friends

Data file: MDV2014_national_Public_Use

Overview

Valid: 3385 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	298	8.8%
2	1	445	13.1%
3	2	533	15.7%
4	3 or more	2109	62.3%
Sysmiss		108	

Q28: Initiation of cigarette use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3299 Invalid: 194

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2568	77.8%
2	7 years old or younger	142	4.3%
3	8 or 9 years old	70	2.1%
4	10 or 11 years old	70	2.1%
5	12 or 13 years old	173	5.2%
6	14 or 15 years old	185	5.6%
7	16 or 17 years old	83	2.5%
8	18 years old or older	8	0.2%
Sysmiss		194	

Q29: Current cigarette use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3383 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3015	89.1%
2	1 or 2 days	95	2.8%
3	3 to 5 days	67	2%
4	6 to 9 days	39	1.2%
5	10 to 19 days	33	1%
6	20 to 29 days	29	0.9%
7	All 30 days	105	3.1%
Sysmiss		110	

Q30: Other tobacco use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3442 Invalid: 51
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	3159	91.8%
2	1 or 2 days	100	2.9%
3	3 to 5 days	68	2%
4	6 to 9 days	34	1%
5	10 to 19 days	21	0.6%
6	20 to 29 days	12	0.3%
7	All 30 days	48	1.4%
Sysmiss		51	

Q31: Smoking cessation

Data file: MDV2014_national_Public_Use

Overview

Valid: 3277 Invalid: 216
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2682	81.8%
2	Did not smoke cigarettes	234	7.1%
3	Yes	220	6.7%
4	No	141	4.3%

Sysmiss		216	
---------	--	-----	--

Q32: Smoking in their presence

Data file: MDV2014_national_Public_Use

Overview

Valid: 3378 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1244	36.8%
2	1 or 2 days	666	19.7%
3	3 or 4 days	402	11.9%
4	5 or 6 days	202	6%
5	All 7 days	864	25.6%
Sysmiss		115	

Q33: Parental tobacco use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3408 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1808	53.1%
2	My father or male guardian	883	25.9%

3	My mother or female guardian	94	2.8%
4	Both	146	4.3%
5	I do not know	477	14%
Sysmiss		85	

Q34: Initiation of alcohol use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3020 Invalid: 473

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2761	91.4%
2	7 years old or younger	76	2.5%
3	8 or 9 years old	46	1.5%
4	10 or 11 years old	35	1.2%
5	12 or 13 years old	40	1.3%
6	14 or 15 years old	33	1.1%
7	16 or 17 years old	24	0.8%
8	18 years old or older	5	0.2%
Sysmiss		473	

Q40: Initiation of drug use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3252 Invalid: 241

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3022	92.9%
2	7 years old or younger	65	2%
3	8 or 9 years old	43	1.3%
4	10 or 11 years old	21	0.6%
5	12 or 13 years old	33	1%
6	14 or 15 years old	44	1.4%
7	16 or 17 years old	17	0.5%
8	18 years old or older	7	0.2%
Sysmiss		241	

Q41: Ever marijuana use

Data file: MDV2014_national_Public_Use

Overview

Valid: 3366 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3183	94.6%
2	1 or 2 times	44	1.3%
3	3 to 9 times	52	1.5%
4	10 to 19 times	27	0.8%
5	20 or more times	60	1.8%
Sysmiss		127	

Q42: Current marijuana use**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3326 Invalid: 167

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	3142	94.5%
2	1 or 2 times	51	1.5%
3	3 to 9 times	46	1.4%
4	10 to 19 times	39	1.2%
5	20 or more times	48	1.4%
Sysmiss		167	

Q43: Amphetamine or methamphetamine use**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3302 Invalid: 191

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3168	95.9%

2	1 or 2 times	39	1.2%
3	3 to 9 times	25	0.8%
4	10 to 19 times	25	0.8%
5	20 or more times	45	1.4%
Sysmiss		191	

Q53: Miss school no permission

Data file: MDV2014_national_Public_Use

Overview

Valid: 3373 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2124	63%
2	1 or 2 days	636	18.9%
3	3 to 5 days	301	8.9%
4	6 to 9 days	121	3.6%
5	10 or more days	191	5.7%
Sysmiss		120	

Q54: Other students kind and helpful

Data file: MDV2014_national_Public_Use

Overview

Valid: 3350 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	351	10.5%
2	Rarely	260	7.8%
3	Sometimes	749	22.4%
4	Most of the time	991	29.6%
5	Always	999	29.8%
Sysmiss		143	

Q55: Parents check homework

Data file: MDV2014_national_Public_Use

Overview

Valid: 3377 Invalid: 116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	1264	37.4%
2	Rarely	453	13.4%
3	Sometimes	735	21.8%
4	Most of the time	416	12.3%
5	Always	509	15.1%
Sysmiss		116	

Q56: Parents understand problems

Data file: MDV2014_national_Public_Use

Overview

Valid: 3350 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	927	27.7%
2	Rarely	559	16.7%
3	Sometimes	760	22.7%
4	Most of the time	495	14.8%
5	Always	609	18.2%
Sysmiss		143	

Q57: Parents know about free time

Data file: MDV2014_national_Public_Use

Overview

Valid: 3313 Invalid: 180

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	665	20.1%
2	Rarely	410	12.4%
3	Sometimes	699	21.1%
4	Most of the time	711	21.5%
5	Always	828	25%
Sysmiss		180	

Q58: Parents go through their things

Data file: MDV2014_national_Public_Use

Overview

Valid: 3303 Invalid: 190 Mean: 2.064 Standard deviation: 1.266

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1603	48.5%
2		592	17.9%
3		643	19.5%
4		225	6.8%
5		240	7.3%
Sysmiss		190	

QN6: Most of the time or always went hungry

Data file: MDV2014_national_Public_Use

Overview

Valid: 3463 Invalid: 30 Mean: 1.937 Standard deviation: 0.242
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	217	6.3%
2	No	3246	93.7%
Sysmiss		30	

QN7: Did not eat fruit

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.822 Standard deviation: 0.382
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	613	17.8%
2	No	2837	82.2%
Sysmiss		43	

QN8: Did not eat vegetables

Data file: MDV2014_national_Public_Use

Overview

Valid: 3418 Invalid: 75 Mean: 1.772 Standard deviation: 0.42
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	779	22.8%
2	No	2639	77.2%
Sysmiss		75	

QN9: Did not drink carbonated soft drinks

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.787 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	735	21.3%
2	No	2715	78.7%
Sysmiss		43	

QN10: Did not eat food from a fast food restaurant

Data file: MDV2014_national_Public_Use

Overview

Valid: 3445 Invalid: 48 Mean: 1.447 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1906	55.3%
2	No	1539	44.7%
Sysmiss		48	

QN15: Were physically attacked

Data file: MDV2014_national_Public_Use

Overview

Valid: 3381 Invalid: 112 Mean: 1.732 Standard deviation: 0.443
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	905	26.8%
2	No	2476	73.2%
Sysmiss		112	

QN16: Were in a physical fight**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3454 Invalid: 39 Mean: 1.728 Standard deviation: 0.445
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	940	27.2%
2	No	2514	72.8%
Sysmiss		39	

QN17: Were seriously injured**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3068 Invalid: 425 Mean: 1.527 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1452	47.3%
2	No	1616	52.7%
Sysmiss		425	

QN18: Reported that their most serious injury was a broken bone or dislocated joint**Data file: MDV2014_national_Public_Use****Overview**

Valid: 1267 Invalid: 2226 Mean: 1.826 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	221	17.4%
2	No	1046	82.6%
Sysmiss		2226	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: MDV2014_national_Public_Use

Overview

Valid: 1229 Invalid: 2264 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	98	8%
2	No	1131	92%
Sysmiss		2264	

QN20: Were bullied

Data file: MDV2014_national_Public_Use

Overview

Valid: 3325 Invalid: 168 Mean: 1.742 Standard deviation: 0.437
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	857	25.8%
2	No	2468	74.2%
Sysmiss		168	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: MDV2014_national_Public_Use

Overview

Valid: 776 Invalid: 2717 Mean: 1.927 Standard deviation: 0.261
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	57	7.3%
2	No	719	92.7%
Sysmiss		2717	

QN22: Most of the time or always felt lonely

Data file: MDV2014_national_Public_Use

Overview

Valid: 3431 Invalid: 62 Mean: 1.827 Standard deviation: 0.379
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	595	17.3%
2	No	2836	82.7%
Sysmiss		62	

QN23: Most of the time or always were so worried about something that they could not sleep at night**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3413 Invalid: 80 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	536	15.7%
2	No	2877	84.3%
Sysmiss		80	

QN24: Seriously considered attempting suicide**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3292 Invalid: 201 Mean: 1.859 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	465	14.1%
2	No	2827	85.9%
Sysmiss		201	

QN25: Made a plan about how they would attempt suicide**Data file: MDV2014_national_Public_Use**

Overview

Valid: 3312 Invalid: 181 Mean: 1.81 Standard deviation: 0.393
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	630	19%
2	No	2682	81%
Sysmiss		181	

QN26: Attempted suicide

Data file: MDV2014_national_Public_Use

Overview

Valid: 3385 Invalid: 108 Mean: 1.866 Standard deviation: 0.341
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	453	13.4%
2	No	2932	86.6%
Sysmiss		108	

QN27: Did not have any close friends

Data file: MDV2014_national_Public_Use

Overview

Valid: 3385 Invalid: 108 Mean: 1.912 Standard deviation: 0.283
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	298	8.8%
2	No	3087	91.2%
Sysmiss		108	

QN28: Tried a cigarette before age 14 years

Data file: MDV2014_national_Public_Use

Overview

Valid: 731 Invalid: 2762 Mean: 1.378 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	455	62.2%
2	No	276	37.8%
Sysmiss		2762	

QN29: Currently smoked cigarettes

Data file: MDV2014_national_Public_Use

Overview

Valid: 3383 Invalid: 110 Mean: 1.891 Standard deviation: 0.311
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	368	10.9%
2	No	3015	89.1%
Sysmiss		110	

QN53: Missed classes or school without permission**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3373 Invalid: 120 Mean: 1.63 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1249	37%
2	No	2124	63%
Sysmiss		120	

QN30: Currently used any tobacco products other than cigarettes**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3442 Invalid: 51 Mean: 1.918 Standard deviation: 0.275
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	283	8.2%
2	No	3159	91.8%
Sysmiss		51	

QN31: Tried to quit smoking cigarettes**Data file: MDV2014_national_Public_Use**

Overview

Valid: 361 Invalid: 3132 Mean: 1.391 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	220	60.9%
2	No	141	39.1%
Sysmiss		3132	

QN32: Reported that people smoked in their presence

Data file: MDV2014_national_Public_Use

Overview

Valid: 3378 Invalid: 115 Mean: 1.368 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2134	63.2%
2	No	1244	36.8%
Sysmiss		115	

QN33: Had parents or guardians who used any form of tobacco

Data file: MDV2014_national_Public_Use

Overview

Valid: 3408 Invalid: 85 Mean: 1.67 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	1123	33%
2	No	2285	67%
Sysmiss		85	

QN34: Drank alcohol before age 14 years

Data file: MDV2014_national_Public_Use

Overview

Valid: 259 Invalid: 3234 Mean: 1.239 Standard deviation: 0.428
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	197	76.1%
2	No	62	23.9%
Sysmiss		3234	

QN40: Used drugs before age 14 years

Data file: MDV2014_national_Public_Use

Overview

Valid: 230 Invalid: 3263 Mean: 1.296 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	162	70.4%
2	No	68	29.6%
Sysmiss		3263	

QN41: Ever used marijuana

Data file: MDV2014_national_Public_Use

Overview

Valid: 3366 Invalid: 127 Mean: 1.946 Standard deviation: 0.227
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	183	5.4%
2	No	3183	94.6%
Sysmiss		127	

QN42: Currently used marijuana

Data file: MDV2014_national_Public_Use

Overview

Valid: 3326 Invalid: 167 Mean: 1.945 Standard deviation: 0.229
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	184	5.5%
2	No	3142	94.5%
Sysmiss		167	

QN43: Ever used amphetamines or methamphetamines**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3302 Invalid: 191 Mean: 1.959 Standard deviation: 0.197
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	134	4.1%
2	No	3168	95.9%
Sysmiss		191	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3350 Invalid: 143 Mean: 1.406 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1990	59.4%
2	No	1360	40.6%
Sysmiss		143	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3377 Invalid: 116 Mean: 1.726 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	925	27.4%
2	No	2452	72.6%
Sysmiss		116	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: MDV2014_national_Public_Use

Overview

Valid: 3350 Invalid: 143 Mean: 1.67 Standard deviation: 0.47
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1104	33%
2	No	2246	67%
Sysmiss		143	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: MDV2014_national_Public_Use

Overview

Valid: 3313 Invalid: 180 Mean: 1.535 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were

doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1539	46.5%
2	No	1774	53.5%
Sysmiss		180	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: MDV2014_national_Public_Use

Overview

Valid: 3303 Invalid: 190 Mean: 1.335 Standard deviation: 0.472
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2195	66.5%
2	No	1108	33.5%
Sysmiss		190	

QNUNWTG: Were underweight

Data file: MDV2014_national_Public_Use

Overview

Valid: 2548 Invalid: 945 Mean: 1.816 Standard deviation: 0.388
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	469	18.4%
2	No	2079	81.6%

Sysmiss		945	
---------	--	-----	--

QNOWTG: Were overweight

Data file: MDV2014_national_Public_Use

Overview

Valid: 2548 Invalid: 945 Mean: 1.834 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	422	16.6%
2	No	2126	83.4%
Sysmiss		945	

QNOBESEG: Were obese

Data file: MDV2014_national_Public_Use

Overview

Valid: 2548 Invalid: 945 Mean: 1.95 Standard deviation: 0.218
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	128	5%
2	No	2420	95%
Sysmiss		945	

QNFRLG: Usually ate fruit less than one time per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.565 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1500	43.5%
2	No	1950	56.5%
Sysmiss		43	

QNFR1G: Usually ate fruit one or more times per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.612 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1337	38.8%
2	No	2113	61.2%
Sysmiss		43	

QNFR2G: Usually ate fruit two or more times per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.823 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	609	17.7%
2	No	2841	82.3%
Sysmiss		43	

QNFR3G: Usually ate fruit three or more times per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.921 Standard deviation: 0.27
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	272	7.9%
2	No	3178	92.1%
Sysmiss		43	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3418 Invalid: 75 Mean: 1.603 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1356	39.7%
2	No	2062	60.3%
Sysmiss		75	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3418 Invalid: 75 Mean: 1.625 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1283	37.5%
2	No	2135	62.5%
Sysmiss		75	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3418 Invalid: 75 Mean: 1.813 Standard deviation: 0.39
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	638	18.7%
2	No	2780	81.3%
Sysmiss		75	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3418 Invalid: 75 Mean: 1.914 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	295	8.6%
2	No	3123	91.4%
Sysmiss		75	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.55 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1554	45%
2	No	1896	55%
Sysmiss		43	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.663 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1161	33.7%
2	No	2289	66.3%
Sysmiss		43	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	581	16.8%
2	No	2869	83.2%
Sysmiss		43	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: MDV2014_national_Public_Use

Overview

Valid: 3450 Invalid: 43 Mean: 1.914 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	298	8.6%
2	No	3152	91.4%
Sysmiss		43	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3445 Invalid: 48 Mean: 1.553 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1539	44.7%
2	No	1906	55.3%
Sysmiss		48	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3445 Invalid: 48 Mean: 1.74 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	896	26%
2	No	2549	74%
Sysmiss		48	

QNFF3G: Ate food from a fast food restaurant three or more days**Data file: MDV2014_national_Public_Use****Overview**

Valid: 3445 Invalid: 48 Mean: 1.848 Standard deviation: 0.359
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	523	15.2%
2	No	2922	84.8%
Sysmiss		48	

QNC2G: Were bullied and could not sleep at night

Data file: MDV2014_national_Public_Use

Overview

Valid: 497 Invalid: 2996 Mean: 1.565 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	216	43.5%
2	No	281	56.5%
Sysmiss		2996	

QNTOB2G: Currently used any tobacco product

Data file: MDV2014_national_Public_Use

Overview

Valid: 3407 Invalid: 86 Mean: 1.86 Standard deviation: 0.347
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	476	14%
2	No	2931	86%
Sysmiss		86	

QNNOTB2G: Did not currently use any tobacco products

Data file: MDV2014_national_Public_Use

Overview

Valid: 3364 Invalid: 129 Mean: 1.129 Standard deviation: 0.335
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2931	87.1%
2	No	433	12.9%
Sysmiss		129	

WEIGHT:

Data file: MDV2014_national_Public_Use

Overview

Valid: 3493 Invalid: 0 Mean: 6.914 Standard deviation: 4.112
 Type: Continuous Decimal: 0 Width: 10 Range: 2.2124 - 30.8596 Format: Numeric

STRATUM:

Data file: MDV2014_national_Public_Use

Overview

Valid: 3493 Invalid: 0 Mean: 201401471.582 Standard deviation: 500.583
 Type: Continuous Decimal: 0 Width: 9 Range: 201401001 - 201402021 Format: Numeric

PSU:

Data file: MDV2014_national_Public_Use

Overview

Valid: 3493 Invalid: 0 Mean: 38.755 Standard deviation: 28.18
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 109 Format: Numeric

Q1: Custom Age**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1609 Invalid: 9
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	5	0.3%
2	12 years old	6	0.4%
3	13 years old	68	4.2%
4	14 years old	420	26.1%
5	15 years old	441	27.4%
6	16 years old	352	21.9%
7	17 years old	194	12.1%
8	18 years old or older	123	7.6%
Sysmiss		9	

Q2: Sex**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1583 Invalid: 35
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	658	41.6%
2	Female	925	58.4%
Sysmiss		35	

Q3: In what grade are you**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1585 Invalid: 33
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 8	506	31.9%
2	Grade 9	518	32.7%
3	Grade 10	362	22.8%
4	Grade 11	119	7.5%
5	Grade 12	80	5%
Sysmiss		33	

Q4: How tall are you**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1188 Invalid: 430 Minimum: 1.32 Maximum: 1.99 Mean: 1.602 Standard deviation: 0.0964
 Type: Continuous Decimal: 2 Width: 5 Range: 1.32 - 1.99 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1188 Invalid: 430 Minimum: 29 Maximum: 134 Mean: 49.754 Standard deviation: 12.118
 Type: Continuous Decimal: 2 Width: 5 Range: 29 - 134 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1605 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1055	65.7%
2	Rarely	169	10.5%
3	Sometimes	299	18.6%
4	Most of the time	57	3.6%
5	Always	25	1.6%
Sysmiss		13	

Q7: No fruit eating

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1596 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	289	18.1%
2	Less than one time per day	712	44.6%
3	1 time per day	307	19.2%
4	2 times per day	141	8.8%
5	3 times per day	69	4.3%
6	4 times per day	19	1.2%
7	5 or more times per day	59	3.7%
Sysmiss		22	

Q8: No vegetable eating

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1585 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	366	23.1%
2	Less than one time per day	641	40.4%
3	1 time per day	294	18.5%
4	2 times per day	138	8.7%
5	3 times per day	71	4.5%
6	4 times per day	19	1.2%
7	5 or more times per day	56	3.5%
Sysmiss		33	

Q9: Soft drinks

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1593 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	350	22%
2	Less than one time per day	698	43.8%
3	1 time per day	269	16.9%
4	2 times per day	138	8.7%
5	3 times per day	45	2.8%
6	4 times per day	21	1.3%
7	5 or more times per day	72	4.5%
Sysmiss		25	

Q10: Fast food eating

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1591 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1123	70.6%
2	1 day	188	11.8%
3	2 days	121	7.6%
4	3 days	53	3.3%

5	4 days	34	2.1%
6	5 days	26	1.6%
7	6 days	13	0.8%
8	7 days	33	2.1%
Sysmiss		27	

Q15: Physically attacked

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1551 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1075	69.3%
2	1 time	129	8.3%
3	2 or 3 times	163	10.5%
4	4 or 5 times	55	3.5%
5	6 or 7 times	21	1.4%
6	8 or 9 times	26	1.7%
7	10 or 11 times	6	0.4%
8	12 or more times	76	4.9%
Sysmiss		67	

Q16: Physical fighting

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1590 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1146	72.1%
2	1 time	143	9%
3	2 or 3 times	143	9%
4	4 or 5 times	46	2.9%
5	6 or 7 times	23	1.4%
6	8 or 9 times	10	0.6%
7	10 or 11 times	6	0.4%
8	12 or more times	73	4.6%
Sysmiss		28	

Q17: Seriously injured

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1450 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	707	48.8%
2	1 time	333	23%
3	2 or 3 times	225	15.5%
4	4 or 5 times	82	5.7%
5	6 or 7 times	31	2.1%
6	8 or 9 times	16	1.1%

7	10 or 11 times	9	0.6%
8	12 or more times	47	3.2%
Sysmiss		168	

Q18: Serious injury broken bone

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1462 Invalid: 156

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	824	56.4%
2	Broken bone/dislocated joint	108	7.4%
3	I had a cut or stab wound	98	6.7%
4	Concussion/head injury	38	2.6%
5	I had a gunshot wound	12	0.8%
6	I had a bad burn	18	1.2%
7	I was poisoned	6	0.4%
8	Something else happened to me	358	24.5%
Sysmiss		156	

Q19: Serious injury motor vehicle

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1466 Invalid: 152

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	846	57.7%
2	Motor vehicle accident	47	3.2%
3	I fell	150	10.2%
4	Something fell on me or hit me	53	3.6%
5	I was attacked	30	2%
6	Was in a fire	13	0.9%
7	breathed something bad	14	1%
8	Something else	313	21.4%
Sysmiss		152	

Q20: Bullied

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1516 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1061	70%
2	1 or 2 days	200	13.2%
3	3 to 5 days	100	6.6%
4	6 to 9 days	30	2%
5	10 to 19 days	45	3%
6	20 to 29 days	20	1.3%
7	All 30 days	60	4%
Sysmiss		102	

Q21: Bullied by hitting**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1503 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1094	72.8%
2	Kicked, pushed, or shoved	26	1.7%
3	Made fun of race	38	2.5%
4	Made fun because of religion	14	0.9%
5	Made fun of about sex	46	3.1%
6	Left out of activities	22	1.5%
7	Made fun of about body	72	4.8%
8	Some other way	191	12.7%
Sysmiss		115	

Q22: Felt lonely**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1586 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	504	31.8%
2	Rarely	255	16.1%
3	Sometimes	572	36.1%
4	Most of the time	193	12.2%
5	Always	62	3.9%
Sysmiss		32	

Q23: Could not sleep

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1589 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	573	36.1%
2	Rarely	281	17.7%
3	Sometimes	506	31.8%
4	Most of the time	164	10.3%
5	Always	65	4.1%
Sysmiss		29	

Q24: Considered suicide

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1522 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	193	12.7%
2	No	1329	87.3%
Sysmiss		96	

Q25: Made a suicide plan

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1526 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	276	18.1%
2	No	1250	81.9%
Sysmiss		92	

Q26: Attempted suicide

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1553 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1354	87.2%
2	1 time	109	7%
3	2 or 3 times	45	2.9%
4	4 or 5 times	24	1.5%
5	6 or more times	21	1.4%
Sysmiss		65	

Q27: Close friends

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1578 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	138	8.7%
2	1	251	15.9%
3	2	296	18.8%
4	3 or more	893	56.6%
Sysmiss		40	

Q28: Initiation of cigarette use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1509 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1223	81%
2	7 years old or younger	49	3.2%
3	8 or 9 years old	30	2%
4	10 or 11 years old	30	2%
5	12 or 13 years old	71	4.7%
6	14 or 15 years old	74	4.9%
7	16 or 17 years old	29	1.9%
8	18 years old or older	3	0.2%
Sysmiss		109	

Q29: Current cigarette use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1571 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1430	91%
2	1 or 2 days	34	2.2%
3	3 to 5 days	21	1.3%
4	6 to 9 days	14	0.9%
5	10 to 19 days	15	1%
6	20 to 29 days	12	0.8%
7	All 30 days	45	2.9%
Sysmiss		47	

Q30: Other tobacco use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1595 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1507	94.5%
2	1 or 2 days	34	2.1%
3	3 to 5 days	19	1.2%
4	6 to 9 days	11	0.7%
5	10 to 19 days	7	0.4%
6	20 to 29 days	4	0.3%
7	All 30 days	13	0.8%
Sysmiss		23	

Q31: Smoking cessation

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1521 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1278	84%
2	Did not smoke cigarettes	95	6.2%
3	Yes	99	6.5%
4	No	49	3.2%

Sysmiss		97	
---------	--	----	--

Q32: Smoking in their presence

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1565 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	599	38.3%
2	1 or 2 days	279	17.8%
3	3 or 4 days	184	11.8%
4	5 or 6 days	93	5.9%
5	All 7 days	410	26.2%
Sysmiss		53	

Q33: Parental tobacco use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1565 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	725	46.3%
2	My father or male guardian	402	25.7%

3	My mother or female guardian	40	2.6%
4	Both	84	5.4%
5	I do not know	314	20.1%
Sysmiss		53	

Q34: Initiation of alcohol use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1355 Invalid: 263

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1278	94.3%
2	7 years old or younger	25	1.8%
3	8 or 9 years old	10	0.7%
4	10 or 11 years old	9	0.7%
5	12 or 13 years old	10	0.7%
6	14 or 15 years old	13	1%
7	16 or 17 years old	8	0.6%
8	18 years old or older	2	0.1%
Sysmiss		263	

Q40: Initiation of drug use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1505 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1446	96.1%
2	7 years old or younger	13	0.9%
3	8 or 9 years old	11	0.7%
4	10 or 11 years old	6	0.4%
5	12 or 13 years old	6	0.4%
6	14 or 15 years old	14	0.9%
7	16 or 17 years old	4	0.3%
8	18 years old or older	5	0.3%
Sysmiss		113	

Q41: Ever marijuana use

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1546 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1499	97%
2	1 or 2 times	10	0.6%
3	3 to 9 times	12	0.8%
4	10 to 19 times	9	0.6%
5	20 or more times	16	1%
Sysmiss		72	

Q42: Current marijuana use**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1537 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1488	96.8%
2	1 or 2 times	11	0.7%
3	3 to 9 times	12	0.8%
4	10 to 19 times	11	0.7%
5	20 or more times	15	1%
Sysmiss		81	

Q43: Amphetamine or methamphetamine use**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1512 Invalid: 106

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1472	97.4%

2	1 or 2 times	12	0.8%
3	3 to 9 times	8	0.5%
4	10 to 19 times	9	0.6%
5	20 or more times	11	0.7%
Sysmiss		106	

Q53: Miss school no permission

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1553 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1029	66.3%
2	1 or 2 days	279	18%
3	3 to 5 days	118	7.6%
4	6 to 9 days	41	2.6%
5	10 or more days	86	5.5%
Sysmiss		65	

Q54: Other students kind and helpful

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1548 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	167	10.8%
2	Rarely	120	7.8%
3	Sometimes	383	24.7%
4	Most of the time	421	27.2%
5	Always	457	29.5%
Sysmiss		70	

Q55: Parents check homework

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1558 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	552	35.4%
2	Rarely	173	11.1%
3	Sometimes	360	23.1%
4	Most of the time	196	12.6%
5	Always	277	17.8%
Sysmiss		60	

Q56: Parents understand problems

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1539 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	449	29.2%
2	Rarely	207	13.5%
3	Sometimes	365	23.7%
4	Most of the time	208	13.5%
5	Always	310	20.1%
Sysmiss		79	

Q57: Parents know about free time

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1526 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	302	19.8%
2	Rarely	141	9.2%
3	Sometimes	336	22%
4	Most of the time	303	19.9%
5	Always	444	29.1%
Sysmiss		92	

Q58: Parents go through their things

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1503 Invalid: 115 Mean: 2.05 Standard deviation: 1.258

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		753	50.1%
2		217	14.4%
3		342	22.8%
4		87	5.8%
5		104	6.9%
Sysmiss		115	

QN6: Most of the time or always went hungry

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1605 Invalid: 13 Mean: 1.949 Standard deviation: 0.22
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	82	5.1%
2	No	1523	94.9%
Sysmiss		13	

QN7: Did not eat fruit

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1596 Invalid: 22 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	289	18.1%
2	No	1307	81.9%
Sysmiss		22	

QN8: Did not eat vegetables

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1585 Invalid: 33 Mean: 1.769 Standard deviation: 0.422
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	366	23.1%
2	No	1219	76.9%
Sysmiss		33	

QN9: Did not drink carbonated soft drinks

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1593 Invalid: 25 Mean: 1.78 Standard deviation: 0.414
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	350	22%
2	No	1243	78%
Sysmiss		25	

QN10: Did not eat food from a fast food restaurant

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1591 Invalid: 27 Mean: 1.294 Standard deviation: 0.456
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1123	70.6%
2	No	468	29.4%
Sysmiss		27	

QN15: Were physically attacked

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1551 Invalid: 67 Mean: 1.693 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	476	30.7%
2	No	1075	69.3%
Sysmiss		67	

QN16: Were in a physical fight**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1590 Invalid: 28 Mean: 1.721 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	444	27.9%
2	No	1146	72.1%
Sysmiss		28	

QN17: Were seriously injured**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1450 Invalid: 168 Mean: 1.488 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	743	51.2%
2	No	707	48.8%
Sysmiss		168	

QN18: Reported that their most serious injury was a broken bone or dislocated joint**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 638 Invalid: 980 Mean: 1.831 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	108	16.9%
2	No	530	83.1%
Sysmiss		980	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 620 Invalid: 998 Mean: 1.924 Standard deviation: 0.265
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	47	7.6%
2	No	573	92.4%
Sysmiss		998	

QN20: Were bullied

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1516 Invalid: 102 Mean: 1.7 Standard deviation: 0.458
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	455	30%
2	No	1061	70%
Sysmiss		102	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 409 Invalid: 1209 Mean: 1.936 Standard deviation: 0.244
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	26	6.4%
2	No	383	93.6%
Sysmiss		1209	

QN22: Most of the time or always felt lonely

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1586 Invalid: 32 Mean: 1.839 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	255	16.1%
2	No	1331	83.9%
Sysmiss		32	

QN23: Most of the time or always were so worried about something that they could not sleep at night**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1589 Invalid: 29 Mean: 1.856 Standard deviation: 0.351
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	229	14.4%
2	No	1360	85.6%
Sysmiss		29	

QN24: Seriously considered attempting suicide**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1522 Invalid: 96 Mean: 1.873 Standard deviation: 0.333
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	193	12.7%
2	No	1329	87.3%
Sysmiss		96	

QN25: Made a plan about how they would attempt suicide**Data file: MDV2014_atolls_Public_Use**

Overview

Valid: 1526 Invalid: 92 Mean: 1.819 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	276	18.1%
2	No	1250	81.9%
Sysmiss		92	

QN26: Attempted suicide

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1553 Invalid: 65 Mean: 1.872 Standard deviation: 0.334
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	199	12.8%
2	No	1354	87.2%
Sysmiss		65	

QN27: Did not have any close friends

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1578 Invalid: 40 Mean: 1.913 Standard deviation: 0.283
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	138	8.7%
2	No	1440	91.3%
Sysmiss		40	

QN28: Tried a cigarette before age 14 years

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 286 Invalid: 1332 Mean: 1.371 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	180	62.9%
2	No	106	37.1%
Sysmiss		1332	

QN29: Currently smoked cigarettes

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1571 Invalid: 47 Mean: 1.91 Standard deviation: 0.286
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	141	9%
2	No	1430	91%
Sysmiss		47	

QN30: Currently used any tobacco products other than cigarettes

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1595 Invalid: 23 Mean: 1.945 Standard deviation: 0.228
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	88	5.5%
2	No	1507	94.5%
Sysmiss		23	

QN31: Tried to quit smoking cigarettes

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 148 Invalid: 1470 Mean: 1.331 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	99	66.9%
2	No	49	33.1%
Sysmiss		1470	

QN32: Reported that people smoked in their presence

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1565 Invalid: 53 Mean: 1.383 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	966	61.7%
2	No	599	38.3%
Sysmiss		53	

QN33: Had parents or guardians who used any form of tobacco

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1565 Invalid: 53 Mean: 1.664 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	526	33.6%
2	No	1039	66.4%
Sysmiss		53	

QN34: Drank alcohol before age 14 years

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 77 Invalid: 1541 Mean: 1.299 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	54	70.1%
2	No	23	29.9%
Sysmiss		1541	

QN40: Used drugs before age 14 years

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 59 Invalid: 1559 Mean: 1.39 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	36	61%
2	No	23	39%
Sysmiss		1559	

QN41: Ever used marijuana

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1546 Invalid: 72 Mean: 1.97 Standard deviation: 0.172
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	47	3%
2	No	1499	97%
Sysmiss		72	

QN42: Currently used marijuana**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1537 Invalid: 81 Mean: 1.968 Standard deviation: 0.176
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	49	3.2%
2	No	1488	96.8%
Sysmiss		81	

QN43: Ever used amphetamines or methamphetamines**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1512 Invalid: 106 Mean: 1.974 Standard deviation: 0.161
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	40	2.6%
2	No	1472	97.4%
Sysmiss		106	

QN53: Missed classes or school without permission**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1553 Invalid: 65 Mean: 1.663 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	524	33.7%
2	No	1029	66.3%
Sysmiss		65	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1548 Invalid: 70 Mean: 1.433 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	878	56.7%
2	No	670	43.3%
Sysmiss		70	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1558 Invalid: 60 Mean: 1.696 Standard deviation: 0.46
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their

homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	473	30.4%
2	No	1085	69.6%
Sysmiss		60	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1539 Invalid: 79 Mean: 1.663 Standard deviation: 0.473
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	518	33.7%
2	No	1021	66.3%
Sysmiss		79	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1526 Invalid: 92 Mean: 1.51 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	747	49%

2	No	779	51%
Sysmiss		92	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1503 Invalid: 115 Mean: 1.355 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	970	64.5%
2	No	533	35.5%
Sysmiss		115	

QNUNWTG: Were underweight

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1188 Invalid: 430 Mean: 1.786 Standard deviation: 0.41
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	254	21.4%
2	No	934	78.6%
Sysmiss		430	

QNOWTG: Were overweight**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1188 Invalid: 430 Mean: 1.864 Standard deviation: 0.342
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	161	13.6%
2	No	1027	86.4%
Sysmiss		430	

QNOBESEG: Were obese**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1188 Invalid: 430 Mean: 1.96 Standard deviation: 0.195
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	47	4%
2	No	1141	96%
Sysmiss		430	

QNFRLG: Usually ate fruit less than one time per day**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1596 Invalid: 22 Mean: 1.554 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	712	44.6%
2	No	884	55.4%
Sysmiss		22	

QNFR1G: Usually ate fruit one or more times per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1596 Invalid: 22 Mean: 1.627 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	595	37.3%
2	No	1001	62.7%
Sysmiss		22	

QNFR2G: Usually ate fruit two or more times per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1596 Invalid: 22 Mean: 1.82 Standard deviation: 0.385
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	288	18%
2	No	1308	82%
Sysmiss		22	

QNFR3G: Usually ate fruit three or more times per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1596 Invalid: 22 Mean: 1.908 Standard deviation: 0.289
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	147	9.2%
2	No	1449	90.8%
Sysmiss		22	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1585 Invalid: 33 Mean: 1.596 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	641	40.4%
2	No	944	59.6%
Sysmiss		33	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1585 Invalid: 33 Mean: 1.635 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	578	36.5%
2	No	1007	63.5%
Sysmiss		33	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1585 Invalid: 33 Mean: 1.821 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	284	17.9%
2	No	1301	82.1%
Sysmiss		33	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1585 Invalid: 33 Mean: 1.908 Standard deviation: 0.289
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	146	9.2%
2	No	1439	90.8%
Sysmiss		33	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1593 Invalid: 25 Mean: 1.562 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	698	43.8%
2	No	895	56.2%
Sysmiss		25	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1593 Invalid: 25 Mean: 1.658 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	545	34.2%
2	No	1048	65.8%
Sysmiss		25	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1593 Invalid: 25 Mean: 1.827 Standard deviation: 0.379
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	276	17.3%
2	No	1317	82.7%
Sysmiss		25	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1593 Invalid: 25 Mean: 1.913 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	138	8.7%
2	No	1455	91.3%
Sysmiss		25	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1591 Invalid: 27 Mean: 1.706 Standard deviation: 0.456
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	468	29.4%
2	No	1123	70.6%
Sysmiss		27	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1591 Invalid: 27 Mean: 1.824 Standard deviation: 0.381
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	280	17.6%
2	No	1311	82.4%
Sysmiss		27	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1591 Invalid: 27 Mean: 1.9 Standard deviation: 0.3
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	159	10%
2	No	1432	90%
Sysmiss		27	

QNC2G: Were bullied and could not sleep at night

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 209 Invalid: 1409 Mean: 1.474 Standard deviation: 0.501
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	110	52.6%
2	No	99	47.4%
Sysmiss		1409	

QNTOB2G: Currently used any tobacco product

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1579 Invalid: 39 Mean: 1.887 Standard deviation: 0.316
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	178	11.3%
2	No	1401	88.7%
Sysmiss		39	

QNNOTB2G: Did not currently use any tobacco products

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1567 Invalid: 51 Mean: 1.106 Standard deviation: 0.308
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1401	89.4%
2	No	166	10.6%
Sysmiss		51	

WEIGHT:

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1618 Invalid: 0 Mean: 9.529 Standard deviation: 4.359
 Type: Continuous Decimal: 0 Width: 10 Range: 4.5356 - 30.8596 Format: Numeric

STRATUM:

Data file: MDV2014_atolls_Public_Use

Overview

Valid: 1618 Invalid: 0 Mean: 201402009.978 Standard deviation: 15.916
 Type: Discrete Decimal: 0 Width: 9 Range: 201402001 - 201402021 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

201402001		89	5.5%
201402002		40	2.5%
201402003		190	11.7%
201402004		78	4.8%
201402005		78	4.8%
201402006		78	4.8%
201402007		90	5.6%
201402008		71	4.4%
201402009		80	4.9%
201402010		71	4.4%
201402011		39	2.4%
201402012		101	6.2%
201402013		98	6.1%
201402014		114	7%
201402015		60	3.7%
201402016		76	4.7%
201402017		45	2.8%
201402018		86	5.3%
201402019		58	3.6%
201402020		31	1.9%
201402021		45	2.8%

PSU:**Data file: MDV2014_atolls_Public_Use****Overview**

Valid: 1618 Invalid: 0 Mean: 23.245 Standard deviation: 11.948
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 46 Format: Numeric

Q1: Custom Age**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1870 Invalid: 5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	12	0.6%
2	12 years old	10	0.5%
3	13 years old	101	5.4%
4	14 years old	408	21.8%
5	15 years old	327	17.5%
6	16 years old	362	19.4%
7	17 years old	366	19.6%
8	18 years old or older	284	15.2%
Sysmiss		5	

Q2: Sex**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1853 Invalid: 22
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	799	43.1%
2	Female	1054	56.9%
Sysmiss		22	

Q3: In what grade are you**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1849 Invalid: 26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 8	481	26%
2	Grade 9	359	19.4%
3	Grade 10	409	22.1%
4	Grade 11	348	18.8%
5	Grade 12	252	13.6%
Sysmiss		26	

Q4: How tall are you**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1360 Invalid: 515 Minimum: 1.27 Maximum: 2.01 Mean: 1.61 Standard deviation: 0.0992
 Type: Continuous Decimal: 2 Width: 5 Range: 1.27 - 2.01 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1360 Invalid: 515 Minimum: 29 Maximum: 167 Mean: 53.008 Standard deviation: 13.445
 Type: Continuous Decimal: 2 Width: 5 Range: 29 - 167 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: MDV2014__male_Public_Use

Overview

Valid: 1858 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1077	58%
2	Rarely	339	18.2%
3	Sometimes	307	16.5%
4	Most of the time	89	4.8%
5	Always	46	2.5%
Sysmiss		17	

Q7: No fruit eating

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	324	17.5%
2	Less than one time per day	788	42.5%
3	1 time per day	421	22.7%
4	2 times per day	196	10.6%
5	3 times per day	69	3.7%
6	4 times per day	14	0.8%
7	5 or more times per day	42	2.3%
Sysmiss		21	

Q8: No vegetable eating

Data file: MDV2014__male_Public_Use

Overview

Valid: 1833 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	413	22.5%
2	Less than one time per day	715	39%
3	1 time per day	351	19.1%
4	2 times per day	205	11.2%
5	3 times per day	75	4.1%
6	4 times per day	20	1.1%
7	5 or more times per day	54	2.9%
Sysmiss		42	

Q9: Soft drinks

Data file: MDV2014__male_Public_Use

Overview

Valid: 1857 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	385	20.7%
2	Less than one time per day	856	46.1%
3	1 time per day	311	16.7%
4	2 times per day	145	7.8%
5	3 times per day	53	2.9%
6	4 times per day	21	1.1%
7	5 or more times per day	86	4.6%
Sysmiss		18	

Q10: Fast food eating

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	783	42.2%
2	1 day	455	24.5%
3	2 days	252	13.6%
4	3 days	154	8.3%

5	4 days	81	4.4%
6	5 days	43	2.3%
7	6 days	19	1%
8	7 days	67	3.6%
Sysmiss		21	

Q15: Physically attacked

Data file: MDV2014_male_Public_Use

Overview

Valid: 1830 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1401	76.6%
2	1 time	126	6.9%
3	2 or 3 times	124	6.8%
4	4 or 5 times	45	2.5%
5	6 or 7 times	23	1.3%
6	8 or 9 times	15	0.8%
7	10 or 11 times	7	0.4%
8	12 or more times	89	4.9%
Sysmiss		45	

Q16: Physical fighting

Data file: MDV2014_male_Public_Use

Overview

Valid: 1864 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1368	73.4%
2	1 time	134	7.2%
3	2 or 3 times	165	8.9%
4	4 or 5 times	42	2.3%
5	6 or 7 times	33	1.8%
6	8 or 9 times	19	1%
7	10 or 11 times	8	0.4%
8	12 or more times	95	5.1%
Sysmiss		11	

Q17: Seriously injured

Data file: MDV2014__male_Public_Use

Overview

Valid: 1618 Invalid: 257

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	909	56.2%
2	1 time	324	20%
3	2 or 3 times	221	13.7%
4	4 or 5 times	61	3.8%
5	6 or 7 times	35	2.2%
6	8 or 9 times	16	1%

7	10 or 11 times	12	0.7%
8	12 or more times	40	2.5%
Sysmiss		257	

Q18: Serious injury broken bone

Data file: MDV2014__male_Public_Use

Overview

Valid: 1645 Invalid: 230

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1016	61.8%
2	Broken bone/dislocated joint	113	6.9%
3	I had a cut or stab wound	115	7%
4	Concussion/head injury	47	2.9%
5	I had a gunshot wound	25	1.5%
6	I had a bad burn	23	1.4%
7	I was poisoned	16	1%
8	Something else happened to me	290	17.6%
Sysmiss		230	

Q19: Serious injury motor vehicle

Data file: MDV2014__male_Public_Use

Overview

Valid: 1658 Invalid: 217

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1049	63.3%
2	Motor vehicle accident	51	3.1%
3	I fell	147	8.9%
4	Something fell on me or hit me	47	2.8%
5	I was attacked	55	3.3%
6	Was in a fire	15	0.9%
7	breathed something bad	17	1%
8	Something else	277	16.7%
Sysmiss		217	

Q20: Bullied

Data file: MDV2014__male_Public_Use

Overview

Valid: 1809 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1407	77.8%
2	1 or 2 days	176	9.7%
3	3 to 5 days	78	4.3%
4	6 to 9 days	34	1.9%
5	10 to 19 days	48	2.7%
6	20 to 29 days	8	0.4%
7	All 30 days	58	3.2%
Sysmiss		66	

Q21: Bullied by hitting**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1792 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1425	79.5%
2	Kicked, pushed, or shoved	31	1.7%
3	Made fun of race	36	2%
4	Made fun because of religion	16	0.9%
5	Made fun of about sex	61	3.4%
6	Left out of activities	22	1.2%
7	Made fun of about body	87	4.9%
8	Some other way	114	6.4%
Sysmiss		83	

Q22: Felt lonely**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1845 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	533	28.9%
2	Rarely	400	21.7%
3	Sometimes	572	31%
4	Most of the time	247	13.4%
5	Always	93	5%
Sysmiss		30	

Q23: Could not sleep

Data file: MDV2014__male_Public_Use

Overview

Valid: 1824 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	524	28.7%
2	Rarely	453	24.8%
3	Sometimes	540	29.6%
4	Most of the time	216	11.8%
5	Always	91	5%
Sysmiss		51	

Q24: Considered suicide

Data file: MDV2014__male_Public_Use

Overview

Valid: 1770 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	272	15.4%
2	No	1498	84.6%
Sysmiss		105	

Q25: Made a suicide plan

Data file: MDV2014__male_Public_Use

Overview

Valid: 1786 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	354	19.8%
2	No	1432	80.2%
Sysmiss		89	

Q26: Attempted suicide

Data file: MDV2014__male_Public_Use

Overview

Valid: 1832 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	1578	86.1%
2	1 time	121	6.6%
3	2 or 3 times	42	2.3%
4	4 or 5 times	53	2.9%
5	6 or more times	38	2.1%
Sysmiss		43	

Q27: Close friends

Data file: MDV2014__male_Public_Use

Overview

Valid: 1807 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	160	8.9%
2	1	194	10.7%
3	2	237	13.1%
4	3 or more	1216	67.3%
Sysmiss		68	

Q28: Initiation of cigarette use

Data file: MDV2014__male_Public_Use

Overview

Valid: 1790 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1345	75.1%
2	7 years old or younger	93	5.2%
3	8 or 9 years old	40	2.2%
4	10 or 11 years old	40	2.2%
5	12 or 13 years old	102	5.7%
6	14 or 15 years old	111	6.2%
7	16 or 17 years old	54	3%
8	18 years old or older	5	0.3%
Sysmiss		85	

Q29: Current cigarette use

Data file: MDV2014__male_Public_Use

Overview

Valid: 1812 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1585	87.5%
2	1 or 2 days	61	3.4%
3	3 to 5 days	46	2.5%
4	6 to 9 days	25	1.4%
5	10 to 19 days	18	1%
6	20 to 29 days	17	0.9%
7	All 30 days	60	3.3%
Sysmiss		63	

Q30: Other tobacco use

Data file: MDV2014__male_Public_Use

Overview

Valid: 1847 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1652	89.4%
2	1 or 2 days	66	3.6%
3	3 to 5 days	49	2.7%
4	6 to 9 days	23	1.2%
5	10 to 19 days	14	0.8%
6	20 to 29 days	8	0.4%
7	All 30 days	35	1.9%
Sysmiss		28	

Q31: Smoking cessation

Data file: MDV2014__male_Public_Use

Overview

Valid: 1756 Invalid: 119

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1404	80%
2	Did not smoke cigarettes	139	7.9%
3	Yes	121	6.9%
4	No	92	5.2%

Sysmiss		119	
---------	--	-----	--

Q32: Smoking in their presence

Data file: MDV2014_male_Public_Use

Overview

Valid: 1813 Invalid: 62
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	645	35.6%
2	1 or 2 days	387	21.3%
3	3 or 4 days	218	12%
4	5 or 6 days	109	6%
5	All 7 days	454	25%
Sysmiss		62	

Q33: Parental tobacco use

Data file: MDV2014_male_Public_Use

Overview

Valid: 1843 Invalid: 32
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1083	58.8%
2	My father or male guardian	481	26.1%

3	My mother or female guardian	54	2.9%
4	Both	62	3.4%
5	I do not know	163	8.8%
Sysmiss		32	

Q34: Initiation of alcohol use

Data file: MDV2014__male_Public_Use

Overview

Valid: 1665 Invalid: 210

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1483	89.1%
2	7 years old or younger	51	3.1%
3	8 or 9 years old	36	2.2%
4	10 or 11 years old	26	1.6%
5	12 or 13 years old	30	1.8%
6	14 or 15 years old	20	1.2%
7	16 or 17 years old	16	1%
8	18 years old or older	3	0.2%
Sysmiss		210	

Q40: Initiation of drug use

Data file: MDV2014__male_Public_Use

Overview

Valid: 1747 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1576	90.2%
2	7 years old or younger	52	3%
3	8 or 9 years old	32	1.8%
4	10 or 11 years old	15	0.9%
5	12 or 13 years old	27	1.5%
6	14 or 15 years old	30	1.7%
7	16 or 17 years old	13	0.7%
8	18 years old or older	2	0.1%
Sysmiss		128	

Q41: Ever marijuana use

Data file: MDV2014__male_Public_Use

Overview

Valid: 1820 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1684	92.5%
2	1 or 2 times	34	1.9%
3	3 to 9 times	40	2.2%
4	10 to 19 times	18	1%
5	20 or more times	44	2.4%
Sysmiss		55	

Q42: Current marijuana use**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1789 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1654	92.5%
2	1 or 2 times	40	2.2%
3	3 to 9 times	34	1.9%
4	10 to 19 times	28	1.6%
5	20 or more times	33	1.8%
Sysmiss		86	

Q43: Amphetamine or methamphetamine use**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1790 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1696	94.7%

2	1 or 2 times	27	1.5%
3	3 to 9 times	17	0.9%
4	10 to 19 times	16	0.9%
5	20 or more times	34	1.9%
Sysmiss		85	

Q53: Miss school no permission

Data file: MDV2014__male_Public_Use

Overview

Valid: 1820 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1095	60.2%
2	1 or 2 days	357	19.6%
3	3 to 5 days	183	10.1%
4	6 to 9 days	80	4.4%
5	10 or more days	105	5.8%
Sysmiss		55	

Q54: Other students kind and helpful

Data file: MDV2014__male_Public_Use

Overview

Valid: 1802 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	184	10.2%
2	Rarely	140	7.8%
3	Sometimes	366	20.3%
4	Most of the time	570	31.6%
5	Always	542	30.1%
Sysmiss		73	

Q55: Parents check homework

Data file: MDV2014__male_Public_Use

Overview

Valid: 1819 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	712	39.1%
2	Rarely	280	15.4%
3	Sometimes	375	20.6%
4	Most of the time	220	12.1%
5	Always	232	12.8%
Sysmiss		56	

Q56: Parents understand problems

Data file: MDV2014__male_Public_Use

Overview

Valid: 1811 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	478	26.4%
2	Rarely	352	19.4%
3	Sometimes	395	21.8%
4	Most of the time	287	15.8%
5	Always	299	16.5%
Sysmiss		64	

Q57: Parents know about free time

Data file: MDV2014__male_Public_Use

Overview

Valid: 1787 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	363	20.3%
2	Rarely	269	15.1%
3	Sometimes	363	20.3%
4	Most of the time	408	22.8%
5	Always	384	21.5%
Sysmiss		88	

Q58: Parents go through their things

Data file: MDV2014__male_Public_Use

Overview

Valid: 1800 Invalid: 75 Mean: 2.075 Standard deviation: 1.273

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		850	47.2%
2		375	20.8%
3		301	16.7%
4		138	7.7%
5		136	7.6%
Sysmiss		75	

QN6: Most of the time or always went hungry

Data file: MDV2014__male_Public_Use

Overview

Valid: 1858 Invalid: 17 Mean: 1.927 Standard deviation: 0.26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	135	7.3%
2	No	1723	92.7%
Sysmiss		17	

QN7: Did not eat fruit

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	324	17.5%
2	No	1530	82.5%
Sysmiss		21	

QN8: Did not eat vegetables

Data file: MDV2014__male_Public_Use

Overview

Valid: 1833 Invalid: 42 Mean: 1.775 Standard deviation: 0.418
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	413	22.5%
2	No	1420	77.5%
Sysmiss		42	

QN9: Did not drink carbonated soft drinks

Data file: MDV2014__male_Public_Use

Overview

Valid: 1857 Invalid: 18 Mean: 1.793 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	385	20.7%
2	No	1472	79.3%
Sysmiss		18	

QN10: Did not eat food from a fast food restaurant

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.578 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	783	42.2%
2	No	1071	57.8%
Sysmiss		21	

QN15: Were physically attacked

Data file: MDV2014__male_Public_Use

Overview

Valid: 1830 Invalid: 45 Mean: 1.766 Standard deviation: 0.424
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	429	23.4%
2	No	1401	76.6%
Sysmiss		45	

QN16: Were in a physical fight**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1864 Invalid: 11 Mean: 1.734 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	496	26.6%
2	No	1368	73.4%
Sysmiss		11	

QN17: Were seriously injured**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1618 Invalid: 257 Mean: 1.562 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	709	43.8%
2	No	909	56.2%
Sysmiss		257	

QN18: Reported that their most serious injury was a broken bone or dislocated joint**Data file: MDV2014__male_Public_Use****Overview**

Valid: 629 Invalid: 1246 Mean: 1.82 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	113	18%
2	No	516	82%
Sysmiss		1246	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: MDV2014__male_Public_Use

Overview

Valid: 609 Invalid: 1266 Mean: 1.916 Standard deviation: 0.277
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	51	8.4%
2	No	558	91.6%
Sysmiss		1266	

QN20: Were bullied

Data file: MDV2014__male_Public_Use

Overview

Valid: 1809 Invalid: 66 Mean: 1.778 Standard deviation: 0.416
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	402	22.2%
2	No	1407	77.8%
Sysmiss		66	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: MDV2014__male_Public_Use

Overview

Valid: 367 Invalid: 1508 Mean: 1.916 Standard deviation: 0.278
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	31	8.4%
2	No	336	91.6%
Sysmiss		1508	

QN22: Most of the time or always felt lonely

Data file: MDV2014__male_Public_Use

Overview

Valid: 1845 Invalid: 30 Mean: 1.816 Standard deviation: 0.388
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	340	18.4%
2	No	1505	81.6%
Sysmiss		30	

QN23: Most of the time or always were so worried about something that they could not sleep at night**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1824 Invalid: 51 Mean: 1.832 Standard deviation: 0.374
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	307	16.8%
2	No	1517	83.2%
Sysmiss		51	

QN24: Seriously considered attempting suicide**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1770 Invalid: 105 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	272	15.4%
2	No	1498	84.6%
Sysmiss		105	

QN25: Made a plan about how they would attempt suicide**Data file: MDV2014__male_Public_Use**

Overview

Valid: 1786 Invalid: 89 Mean: 1.802 Standard deviation: 0.399
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	354	19.8%
2	No	1432	80.2%
Sysmiss		89	

QN26: Attempted suicide

Data file: MDV2014__male_Public_Use

Overview

Valid: 1832 Invalid: 43 Mean: 1.861 Standard deviation: 0.346
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	254	13.9%
2	No	1578	86.1%
Sysmiss		43	

QN27: Did not have any close friends

Data file: MDV2014__male_Public_Use

Overview

Valid: 1807 Invalid: 68 Mean: 1.911 Standard deviation: 0.284
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	160	8.9%
2	No	1647	91.1%
Sysmiss		68	

QN28: Tried a cigarette before age 14 years

Data file: MDV2014__male_Public_Use

Overview

Valid: 445 Invalid: 1430 Mean: 1.382 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	275	61.8%
2	No	170	38.2%
Sysmiss		1430	

QN29: Currently smoked cigarettes

Data file: MDV2014__male_Public_Use

Overview

Valid: 1812 Invalid: 63 Mean: 1.875 Standard deviation: 0.331
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	227	12.5%
2	No	1585	87.5%
Sysmiss		63	

QN30: Currently used any tobacco products other than cigarettes

Data file: MDV2014__male_Public_Use

Overview

Valid: 1847 Invalid: 28 Mean: 1.894 Standard deviation: 0.307
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	195	10.6%
2	No	1652	89.4%
Sysmiss		28	

QN31: Tried to quit smoking cigarettes

Data file: MDV2014__male_Public_Use

Overview

Valid: 213 Invalid: 1662 Mean: 1.432 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	121	56.8%
2	No	92	43.2%
Sysmiss		1662	

QN32: Reported that people smoked in their presence

Data file: MDV2014__male_Public_Use

Overview

Valid: 1813 Invalid: 62 Mean: 1.356 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1168	64.4%
2	No	645	35.6%
Sysmiss		62	

QN33: Had parents or guardians who used any form of tobacco

Data file: MDV2014__male_Public_Use

Overview

Valid: 1843 Invalid: 32 Mean: 1.676 Standard deviation: 0.468
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	597	32.4%
2	No	1246	67.6%
Sysmiss		32	

QN34: Drank alcohol before age 14 years

Data file: MDV2014__male_Public_Use

Overview

Valid: 182 Invalid: 1693 Mean: 1.214 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	143	78.6%
2	No	39	21.4%
Sysmiss		1693	

QN40: Used drugs before age 14 years

Data file: MDV2014__male_Public_Use

Overview

Valid: 171 Invalid: 1704 Mean: 1.263 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	126	73.7%
2	No	45	26.3%
Sysmiss		1704	

QN41: Ever used marijuana

Data file: MDV2014__male_Public_Use

Overview

Valid: 1820 Invalid: 55 Mean: 1.925 Standard deviation: 0.263
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	136	7.5%
2	No	1684	92.5%
Sysmiss		55	

QN42: Currently used marijuana**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1789 Invalid: 86 Mean: 1.925 Standard deviation: 0.264
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	135	7.5%
2	No	1654	92.5%
Sysmiss		86	

QN43: Ever used amphetamines or methamphetamines**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1790 Invalid: 85 Mean: 1.947 Standard deviation: 0.223
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	94	5.3%
2	No	1696	94.7%
Sysmiss		85	

QN53: Missed classes or school without permission**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1820 Invalid: 55 Mean: 1.602 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	725	39.8%
2	No	1095	60.2%
Sysmiss		55	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: MDV2014__male_Public_Use

Overview

Valid: 1802 Invalid: 73 Mean: 1.383 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1112	61.7%
2	No	690	38.3%
Sysmiss		73	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: MDV2014__male_Public_Use

Overview

Valid: 1819 Invalid: 56 Mean: 1.752 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their

homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	452	24.8%
2	No	1367	75.2%
Sysmiss		56	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: MDV2014__male_Public_Use

Overview

Valid: 1811 Invalid: 64 Mean: 1.676 Standard deviation: 0.468
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	586	32.4%
2	No	1225	67.6%
Sysmiss		64	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: MDV2014__male_Public_Use

Overview

Valid: 1787 Invalid: 88 Mean: 1.557 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	792	44.3%

2	No	995	55.7%
Sysmiss		88	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: MDV2014__male_Public_Use

Overview

Valid: 1800 Invalid: 75 Mean: 1.319 Standard deviation: 0.466
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1225	68.1%
2	No	575	31.9%
Sysmiss		75	

QNUNWTG: Were underweight

Data file: MDV2014__male_Public_Use

Overview

Valid: 1360 Invalid: 515 Mean: 1.842 Standard deviation: 0.365
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	215	15.8%
2	No	1145	84.2%
Sysmiss		515	

QNOWTG: Were overweight**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1360 Invalid: 515 Mean: 1.808 Standard deviation: 0.394
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	261	19.2%
2	No	1099	80.8%
Sysmiss		515	

QNOBESEG: Were obese**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1360 Invalid: 515 Mean: 1.94 Standard deviation: 0.237
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	81	6%
2	No	1279	94%
Sysmiss		515	

QNFRLG: Usually ate fruit less than one time per day**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1854 Invalid: 21 Mean: 1.575 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	788	42.5%
2	No	1066	57.5%
Sysmiss		21	

QNFR1G: Usually ate fruit one or more times per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.6 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	742	40%
2	No	1112	60%
Sysmiss		21	

QNFR2G: Usually ate fruit two or more times per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.827 Standard deviation: 0.378
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	321	17.3%
2	No	1533	82.7%
Sysmiss		21	

QNFR3G: Usually ate fruit three or more times per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.933 Standard deviation: 0.251
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	125	6.7%
2	No	1729	93.3%
Sysmiss		21	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1833 Invalid: 42 Mean: 1.61 Standard deviation: 0.488
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	715	39%
2	No	1118	61%
Sysmiss		42	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1833 Invalid: 42 Mean: 1.615 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	705	38.5%
2	No	1128	61.5%
Sysmiss		42	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1833 Invalid: 42 Mean: 1.807 Standard deviation: 0.395
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	354	19.3%
2	No	1479	80.7%
Sysmiss		42	

QNVEG3G: Usually ate vegetables three or more times per day**Data file: MDV2014__male_Public_Use****Overview**

Valid: 1833 Invalid: 42 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	149	8.1%
2	No	1684	91.9%
Sysmiss		42	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1857 Invalid: 18 Mean: 1.539 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	856	46.1%
2	No	1001	53.9%
Sysmiss		18	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1857 Invalid: 18 Mean: 1.668 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	616	33.2%
2	No	1241	66.8%
Sysmiss		18	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1857 Invalid: 18 Mean: 1.836 Standard deviation: 0.371
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	305	16.4%
2	No	1552	83.6%
Sysmiss		18	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: MDV2014__male_Public_Use

Overview

Valid: 1857 Invalid: 18 Mean: 1.914 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	160	8.6%
2	No	1697	91.4%
Sysmiss		18	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.422 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1071	57.8%
2	No	783	42.2%
Sysmiss		21	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.668 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	616	33.2%
2	No	1238	66.8%
Sysmiss		21	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: MDV2014__male_Public_Use

Overview

Valid: 1854 Invalid: 21 Mean: 1.804 Standard deviation: 0.397
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	364	19.6%
2	No	1490	80.4%
Sysmiss		21	

QNC2G: Were bullied and could not sleep at night

Data file: MDV2014__male_Public_Use

Overview

Valid: 288 Invalid: 1587 Mean: 1.632 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	106	36.8%
2	No	182	63.2%
Sysmiss		1587	

QNTOB2G: Currently used any tobacco product

Data file: MDV2014__male_Public_Use

Overview

Valid: 1828 Invalid: 47 Mean: 1.837 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	298	16.3%
2	No	1530	83.7%
Sysmiss		47	

QNNOTB2G: Did not currently use any tobacco products

Data file: MDV2014__male_Public_Use

Overview

Valid: 1797 Invalid: 78 Mean: 1.149 Standard deviation: 0.356
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1530	85.1%
2	No	267	14.9%
Sysmiss		78	

WEIGHT:

Data file: MDV2014__male_Public_Use

Overview

Valid: 1875 Invalid: 0 Mean: 4.658 Standard deviation: 2.029
 Type: Continuous Decimal: 0 Width: 10 Range: 2.2124 - 25.2002 Format: Numeric

STRATUM:

Data file: MDV2014__male_Public_Use

Overview

Valid: 1875 Invalid: 0 Mean: 201401006.983 Standard deviation: 29.121
 Type: Discrete Decimal: 0 Width: 9 Range: 201401001 - 201401018 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

201401001		256	13.7%
201401002		187	10%
201401003		185	9.9%
201401004		90	4.8%
201401005		123	6.6%
201401006		58	3.1%
201401007		306	16.3%
201401008		64	3.4%
201401009		111	5.9%
201401010		29	1.5%
201401011		98	5.2%
201401012		45	2.4%
201401013		76	4.1%
201401014		16	0.9%
201401015		62	3.3%
201401016		35	1.9%
201401017		90	4.8%
201401018		44	2.3%

PSU:

Data file: MDV2014__male_Public_Use

Overview

Valid: 1875 Invalid: 0 Mean: 52.138 Standard deviation: 31.139
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 109 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Maldives
filename 2014_GSHS_Maldives_Questionnaire.pdf

reports

National Fact Sheet

title National Fact Sheet
country Maldives
filename 2014_Maldives_national_GSHS_FS.pdf

Atolls Fact Sheet

title Atolls Fact Sheet
country Maldives
filename 2014_Maldives_GSHS_FS_Atolls.pdf

Male Fact Sheet

title Male Fact Sheet
country Maldives
filename 2014_Maldives_GSHS_FS_Male.pdf

technical_documents

National Codebook

title National Codebook
country Maldives
filename MDV2014_national_public_use_codebook.pdf

Atolls Codebook

title Atolls Codebook
country Maldives
filename MDV2014_atolls_public_use_codebook.pdf

Male Codebook

title Male Codebook
country Maldives
filename MDV2014_male_public_use_codebook.pdf
