

Global School-Based Student Health Survey 2016

Ministry of Health and Sports

report_generated_on: March 11, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
MMR_2016_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2016

COUNTRY

Name	Country code
Myanmar	MMR

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the second GSHS conducted by Myanmar.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:
alcohol use
dietary behaviours
drug use
hygiene
mental health
physical activity
protective factors
tobacco use
violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword

adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health and Sports

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 7-10 in Myanmar. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were

randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 90%, the student response rate was 95%, and the overall response rate was 86%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2016	2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

(1) to acknowledge the data source.

(2) to share any planned publications with WHO prior to publication.

- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
 (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_MMR_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (MMR_2016_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
2016MMR	2838	141

Data file: 2016MMR

Cases:	2838
variables:	141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age**Data file: 2016MMR****Overview**

Valid: 2828 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	20	0.7%
2	12 years old	280	9.9%
3	13 years old	619	21.9%
4	14 years old	707	25%
5	15 years old	631	22.3%
6	16 years old	428	15.1%
7	17 years old	117	4.1%
8	18 years old or older	26	0.9%
Sysmiss		10	

Q10: Fast food eating**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days

4	3 days
5	4 days
6	5 days
7	6 days
8	7 days
Sysmiss	

Q2: Sex

Data file: 2016MMR

Overview

Valid: 2812 Invalid: 26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1301	46.3%
2	Female	1511	53.7%
Sysmiss		26	

Q3: In what grade are you

Data file: 2016MMR

Overview

Valid: 2816 Invalid: 22
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	734	26.1%
2	Grade 8	548	19.5%
3	Grade 9	710	25.2%

4	Grade 10	821	29.2%
5	Some other grade	3	0.1%
Sysmiss		22	

Q4: How tall are you

Data file: 2016MMR

Overview

Valid: 2550 Invalid: 288 Minimum: 1.27 Maximum: 1.99 Mean: 1.531 Standard deviation: 0.0836
 Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: 2016MMR

Overview

Valid: 2550 Invalid: 288 Minimum: 22 Maximum: 140 Mean: 43.318 Standard deviation: 9.516
 Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: 2016MMR

Overview

Valid: 2826 Invalid: 12
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1934	68.4%
2	Rarely	183	6.5%
3	Sometimes	643	22.8%
4	Most of the time	36	1.3%
5	Always	30	1.1%
Sysmiss		12	

Q7: No fruit eating

Data file: 2016MMR

Overview

Valid: 2829 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	318	11.2%
2	Less than one time per day	847	29.9%
3	1 time per day	1157	40.9%
4	2 times per day	305	10.8%
5	3 times per day	130	4.6%
6	4 times per day	32	1.1%
7	5 or more times per day	40	1.4%
Sysmiss		9	

Q8: No vegetable eating**Data file: 2016MMR****Overview**

Valid: 2830 Invalid: 8
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	50	1.8%
2	Less than one time per day	331	11.7%
3	1 time per day	1179	41.7%
4	2 times per day	781	27.6%
5	3 times per day	441	15.6%
6	4 times per day	16	0.6%
7	5 or more times per day	32	1.1%
Sysmiss		8	

Q9: Soft drinks**Data file: 2016MMR****Overview**

Valid: 2826 Invalid: 12
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	593	21%
2	Less than one time per day	1021	36.1%

3	1 time per day	899	31.8%
4	2 times per day	212	7.5%
5	3 times per day	62	2.2%
6	4 times per day	14	0.5%
7	5 or more times per day	25	0.9%
Sysmiss		12	

Q11: Tooth brushing

Data file: 2016MMR

Overview

Valid: 2827 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	34	1.2%
2	Less than 1 time per day	133	4.7%
3	1 time per day	956	33.8%
4	2 times per day	1289	45.6%
5	3 times per day	358	12.7%
6	4 or more times per day	57	2%
Sysmiss		11	

Q12: Hand washing before eating

Data file: 2016MMR

Overview

Valid: 2804 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	66	2.4%
2	Rarely	125	4.5%
3	Sometimes	439	15.7%
4	Most of the time	498	17.8%
5	Always	1676	59.8%
Sysmiss		34	

Q13: Hand washing after toilet

Data file: 2016MMR

Overview

Valid: 2820 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	67	2.4%
2	Rarely	161	5.7%
3	Sometimes	353	12.5%
4	Most of the time	404	14.3%
5	Always	1835	65.1%
Sysmiss		18	

Q14: Hand washing with soap

Data file: 2016MMR

Overview

Valid: 2806 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	61	2.2%
2	Rarely	100	3.6%
3	Sometimes	612	21.8%
4	Most of the time	794	28.3%
5	Always	1239	44.2%
Sysmiss		32	

Q15: Physically attacked

Data file: 2016MMR

Overview

Valid: 2832 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1930	68.1%
2	1 time	432	15.3%
3	2 or 3 times	297	10.5%
4	4 or 5 times	88	3.1%
5	6 or 7 times	33	1.2%
6	8 or 9 times	9	0.3%
7	10 or 11 times	8	0.3%
8	12 or more times	35	1.2%
Sysmiss		6	

Q16: Physical fighting**Data file: 2016MMR****Overview**

Valid: 2832 Invalid: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2176	76.8%
2	1 time	354	12.5%
3	2 or 3 times	197	7%
4	4 or 5 times	45	1.6%
5	6 or 7 times	29	1%
6	8 or 9 times	2	0.1%
7	10 or 11 times	4	0.1%
8	12 or more times	25	0.9%
Sysmiss		6	

Q17: Seriously injured**Data file: 2016MMR****Overview**

Valid: 2836 Invalid: 2
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1804	63.6%
2	1 time	652	23%
3	2 or 3 times	285	10%
4	4 or 5 times	66	2.3%
5	6 or 7 times	8	0.3%
6	8 or 9 times	14	0.5%
7	10 or 11 times	2	0.1%
8	12 or more times	5	0.2%
Sysmiss		2	

Q18: Serious injury type

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Broken bone/dislocated joint
3	I had a cut or stab wound
4	Concussion/head injury
5	I had a gunshot wound
6	I had a bad burn
7	I was poisoned
8	Something else happened to me
Sysmiss	

Q19: Serious injury cause

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category
1	Not seriously injured
2	Motor vehicle accident
3	I fell
4	Something fell on me or hit me
5	I was attacked
6	Was in a fire
7	breathed something bad
8	Something else
Sysmiss	

Q20: Bullied

Data file: 2016MMR

Overview

Valid: 2617 Invalid: 221

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1322	50.5%

2	1 or 2 days	927	35.4%
3	3 to 5 days	221	8.4%
4	6 to 9 days	78	3%
5	10 to 19 days	25	1%
6	20 to 29 days	10	0.4%
7	All 30 days	34	1.3%
Sysmiss		221	

Q21: Bullied how

Data file: 2016MMR

Overview

Valid: 2634 Invalid: 204

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1600	60.7%
2	Kicked, pushed, or shoved	146	5.5%
3	Made fun of race	193	7.3%
4	Made fun because of religion	61	2.3%
5	Made fun of about sex	25	0.9%
6	Left out of activities	125	4.7%
7	Made fun of about body	251	9.5%
8	Some other way	233	8.8%
Sysmiss		204	

Q22: Felt lonely

Data file: 2016MMR

Overview

Valid: 2821 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1096	38.9%
2	Rarely	448	15.9%
3	Sometimes	1032	36.6%
4	Most of the time	164	5.8%
5	Always	81	2.9%
Sysmiss		17	

Q23: Could not sleep

Data file: 2016MMR

Overview

Valid: 2815 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1475	52.4%
2	Rarely	466	16.6%
3	Sometimes	770	27.4%
4	Most of the time	80	2.8%
5	Always	24	0.9%
Sysmiss		23	

Q24: Considered suicide**Data file: 2016MMR****Overview**

Valid: 2826 Invalid: 12
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	245	8.7%
2	No	2581	91.3%
Sysmiss		12	

Q25: Made a suicide plan**Data file: 2016MMR****Overview**

Valid: 2810 Invalid: 28
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	183	6.5%
2	No	2627	93.5%
Sysmiss		28	

Q26: Attempted suicide**Data file: 2016MMR**

Overview

Valid: 2832 Invalid: 6
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2592	91.5%
2	1 time	154	5.4%
3	2 or 3 times	64	2.3%
4	4 or 5 times	9	0.3%
5	6 or more times	13	0.5%
Sysmiss		6	

Q27: Close friends

Data file: 2016MMR

Overview

Valid: 2815 Invalid: 23
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	108	3.8%
2	1	215	7.6%
3	2	409	14.5%
4	3 or more	2083	74%
Sysmiss		23	

Q28: Initiation of cigarette use**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q29: Current cigarette use**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days

3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q30: Other tobacco use

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q31: Smoking cessation

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	Did not smoke cigarettes
3	Yes
4	No
Sysmiss	

Q32: Smoking in their presence

Data file: 2016MMR

Overview

Valid: 2818 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	812	28.8%
2	1 or 2 days	867	30.8%
3	3 or 4 days	588	20.9%
4	5 or 6 days	87	3.1%
5	All 7 days	464	16.5%
Sysmiss		20	

Q33: Parental tobacco use

Data file: 2016MMR

Overview

Valid: 2834 Invalid: 4
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1463	51.6%
2	My father or male guardian	1035	36.5%
3	My mother or female guardian	87	3.1%
4	Both	126	4.4%
5	I do not know	123	4.3%
Sysmiss		4	

Q34: Initiation of alcohol use

Data file: 2016MMR

Overview

Valid: 2554 Invalid: 284
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	2310	90.4%
2	7 years old or younger	30	1.2%
3	8 or 9 years old	17	0.7%
4	10 or 11 years old	25	1%
5	12 or 13 years old	53	2.1%
6	14 or 15 years old	87	3.4%

7	16 or 17 years old	31	1.2%
8	18 years old or older	1	0%
Sysmiss		284	

Q35: Current alcohol use

Data file: 2016MMR

Overview

Valid: 2755 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2628	95.4%
2	1 or 2 days	89	3.2%
3	3 to 5 days	23	0.8%
4	6 to 9 days	8	0.3%
5	10 to 19 days	6	0.2%
6	20 to 29 days	0	0%
7	All 30 days	1	0%
Sysmiss		83	

Q36: Drank 2+ drinks

Data file: 2016MMR

Overview

Valid: 2809 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2620	93.3%
2	Less than one drink	134	4.8%
3	1 drink	43	1.5%
4	2 drinks	10	0.4%
5	3 drinks	1	0%
6	4 drinks	1	0%
7	5 or more drinks	0	0%
Sysmiss		29	

Q37: Source of alcohol

Data file: 2016MMR

Overview

Valid: 2777 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2656	95.6%
2	I bought in a store	45	1.6%
3	I gave someone money to buy	16	0.6%
4	I got it from my friends	36	1.3%
5	I got it from my family	8	0.3%
6	I stole it	11	0.4%
7	Some other way	5	0.2%
Sysmiss		61	

Q38: Really drunk**Data file: 2016MMR****Overview**

Valid: 2760 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2653	96.1%
2	1 or 2 times	83	3%
3	3 to 9 times	22	0.8%
4	10 or more times	2	0.1%
Sysmiss		78	

Q39: Trouble from drinking**Data file: 2016MMR****Overview**

Valid: 2671 Invalid: 167

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2625	98.3%

2	1 or 2 times	37	1.4%
3	3 to 9 times	6	0.2%
4	10 or more times	3	0.1%
Sysmiss		167	

Q40: Initiation of drug use

Data file: 2016MMR

Overview

Valid: 2822 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2755	97.6%
2	7 years old or younger	16	0.6%
3	8 or 9 years old	3	0.1%
4	10 or 11 years old	6	0.2%
5	12 or 13 years old	8	0.3%
6	14 or 15 years old	26	0.9%
7	16 or 17 years old	7	0.2%
8	18 years old or older	1	0%
Sysmiss		16	

Q41: Ever marijuana use

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q42: Current marijuana use

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q43: Amphetamine or methamphetamine use

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Age first had sex**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Number of sex partners**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity past 7 days

Data file: 2016MMR

Overview

Valid: 2816 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	878	31.2%
2	1 day	691	24.5%
3	2 days	409	14.5%
4	3 days	228	8.1%
5	4 days	187	6.6%
6	5 days	68	2.4%
7	6 days	42	1.5%
8	7 days	313	11.1%
Sysmiss		22	

Q50: Walk or bike to school

Data file: 2016MMR

Overview

Valid: 2818 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	471	16.7%
2	1 day	231	8.2%
3	2 days	116	4.1%
4	3 days	95	3.4%
5	4 days	124	4.4%
6	5 days	273	9.7%
7	6 days	123	4.4%
8	7 days	1385	49.1%
Sysmiss		20	

Q51: PE attendance

Data file: 2016MMR

Overview

Valid: 2780 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	958	34.5%
2	1 day	857	30.8%
3	2 days	484	17.4%

4	3 days	143	5.1%
5	4 days	72	2.6%
6	5 or more days	266	9.6%
Sysmiss		58	

Q52: Sitting activities

Data file: 2016MMR

Overview

Valid: 2795 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1479	52.9%
2	1 to 2 hours per day	866	31%
3	3 to 4 hours per day	242	8.7%
4	5 to 6 hours per day	86	3.1%
5	7 to 8 hours per day	38	1.4%
6	More than 8 hours per day	84	3%
Sysmiss		43	

Q53: Miss school no permission

Data file: 2016MMR

Overview

Valid: 2827 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2041	72.2%
2	1 or 2 days	626	22.1%
3	3 to 5 days	121	4.3%
4	6 to 9 days	21	0.7%
5	10 or more days	18	0.6%
Sysmiss		11	

Q54: Other students kind and helpful

Data file: 2016MMR

Overview

Valid: 2815 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	234	8.3%
2	Rarely	468	16.6%
3	Sometimes	1066	37.9%
4	Most of the time	428	15.2%
5	Always	619	22%
Sysmiss		23	

Q55: Parents check homework

Data file: 2016MMR

Overview

Valid: 2791 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	561	20.1%
2	Rarely	200	7.2%
3	Sometimes	703	25.2%
4	Most of the time	466	16.7%
5	Always	861	30.8%
Sysmiss		47	

Q56: Parents understand problems

Data file: 2016MMR

Overview

Valid: 2804 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	368	13.1%
2	Rarely	208	7.4%
3	Sometimes	737	26.3%
4	Most of the time	491	17.5%
5	Always	1000	35.7%
Sysmiss		34	

Q57: Parents know about free time

Data file: 2016MMR

Overview

Valid: 2784 Invalid: 54
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	333	12%
2	Rarely	188	6.8%
3	Sometimes	647	23.2%
4	Most of the time	639	23%
5	Always	977	35.1%
Sysmiss		54	

Q58: Parents go through their things

Data file: 2016MMR

Overview

Valid: 2789 Invalid: 49 Mean: 2.242 Standard deviation: 1.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1435	51.5%
2		214	7.7%
3		564	20.2%
4		182	6.5%
5		394	14.1%
Sysmiss		49	

QN6: Most of the time or always went hungry**Data file: 2016MMR****Overview**

Valid: 2826 Invalid: 12 Mean: 1.977 Standard deviation: 0.151
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		66	2.3%
2		2760	97.7%
Sysmiss		12	

QN7: Did not eat fruit**Data file: 2016MMR****Overview**

Valid: 2829 Invalid: 9 Mean: 1.888 Standard deviation: 0.316
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		318	11.2%
2		2511	88.8%
Sysmiss		9	

QN8: Did not eat vegetables**Data file: 2016MMR****Overview**

Valid: 2830 Invalid: 8 Mean: 1.982 Standard deviation: 0.132

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		50	1.8%
2		2780	98.2%
Sysmiss		8	

QN9: Did not drink carbonated soft drinks

Data file: 2016MMR

OverviewValid: 2826 Invalid: 12 Mean: 1.79 Standard deviation: 0.407
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		593	21%
2		2233	79%
Sysmiss		12	

QN10: Did not eat food from a fast food restaurant

Data file: 2016MMR

OverviewValid: 0 Invalid: 2838
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN11: Usually cleaned or brushed their teeth

Data file: 2016MMR

Overview

Valid: 2827 Invalid: 11 Mean: 1.059 Standard deviation: 0.236
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2660	94.1%
2		167	5.9%
Sysmiss		11	

QN12: Never or rarely washed their hands before eating

Data file: 2016MMR

Overview

Valid: 2804 Invalid: 34 Mean: 1.932 Standard deviation: 0.252
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		191	6.8%
2		2613	93.2%
Sysmiss		34	

QN13: Never or rarely washed their hands after using the toilet or latrine

Data file: 2016MMR

Overview

Valid: 2820 Invalid: 18 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		228	8.1%
2		2592	91.9%
Sysmiss		18	

QN14: Never or rarely used soap when washing their hands

Data file: 2016MMR

Overview

Valid: 2806 Invalid: 32 Mean: 1.943 Standard deviation: 0.233
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		161	5.7%
2		2645	94.3%
Sysmiss		32	

QN15: Were physically attacked

Data file: 2016MMR

Overview

Valid: 2832 Invalid: 6 Mean: 1.681 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		902	31.9%
2		1930	68.1%
Sysmiss		6	

QN16: Were in a physical fight

Data file: 2016MMR

Overview

Valid: 2832 Invalid: 6 Mean: 1.768 Standard deviation: 0.422
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		656	23.2%
2		2176	76.8%
Sysmiss		6	

QN17: Were seriously injured

Data file: 2016MMR

Overview

Valid: 2836 Invalid: 2 Mean: 1.636 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1032	36.4%
2		1804	63.6%
Sysmiss		2	

QN18: Reported that their most serious injury was a broken bone or dislocated joint**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN20: Were bullied**Data file: 2016MMR****Overview**

Valid: 2617 Invalid: 221 Mean: 1.505 Standard deviation: 0.5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1295	49.5%
2		1322	50.5%
Sysmiss		221	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

Data file: 2016MMR

Overview

Valid: 1034 Invalid: 1804 Mean: 1.859 Standard deviation: 0.348
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		146	14.1%
2		888	85.9%
Sysmiss		1804	

QN22: Most of the time or always felt lonely

Data file: 2016MMR

Overview

Valid: 2821 Invalid: 17 Mean: 1.913 Standard deviation: 0.282
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		245	8.7%
2		2576	91.3%
Sysmiss		17	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: 2016MMR

Overview

Valid: 2815 Invalid: 23 Mean: 1.963 Standard deviation: 0.189
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		104	3.7%
2		2711	96.3%
Sysmiss		23	

QN24: Seriously considered attempting suicide

Data file: 2016MMR

Overview

Valid: 2826 Invalid: 12 Mean: 1.913 Standard deviation: 0.281
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		245	8.7%
2		2581	91.3%
Sysmiss		12	

QN25: Made a plan about how they would attempt suicide**Data file: 2016MMR****Overview**

Valid: 2810 Invalid: 28 Mean: 1.935 Standard deviation: 0.247
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		183	6.5%
2		2627	93.5%
Sysmiss		28	

QN26: Attempted suicide**Data file: 2016MMR****Overview**

Valid: 2832 Invalid: 6 Mean: 1.915 Standard deviation: 0.279
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		240	8.5%
2		2592	91.5%
Sysmiss		6	

QN27: Did not have any close friends**Data file: 2016MMR****Overview**

Valid: 2815 Invalid: 23 Mean: 1.962 Standard deviation: 0.192
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		108	3.8%
2		2707	96.2%
Sysmiss		23	

QN28: Tried a cigarette before age 14 years

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category
Sysmiss	

QN29: Currently smoked cigarettes

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN30: Currently used any tobacco products other than cigarettes**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN31: Tried to quit smoking cigarettes**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN32: Reported that people smoked in their presence**Data file: 2016MMR****Overview**

Valid: 2818 Invalid: 20 Mean: 1.288 Standard deviation: 0.453

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2006	71.2%
2		812	28.8%
Sysmiss		20	

QN33: Had parents or guardians who used any form of tobacco

Data file: 2016MMR

Overview

Valid: 2834 Invalid: 4 Mean: 1.56 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		1248	44%
2		1586	56%
Sysmiss		4	

QN34: Drank alcohol before age 14 years

Data file: 2016MMR

Overview

Valid: 244 Invalid: 2594 Mean: 1.488 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		125	51.2%
2		119	48.8%
Sysmiss		2594	

QN35: Currently drank alcohol

Data file: 2016MMR

Overview

Valid: 2755 Invalid: 83 Mean: 1.954 Standard deviation: 0.21
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		127	4.6%
2		2628	95.4%
Sysmiss		83	

QN36: Usually drank two or more drinks per day

Data file: 2016MMR

Overview

Valid: 189 Invalid: 2649 Mean: 1.937 Standard deviation: 0.244
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		12	6.3%
2		177	93.7%
Sysmiss		2649	

QN37: Usually obtained the alcohol they drank from friends**Data file: 2016MMR****Overview**

Valid: 121 Invalid: 2717 Mean: 1.702 Standard deviation: 0.459
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		36	29.8%
2		85	70.2%
Sysmiss		2717	

QN47: Used a condom**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: 2016MMR****Overview**

Valid: 2760 Invalid: 78 Mean: 1.961 Standard deviation: 0.193
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		107	3.9%
2		2653	96.1%
Sysmiss		78	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: 2016MMR

Overview

Valid: 2671 Invalid: 167 Mean: 1.983 Standard deviation: 0.13
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		46	1.7%
2		2625	98.3%
Sysmiss		167	

QN40: Used drugs before age 14 years

Data file: 2016MMR

Overview

Valid: 67 Invalid: 2771 Mean: 1.507 Standard deviation: 0.504
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		33	49.3%
2		34	50.7%
Sysmiss		2771	

QN41: Ever used marijuana

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN42: Currently used marijuana

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN43: Ever used amphetamines or methamphetamines

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active**Data file: 2016MMR****Overview**

Valid: 2816 Invalid: 22 Mean: 1.688 Standard deviation: 0.463

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		878	31.2%
2		1938	68.8%
Sysmiss		22	

QN50: Did not walk or ride a bicycle to or from school

Data file: 2016MMR

Overview

Valid: 2818 Invalid: 20 Mean: 1.833 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		471	16.7%
2		2347	83.3%
Sysmiss		20	

QN51: Did not attend physical education classes

Data file: 2016MMR

Overview

Valid: 2780 Invalid: 58 Mean: 1.655 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		958	34.5%
2		1822	65.5%
Sysmiss		58	

QN52: Spent three or more hours per day doing sitting activities**Data file: 2016MMR****Overview**

Valid: 2795 Invalid: 43 Mean: 1.839 Standard deviation: 0.368
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		450	16.1%
2		2345	83.9%
Sysmiss		43	

QN53: Missed classes or school without permission**Data file: 2016MMR****Overview**

Valid: 2827 Invalid: 11 Mean: 1.722 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		786	27.8%
2		2041	72.2%
Sysmiss		11	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful**Data file: 2016MMR****Overview**

Valid: 2815 Invalid: 23 Mean: 1.628 Standard deviation: 0.483
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1047	37.2%
2		1768	62.8%
Sysmiss		23	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: 2016MMR

Overview

Valid: 2791 Invalid: 47 Mean: 1.525 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1327	47.5%
2		1464	52.5%
Sysmiss		47	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: 2016MMR

Overview

Valid: 2804 Invalid: 34 Mean: 1.468 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems

and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1491	53.2%
2		1313	46.8%
Sysmiss		34	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: 2016MMR

Overview

Valid: 2784 Invalid: 54 Mean: 1.42 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1616	58%
2		1168	42%
Sysmiss		54	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: 2016MMR

Overview

Valid: 2789 Invalid: 49 Mean: 1.409 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1649	59.1%

2		1140	40.9%
Sysmiss		49	

QNUNWTG: Were underweight

Data file: 2016MMR

Overview

Valid: 2550 Invalid: 288 Mean: 1.83 Standard deviation: 0.376
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		433	17%
2		2117	83%
Sysmiss		288	

QNOWTG: Were overweight

Data file: 2016MMR

Overview

Valid: 2550 Invalid: 288 Mean: 1.924 Standard deviation: 0.266
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		195	7.6%
2		2355	92.4%
Sysmiss		288	

QNOBESEG: Were obese

Data file: 2016MMR

Overview

Valid: 2550 Invalid: 288 Mean: 1.981 Standard deviation: 0.137
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		49	1.9%
2		2501	98.1%
Sysmiss		288	

QNFR1G: Usually ate fruit less than one time per day

Data file: 2016MMR

Overview

Valid: 2829 Invalid: 9 Mean: 1.701 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		847	29.9%
2		1982	70.1%
Sysmiss		9	

QNFR1G: Usually ate fruit one or more times per day

Data file: 2016MMR

Overview

Valid: 2829 Invalid: 9 Mean: 1.412 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1664	58.8%
2		1165	41.2%
Sysmiss		9	

QNFR2G: Usually ate fruit two or more times per day

Data file: 2016MMR

Overview

Valid: 2829 Invalid: 9 Mean: 1.821 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		507	17.9%
2		2322	82.1%
Sysmiss		9	

QNFR3G: Usually ate fruit three or more times per day

Data file: 2016MMR

Overview

Valid: 2829 Invalid: 9 Mean: 1.929 Standard deviation: 0.258
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		202	7.1%
2		2627	92.9%
Sysmiss		9	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: 2016MMR****Overview**

Valid: 2830 Invalid: 8 Mean: 1.883 Standard deviation: 0.321
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		331	11.7%
2		2499	88.3%
Sysmiss		8	

QNVEG1G: Usually ate vegetables one or more times per day**Data file: 2016MMR****Overview**

Valid: 2830 Invalid: 8 Mean: 1.135 Standard deviation: 0.341
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2449	86.5%
2		381	13.5%
Sysmiss		8	

QNVEG2G: Usually ate vegetables two or more times per day**Data file: 2016MMR****Overview**

Valid: 2830 Invalid: 8 Mean: 1.551 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1270	44.9%
2		1560	55.1%
Sysmiss		8	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: 2016MMR

Overview

Valid: 2830 Invalid: 8 Mean: 1.827 Standard deviation: 0.378
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		489	17.3%
2		2341	82.7%
Sysmiss		8	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: 2016MMR

Overview

Valid: 2826 Invalid: 12 Mean: 1.639 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1021	36.1%
2		1805	63.9%
Sysmiss		12	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day

Data file: 2016MMR

Overview

Valid: 2826 Invalid: 12 Mean: 1.571 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1212	42.9%
2		1614	57.1%
Sysmiss		12	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day

Data file: 2016MMR

Overview

Valid: 2826 Invalid: 12 Mean: 1.889 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		313	11.1%
2		2513	88.9%
Sysmiss		12	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: 2016MMR****Overview**

Valid: 2826 Invalid: 12 Mean: 1.964 Standard deviation: 0.186
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		101	3.6%
2		2725	96.4%
Sysmiss		12	

QNFF1G: Ate food from a fast food restaurant one or more days**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNFF2G: Ate food from a fast food restaurant two or more days**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNC2G: Were bullied and could not sleep at night

Data file: 2016MMR

Overview

Valid: 92 Invalid: 2746 Mean: 1.196 Standard deviation: 0.399

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		74	80.4%
2		18	19.6%
Sysmiss		2746	

QNTOB2G: Currently used any tobacco product**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNNOTB2G: Did not currently use any tobacco products**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNBCANYG: Used a method of birth control**Data file: 2016MMR****Overview**

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: 2016MMR

Overview

Valid: 0 Invalid: 2838

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: 2016MMR

Overview

Valid: 2816 Invalid: 22 Mean: 1.85 Standard deviation: 0.357

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		423	15%
2		2393	85%
Sysmiss		22	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: 2016MMR

Overview

Valid: 2816 Invalid: 22 Mean: 1.889 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		313	11.1%
2		2503	88.9%
Sysmiss		22	

QNPE3G: Attended physical education classes on three or more days

Data file: 2016MMR

Overview

Valid: 2780 Invalid: 58 Mean: 1.827 Standard deviation: 0.378
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		481	17.3%
2		2299	82.7%
Sysmiss		58	

QNPE5G: Attended physical education classes on five or more days

Data file: 2016MMR

Overview

Valid: 2780 Invalid: 58 Mean: 1.904 Standard deviation: 0.294
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		266	9.6%
2		2514	90.4%
Sysmiss		58	

WEIGHT:

Data file: 2016MMR

Overview

Valid: 2838 Invalid: 0 Mean: 586.347 Standard deviation: 191.064
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:

Data file: 2016MMR

Overview

Valid: 2838 Invalid: 0 Mean: 201601012.244 Standard deviation: 26.975
 Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201601001		108	3.8%
201601002		89	3.1%
201601003		121	4.3%
201601004		128	4.5%
201601005		79	2.8%
201601006		85	3%
201601007		86	3%
201601008		116	4.1%
201601009		192	6.8%
201601010		105	3.7%
201601011		151	5.3%
201601012		135	4.8%
201601013		92	3.2%
201601014		177	6.2%
201601015		114	4%

201601016		213	7.5%
201601017		241	8.5%
201601018		90	3.2%
201601019		142	5%
201601020		119	4.2%
201601021		104	3.7%
201601022		151	5.3%

PSU:

Data file: 2016MMR

Overview

Valid: 2838 Invalid: 0 Mean: 24.059 Standard deviation: 12.286
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2016GSHS_Myanmar_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename gshs_fs_myanmar_2016.pdf

Report

title Report
filename GSHS2016_Myanmar_Report.pdf

technical_documents

Codebook

title Codebook
filename 2016MYH_Public_Use_Codebook.pdf
