

Global Youth Tobacco Survey 2005

report_generated_on: March 19, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

MWI_2005_GYTS_v01_M

TITLE

Global Youth Tobacco Survey 2005

COUNTRY

Name	Country code
Malawi	MWI

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GYTS conducted by Malawi.

ABSTRACT

The GYTS is a school-based survey which uses a self-administered questionnaire to monitor tobacco use among youth and to guide the implementation and evaluation of tobacco prevention and control programmes.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

GYTS is composed of 56 "core" questions designed to gather data on the following seven domains:

1. Knowledge and attitudes of young people towards cigarette smoking
2. Prevalence of cigarette smoking and other tobacco use among young people
3. Role of the media and advertising in young people's use of cigarettes
4. Access to cigarettes
5. Tobacco-related school curriculum
6. Environmental tobacco smoke (ETS)
7. Cessation of cigarette smoking

Countries may add additional optional questions, such as on shisha use, smokeless tobacco use or e-cigarettes, or country-specific questions.

TOPICS

Topic	Vocabulary
Global Youth Tobacco Survey (GYTS)	Survey

KEYWORDS

Keyword
adolescents

noncommunicable diseases
risk factors
health surveys
tobacco

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

GYTS uses a global standardized methodology that includes a two-stage sample design with schools selected with a probability proportional to enrollment size. The classes within selected schools are chosen randomly and all students in selected classes are eligible to participate in the survey.

A total of 2,957 students aged 13-15 in standards 7 and 8, and form 1 completed the survey.

RESPONSE RATE

The overall response rate was 80.8%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3*f4$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting the school

W2 - The inverse of the probability of selecting the class within the school

f1 - a school-level nonresponse adjustment factor calculated by school size category (small, medium, large)

f2 - a class adjustment factor calculated by school

f3 - a student-level nonresponse adjustment factor calculated by class

f4 - a post stratification adjustment factor calculated by gender and grade

data_collection

DATES OF DATA COLLECTION

Start	End
2005	2005

DATA COLLECTION MODE

self-administered

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GYTS data should use the following acknowledgement:

"This paper uses data from the Global Youth Tobacco Survey (GYTS). GYTS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_MWI_2005_GYTS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-06-12

DDI DOCUMENT VERSION

Identical to a metadata (MWI_2005_GYTS_v01) published on WHO NCD microdata repository

(<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
MALAWI_National_05 National public-use dataset	5135	81
MALAWI_Blantyre_05 National public-use dataset	1911	81
MALAWI_Lilongwe_05 National public-use dataset	1880	81

Data file: MALAWI_National_05

National public-use dataset

Cases: 5135

variables: 81

variables

ID	Name	Label	Question
V1	FinalWgt	finalwgt	
V2	CR1	Tried smoking	
V3	CR2	Age first cigarette	
V4	CR3	Smoked past 30 days	
V5	CR4	Cigarettes per day	
V6	MWR5	Age smoked daily	
V7	CR5	Obtain cigarettes past 30 days	
V8	MWR7	Usual brand of cigarettes	
V9	MWR8	Usually pay for pack of 20 cigarettes	
V10	MWR9	Usually pay for stick of cigarettes	
V11	MWR10	Spent on cigarettes past 30 days	
V12	MWR11	Usual pocket money per month	
V13	CR10	Refused to sell cigarettes due to age	
V14	CR12	Where usually smoke	
V15	CR13	Smoking first thing morning	
V16	CR11	Used other tobacco past 30 days	
V17	MWR16	Age first used chewing tobacco, snuff or dip	
V18	MWR17	Chewing tobacco past 30 days	
V19	MWR18	Where usually chew tobacco	
V20	MWR19	Obtain chewing tobacco past 30 days	
V21	MWR20	Refuse to sell chewing tobacco due to age	
V22	MWR21	Smoke tobacco with other drugs	
V23	MWR22	More likely to smoke after drunk alcohol or used another drug	
V24	CR14	Parents smoke	
V25	MWR24	Parents know that you smoke	
V26	CR15	Friends offered cigarette	
V27	CR16	Family discussed harmful effects of smoking	
V28	CR17	Think will smoke in next 12 months	
V29	MWR28	Think will use chewing tobacco, snuff or dip next 12 months	
V30	CR18	Think will smoke in 5 years	
V31	MWR30	Smoking less dangerous for person your age	
V32	CR19	Difficult to quit smoking	
V33	CR20	Number of friends boys who smoke	
V34	CR21	Number of friends girls who smoke	
V35	CR22	Smoking helps people feel comfortable socially	
V36	CR23	Boys smoking more or less attractive	
V37	CR24	Girls smoking more or less attractive	

ID	Name	Label	Question
V38	CR25	Smoking weight change	
V39	CR26	Smoking harmful to health	
V40	CR27	Closest friends smoke	
V41	MWR40	Closest friends use chewing tobacco, snuff or dip	
V42	CR28	Opinion of man smoking	
V43	CR29	Opinion of woman smoking	
V44	CR30	Safe to smoke for only a year or two	
V45	CR31	Smoke from other cigarettes harmful	
V46	CR32	People smoke in home	
V47	CR33	People smoke outside home	
V48	CR34	Ban smoking in public places	
V49	CR35	Want to stop smoking	
V50	CR36	Tried to stop smoking past year	
V51	CR37	Time since stop smoking	
V52	CR38	Main reason to stop smoking	
V53	CR39	Stop smoking if wanted to	
V54	CR40	Received help/advice to stop smoking	
V55	MWR54	Want to stop using chewing tobacco, snuff or dip	
V56	MWR55	Tried to stop using chewing tobacco, snuff or dip past year	
V57	MWR56	Time since stop using chewing tobacco, snuff or dip	
V58	MWR57	Main reason to stop using chewing tobacco, snuff or dip	
V59	CR41	Anti-smoking media messages	
V60	CR42	Anti-smoking messages events	
V61	CR43	See actors smoking	
V62	CR44	Own something with a cigarette brand logo	
V63	CR45	See cigarette brand names on TV	
V64	MWR63	Hear cigarette brand names on radio	
V65	CR46	Cigarette advertisements billboards	
V66	CR47	Cigarette advertisements in newspapers or magazines	
V67	CR48	Cigarette advertisements events	
V68	MWR67	Been to concert sponsored by cigarette brand	
V69	CR49	Offered free cigarette	
V70	CR50	Taught dangers of smoking	
V71	CR51	Discuss why people your age smoke	
V72	CR52	Taught effects of smoking	
V73	CR53	Time since last lesson discuss smoking and health	
V74	MWR73	Heard from youth groups discouraging young people from smoking	
V75	MWR74	Health professionals explain why smoking is dangerous	
V76	MWR75	Religious organization discourage young people from smoking	
V77	CR54	Custom age	
V78	CR55	Sex	
V79	MWR78	Grade/form	
V80	Stratum	stratum	
V81	PSU	psu	

total: 81

Data file: MALAWI_Blantyre_05

National public-use dataset

Cases: 1911

variables: 81

variables

ID	Name	Label	Question
V82	FinalWgt	FinalWgt	
V83	CR1	Tried smoking	
V84	CR2	Age first cigarette	
V85	CR3	Smoked past 30 days	
V86	CR4	Cigarettes per day	
V87	MWR5	Age smoked daily	
V88	CR5	Obtain cigarettes past 30 days	
V89	MWR7	Usual brand of cigarettes	
V90	MWR8	Usually pay for pack of 20 cigarettes	
V91	MWR9	Usually pay for stick of cigarettes	
V92	MWR10	Spent on cigarettes past 30 days	
V93	MWR11	Usual pocket money per month	
V94	CR10	Refused to sell cigarettes due to age	
V95	CR12	Where usually smoke	
V96	CR13	Smoking first thing morning	
V97	CR11	Used other tobacco past 30 days	
V98	MWR16	Age first used chewing tobacco, snuff or dip	
V99	MWR17	Chewing tobacco past 30 days	
V100	MWR18	Where usually chew tobacco	
V101	MWR19	Obtain chewing tobacco past 30 days	
V102	MWR20	Refuse to sell chewing tobacco due to age	
V103	MWR21	Smoke tobacco with other drugs	
V104	MWR22	More likely to smoke after drunk alcohol or used another drug	
V105	CR14	Parents smoke	
V106	MWR24	Parents know that you smoke	
V107	CR15	Friends offered cigarette	
V108	CR16	Family discussed harmful effects of smoking	
V109	CR17	Think will smoke in next 12 months	
V110	MWR28	Think will use chewing tobacco, snuff or dip next 12 months	
V111	CR18	Think will smoke in 5 years	
V112	MWR30	Smoking less dangerous for person your age	
V113	CR19	Difficult to quit smoking	
V114	CR20	Number of friends boys who smoke	
V115	CR21	Number of friends girls who smoke	
V116	CR22	Smoking helps people feel comfortable socially	
V117	CR23	Boys smoking more or less attractive	
V118	CR24	Girls smoking more or less attractive	

ID	Name	Label	Question
V119	CR25	Smoking weight change	
V120	CR26	Smoking harmful to health	
V121	CR27	Closest friends smoke	
V122	MWR40	Closest friends use chewing tobacco, snuff or dip	
V123	CR28	Opinion of man smoking	
V124	CR29	Opinion of woman smoking	
V125	CR30	Safe to smoke for only a year or two	
V126	CR31	Smoke from other cigarettes harmful	
V127	CR32	People smoke in home	
V128	CR33	People smoke outside home	
V129	CR34	Ban smoking in public places	
V130	CR35	Want to stop smoking	
V131	CR36	Tried to stop smoking past year	
V132	CR37	Time since stop smoking	
V133	CR38	Main reason to stop smoking	
V134	CR39	Stop smoking if wanted to	
V135	CR40	Received help/advice to stop smoking	
V136	MWR54	Want to stop using chewing tobacco, snuff or dip	
V137	MWR55	Tried to stop using chewing tobacco, snuff or dip past year	
V138	MWR56	Time since stop using chewing tobacco, snuff or dip	
V139	MWR57	Main reason to stop using chewing tobacco, snuff or dip	
V140	CR41	Anti-smoking media messages	
V141	CR42	Anti-smoking messages events	
V142	CR43	See actors smoking	
V143	CR44	Own something with a cigarette brand logo	
V144	CR45	See cigarette brand names on TV	
V145	MWR63	Hear cigarette brand names on radio	
V146	CR46	Cigarette advertisements billboards	
V147	CR47	Cigarette advertisements in newspapers or magazines	
V148	CR48	Cigarette advertisements events	
V149	MWR67	Been to concert sponsored by cigarette brand	
V150	CR49	Offered free cigarette	
V151	CR50	Taught dangers of smoking	
V152	CR51	Discuss why people your age smoke	
V153	CR52	Taught effects of smoking	
V154	CR53	Time since last lesson discuss smoking and health	
V155	MWR73	Heard from youth groups discouraging young people from smoking	
V156	MWR74	Health professionals explain why smoking is dangerous	
V157	MWR75	Religious organization discourage young people from smoking	
V158	CR54	Custom age	
V159	CR55	Sex	
V160	MWR78	Grade/form	
V161	Stratum	Stratum	
V162	PSU	PSU	

total: 81

Data file: MALAWI_Lilongwe_05

National public-use dataset

Cases: 1880

variables: 81

variables

ID	Name	Label	Question
V163	FinalWgt	FinalWgt	
V164	CR1	Tried smoking	
V165	CR2	Age first cigarette	
V166	CR3	Smoked past 30 days	
V167	CR4	Cigarettes per day	
V168	MWR5	Age smoked daily	
V169	CR5	Obtain cigarettes past 30 days	
V170	MWR7	Usual brand of cigarettes	
V171	MWR8	Usually pay for pack of 20 cigarettes	
V172	MWR9	Usually pay for stick of cigarettes	
V173	MWR10	Spent on cigarettes past 30 days	
V174	MWR11	Usual pocket money per month	
V175	CR10	Refused to sell cigarettes due to age	
V176	CR12	Where usually smoke	
V177	CR13	Smoking first thing morning	
V178	CR11	Used other tobacco past 30 days	
V179	MWR16	Age first used chewing tobacco, snuff or dip	
V180	MWR17	Chewing tobacco past 30 days	
V181	MWR18	Where usually chew tobacco	
V182	MWR19	Obtain chewing tobacco past 30 days	
V183	MWR20	Refuse to sell chewing tobacco due to age	
V184	MWR21	Smoke tobacco with other drugs	
V185	MWR22	More likely to smoke after drunk alcohol or used another drug	
V186	CR14	Parents smoke	
V187	MWR24	Parents know that you smoke	
V188	CR15	Friends offered cigarette	
V189	CR16	Family discussed harmful effects of smoking	
V190	CR17	Think will smoke in next 12 months	
V191	MWR28	Think will use chewing tobacco, snuff or dip next 12 months	
V192	CR18	Think will smoke in 5 years	
V193	MWR30	Smoking less dangerous for person your age	
V194	CR19	Difficult to quit smoking	
V195	CR20	Number of friends boys who smoke	
V196	CR21	Number of friends girls who smoke	
V197	CR22	Smoking helps people feel comfortable socially	
V198	CR23	Boys smoking more or less attractive	
V199	CR24	Girls smoking more or less attractive	

ID	Name	Label	Question
V200	CR25	Smoking weight change	
V201	CR26	Smoking harmful to health	
V202	CR27	Closest friends smoke	
V203	MWR40	Closest friends use chewing tobacco, snuff or dip	
V204	CR28	Opinion of man smoking	
V205	CR29	Opinion of woman smoking	
V206	CR30	Safe to smoke for only a year or two	
V207	CR31	Smoke from other cigarettes harmful	
V208	CR32	People smoke in home	
V209	CR33	People smoke outside home	
V210	CR34	Ban smoking in public places	
V211	CR35	Want to stop smoking	
V212	CR36	Tried to stop smoking past year	
V213	CR37	Time since stop smoking	
V214	CR38	Main reason to stop smoking	
V215	CR39	Stop smoking if wanted to	
V216	CR40	Received help/advice to stop smoking	
V217	MWR54	Want to stop using chewing tobacco, snuff or dip	
V218	MWR55	Tried to stop using chewing tobacco, snuff or dip past year	
V219	MWR56	Time since stop using chewing tobacco, snuff or dip	
V220	MWR57	Main reason to stop using chewing tobacco, snuff or dip	
V221	CR41	Anti-smoking media messages	
V222	CR42	Anti-smoking messages events	
V223	CR43	See actors smoking	
V224	CR44	Own something with a cigarette brand logo	
V225	CR45	See cigarette brand names on TV	
V226	MWR63	Hear cigarette brand names on radio	
V227	CR46	Cigarette advertisements billboards	
V228	CR47	Cigarette advertisements in newspapers or magazines	
V229	CR48	Cigarette advertisements events	
V230	MWR67	Been to concert sponsored by cigarette brand	
V231	CR49	Offered free cigarette	
V232	CR50	Taught dangers of smoking	
V233	CR51	Discuss why people your age smoke	
V234	CR52	Taught effects of smoking	
V235	CR53	Time since last lesson discuss smoking and health	
V236	MWR73	Heard from youth groups discouraging young people from smoking	
V237	MWR74	Health professionals explain why smoking is dangerous	
V238	MWR75	Religious organization discourage young people from smoking	
V239	CR54	Custom age	
V240	CR55	Sex	
V241	MWR78	Grade/form	
V242	Stratum	Stratum	
V243	PSU	PSU	

total: 81

FINALWGT: finalwgt**Data file: MALAWI_National_05****Overview**

Valid: 5135 Invalid: 0

Type: Discrete Decimal: 2 Range: 251.7812275619 - 1286.25826469725 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5.24353988109943		39	0.8%
5.40740050238378		2	0%
5.51951566431518		38	0.7%
5.52697446926696		37	0.7%
5.72022532483574		23	0.4%
5.77859497100753		49	1%
5.90727910655505		1	0%
5.95177320400067		41	0.8%
5.95856804670389		1	0%
6.31543098845673		13	0.3%
6.60983453801043		46	0.9%
6.75693528268348		25	0.5%
7.42385357002216		21	0.4%
7.48852840916411		24	0.5%
7.86530982164914		1	0%
7.94608308350593		19	0.4%
8.31650199380811		30	0.6%
8.50158433275759		22	0.4%
9.34070174703839		14	0.3%
15.1789304447845		21	0.4%
15.3338174901394		46	0.9%
15.4389570190623		37	0.7%
15.4389570192098		20	0.4%
15.4389570192566		39	0.8%
15.7302580951868		27	0.5%
16.2078413105181		27	0.5%
16.2078413106731		53	1%
16.2078413107221		33	0.6%
16.3339690204605		31	0.6%
16.5136496374395		26	0.5%

17.1474263143342		38	0.7%
17.2883640648179		1	0%
17.3960079087567		38	0.7%
17.497484621685		28	0.5%
17.6244247940927		1	0%
17.7155474792686		1	0%
17.7763420828229		1	0%
17.8020552102329		1	0%
18.2460401140632		21	0.4%
18.2623564061695		33	0.6%
18.3688868186723		32	0.6%
18.9048453299419		55	1.1%
19.0574625706448		31	0.6%
19.1547215494513		34	0.7%
19.5910587548547		1	0%
19.8463362990954		43	0.8%
20.0065541179226		33	0.6%
20.4435296807045		64	1.2%
20.5852760254036		24	0.5%
20.5852760256754		44	0.9%
20.8971293388323		40	0.8%
20.9486750362561		17	0.3%
21.0205647927147		46	0.9%
21.050970624141		31	0.6%
21.0999079264385		13	0.3%
21.2574303970896		1	0%
21.2953434173418		6	0.1%
21.4018201344285		22	0.4%
21.4134828254729		25	0.5%
21.4869676670006		15	0.3%
21.5180481409644		29	0.6%
21.6104550806775		21	0.4%
21.6104550809628		25	0.5%
21.7678430612236		3	0.1%
21.8766822765297		38	0.7%
21.9217250969987		35	0.7%
22.0257712548158		45	0.9%
22.0910551184133		26	0.5%
22.1507164581141		17	0.3%

22.2624313190173		1	0%
22.4383987524835		15	0.3%
22.9927308376684		24	0.5%
23.089967500287		1	0%
23.1330860203623		1	0%
23.4265559478131		1	0%
23.493572415261		32	0.6%
23.6461280808088		40	0.8%
23.6877846519474		28	0.5%
23.8603810579578		24	0.5%
23.9342920024736		68	1.3%
23.9482443714048		77	1.5%
23.9572613443191		54	1.1%
24.0148462159306		30	0.6%
24.1707867762993		37	0.7%
24.3078554125958		49	1%
24.4638801606319		29	0.6%
24.4669903089634		28	0.5%
24.4888234436819		58	1.1%
24.7402260126248		15	0.3%
24.7558367226599		16	0.3%
24.7864262479425		16	0.3%
24.8471964695063		33	0.6%
24.847326558134		24	0.5%
25.0098622402246		19	0.4%
25.1742650654779		93	1.8%
25.2170784414396		53	1%
25.3051175586725		32	0.6%
25.6555194447634		39	0.8%
25.659844620689		1	0%
25.8826318313896		7	0.1%
26.0458431026701		17	0.3%
26.1372150953049		33	0.6%
26.1932234127045		16	0.3%
26.6237465132622		22	0.4%
26.9260785027827		5	0.1%
27.0381502348781		27	0.5%
27.1664802652006		38	0.7%
27.2470010683788		25	0.5%

27.2927890137272		61	1.2%
27.3320592139474		16	0.3%
27.6754130350268		21	0.4%
27.8382084586501		5	0.1%
28.3591235611338		25	0.5%
28.4790547928497		2	0%
28.6224156116809		22	0.4%
28.850506947844		34	0.7%
28.894201364174		2	0%
29.0279708149341		1	0%
29.4292791672143		25	0.5%
29.5204405704787		67	1.3%
29.5601870635208		25	0.5%
29.894101186117		40	0.8%
29.949925838192		17	0.3%
30.0235128795634		31	0.6%
30.1146930625437		14	0.3%
30.418559101663		2	0%
30.4702913450331		30	0.6%
30.6652945211484		12	0.2%
31.2744925828786		14	0.3%
31.3456940083421		13	0.3%
31.3800163004657		15	0.3%
31.5821105427102		28	0.5%
31.6433942142774		19	0.4%
31.6497864930735		24	0.5%
31.8861455956345		4	0.1%
32.267014349799		2	0%
32.8523924318658		17	0.3%
32.9784132130142		55	1.1%
33.0258641675198		9	0.2%
33.2104956417885		4	0.1%
33.6374542446961		4	0.1%
33.6575981287253		5	0.1%
34.0118886353434		1	0%
34.1650740174342		12	0.2%
34.860634398793		31	0.6%
36.4427456185965		8	0.2%
37.143317494378		19	0.4%

38.7039610865788		6	0.1%
38.9888674199886		1	0%
39.2788042427874		25	0.5%
39.3282185234591		8	0.2%
40.5199827211396		27	0.5%
41.1356674577332		25	0.5%
41.2823302093997		17	0.3%
41.5131195525401		7	0.1%
41.9500997583563		1	0%
43.2612385618478		18	0.4%
44.034485556693		9	0.2%
44.6423633827808		10	0.2%
45.3063670749756		23	0.4%
48.1089214249924		8	0.2%
49.0985053033093		17	0.3%
49.694653116268		12	0.2%
51.4195843219833		15	0.3%
52.3260792353785		21	0.4%
53.942244806949		15	0.3%
54.0765482023097		19	0.4%
54.7997383395086		16	0.3%
56.6329588437195		13	0.3%
59.3373121582014		11	0.2%
60.0470257591269		10	0.2%
74.8167699859951		9	0.2%
78.353652300165		12	0.2%
114.621525814388		1	0%
126.242874959458		15	0.3%
127.105058328826		44	0.9%
134.517428144689		1	0%
135.166893649042		1	0%
135.763201091674		10	0.2%
136.342304956214		12	0.2%
136.690404105635		57	1.1%
138.619627406463		29	0.6%
139.155960149678		26	0.5%
140.269861066064		14	0.3%
141.54504162121		14	0.3%
146.474532868661		16	0.3%

146.624257179008		13	0.3%
149.07331884576		22	0.4%
149.196124952086		19	0.4%
149.650097932045		32	0.6%
149.88968760343		13	0.3%
150.848001212971		13	0.3%
152.219346678544		19	0.4%
157.520584564026		29	0.6%
157.803593699322		9	0.2%
158.255797817281		19	0.4%
160.447419471979		14	0.3%
161.193285610835		13	0.3%
164.045644078888		21	0.4%
164.933109648504		21	0.4%
166.627068201844		28	0.5%
169.704001364593		7	0.1%
170.190307452129		15	0.3%
172.455958143478		1	0%
175.743603216797		23	0.4%
176.416782115012		20	0.4%
176.592113402238		64	1.2%
177.548591799734		27	0.5%
178.225235236881		8	0.2%
178.405816676175		41	0.8%
185.690139084722		9	0.2%
186.924190934971		7	0.1%
187.597284351332		16	0.3%
187.840485988574		20	0.4%
188.844010628756		8	0.2%
189.769716563211		16	0.3%
191.665695658834		9	0.2%
193.207357016819		15	0.3%
195.191708465017		20	0.4%
201.584911792616		19	0.4%
203.655305580031		17	0.3%
203.70281281947		26	0.5%
204.089345671119		14	0.3%
205.794958676965		18	0.4%
206.16638706063		10	0.2%

206.185461444853		17	0.3%
208.283835252305		14	0.3%
208.509359748743		26	0.5%
209.509625769721		18	0.4%
210.650871626804		33	0.6%
211.661410959099		18	0.4%
232.846743033182		19	0.4%
235.238213932015		15	0.3%
807.104568868131		11	0.2%
867.97056800586		5	0.1%

MWR9: Usually pay for stick of cigarettes

Data file: MALAWI_National_05

Overview

Valid: 5109 Invalid: 26

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	3293	64.5%
2	I don't buy cigarettes	1572	30.8%
3	Less than MK2.00	73	1.4%
4	MK2.01 - MK4.00	46	0.9%
5	MK4.01 - MK6.00	64	1.3%
6	MK6.01 - MK8.00	27	0.5%
7	MK8.01 - MK10.00	11	0.2%
8	More than MK10.00	23	0.5%
Sysmiss		26	

CR1: Tried smoking

Data file: MALAWI_National_05

Overview

Valid: 4929 Invalid: 206

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	425	8.6%
2	no	4504	91.4%
Sysmiss		206	

CR2: Age first cigarette

Data file: MALAWI_National_05

Overview

Valid: 4940 Invalid: 195

Type: Discrete Decimal: 0 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4698	95.1%
2	7 years old or younger	62	1.3%
3	8 or 9 years old	50	1%
4	10 or 11 years old	34	0.7%
5	12 or 13 years old	54	1.1%
6	14 or 15 years old	31	0.6%
7	16 years old or older	11	0.2%
Sysmiss		195	

CR3: Smoked past 30 days

Data file: MALAWI_National_05

Overview

Valid: 4839 Invalid: 296

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0 days	4712	97.4%

2	1 or 2 days	49	1%
3	3 to 5 days	31	0.6%
4	6 to 9 days	18	0.4%
5	10 to 19 days	10	0.2%
6	20 to 29 days	6	0.1%
7	all 30 days	13	0.3%
Sysmiss		296	

CR4: Cigarettes per day

Data file: MALAWI_National_05

Overview

Valid: 4894 Invalid: 241

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	4718	96.4%
2	Less than 1 cigarette per day	51	1%
3	1 cigarette per day	59	1.2%
4	2 to 5 cigarettes per day	40	0.8%
5	6 to 10 cigarettes per day	15	0.3%
6	11 to 20 cigarettes per day	3	0.1%
7	More than 20 cigarettes per day	8	0.2%
Sysmiss		241	

MWR5: Age smoked daily

Data file: MALAWI_National_05

Overview

Valid: 5114 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4750	92.9%

2	7 years old or younger	107	2.1%
3	8 or 9 years old	57	1.1%
4	10 or 11 years old	48	0.9%
5	12 or 13 years old	59	1.2%
6	14 or 15 years old	53	1%
7	16 years old or older	40	0.8%
Sysmiss		21	

CR5: Obtain cigarettes past 30 days

Data file: MALAWI_National_05

Overview

Valid: 5093 Invalid: 42

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke any cigarettes during the past 30 days	4762	93.5%
2	I bought them in a store, shop or from a street vendor	162	3.2%
3	I bought them from a vending machine	35	0.7%
4	I gave someone else money to buy them for me	32	0.6%
5	I got them from someone else	21	0.4%
6	I stole them	51	1%
7	An older person gave them to me	30	0.6%
8	I got them some other way	0	0%
Sysmiss		42	

MWR7: Usual brand of cigarettes

Data file: MALAWI_National_05

Overview

Valid: 5127 Invalid: 8

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I did not smoke cigarettes during the past 30 days	4822	94.1%
2	No usual brand	86	1.7%
3	Embassy	170	3.3%
4		8	0.2%
5	Laif/L&fe	18	0.4%
6	Ascot	8	0.2%
7	Gulf	7	0.1%
8	Other	8	0.2%
Sysmiss		8	

MWR8: Usually pay for pack of 20 cigarettes

Data file: MALAWI_National_05

Overview

Valid: 5117 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes.	3982	77.8%
2	I don't buy cigarettes, or I don't buy them in packs.	909	17.8%
3	Less than MK40	113	2.2%
4	MK41 - MK80	53	1%
5	MK81 - MK120	28	0.5%
6	MK120 -MK160	19	0.4%
7	MK161 - MK200	2	0%
8	More than MK200	11	0.2%
Sysmiss		18	

MWR10: Spent on cigarettes past 30 days

Data file: MALAWI_National_05

Overview

Valid: 5107 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	3141	61.5%
2	I don't buy cigarettes	1756	34.4%
3	Less than MK50	76	1.5%
4	MK51 - MK100	54	1.1%
5	MK101 - MK200	28	0.5%
6	MK201 - MK500	14	0.3%
7	MK401 - MK600	15	0.3%
8	More than MK600	23	0.5%
Sysmiss		28	

MWR11: Usual pocket money per month

Data file: MALAWI_National_05

Overview

Valid: 5103 Invalid: 32

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't receive any pocket money (or income, allowance, etc.)	4058	79.5%
2	less than MK120	646	12.7%
3	MK120 to MK600	234	4.6%
4	MK601 - MK1200	78	1.5%
5	MK1201 - MK2400	26	0.5%
6	MK2401 - MK3600	29	0.6%
7	More than MK3600	32	0.6%
Sysmiss		32	

CR10: Refused to sell cigarettes due to age

Data file: MALAWI_National_05

Overview

Valid: 5084 Invalid: 51

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not try to buy cigarettes during the past 30 days (one month)	4645	91.4%
2	Yes, someone refused to sell me cigarettes because of my age	296	5.8%
3	No, my age did not keep me from buying cigarettes	143	2.8%
Sysmiss		51	

CR12: Where usually smoke

Data file: MALAWI_National_05

Overview

Valid: 5111 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4753	93%
2	At home	113	2.2%
3	At school	36	0.7%
4	At work	22	0.4%
5	At friends' houses	82	1.6%
6	At social events	59	1.2%
7	In public spaces (e.g. parks, shopping centres, street corners)	29	0.6%
8	Other	17	0.3%
Sysmiss		24	

CR13: Smoking first thing morning

Data file: MALAWI_National_05

Overview

Valid: 5100 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2904	56.9%
2	I no longer smoke cigarettes	207	4.1%
3	No, I don't have or feel like having a cigarette first thing in the morning	1878	36.8%
4	Yes, I sometimes have or feel like having a cigarette first thing in the morning	83	1.6%
5	Yes, I always have or feel like having a cigarette first thing in the morning	28	0.5%
Sysmiss		35	

CR11: Used other tobacco past 30 days

Data file: MALAWI_National_05

Overview

Valid: 5051 Invalid: 84

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	663	13.1%
2	No	4388	86.9%
Sysmiss		84	

MWR16: Age first used chewing tobacco, snuff or dip

Data file: MALAWI_National_05

Overview

Valid: 5115 Invalid: 20

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	4870	95.2%
2	7 years old or younger	83	1.6%
3	8 or 9 years old	39	0.8%
4	10 or 11 years old	27	0.5%
5	12 or 13 years old	38	0.7%
6	14 or 15 years old	34	0.7%

7	16 years old or older	24	0.5%
Sysmiss		20	

MWR17: Chewing tobacco past 30 days

Data file: MALAWI_National_05

Overview

Valid: 5116 Invalid: 19

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0 days	4932	96.4%
2	1 or 2 days	95	1.9%
3	3 to 5 days	45	0.9%
4	6 to 9 days	20	0.4%
5	10 to 19 days	10	0.2%
6	20 to 29 days	3	0.1%
7	all 30 days	11	0.2%
Sysmiss		19	

MWR18: Where usually chew tobacco

Data file: MALAWI_National_05

Overview

Valid: 5102 Invalid: 33

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	4754	93.2%
2	I no longer use chewing tobacco, snuff, or dip	204	4%
3	When I am alone	51	1%
4	In the company of friends	41	0.8%
5	At home	29	0.6%
6	At school	6	0.1%

7	Other	17	0.3%
Sysmiss		33	

MWR19: Obtain chewing tobacco past 30 days

Data file: MALAWI_National_05

Overview

Valid: 5118 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not use chewing tobacco, snuff, or dip during the past 30 days (one month)	4845	94.7%
2	I bought them in a store, shop or from a street vendor	118	2.3%
3	I gave someone else money to buy them for me	36	0.7%
4	I borrowed them from someone else	24	0.5%
5	I stole them	19	0.4%
6	An older person gave them to me	56	1.1%
7	I got them some other way	20	0.4%
Sysmiss		17	

MWR20: Refuse to sell chewing tobacco due to age

Data file: MALAWI_National_05

Overview

Valid: 5107 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not try to buy chewing tobacco, snuff, or dip during the past 30 days (one month)	4777	93.5%
2	Yes, someone refused to sell me chewing tobacco, snuff, or dip because of my age	212	4.2%
3	No, my age did not keep me from buying chewing tobacco, snuff, or dip	118	2.3%
Sysmiss		28	

MWR21: Smoke tobacco with other drugs**Data file: MALAWI_National_05****Overview**

Valid: 5107 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked	3741	73.3%
2	I no longer smoke	168	3.3%
3	No, I smoke, but I never mix tobacco with other drugs	1147	22.5%
4	Yes, but only once or twice	30	0.6%
5	Yes, I have mixed tobacco with other drugs more than twice	21	0.4%
Sysmiss		28	

MWR22: More likely to smoke after drunk alcohol or used another drug**Data file: MALAWI_National_05****Overview**

Valid: 5118 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4690	91.6%
2	I no longer smoke cigarettes	190	3.7%
3	I smoke but I never drink alcohol or use drugs	160	3.1%
4	No, I smoke less when I drink alcohol or use other drugs	40	0.8%
5	Yes, I smoke more when I drink alcohol or use other drugs	19	0.4%
6	I smoke about the same when I drink alcohol or use other drugs	19	0.4%
Sysmiss		17	

CR14: Parents smoke**Data file: MALAWI_National_05**

Overview

Valid: 5100 Invalid: 35
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None	4466	87.6%
2	Both	112	2.2%
3	Father only	334	6.5%
4	Mother only	28	0.5%
5	I don't know	160	3.1%
Sysmiss		35	

MWR24: Parents know that you smoke

Data file: MALAWI_National_05

Overview

Valid: 5072 Invalid: 63
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I do not smoke cigarettes	4647	91.6%
2	Yes	84	1.7%
3	No	341	6.7%
Sysmiss		63	

CR15: Friends offered cigarette

Data file: MALAWI_National_05

Overview

Valid: 5104 Invalid: 31
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	4916	96.3%
2	Probably not	84	1.6%
3	Probably yes	46	0.9%
4	Definitely yes	58	1.1%
Sysmiss		31	

CR16: Family discussed harmful effects of smoking

Data file: MALAWI_National_05

Overview

Valid: 5066 Invalid: 69

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	3740	73.8%
2	No	1326	26.2%
Sysmiss		69	

CR17: Think will smoke in next 12 months

Data file: MALAWI_National_05

Overview

Valid: 5081 Invalid: 54

Type: Discrete Decimal: 0 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	4819	94.8%
2	Probably not	126	2.5%
3	Probably yes	72	1.4%
4	Definitely yes	64	1.3%
Sysmiss		54	

MWR28: Think will use chewing tobacco, snuff or dip next 12 months**Data file: MALAWI_National_05****Overview**

Valid: 5107 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	4888	95.7%
2	Probably not	126	2.5%
3	Probably yes	63	1.2%
4	Definitely yes	30	0.6%
Sysmiss		28	

CR18: Think will smoke in 5 years**Data file: MALAWI_National_05****Overview**

Valid: 5083 Invalid: 52

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	4769	93.8%
2	Probably not	190	3.7%
3	Probably yes	56	1.1%
4	Definitely yes	68	1.3%
Sysmiss		52	

MWR30: Smoking less dangerous for person your age**Data file: MALAWI_National_05****Overview**

Valid: 5058 Invalid: 77

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	2909	57.5%
2	Probably not	147	2.9%
3	Probably yes	193	3.8%
4	Definitely yes	1809	35.8%
Sysmiss		77	

CR19: Difficult to quit smoking

Data file: MALAWI_National_05

Overview

Valid: 5077 Invalid: 58

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	2657	52.3%
2	Probably not	283	5.6%
3	Probably yes	303	6%
4	Definitely yes	1834	36.1%
Sysmiss		58	

CR20: Number of friends boys who smoke

Data file: MALAWI_National_05

Overview

Valid: 5030 Invalid: 105

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More friends	1842	36.6%
2	Less friends	2326	46.2%

3	No difference from non-smokers	862	17.1%
Sysmiss		105	

CR21: Number of friends girls who smoke

Data file: MALAWI_National_05

Overview

Valid: 5047 Invalid: 88

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More friends	1210	24%
2	Less friends	3027	60%
3	No difference from non-smokers	810	16%
Sysmiss		88	

CR22: Smoking helps people feel comfortable socially

Data file: MALAWI_National_05

Overview

Valid: 5084 Invalid: 51

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More comfortable	1163	22.9%
2	Less comfortable	2785	54.8%
3	No difference from non-smokers	1136	22.3%
Sysmiss		51	

CR23: Boys smoking more or less attractive

Data file: MALAWI_National_05

Overview

Valid: 5092 Invalid: 43

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More attractive	173	3.4%
2	Less attractive	4616	90.7%
3	No difference from non-smokers	303	6%
Sysmiss		43	

CR24: Girls smoking more or less attractive

Data file: MALAWI_National_05

Overview

Valid: 5073 Invalid: 62

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More attractive	185	3.6%
2	Less attractive	4567	90%
3	No difference from non-smokers	321	6.3%
Sysmiss		62	

CR25: Smoking weight change

Data file: MALAWI_National_05

Overview

Valid: 5066 Invalid: 69

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Gain weight	199	3.9%
2	Lose weight	4089	80.7%
3	No difference	778	15.4%

Sysmiss		69	
---------	--	----	--

CR26: Smoking harmful to health

Data file: MALAWI_National_05

Overview

Valid: 4984 Invalid: 151

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	269	5.4%
2	Probably not	191	3.8%
3	Probably yes	316	6.3%
4	Definitely yes	4208	84.4%
Sysmiss		151	

CR27: Closest friends smoke

Data file: MALAWI_National_05

Overview

Valid: 5068 Invalid: 67

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None of them	4307	85%
2	Some of them	476	9.4%
3	Most of them	78	1.5%
4	All of them	207	4.1%
Sysmiss		67	

MWR40: Closest friends use chewing tobacco, snuff or dip

Data file: MALAWI_National_05

Overview

Valid: 5106 Invalid: 29
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None of them	4714	92.3%
2	Some of them	296	5.8%
3	Most of them	51	1%
4	All of them	45	0.9%
Sysmiss		29	

CR28: Opinion of man smoking

Data file: MALAWI_National_05

Overview

Valid: 5087 Invalid: 48
 Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Lacks confidence	1916	37.7%
2	Stupid	2386	46.9%
3	Loser	636	12.5%
4	Successful	65	1.3%
5	Intelligent	72	1.4%
6	Macho	12	0.2%
Sysmiss		48	

CR29: Opinion of woman smoking

Data file: MALAWI_National_05

Overview

Valid: 5076 Invalid: 59
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Lacks confidence	1859	36.6%
2	Stupid	2556	50.4%
3	Loser	564	11.1%
4	Successful	62	1.2%
5	Intelligent	18	0.4%
6	Sophisticated	17	0.3%
Sysmiss		59	

CR30: Safe to smoke for only a year or two

Data file: MALAWI_National_05

Overview

Valid: 5095 Invalid: 40

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	3719	73%
2	Probably not	299	5.9%
3	Probably yes	132	2.6%
4	Definitely yes	945	18.5%
Sysmiss		40	

CR31: Smoke from other cigarettes harmful

Data file: MALAWI_National_05

Overview

Valid: 5043 Invalid: 92

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Definitely not	485	9.6%
2	Probably not	140	2.8%
3	Probably yes	165	3.3%
4	Definitely yes	4253	84.3%
Sysmiss		92	

CR32: People smoke in home

Data file: MALAWI_National_05

Overview

Valid: 4982 Invalid: 153

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0	4465	89.6%
2	1 to 2 days	238	4.8%
3	3 to 4 days	79	1.6%
4	5 to 6 days	111	2.2%
5	7 days	89	1.8%
Sysmiss		153	

CR33: People smoke outside home

Data file: MALAWI_National_05

Overview

Valid: 5019 Invalid: 116

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0	3838	76.5%
2	1 to 2 days	622	12.4%
3	3 to 4 days	214	4.3%
4	5 to 6 days	109	2.2%
5	7 days	236	4.7%

Sysmiss		116	
---------	--	-----	--

CR34: Ban smoking in public places

Data file: MALAWI_National_05

Overview

Valid: 4958 Invalid: 177

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	4244	85.6%
2	No	714	14.4%
Sysmiss		177	

CR35: Want to stop smoking

Data file: MALAWI_National_05

Overview

Valid: 5065 Invalid: 70

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4424	87.3%
2	I do not smoke now	223	4.4%
3	Yes	331	6.5%
4	No	87	1.7%
Sysmiss		70	

CR36: Tried to stop smoking past year

Data file: MALAWI_National_05

Overview

Valid: 5117 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4502	88%
2	I did not smoke during the past year	310	6.1%
3	Yes	152	3%
4	No	153	3%
Sysmiss		18	

CR37: Time since stop smoking

Data file: MALAWI_National_05

Overview

Valid: 5118 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4720	92.2%
2	I have not stopped smoking	103	2%
3	1-3 months	85	1.7%
4	4-11 months	48	0.9%
5	One year	38	0.7%
6	2 years	44	0.9%
7	3 years or longer	80	1.6%
Sysmiss		17	

CR38: Main reason to stop smoking

Data file: MALAWI_National_05

Overview

Valid: 5096 Invalid: 39

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoke	4504	88.4%
2	I have not stopped smoking	80	1.6%
3	To improve my health	370	7.3%
4	To save money	45	0.9%
5	Because my family does not like it	59	1.2%
6	Because my friends do not like it	20	0.4%
7	Other	18	0.4%
Sysmiss		39	

CR39: Stop smoking if wanted to

Data file: MALAWI_National_05

Overview

Valid: 5113 Invalid: 22
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4515	88.3%
2	I have already stopped smoking cigarettes	245	4.8%
3	Yes	294	5.8%
4	No	59	1.2%
Sysmiss		22	

CR40: Received help/advice to stop smoking

Data file: MALAWI_National_05

Overview

Valid: 5108 Invalid: 27
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	4418	86.5%
2	Yes, from a program or professional	206	4%

3	Yes, from a friend	122	2.4%
4	Yes, from a family member	119	2.3%
5	Yes, from both programs or professionals and from friends or family members	173	3.4%
6	No	70	1.4%
Sysmiss		27	

MWR54: Want to stop using chewing tobacco, snuff or dip

Data file: MALAWI_National_05

Overview

Valid: 5090 Invalid: 45

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	4569	89.8%
2	I do not use chewing tobacco, snuff, or dip now	211	4.1%
3	Yes	185	3.6%
4	No	125	2.5%
Sysmiss		45	

MWR55: Tried to stop using chewing tobacco, snuff or dip past year

Data file: MALAWI_National_05

Overview

Valid: 5106 Invalid: 29

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	4564	89.4%
2	I did not use chewing tobacco, snuff, or dip during the past year	203	4%
3	Yes	145	2.8%
4	No	194	3.8%
Sysmiss		29	

MWR56: Time since stop using chewing tobacco, snuff or dip**Data file: MALAWI_National_05****Overview**

Valid: 5116 Invalid: 19

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	4736	92.6%
2	1-3 months	115	2.2%
3	4-11 months	68	1.3%
4	One year	59	1.2%
5	2 years	43	0.8%
6	3 years or longer	72	1.4%
7	I have not stopped using chewing tobacco, snuff, or dip	23	0.4%
Sysmiss		19	

MWR57: Main reason to stop using chewing tobacco, snuff or dip**Data file: MALAWI_National_05****Overview**

Valid: 5096 Invalid: 39

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	4538	89.1%
2	I have not stopped using chewing tobacco, snuff, or dip	90	1.8%
3	To improve my health	311	6.1%
4	To save money	46	0.9%
5	Because my family does not like it	81	1.6%
6	Because my friends do not like it	21	0.4%
7	Other	9	0.2%
Sysmiss		39	

CR41: Anti-smoking media messages**Data file: MALAWI_National_05****Overview**

Valid: 5072 Invalid: 63

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	3860	76.1%
2	A few	430	8.5%
3	None	782	15.4%
Sysmiss		63	

CR42: Anti-smoking messages events**Data file: MALAWI_National_05****Overview**

Valid: 5077 Invalid: 58

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never go to sports events, fairs, concerts, community events, or social gatherings	2226	43.8%
2	A lot	1628	32.1%
3	Sometimes	424	8.4%
4	Never	799	15.7%
Sysmiss		58	

CR43: See actors smoking**Data file: MALAWI_National_05****Overview**

Valid: 5064 Invalid: 71

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never watch TV, videos, or movies	2177	43%
2	A lot	1225	24.2%
3	Sometimes	595	11.7%
4	Never	1067	21.1%
Sysmiss		71	

CR44: Own something with a cigarette brand logo

Data file: MALAWI_National_05

Overview

Valid: 5005 Invalid: 130
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1133	22.6%
2	No	3872	77.4%
Sysmiss		130	

CR45: See cigarette brand names on TV

Data file: MALAWI_National_05

Overview

Valid: 5083 Invalid: 52
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never watch TV	1860	36.6%
2	A lot	1054	20.7%
3	Sometimes	680	13.4%
4	Never	1489	29.3%

Sysmiss		52	
---------	--	----	--

MWR63: Hear cigarette brand names on radio

Data file: MALAWI_National_05

Overview

Valid: 5061 Invalid: 74

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never listen to the radio	908	17.9%
2	A lot	1895	37.4%
3	Sometimes	982	19.4%
4	Never	1276	25.2%
Sysmiss		74	

CR46: Cigarette advertisements billboards

Data file: MALAWI_National_05

Overview

Valid: 4985 Invalid: 150

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	1670	33.5%
2	A few	1117	22.4%
3	None	2198	44.1%
Sysmiss		150	

CR47: Cigarette advertisements in newspapers or magazines

Data file: MALAWI_National_05

Overview

Valid: 4907 Invalid: 228

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	1406	28.7%
2	A few	1143	23.3%
3	None	2358	48.1%
Sysmiss		228	

CR48: Cigarette advertisements events

Data file: MALAWI_National_05

Overview

Valid: 5068 Invalid: 67

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never attend sports events, fairs, concerts, or community events	1636	32.3%
2	A lot	658	13%
3	Sometimes	679	13.4%
4	Never	2095	41.3%
Sysmiss		67	

MWR67: Been to concert sponsored by cigarette brand

Data file: MALAWI_National_05

Overview

Valid: 5075 Invalid: 60

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	821	16.2%
2	No	4254	83.8%

Sysmiss		60	
---------	--	----	--

CR49: Offered free cigarette

Data file: MALAWI_National_05

Overview

Valid: 5023 Invalid: 112

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	633	12.6%
2	No	4390	87.4%
Sysmiss		112	

CR50: Taught dangers of smoking

Data file: MALAWI_National_05

Overview

Valid: 4975 Invalid: 160

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	3097	62.3%
2	No	1714	34.5%
3	Not sure	164	3.3%
Sysmiss		160	

CR51: Discuss why people your age smoke

Data file: MALAWI_National_05

Overview

Valid: 5089 Invalid: 46

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	2365	46.5%
2	No	2578	50.7%
3	Not sure	146	2.9%
Sysmiss		46	

CR52: Taught effects of smoking

Data file: MALAWI_National_05

Overview

Valid: 5071 Invalid: 64

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	3173	62.6%
2	No	1777	35%
3	Not sure	121	2.4%
Sysmiss		64	

CR53: Time since last lesson discuss smoking and health

Data file: MALAWI_National_05

Overview

Valid: 5022 Invalid: 113

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never	2142	42.7%
2	This term	2039	40.6%
3	Last Term	331	6.6%
4	2 terms ago	99	2%

5	3 terms ago	63	1.3%
6	More than a year ago	348	6.9%
Sysmiss		113	

MWR73: Heard from youth groups discouraging young people from smoking

Data file: MALAWI_National_05

Overview

Valid: 5005 Invalid: 130

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	3704	74%
2	No	1301	26%
Sysmiss		130	

MWR74: Health professionals explain why smoking is dangerous

Data file: MALAWI_National_05

Overview

Valid: 5020 Invalid: 115

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	2956	58.9%
2	No	2064	41.1%
Sysmiss		115	

MWR75: Religious organization discourage young people from smoking

Data file: MALAWI_National_05

Overview

Valid: 4941 Invalid: 194

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	3626	73.4%
2	No	1315	26.6%
Sysmiss		194	

CR54: Custom age

Data file: MALAWI_National_05

Overview

Valid: 5121 Invalid: 14
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	625	12.2%
2	12 years old	974	19%
3	13 years old	1171	22.9%
4	14 years old	1098	21.4%
5	15 years old	688	13.4%
6	16 years old	412	8%
7	17 years old or older	153	3%
Sysmiss		14	

CR55: Sex

Data file: MALAWI_National_05

Overview

Valid: 5119 Invalid: 16
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Boy	2357	46%

2	Girl	2762	54%
Sysmiss		16	

MWR78: Grade/form

Data file: MALAWI_National_05

Overview

Valid: 5109 Invalid: 26

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Standard 7	2249	44%
2	Standard 8	2135	41.8%
3	Form 1	725	14.2%
Sysmiss		26	

STRATUM: stratum

Data file: MALAWI_National_05

Overview

Valid: 5135 Invalid: 0

Type: Discrete Decimal: 0 Range: 200001001 - 200001025 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200501001		427	8.3%
200501002		155	3%
200501003		217	4.2%
200501004		293	5.7%
200501005		169	3.3%
200501006		55	1.1%
200501007		233	4.5%
200501008		153	3%
200501009		76	1.5%
200501010		102	2%

200502001		297	5.8%
200502002		97	1.9%
200502003		194	3.8%
200502004		204	4%
200502005		208	4.1%
200502006		304	5.9%
200502007		123	2.4%
200502008		243	4.7%
200502009		179	3.5%
200502010		62	1.2%
200503001		104	2%
200503002		258	5%
200503003		154	3%
200503004		105	2%
200503005		157	3.1%
200503006		119	2.3%
200503007		125	2.4%
200503008		102	2%
200503009		110	2.1%
200503010		110	2.1%

PSU: psu

Data file: MALAWI_National_05

Overview

Valid: 5135 Invalid: 0
 Type: Discrete Decimal: 0 Range: 1 - 50 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		259	5%
2		569	11.1%
3		279	5.4%
4		231	4.5%
5		233	4.5%
6		332	6.5%
7		247	4.8%

8		355	6.9%
9		218	4.2%
10		316	6.2%
11		228	4.4%
12		250	4.9%
13		216	4.2%
14		265	5.2%
15		206	4%
16		292	5.7%
17		216	4.2%
18		149	2.9%
19		114	2.2%
20		109	2.1%
21		51	1%

FINALWGT: FinalWgt**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1911 Invalid: 0

Type: Discrete Decimal: 2 Range: 5.95177320400067 - 31.3456940083421 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5.95177320400067		41	2.1%
6.31543098845673		13	0.7%
6.60983453801043		46	2.4%
6.75693528268348		25	1.3%
7.42385357002216		21	1.1%
7.48852840916411		24	1.3%
7.94608308350593		19	1%
8.31650199380811		30	1.6%
8.50158433275759		22	1.2%
9.34070174703839		14	0.7%
15.4389570190623		37	1.9%
15.4389570192098		20	1%
15.4389570192566		39	2%
15.7302580951868		27	1.4%
16.2078413105181		27	1.4%
16.2078413106731		53	2.8%
16.2078413107221		33	1.7%
16.3339690204605		31	1.6%
16.5136496374395		26	1.4%
17.1474263143342		38	2%
17.2883640648179		1	0.1%
17.3960079087567		38	2%
17.497484621685		28	1.5%
17.7155474792686		1	0.1%
17.7763420828229		1	0.1%
17.8020552102329		1	0.1%
18.2460401140632		21	1.1%
18.2623564061695		33	1.7%
18.3688868186723		32	1.7%
18.9048453299419		55	2.9%

19.0574625706448		31	1.6%
19.1547215494513		34	1.8%
19.5910587548547		1	0.1%
19.8463362990954		43	2.3%
20.0065541179226		33	1.7%
20.4435296807045		64	3.3%
20.5852760254036		24	1.3%
20.5852760256754		44	2.3%
20.8971293388323		40	2.1%
20.9486750362561		17	0.9%
21.0205647927147		46	2.4%
21.050970624141		31	1.6%
21.0999079264385		13	0.7%
21.2953434173418		6	0.3%
21.4018201344285		22	1.2%
21.4134828254729		25	1.3%
21.4869676670006		15	0.8%
21.5180481409644		29	1.5%
21.6104550806775		21	1.1%
21.6104550809628		25	1.3%
21.7678430612236		3	0.2%
21.8766822765297		38	2%
22.1507164581141		17	0.9%
23.493572415261		32	1.7%
23.6461280808088		40	2.1%
23.9572613443191		54	2.8%
24.0148462159306		30	1.6%
24.1707867762993		37	1.9%
24.3078554125958		49	2.6%
24.4669903089634		28	1.5%
24.4888234436819		58	3%
24.7558367226599		16	0.8%
24.8471964695063		33	1.7%
25.0098622402246		19	1%
25.3051175586725		32	1.7%
26.0458431026701		17	0.9%
26.6237465132622		22	1.2%
30.6652945211484		12	0.6%
31.3456940083421		13	0.7%

CR1: Tried smoking**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1821 Invalid: 90

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	158	8.7%
2	no	1663	91.3%
Sysmiss		90	

CR2: Age first cigarette**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1827 Invalid: 84

Type: Discrete Decimal: 0 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1743	95.4%
2	7 years old or younger	14	0.8%
3	8 or 9 years old	23	1.3%
4	10 or 11 years old	14	0.8%
5	12 or 13 years old	23	1.3%
6	14 or 15 years old	8	0.4%
7	16 years old or older	2	0.1%
Sysmiss		84	

CR3: Smoked past 30 days**Data file: MALAWI_Blantyre_05**

Overview

Valid: 1791 Invalid: 120
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0 days	1756	98%
2	1 or 2 days	10	0.6%
3	3 to 5 days	8	0.4%
4	6 to 9 days	5	0.3%
5	10 to 19 days	6	0.3%
6	20 to 29 days	2	0.1%
7	all 30 days	4	0.2%
Sysmiss		120	

CR4: Cigarettes per day

Data file: MALAWI_Blantyre_05

Overview

Valid: 1824 Invalid: 87
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	1762	96.6%
2	Less than 1 cigarette per day	11	0.6%
3	1 cigarette per day	25	1.4%
4	2 to 5 cigarettes per day	14	0.8%
5	6 to 10 cigarettes per day	9	0.5%
6	11 to 20 cigarettes per day	1	0.1%
7	More than 20 cigarettes per day	2	0.1%
Sysmiss		87	

MWR5: Age smoked daily

Data file: MALAWI_Blantyre_05

Overview

Valid: 1905 Invalid: 6
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1775	93.2%
2	7 years old or younger	28	1.5%
3	8 or 9 years old	27	1.4%
4	10 or 11 years old	14	0.7%
5	12 or 13 years old	28	1.5%
6	14 or 15 years old	22	1.2%
7	16 years old or older	11	0.6%
Sysmiss		6	

CR5: Obtain cigarettes past 30 days

Data file: MALAWI_Blantyre_05

Overview

Valid: 1888 Invalid: 23
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke any cigarettes during the past 30 days	1769	93.7%
2	I bought them in a store, shop or from a street vendor	51	2.7%
3	I bought them from a vending machine	12	0.6%
4	I gave someone else money to buy them for me	14	0.7%
5	I got them from someone else	10	0.5%
6	I stole them	21	1.1%
7	An older person gave them to me	11	0.6%
8	I got them some other way	0	0%
Sysmiss		23	

MWR7: Usual brand of cigarettes**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1908 Invalid: 3
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	1806	94.7%
2	No usual brand	29	1.5%
3	Embassy	55	2.9%
4		3	0.2%
5	Laif/L&fe	7	0.4%
6	Ascot	2	0.1%
7	Gulf	3	0.2%
8	Other	3	0.2%
Sysmiss		3	

MWR8: Usually pay for pack of 20 cigarettes**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1908 Invalid: 3
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes.	1469	77%
2	I don't buy cigarettes, or I don't buy them in packs.	358	18.8%
3	Less than MK40	41	2.1%
4	MK41 - MK80	17	0.9%
5	MK81 - MK120	12	0.6%
6	MK120 -MK160	7	0.4%
7	MK161 - MK200	2	0.1%
8	More than MK200	2	0.1%
Sysmiss		3	

MWR9: Usually pay for stick of cigarettes**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1901 Invalid: 10

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	1189	62.5%
2	I don't buy cigarettes	619	32.6%
3	Less than MK2.00	25	1.3%
4	MK2.01 - MK4.00	20	1.1%
5	MK4.01 - MK6.00	25	1.3%
6	MK6.01 - MK8.00	15	0.8%
7	MK8.01 - MK10.00	6	0.3%
8	More than MK10.00	2	0.1%
Sysmiss		10	

MWR18: Where usually chew tobacco**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1903 Invalid: 8

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1794	94.3%
2	I no longer use chewing tobacco, snuff, or dip	57	3%
3	When I am alone	17	0.9%
4	In the company of friends	16	0.8%
5	At home	10	0.5%
6	At school	2	0.1%
7	Other	7	0.4%

Sysmiss		8	
---------	--	---	--

MWR19: Obtain chewing tobacco past 30 days

Data file: MALAWI_Blantyre_05

Overview

Valid: 1905 Invalid: 6
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not use chewing tobacco, snuff, or dip during the past 30 days (one month)	1813	95.2%
2	I bought them in a store, shop or from a street vendor	31	1.6%
3	I gave someone else money to buy them for me	16	0.8%
4	I borrowed them from someone else	10	0.5%
5	I stole them	7	0.4%
6	An older person gave them to me	18	0.9%
7	I got them some other way	10	0.5%
Sysmiss		6	

MWR10: Spent on cigarettes past 30 days

Data file: MALAWI_Blantyre_05

Overview

Valid: 1898 Invalid: 13
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	1147	60.4%
2	I don't buy cigarettes	681	35.9%
3	Less than MK50	24	1.3%
4	MK51 - MK100	18	0.9%
5	MK101 - MK200	12	0.6%
6	MK201 - MK500	5	0.3%
7	MK401 - MK600	3	0.2%

8	More than MK600	8	0.4%
Sysmiss		13	

MWR11: Usual pocket money per month

Data file: MALAWI_Blantyre_05

Overview

Valid: 1899 Invalid: 12

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't receive any pocket money (or income, allowance, etc.)	1433	75.5%
2	less than MK120	322	17%
3	MK120 to MK600	83	4.4%
4	MK601 - MK1200	26	1.4%
5	MK1201 - MK2400	10	0.5%
6	MK2401 - MK3600	12	0.6%
7	More than MK3600	13	0.7%
Sysmiss		12	

CR10: Refused to sell cigarettes due to age

Data file: MALAWI_Blantyre_05

Overview

Valid: 1888 Invalid: 23

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not try to buy cigarettes during the past 30 days (one month)	1737	92%
2	Yes, someone refused to sell me cigarettes because of my age	101	5.3%
3	No, my age did not keep me from buying cigarettes	50	2.6%
Sysmiss		23	

CR12: Where usually smoke**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1900 Invalid: 11

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1783	93.8%
2	At home	37	1.9%
3	At school	15	0.8%
4	At work	3	0.2%
5	At friends' houses	28	1.5%
6	At social events	23	1.2%
7	In public spaces (e.g. parks, shopping centres, street corners)	6	0.3%
8	Other	5	0.3%
Sysmiss		11	

CR13: Smoking first thing morning**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1900 Invalid: 11

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1103	58.1%
2	I no longer smoke cigarettes	80	4.2%
3	No, I don't have or feel like having a cigarette first thing in the morning	683	35.9%
4	Yes, I sometimes have or feel like having a cigarette first thing in the morning	28	1.5%
5	Yes, I always have or feel like having a cigarette first thing in the morning	6	0.3%
Sysmiss		11	

CR11: Used other tobacco past 30 days**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1877 Invalid: 34
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	198	10.5%
2	No	1679	89.5%
Sysmiss		34	

MWR16: Age first used chewing tobacco, snuff or dip**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1903 Invalid: 8
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1823	95.8%
2	7 years old or younger	19	1%
3	8 or 9 years old	15	0.8%
4	10 or 11 years old	14	0.7%
5	12 or 13 years old	17	0.9%
6	14 or 15 years old	10	0.5%
7	16 years old or older	5	0.3%
Sysmiss		8	

MWR17: Chewing tobacco past 30 days**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1901 Invalid: 10
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0 days	1845	97.1%
2	1 or 2 days	28	1.5%
3	3 to 5 days	15	0.8%
4	6 to 9 days	6	0.3%
5	10 to 19 days	4	0.2%
6	20 to 29 days	2	0.1%
7	all 30 days	1	0.1%
Sysmiss		10	

MWR20: Refuse to sell chewing tobacco due to age

Data file: MALAWI_Blantyre_05

Overview

Valid: 1901 Invalid: 10

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not try to buy chewing tobacco, snuff, or dip during the past 30 days (one month)	1795	94.4%
2	Yes, someone refused to sell me chewing tobacco, snuff, or dip because of my age	69	3.6%
3	No, my age did not keep me from buying chewing tobacco, snuff, or dip	37	1.9%
Sysmiss		10	

MWR21: Smoke tobacco with other drugs

Data file: MALAWI_Blantyre_05

Overview

Valid: 1900 Invalid: 11

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked	1394	73.4%
2	I no longer smoke	64	3.4%
3	No, I smoke, but I never mix tobacco with other drugs	423	22.3%
4	Yes, but only once or twice	12	0.6%
5	Yes, I have mixed tobacco with other drugs more than twice	7	0.4%
Sysmiss		11	

MWR22: More likely to smoke after drunk alcohol or used another drug

Data file: MALAWI_Blantyre_05

Overview

Valid: 1904 Invalid: 7
 Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1744	91.6%
2	I no longer smoke cigarettes	71	3.7%
3	I smoke but I never drink alcohol or use drugs	55	2.9%
4	No, I smoke less when I drink alcohol or use other drugs	19	1%
5	Yes, I smoke more when I drink alcohol or use other drugs	5	0.3%
6	I smoke about the same when I drink alcohol or use other drugs	10	0.5%
Sysmiss		7	

CR14: Parents smoke

Data file: MALAWI_Blantyre_05

Overview

Valid: 1902 Invalid: 9
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None	1679	88.3%
2	Both	27	1.4%
3	Father only	99	5.2%

4	Mother only	9	0.5%
5	I don't know	88	4.6%
Sysmiss		9	

MWR24: Parents know that you smoke

Data file: MALAWI_Blantyre_05

Overview

Valid: 1883 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I do not smoke cigarettes	1751	93%
2	Yes	23	1.2%
3	No	109	5.8%
Sysmiss		28	

CR15: Friends offered cigarette

Data file: MALAWI_Blantyre_05

Overview

Valid: 1901 Invalid: 10

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1837	96.6%
2	Probably not	25	1.3%
3	Probably yes	19	1%
4	Definitely yes	20	1.1%
Sysmiss		10	

CR16: Family discussed harmful effects of smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1884 Invalid: 27
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1311	69.6%
2	No	573	30.4%
Sysmiss		27	

CR17: Think will smoke in next 12 months

Data file: MALAWI_Blantyre_05

Overview

Valid: 1888 Invalid: 23
 Type: Discrete Decimal: 0 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1787	94.7%
2	Probably not	39	2.1%
3	Probably yes	33	1.7%
4	Definitely yes	29	1.5%
Sysmiss		23	

MWR28: Think will use chewing tobacco, snuff or dip next 12 months

Data file: MALAWI_Blantyre_05

Overview

Valid: 1903 Invalid: 8
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1831	96.2%

2	Probably not	43	2.3%
3	Probably yes	19	1%
4	Definitely yes	10	0.5%
Sysmiss		8	

CR18: Think will smoke in 5 years

Data file: MALAWI_Blantyre_05

Overview

Valid: 1893 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1785	94.3%
2	Probably not	62	3.3%
3	Probably yes	17	0.9%
4	Definitely yes	29	1.5%
Sysmiss		18	

MWR30: Smoking less dangerous for person your age

Data file: MALAWI_Blantyre_05

Overview

Valid: 1885 Invalid: 26

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1045	55.4%
2	Probably not	59	3.1%
3	Probably yes	68	3.6%
4	Definitely yes	713	37.8%
Sysmiss		26	

CR19: Difficult to quit smoking**Data file:** MALAWI_Blantyre_05**Overview**

Valid: 1889 Invalid: 22

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	964	51%
2	Probably not	105	5.6%
3	Probably yes	108	5.7%
4	Definitely yes	712	37.7%
Sysmiss		22	

CR20: Number of friends boys who smoke**Data file:** MALAWI_Blantyre_05**Overview**

Valid: 1876 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More friends	661	35.2%
2	Less friends	878	46.8%
3	No difference from non-smokers	337	18%
Sysmiss		35	

CR21: Number of friends girls who smoke**Data file:** MALAWI_Blantyre_05**Overview**

Valid: 1879 Invalid: 32

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More friends	447	23.8%
2	Less friends	1136	60.5%
3	No difference from non-smokers	296	15.8%
Sysmiss		32	

CR22: Smoking helps people feel comfortable socially

Data file: MALAWI_Blantyre_05

Overview

Valid: 1894 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More comfortable	436	23%
2	Less comfortable	1059	55.9%
3	No difference from non-smokers	399	21.1%
Sysmiss		17	

CR23: Boys smoking more or less attractive

Data file: MALAWI_Blantyre_05

Overview

Valid: 1896 Invalid: 15

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More attractive	47	2.5%
2	Less attractive	1748	92.2%
3	No difference from non-smokers	101	5.3%
Sysmiss		15	

CR24: Girls smoking more or less attractive**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1893 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More attractive	62	3.3%
2	Less attractive	1726	91.2%
3	No difference from non-smokers	105	5.5%
Sysmiss		18	

CR25: Smoking weight change**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1891 Invalid: 20

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Gain weight	81	4.3%
2	Lose weight	1551	82%
3	No difference	259	13.7%
Sysmiss		20	

CR26: Smoking harmful to health**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1850 Invalid: 61

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	85	4.6%
2	Probably not	63	3.4%
3	Probably yes	134	7.2%
4	Definitely yes	1568	84.8%
Sysmiss		61	

CR27: Closest friends smoke

Data file: MALAWI_Blantyre_05

Overview

Valid: 1886 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None of them	1639	86.9%
2	Some of them	147	7.8%
3	Most of them	24	1.3%
4	All of them	76	4%
Sysmiss		25	

MWR40: Closest friends use chewing tobacco, snuff or dip

Data file: MALAWI_Blantyre_05

Overview

Valid: 1903 Invalid: 8

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None of them	1784	93.7%
2	Some of them	95	5%

3	Most of them	11	0.6%
4	All of them	13	0.7%
Sysmiss		8	

CR28: Opinion of man smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1903 Invalid: 8

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Lacks confidence	693	36.4%
2	Stupid	880	46.2%
3	Loser	271	14.2%
4	Successful	20	1.1%
5	Intelligent	35	1.8%
6	Macho	4	0.2%
Sysmiss		8	

CR29: Opinion of woman smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1887 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Lacks confidence	724	38.4%
2	Stupid	903	47.9%
3	Loser	232	12.3%
4	Successful	14	0.7%
5	Intelligent	7	0.4%
6	Sophisticated	7	0.4%

Sysmiss		24	
---------	--	----	--

CR30: Safe to smoke for only a year or two

Data file: MALAWI_Blantyre_05

Overview

Valid: 1901 Invalid: 10

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1435	75.5%
2	Probably not	122	6.4%
3	Probably yes	38	2%
4	Definitely yes	306	16.1%
Sysmiss		10	

CR31: Smoke from other cigarettes harmful

Data file: MALAWI_Blantyre_05

Overview

Valid: 1877 Invalid: 34

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	145	7.7%
2	Probably not	45	2.4%
3	Probably yes	53	2.8%
4	Definitely yes	1634	87.1%
Sysmiss		34	

CR32: People smoke in home

Data file: MALAWI_Blantyre_05

Overview

Valid: 1883 Invalid: 28
 Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0	1720	91.3%
2	1 to 2 days	74	3.9%
3	3 to 4 days	20	1.1%
4	5 to 6 days	39	2.1%
5	7 days	30	1.6%
Sysmiss		28	

CR33: People smoke outside home

Data file: MALAWI_Blantyre_05

Overview

Valid: 1900 Invalid: 11
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0	1476	77.7%
2	1 to 2 days	238	12.5%
3	3 to 4 days	75	3.9%
4	5 to 6 days	35	1.8%
5	7 days	76	4%
Sysmiss		11	

CR34: Ban smoking in public places

Data file: MALAWI_Blantyre_05

Overview

Valid: 1881 Invalid: 30
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1614	85.8%
2	No	267	14.2%
Sysmiss		30	

CR35: Want to stop smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1888 Invalid: 23

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1680	89%
2	I do not smoke now	76	4%
3	Yes	114	6%
4	No	18	1%
Sysmiss		23	

CR36: Tried to stop smoking past year

Data file: MALAWI_Blantyre_05

Overview

Valid: 1904 Invalid: 7

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1680	88.2%
2	I did not smoke during the past year	111	5.8%
3	Yes	54	2.8%
4	No	59	3.1%

Sysmiss		7	
---------	--	---	--

CR37: Time since stop smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1903 Invalid: 8
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1768	92.9%
2	I have not stopped smoking	37	1.9%
3	1-3 months	33	1.7%
4	4-11 months	12	0.6%
5	One year	12	0.6%
6	2 years	11	0.6%
7	3 years or longer	30	1.6%
Sysmiss		8	

CR38: Main reason to stop smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1893 Invalid: 18
 Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoke	1697	89.6%
2	I have not stopped smoking	26	1.4%
3	To improve my health	122	6.4%
4	To save money	17	0.9%
5	Because my family does not like it	21	1.1%
6	Because my friends do not like it	4	0.2%
7	Other	6	0.3%

Sysmiss		18	
---------	--	----	--

CR39: Stop smoking if wanted to

Data file: MALAWI_Blantyre_05

Overview

Valid: 1904 Invalid: 7
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1694	89%
2	I have already stopped smoking cigarettes	99	5.2%
3	Yes	98	5.1%
4	No	13	0.7%
Sysmiss		7	

CR40: Received help/advice to stop smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1902 Invalid: 9
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1675	88.1%
2	Yes, from a program or professional	68	3.6%
3	Yes, from a friend	33	1.7%
4	Yes, from a family member	42	2.2%
5	Yes, from both programs or professionals and from friends or family members	62	3.3%
6	No	22	1.2%
Sysmiss		9	

MWR54: Want to stop using chewing tobacco, snuff or dip**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1892 Invalid: 19

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1723	91.1%
2	I do not use chewing tobacco, snuff, or dip now	77	4.1%
3	Yes	61	3.2%
4	No	31	1.6%
Sysmiss		19	

MWR55: Tried to stop using chewing tobacco, snuff or dip past year**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1902 Invalid: 9

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1708	89.8%
2	I did not use chewing tobacco, snuff, or dip during the past year	76	4%
3	Yes	50	2.6%
4	No	68	3.6%
Sysmiss		9	

MWR56: Time since stop using chewing tobacco, snuff or dip**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1906 Invalid: 5

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1769	92.8%
2	1-3 months	48	2.5%
3	4-11 months	17	0.9%
4	One year	20	1%
5	2 years	14	0.7%
6	3 years or longer	29	1.5%
7	I have not stopped using chewing tobacco, snuff, or dip	9	0.5%
Sysmiss		5	

MWR57: Main reason to stop using chewing tobacco, snuff or dip

Data file: MALAWI_Blantyre_05

Overview

Valid: 1896 Invalid: 15
Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1704	89.9%
2	I have not stopped using chewing tobacco, snuff, or dip	31	1.6%
3	To improve my health	110	5.8%
4	To save money	24	1.3%
5	Because my family does not like it	19	1%
6	Because my friends do not like it	5	0.3%
7	Other	3	0.2%
Sysmiss		15	

CR41: Anti-smoking media messages

Data file: MALAWI_Blantyre_05

Overview

Valid: 1892 Invalid: 19
Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	1416	74.8%
2	A few	179	9.5%
3	None	297	15.7%
Sysmiss		19	

CR42: Anti-smoking messages events

Data file: MALAWI_Blantyre_05

Overview

Valid: 1889 Invalid: 22

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never go to sports events, fairs, concerts, community events, or social gatherings	787	41.7%
2	A lot	566	30%
3	Sometimes	185	9.8%
4	Never	351	18.6%
Sysmiss		22	

CR43: See actors smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1886 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never watch TV, videos, or movies	757	40.1%
2	A lot	487	25.8%
3	Sometimes	285	15.1%

4	Never	357	18.9%
Sysmiss		25	

CR44: Own something with a cigarette brand logo

Data file: MALAWI_Blantyre_05

Overview

Valid: 1861 Invalid: 50

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	394	21.2%
2	No	1467	78.8%
Sysmiss		50	

CR45: See cigarette brand names on TV

Data file: MALAWI_Blantyre_05

Overview

Valid: 1890 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never watch TV	635	33.6%
2	A lot	398	21.1%
3	Sometimes	323	17.1%
4	Never	534	28.3%
Sysmiss		21	

MWR63: Hear cigarette brand names on radio

Data file: MALAWI_Blantyre_05

Overview

Valid: 1884 Invalid: 27

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never listen to the radio	261	13.9%
2	A lot	695	36.9%
3	Sometimes	440	23.4%
4	Never	488	25.9%
Sysmiss		27	

CR46: Cigarette advertisements billboards

Data file: MALAWI_Blantyre_05

Overview

Valid: 1866 Invalid: 45

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	633	33.9%
2	A few	449	24.1%
3	None	784	42%
Sysmiss		45	

CR47: Cigarette advertisements in newspapers or magazines

Data file: MALAWI_Blantyre_05

Overview

Valid: 1833 Invalid: 78

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	476	26%
2	A few	489	26.7%

3	None	868	47.4%
Sysmiss		78	

CR48: Cigarette advertisements events

Data file: MALAWI_Blantyre_05

Overview

Valid: 1894 Invalid: 17
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never attend sports events, fairs, concerts, or community events	577	30.5%
2	A lot	219	11.6%
3	Sometimes	241	12.7%
4	Never	857	45.2%
Sysmiss		17	

MWR67: Been to concert sponsored by cigarette brand

Data file: MALAWI_Blantyre_05

Overview

Valid: 1894 Invalid: 17
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	280	14.8%
2	No	1614	85.2%
Sysmiss		17	

CR49: Offered free cigarette

Data file: MALAWI_Blantyre_05

Overview

Valid: 1876 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	218	11.6%
2	No	1658	88.4%
Sysmiss		35	

CR50: Taught dangers of smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1859 Invalid: 52

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1126	60.6%
2	No	661	35.6%
3	Not sure	72	3.9%
Sysmiss		52	

CR51: Discuss why people your age smoke

Data file: MALAWI_Blantyre_05

Overview

Valid: 1894 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	853	45%
2	No	991	52.3%
3	Not sure	50	2.6%
Sysmiss		17	

CR52: Taught effects of smoking**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1886 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1136	60.2%
2	No	698	37%
3	Not sure	52	2.8%
Sysmiss		25	

CR53: Time since last lesson discuss smoking and health**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1876 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never	821	43.8%
2	This term	765	40.8%
3	Last Term	111	5.9%
4	2 terms ago	28	1.5%
5	3 terms ago	23	1.2%
6	More than a year ago	128	6.8%
Sysmiss		35	

MWR73: Heard from youth groups discouraging young people from smoking**Data file: MALAWI_Blantyre_05**

Overview

Valid: 1869 Invalid: 42
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1363	72.9%
2	No	506	27.1%
Sysmiss		42	

MWR74: Health professionals explain why smoking is dangerous

Data file: MALAWI_Blantyre_05

Overview

Valid: 1866 Invalid: 45
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1058	56.7%
2	No	808	43.3%
Sysmiss		45	

MWR75: Religious organization discourage young people from smoking

Data file: MALAWI_Blantyre_05

Overview

Valid: 1847 Invalid: 64
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1326	71.8%
2	No	521	28.2%
Sysmiss		64	

CR54: Custom age**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1907 Invalid: 4
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	218	11.4%
2	12 years old	391	20.5%
3	13 years old	510	26.7%
4	14 years old	424	22.2%
5	15 years old	217	11.4%
6	16 years old	121	6.3%
7	17 years old or older	26	1.4%
Sysmiss		4	

CR55: Sex**Data file: MALAWI_Blantyre_05****Overview**

Valid: 1908 Invalid: 3
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Boy	911	47.7%
2	Girl	997	52.3%
Sysmiss		3	

MWR78: Grade/form**Data file: MALAWI_Blantyre_05**

Overview

Valid: 1907 Invalid: 4
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Standard 7	827	43.4%
2	Standard 8	826	43.3%
3	Form 1	254	13.3%
Sysmiss		4	

STRATUM: Stratum

Data file: MALAWI_Blantyre_05

Overview

Valid: 1911 Invalid: 0
 Type: Discrete Decimal: 0 Range: 200502001 - 200502010 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200502001		297	15.5%
200502002		97	5.1%
200502003		194	10.2%
200502004		204	10.7%
200502005		208	10.9%
200502006		304	15.9%
200502007		123	6.4%
200502008		243	12.7%
200502009		179	9.4%
200502010		62	3.2%

PSU: PSU

Data file: MALAWI_Blantyre_05

Overview

Valid: 1911 Invalid: 0
 Type: Discrete Decimal: 0 Range: 1 - 20 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		105	5.5%
2		192	10%
3		32	1.7%
4		65	3.4%
5		98	5.1%
6		96	5%
7		112	5.9%
8		92	4.8%
9		55	2.9%
10		153	8%
11		132	6.9%
12		172	9%
13		76	4%
14		47	2.5%
15		126	6.6%
16		117	6.1%
17		114	6%
18		65	3.4%
19		35	1.8%
20		27	1.4%

FINALWGT: FinalWgt**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1880 Invalid: 0

Type: Discrete Decimal: 2 Range: 5.24353988109943 - 60.0470257591269 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
5.24353988109943		39	2.1%
5.40740050238378		2	0.1%
5.51951566431518		38	2%
5.52697446926696		37	2%
5.72022532483574		23	1.2%
5.77859497100753		49	2.6%
5.90727910655505		1	0.1%
5.95856804670389		1	0.1%
7.86530982164914		1	0.1%
15.1789304447845		21	1.1%
15.3338174901394		46	2.4%
17.6244247940927		1	0.1%
21.2574303970896		1	0.1%
21.9217250969987		35	1.9%
22.0257712548158		45	2.4%
22.0910551184133		26	1.4%
22.2624313190173		1	0.1%
22.4383987524835		15	0.8%
22.9927308376684		24	1.3%
23.089967500287		1	0.1%
23.1330860203623		1	0.1%
23.4265559478131		1	0.1%
23.6877846519474		28	1.5%
23.8603810579578		24	1.3%
23.9342920024736		68	3.6%
23.9482443714048		77	4.1%
24.4638801606319		29	1.5%
24.7402260126248		15	0.8%
24.7864262479425		16	0.9%
24.847326558134		24	1.3%

25.1742650654779		93	4.9%
25.2170784414396		53	2.8%
25.6555194447634		39	2.1%
25.659844620689		1	0.1%
25.8826318313896		7	0.4%
26.1372150953049		33	1.8%
26.1932234127045		16	0.9%
26.9260785027827		5	0.3%
27.0381502348781		27	1.4%
27.1664802652006		38	2%
27.2470010683788		25	1.3%
27.2927890137272		61	3.2%
27.3320592139474		16	0.9%
27.6754130350268		21	1.1%
27.8382084586501		5	0.3%
28.3591235611338		25	1.3%
28.4790547928497		2	0.1%
28.6224156116809		22	1.2%
28.850506947844		34	1.8%
28.894201364174		2	0.1%
29.0279708149341		1	0.1%
29.4292791672143		25	1.3%
29.5204405704787		67	3.6%
29.5601870635208		25	1.3%
29.894101186117		40	2.1%
29.949925838192		17	0.9%
30.0235128795634		31	1.6%
30.1146930625437		14	0.7%
30.418559101663		2	0.1%
30.4702913450331		30	1.6%
31.2744925828786		14	0.7%
31.3800163004657		15	0.8%
31.5821105427102		28	1.5%
31.6433942142774		19	1%
31.6497864930735		24	1.3%
31.8861455956345		4	0.2%
32.267014349799		2	0.1%
32.8523924318658		17	0.9%
32.9784132130142		55	2.9%

33.0258641675198		9	0.5%
33.2104956417885		4	0.2%
33.6374542446961		4	0.2%
33.6575981287253		5	0.3%
34.0118886353434		1	0.1%
34.1650740174342		12	0.6%
34.860634398793		31	1.6%
36.4427456185965		8	0.4%
37.143317494378		19	1%
38.7039610865788		6	0.3%
38.9888674199886		1	0.1%
39.3282185234591		8	0.4%
40.5199827211396		27	1.4%
41.2823302093997		17	0.9%
41.5131195525401		7	0.4%
41.9500997583563		1	0.1%
44.034485556693		9	0.5%
44.6423633827808		10	0.5%
48.1089214249924		8	0.4%
49.694653116268		12	0.6%
53.942244806949		15	0.8%
59.3373121582014		11	0.6%
60.0470257591269		10	0.5%

CR1: Tried smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1817 Invalid: 63

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	yes	157	8.6%
2	no	1660	91.4%
Sysmiss		63	

CR2: Age first cigarette**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1820 Invalid: 60

Type: Discrete Decimal: 0 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1731	95.1%
2	7 years old or younger	33	1.8%
3	8 or 9 years old	9	0.5%
4	10 or 11 years old	8	0.4%
5	12 or 13 years old	22	1.2%
6	14 or 15 years old	13	0.7%
7	16 years old or older	4	0.2%
Sysmiss		60	

CR3: Smoked past 30 days**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1777 Invalid: 103

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0 days	1729	97.3%
2	1 or 2 days	18	1%
3	3 to 5 days	16	0.9%
4	6 to 9 days	6	0.3%
5	10 to 19 days	3	0.2%
6	20 to 29 days	2	0.1%
7	all 30 days	3	0.2%
Sysmiss		103	

CR4: Cigarettes per day**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1782 Invalid: 98

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	1728	97%
2	Less than 1 cigarette per day	23	1.3%
3	1 cigarette per day	13	0.7%
4	2 to 5 cigarettes per day	12	0.7%
5	6 to 10 cigarettes per day	3	0.2%
6	11 to 20 cigarettes per day	0	0%
7	More than 20 cigarettes per day	3	0.2%
Sysmiss		98	

MWR5: Age smoked daily**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1872 Invalid: 8

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1742	93.1%
2	7 years old or younger	47	2.5%
3	8 or 9 years old	15	0.8%
4	10 or 11 years old	20	1.1%
5	12 or 13 years old	23	1.2%
6	14 or 15 years old	15	0.8%
7	16 years old or older	10	0.5%
Sysmiss		8	

CR5: Obtain cigarettes past 30 days**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1867 Invalid: 13

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke any cigarettes during the past 30 days	1745	93.5%
2	I bought them in a store, shop or from a street vendor	76	4.1%
3	I bought them from a vending machine	10	0.5%
4	I gave someone else money to buy them for me	9	0.5%
5	I got them from someone else	2	0.1%
6	I stole them	17	0.9%
7	An older person gave them to me	8	0.4%
8	I got them some other way	0	0%
Sysmiss		13	

MWR7: Usual brand of cigarettes**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1876 Invalid: 4

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not smoke cigarettes during the past 30 days	1771	94.4%
2	No usual brand	40	2.1%
3	Embassy	52	2.8%
4		2	0.1%
5	Laif/L&fe	5	0.3%
6	Ascot	5	0.3%
7	Gulf	0	0%
8	Other	1	0.1%
Sysmiss		4	

MWR8: Usually pay for pack of 20 cigarettes**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1875 Invalid: 5
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes.	1436	76.6%
2	I don't buy cigarettes, or I don't buy them in packs.	362	19.3%
3	Less than MK40	39	2.1%
4	MK41 - MK80	22	1.2%
5	MK81 - MK120	6	0.3%
6	MK120 -MK160	6	0.3%
7	MK161 - MK200	0	0%
8	More than MK200	4	0.2%
Sysmiss		5	

MWR9: Usually pay for stick of cigarettes**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1871 Invalid: 9
 Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	1166	62.3%
2	I don't buy cigarettes	632	33.8%
3	Less than MK2.00	24	1.3%
4	MK2.01 - MK4.00	11	0.6%
5	MK4.01 - MK6.00	22	1.2%
6	MK6.01 - MK8.00	5	0.3%
7	MK8.01 - MK10.00	2	0.1%

8	More than MK10.00	9	0.5%
Sysmiss		9	

MWR10: Spent on cigarettes past 30 days

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1873 Invalid: 7

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't smoke cigarettes	1108	59.2%
2	I don't buy cigarettes	696	37.2%
3	Less than MK50	27	1.4%
4	MK51 - MK100	18	1%
5	MK101 - MK200	10	0.5%
6	MK201 - MK500	1	0.1%
7	MK401 - MK600	7	0.4%
8	More than MK600	6	0.3%
Sysmiss		7	

MWR11: Usual pocket money per month

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1863 Invalid: 17

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I don't receive any pocket money (or income, allowance, etc.)	1576	84.6%
2	less than MK120	149	8%
3	MK120 to MK600	85	4.6%
4	MK601 - MK1200	30	1.6%
5	MK1201 - MK2400	9	0.5%

6	MK2401 - MK3600	7	0.4%
7	More than MK3600	7	0.4%
Sysmiss		17	

CR10: Refused to sell cigarettes due to age

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1865 Invalid: 15

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not try to buy cigarettes during the past 30 days (one month)	1690	90.6%
2	Yes, someone refused to sell me cigarettes because of my age	127	6.8%
3	No, my age did not keep me from buying cigarettes	48	2.6%
Sysmiss		15	

CR12: Where usually smoke

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1873 Invalid: 7

Type: Discrete Decimal: 0 Range: 1 - 8 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1737	92.7%
2	At home	53	2.8%
3	At school	7	0.4%
4	At work	11	0.6%
5	At friends' houses	27	1.4%
6	At social events	18	1%
7	In public spaces (e.g. parks, shopping centres, street corners)	13	0.7%
8	Other	7	0.4%
Sysmiss		7	

CR13: Smoking first thing morning**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1866 Invalid: 14

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1016	54.4%
2	I no longer smoke cigarettes	76	4.1%
3	No, I don't have or feel like having a cigarette first thing in the morning	739	39.6%
4	Yes, I sometimes have or feel like having a cigarette first thing in the morning	23	1.2%
5	Yes, I always have or feel like having a cigarette first thing in the morning	12	0.6%
Sysmiss		14	

CR11: Used other tobacco past 30 days**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1852 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	213	11.5%
2	No	1639	88.5%
Sysmiss		28	

MWR16: Age first used chewing tobacco, snuff or dip**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1872 Invalid: 8

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1778	95%
2	7 years old or younger	36	1.9%
3	8 or 9 years old	10	0.5%
4	10 or 11 years old	9	0.5%
5	12 or 13 years old	12	0.6%
6	14 or 15 years old	16	0.9%
7	16 years old or older	11	0.6%
Sysmiss		8	

MWR17: Chewing tobacco past 30 days

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1875 Invalid: 5
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0 days	1798	95.9%
2	1 or 2 days	50	2.7%
3	3 to 5 days	11	0.6%
4	6 to 9 days	7	0.4%
5	10 to 19 days	3	0.2%
6	20 to 29 days	1	0.1%
7	all 30 days	5	0.3%
Sysmiss		5	

MWR18: Where usually chew tobacco

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1868 Invalid: 12
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1750	93.7%
2	I no longer use chewing tobacco, snuff, or dip	71	3.8%
3	When I am alone	19	1%
4	In the company of friends	14	0.7%
5	At home	9	0.5%
6	At school	1	0.1%
7	Other	4	0.2%
Sysmiss		12	

MWR19: Obtain chewing tobacco past 30 days

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1872 Invalid: 8
Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not use chewing tobacco, snuff, or dip during the past 30 days (one month)	1773	94.7%
2	I bought them in a store, shop or from a street vendor	51	2.7%
3	I gave someone else money to buy them for me	11	0.6%
4	I borrowed them from someone else	7	0.4%
5	I stole them	2	0.1%
6	An older person gave them to me	23	1.2%
7	I got them some other way	5	0.3%
Sysmiss		8	

MWR20: Refuse to sell chewing tobacco due to age

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1870 Invalid: 10
Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I did not try to buy chewing tobacco, snuff, or dip during the past 30 days (one month)	1740	93%
2	Yes, someone refused to sell me chewing tobacco, snuff, or dip because of my age	91	4.9%
3	No, my age did not keep me from buying chewing tobacco, snuff, or dip	39	2.1%
Sysmiss		10	

MWR21: Smoke tobacco with other drugs

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1869 Invalid: 11

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked	1352	72.3%
2	I no longer smoke	60	3.2%
3	No, I smoke, but I never mix tobacco with other drugs	439	23.5%
4	Yes, but only once or twice	10	0.5%
5	Yes, I have mixed tobacco with other drugs more than twice	8	0.4%
Sysmiss		11	

MWR22: More likely to smoke after drunk alcohol or used another drug

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1873 Invalid: 7

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1716	91.6%
2	I no longer smoke cigarettes	75	4%

3	I smoke but I never drink alcohol or use drugs	63	3.4%
4	No, I smoke less when I drink alcohol or use other drugs	10	0.5%
5	Yes, I smoke more when I drink alcohol or use other drugs	6	0.3%
6	I smoke about the same when I drink alcohol or use other drugs	3	0.2%
Sysmiss		7	

CR14: Parents smoke

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1864 Invalid: 16

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None	1650	88.5%
2	Both	38	2%
3	Father only	133	7.1%
4	Mother only	12	0.6%
5	I don't know	31	1.7%
Sysmiss		16	

MWR24: Parents know that you smoke

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1854 Invalid: 26

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I do not smoke cigarettes	1698	91.6%
2	Yes	34	1.8%
3	No	122	6.6%
Sysmiss		26	

CR15: Friends offered cigarette**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1868 Invalid: 12

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1805	96.6%
2	Probably not	37	2%
3	Probably yes	6	0.3%
4	Definitely yes	20	1.1%
Sysmiss		12	

CR16: Family discussed harmful effects of smoking**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1847 Invalid: 33

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1462	79.2%
2	No	385	20.8%
Sysmiss		33	

CR17: Think will smoke in next 12 months**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1858 Invalid: 22

Type: Discrete Decimal: 0 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1761	94.8%
2	Probably not	52	2.8%
3	Probably yes	25	1.3%
4	Definitely yes	20	1.1%
Sysmiss		22	

MWR28: Think will use chewing tobacco, snuff or dip next 12 months

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1865 Invalid: 15

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1782	95.5%
2	Probably not	52	2.8%
3	Probably yes	21	1.1%
4	Definitely yes	10	0.5%
Sysmiss		15	

CR18: Think will smoke in 5 years

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1860 Invalid: 20

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1749	94%
2	Probably not	70	3.8%

3	Probably yes	19	1%
4	Definitely yes	22	1.2%
Sysmiss		20	

MWR30: Smoking less dangerous for person your age

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1846 Invalid: 34

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1106	59.9%
2	Probably not	55	3%
3	Probably yes	50	2.7%
4	Definitely yes	635	34.4%
Sysmiss		34	

CR19: Difficult to quit smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1855 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	979	52.8%
2	Probably not	114	6.1%
3	Probably yes	106	5.7%
4	Definitely yes	656	35.4%
Sysmiss		25	

CR20: Number of friends boys who smoke**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1837 Invalid: 43

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More friends	680	37%
2	Less friends	842	45.8%
3	No difference from non-smokers	315	17.1%
Sysmiss		43	

CR21: Number of friends girls who smoke**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1845 Invalid: 35

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More friends	450	24.4%
2	Less friends	1095	59.3%
3	No difference from non-smokers	300	16.3%
Sysmiss		35	

CR22: Smoking helps people feel comfortable socially**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1858 Invalid: 22

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More comfortable	409	22%
2	Less comfortable	1045	56.2%
3	No difference from non-smokers	404	21.7%
Sysmiss		22	

CR23: Boys smoking more or less attractive

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1861 Invalid: 19
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More attractive	53	2.8%
2	Less attractive	1690	90.8%
3	No difference from non-smokers	118	6.3%
Sysmiss		19	

CR24: Girls smoking more or less attractive

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1849 Invalid: 31
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	More attractive	47	2.5%
2	Less attractive	1675	90.6%
3	No difference from non-smokers	127	6.9%
Sysmiss		31	

CR25: Smoking weight change**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1852 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Gain weight	66	3.6%
2	Lose weight	1487	80.3%
3	No difference	299	16.1%
Sysmiss		28	

CR26: Smoking harmful to health**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1825 Invalid: 55

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	93	5.1%
2	Probably not	72	3.9%
3	Probably yes	94	5.2%
4	Definitely yes	1566	85.8%
Sysmiss		55	

CR27: Closest friends smoke**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1856 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None of them	1569	84.5%
2	Some of them	187	10.1%
3	Most of them	25	1.3%
4	All of them	75	4%
Sysmiss		24	

MWR40: Closest friends use chewing tobacco, snuff or dip

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1862 Invalid: 18

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	None of them	1708	91.7%
2	Some of them	108	5.8%
3	Most of them	20	1.1%
4	All of them	26	1.4%
Sysmiss		18	

CR28: Opinion of man smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1848 Invalid: 32

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Lacks confidence	623	33.7%
2	Stupid	969	52.4%

3	Loser	226	12.2%
4	Successful	21	1.1%
5	Intelligent	9	0.5%
6	Macho	0	0%
Sysmiss		32	

CR29: Opinion of woman smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1856 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Lacks confidence	597	32.2%
2	Stupid	1029	55.4%
3	Loser	202	10.9%
4	Successful	18	1%
5	Intelligent	7	0.4%
6	Sophisticated	3	0.2%
Sysmiss		24	

CR30: Safe to smoke for only a year or two

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1859 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	1349	72.6%
2	Probably not	113	6.1%
3	Probably yes	53	2.9%
4	Definitely yes	344	18.5%

Sysmiss		21	
---------	--	----	--

CR31: Smoke from other cigarettes harmful

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1837 Invalid: 43

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Definitely not	213	11.6%
2	Probably not	60	3.3%
3	Probably yes	49	2.7%
4	Definitely yes	1515	82.5%
Sysmiss		43	

CR32: People smoke in home

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1772 Invalid: 108

Type: Discrete Decimal: 0 Range: 1 - 5 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0	1569	88.5%
2	1 to 2 days	93	5.2%
3	3 to 4 days	33	1.9%
4	5 to 6 days	42	2.4%
5	7 days	35	2%
Sysmiss		108	

CR33: People smoke outside home

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1782 Invalid: 98

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	0	1396	78.3%
2	1 to 2 days	206	11.6%
3	3 to 4 days	56	3.1%
4	5 to 6 days	36	2%
5	7 days	88	4.9%
Sysmiss		98	

CR34: Ban smoking in public places

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1760 Invalid: 120

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1540	87.5%
2	No	220	12.5%
Sysmiss		120	

CR35: Want to stop smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1852 Invalid: 28

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1602	86.5%
2	I do not smoke now	93	5%
3	Yes	121	6.5%
4	No	36	1.9%
Sysmiss		28	

CR36: Tried to stop smoking past year

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1871 Invalid: 9

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1651	88.2%
2	I did not smoke during the past year	121	6.5%
3	Yes	53	2.8%
4	No	46	2.5%
Sysmiss		9	

CR37: Time since stop smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1876 Invalid: 4

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1718	91.6%
2	I have not stopped smoking	44	2.3%
3	1-3 months	30	1.6%
4	4-11 months	21	1.1%
5	One year	11	0.6%
6	2 years	24	1.3%

7	3 years or longer	28	1.5%
Sysmiss		4	

CR38: Main reason to stop smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1866 Invalid: 14

Type: Discrete Decimal: 0 Range: 1 - 6 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoke	1643	88%
2	I have not stopped smoking	37	2%
3	To improve my health	143	7.7%
4	To save money	12	0.6%
5	Because my family does not like it	18	1%
6	Because my friends do not like it	8	0.4%
7	Other	5	0.3%
Sysmiss		14	

CR39: Stop smoking if wanted to

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1871 Invalid: 9

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1642	87.8%
2	I have already stopped smoking cigarettes	93	5%
3	Yes	113	6%
4	No	23	1.2%
Sysmiss		9	

CR40: Received help/advice to stop smoking**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1867 Invalid: 13

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1596	85.5%
2	Yes, from a program or professional	78	4.2%
3	Yes, from a friend	51	2.7%
4	Yes, from a family member	47	2.5%
5	Yes, from both programs or professionals and from friends or family members	70	3.7%
6	No	25	1.3%
Sysmiss		13	

MWR54: Want to stop using chewing tobacco, snuff or dip**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1864 Invalid: 16

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1658	88.9%
2	I do not use chewing tobacco, snuff, or dip now	76	4.1%
3	Yes	69	3.7%
4	No	61	3.3%
Sysmiss		16	

MWR55: Tried to stop using chewing tobacco, snuff or dip past year**Data file: MALAWI_Lilongwe_05**

Overview

Valid: 1867 Invalid: 13
 Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1664	89.1%
2	I did not use chewing tobacco, snuff, or dip during the past year	78	4.2%
3	Yes	57	3.1%
4	No	68	3.6%
Sysmiss		13	

MWR56: Time since stop using chewing tobacco, snuff or dip

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1871 Invalid: 9
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1727	92.3%
2	1-3 months	43	2.3%
3	4-11 months	33	1.8%
4	One year	24	1.3%
5	2 years	19	1%
6	3 years or longer	21	1.1%
7	I have not stopped using chewing tobacco, snuff, or dip	4	0.2%
Sysmiss		9	

MWR57: Main reason to stop using chewing tobacco, snuff or dip

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1859 Invalid: 21
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I have never used chewing tobacco, snuff, or dip	1646	88.5%
2	I have not stopped using chewing tobacco, snuff, or dip	41	2.2%
3	To improve my health	108	5.8%
4	To save money	10	0.5%
5	Because my family does not like it	40	2.2%
6	Because my friends do not like it	11	0.6%
7	Other	3	0.2%
Sysmiss		21	

CR41: Anti-smoking media messages

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1855 Invalid: 25

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	1428	77%
2	A few	134	7.2%
3	None	293	15.8%
Sysmiss		25	

CR42: Anti-smoking messages events

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1859 Invalid: 21

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I never go to sports events, fairs, concerts, community events, or social gatherings	820	44.1%
2	A lot	667	35.9%
3	Sometimes	116	6.2%
4	Never	256	13.8%
Sysmiss		21	

CR43: See actors smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1847 Invalid: 33

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never watch TV, videos, or movies	840	45.5%
2	A lot	450	24.4%
3	Sometimes	161	8.7%
4	Never	396	21.4%
Sysmiss		33	

CR44: Own something with a cigarette brand logo

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1828 Invalid: 52

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	463	25.3%
2	No	1365	74.7%
Sysmiss		52	

CR45: See cigarette brand names on TV**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1865 Invalid: 15

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never watch TV	721	38.7%
2	A lot	413	22.1%
3	Sometimes	191	10.2%
4	Never	540	29%
Sysmiss		15	

MWR63: Hear cigarette brand names on radio**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1842 Invalid: 38

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never listen to the radio	403	21.9%
2	A lot	684	37.1%
3	Sometimes	280	15.2%
4	Never	475	25.8%
Sysmiss		38	

CR46: Cigarette advertisements billboards**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1813 Invalid: 67

Type: Discrete Decimal: 0 Range: 1 - 4 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	622	34.3%
2	A few	345	19%
3	None	846	46.7%
Sysmiss		67	

CR47: Cigarette advertisements in newspapers or magazines

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1771 Invalid: 109

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	A lot	563	31.8%
2	A few	328	18.5%
3	None	880	49.7%
Sysmiss		109	

CR48: Cigarette advertisements events

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1839 Invalid: 41

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	I never attend sports events, fairs, concerts, or community events	634	34.5%
2	A lot	295	16%
3	Sometimes	221	12%
4	Never	689	37.5%

Sysmiss		41	
---------	--	----	--

MWR67: Been to concert sponsored by cigarette brand

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1846 Invalid: 34
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	314	17%
2	No	1532	83%
Sysmiss		34	

CR49: Offered free cigarette

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1825 Invalid: 55
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	238	13%
2	No	1587	87%
Sysmiss		55	

CR50: Taught dangers of smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1812 Invalid: 68
 Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1155	63.7%
2	No	609	33.6%
3	Not sure	48	2.6%
Sysmiss		68	

CR51: Discuss why people your age smoke

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1856 Invalid: 24

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	908	48.9%
2	No	910	49%
3	Not sure	38	2%
Sysmiss		24	

CR52: Taught effects of smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1854 Invalid: 26

Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1202	64.8%
2	No	615	33.2%
3	Not sure	37	2%
Sysmiss		26	

CR53: Time since last lesson discuss smoking and health**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1831 Invalid: 49

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Never	749	40.9%
2	This term	801	43.7%
3	Last Term	119	6.5%
4	2 terms ago	35	1.9%
5	3 terms ago	14	0.8%
6	More than a year ago	113	6.2%
Sysmiss		49	

MWR73: Heard from youth groups discouraging young people from smoking**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1828 Invalid: 52

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1375	75.2%
2	No	453	24.8%
Sysmiss		52	

MWR74: Health professionals explain why smoking is dangerous**Data file:** MALAWI_Lilongwe_05**Overview**

Valid: 1837 Invalid: 43

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1131	61.6%
2	No	706	38.4%
Sysmiss		43	

MWR75: Religious organization discourage young people from smoking

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1795 Invalid: 85
 Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Yes	1342	74.8%
2	No	453	25.2%
Sysmiss		85	

CR54: Custom age

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1875 Invalid: 5
 Type: Discrete Decimal: 0 Range: 1 - 7 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	240	12.8%
2	12 years old	371	19.8%
3	13 years old	373	19.9%
4	14 years old	386	20.6%
5	15 years old	264	14.1%
6	16 years old	168	9%

7	17 years old or older	73	3.9%
Sysmiss		5	

CR55: Sex**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1869 Invalid: 11

Type: Discrete Decimal: 0 Range: 1 - 2 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Boy	781	41.8%
2	Girl	1088	58.2%
Sysmiss		11	

MWR78: Grade/form**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1860 Invalid: 20

Type: Discrete Decimal: 0 Range: 1 - 3 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1	Standard 7	845	45.4%
2	Standard 8	757	40.7%
3	Form 1	258	13.9%
Sysmiss		20	

STRATUM: Stratum**Data file: MALAWI_Lilongwe_05****Overview**

Valid: 1880 Invalid: 0

Type: Discrete Decimal: 0 Range: 200501001 - 200501010 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200501001		427	22.7%
200501002		155	8.2%
200501003		217	11.5%
200501004		293	15.6%
200501005		169	9%
200501006		55	2.9%
200501007		233	12.4%
200501008		153	8.1%
200501009		76	4%
200501010		102	5.4%

PSU: PSU

Data file: MALAWI_Lilongwe_05

Overview

Valid: 1880 Invalid: 0

Type: Discrete Decimal: 0 Range: 1 - 20 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
1		101	5.4%
2		326	17.3%
3		40	2.1%
4		115	6.1%
5		98	5.2%
6		119	6.3%
7		119	6.3%
8		174	9.3%
9		71	3.8%
10		98	5.2%
11		9	0.5%
12		46	2.4%
13		66	3.5%

14		167	8.9%
15		46	2.4%
16		107	5.7%
17		32	1.7%
18		44	2.3%
19		61	3.2%
20		41	2.2%

study_resources

reports

Fact Sheet - National

title Fact Sheet - National
filename Malawi-National_GYTS2005_Factsheet_Ages13-15.pdf

technical_documents

Codebook - National

title Codebook - National
filename GYTSAFRO2005_Malawi_NATIONAL_Web_Codebook.TXT

Codebook - Lilongwe

title Codebook - Lilongwe
filename GYTSAFRO2005_Malawi_All_Schools_Region1_Lilongwe_Web_Codebook_20090602.TXT

Codebook - Blantyre

title Codebook - Blantyre
filename GYTSAFRO2005_Malawi_All_Schools_Region2_Blantyre_Web_Codebook_20090602.TXT
