

Global School-Based Student Health Survey 2015

Ministry of Health

report_generated_on: March 21, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

NPL_2015_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2015

COUNTRY

Name	Country code
Nepal	NPL

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the first GSHS conducted by Nepal.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

alcohol use
 dietary behaviours
 drug use
 hygiene
 mental health
 physical activity
 protective factors
 sexual behaviors
 tobacco use
 violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying
alcohol use
sexual behaviors

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Class 7-11 in Nepal. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 92%, the student response rate was 75%, and the overall response rate was 69%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2015	2015

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

alcohol use

dietary behaviours

drug use

hygiene

mental health

physical activity

protective factors

sexual behaviors

tobacco use

violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_NPL_2015_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-13

DDI DOCUMENT VERSION

Identical to a metadata (NPL_2015_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
npl2015	6529	141
npl2015-hill-region	2121	141
npl2015-mt-region	2200	141
npl2015-terai-region	2208	141

Data file: npl2015

Cases:	6529
variables:	141

variables

ID	Name	Label	Question
V1	q1	Custom Age	How old are you?
V2	q2	Sex	What is your sex?
V3	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	q27	Close friends	How many close friends do you have?
V28	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	q40	Initiation of drug use	How old were you when you first used drugs?
V41	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V81	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	qn34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V112	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V113	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V114	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V115	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V116	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V117	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V118	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V119	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V120	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V121	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V122	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V123	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V124	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V125	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V126	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V127	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V128	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V129	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V130	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V131	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V132	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V133	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V134	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V135	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V136	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V137	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V138	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V139	weight		
V140	stratum		
V141	psu		

total: 141

Data file: npl2015-hill-region

Cases: 2121

variables: 141

variables

ID	Name	Label	Question
V142	q1	Custom Age	How old are you?
V143	q2	Sex	What is your sex?
V144	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V145	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V146	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V147	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V148	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V149	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V150	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V151	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V152	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V153	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V154	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V155	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V156	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V157	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V158	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V159	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V160	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V161	q20	Bullied	During the past 30 days, on how many days were you bullied?
V162	q21	Bullied how	During the past 30 days, how were you bullied most often?
V163	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V164	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V165	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V166	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V167	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V168	q27	Close friends	How many close friends do you have?
V169	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V170	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V171	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V172	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V173	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V174	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V175	q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V176	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V177	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V178	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V179	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V180	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V181	q40	Initiation of drug use	How old were you when you first used drugs?
V182	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V183	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V184	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V185	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V186	q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V187	q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V188	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V189	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V190	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V191	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V192	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V193	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V194	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V195	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V196	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V197	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V198	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V199	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V200	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V201	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V202	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V203	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V204	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V205	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V206	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V207	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V208	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V209	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V210	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V211	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V212	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V213	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V214	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V215	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V216	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V217	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V218	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V219	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V220	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V221	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V222	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V223	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V224	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V225	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V226	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V227	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V228	qn34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V229	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V230	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V231	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V232	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V233	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V234	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V235	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V236	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V237	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V238	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V239	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V240	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V241	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V242	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V243	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V244	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V245	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V246	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V247	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V248	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V249	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V250	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V251	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V252	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V253	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V254	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V255	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V256	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V257	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V258	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V259	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V260	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V261	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V262	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V263	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V264	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V265	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V266	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V267	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V268	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V269	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V270	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V271	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V272	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V273	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V274	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V275	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V276	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V277	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V278	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V279	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V280	weight		
V281	stratum		
V282	psu		

total: 141

Data file: npl2015-mt-region

Cases: 2200

variables: 141

variables

ID	Name	Label	Question
V283	q1	Custom Age	How old are you?
V284	q2	Sex	What is your sex?
V285	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V286	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V287	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V288	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V289	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V290	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V291	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V292	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V293	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V294	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V295	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V296	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V297	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V298	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V299	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V300	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V301	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V302	q20	Bullied	During the past 30 days, on how many days were you bullied?
V303	q21	Bullied how	During the past 30 days, how were you bullied most often?
V304	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V305	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V306	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V307	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V308	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V309	q27	Close friends	How many close friends do you have?
V310	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V311	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V312	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V313	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V314	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V315	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V316	q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V317	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V318	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V319	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V320	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V321	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V322	q40	Initiation of drug use	How old were you when you first used drugs?
V323	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V324	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V325	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V326	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V327	q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V328	q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V329	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V330	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V331	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V332	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V333	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V334	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V335	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V336	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V337	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V338	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V339	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V340	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V341	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V342	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V343	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V344	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V345	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V346	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V347	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V348	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V349	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V350	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V351	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V352	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V353	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V354	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V355	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V356	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V357	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V358	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V359	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V360	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V361	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V362	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V363	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V364	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V365	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V366	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V367	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V368	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V369	qn34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V370	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V371	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V372	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V373	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V374	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V375	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V376	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V377	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V378	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V379	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V380	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V381	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V382	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V383	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V384	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V385	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V386	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V387	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V388	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V389	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V390	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V391	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V392	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V393	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V394	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V395	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V396	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V397	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V398	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V399	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V400	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V401	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V402	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V403	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V404	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V405	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V406	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V407	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V408	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V409	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V410	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V411	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V412	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V413	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V414	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V415	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V416	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V417	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V418	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V419	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V420	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V421	weight		
V422	stratum		
V423	psu		

total: 141

Data file: npl2015-terai-region

Cases: 2208

variables: 141

variables

ID	Name	Label	Question
V424	q1	Custom Age	How old are you?
V425	q2	Sex	What is your sex?
V426	q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V427	q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V428	q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V429	q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V430	q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V431	q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V432	q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V433	q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V434	q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V435	q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V436	q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V437	q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V438	q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V439	q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V440	q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V441	q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V442	q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V443	q20	Bullied	During the past 30 days, on how many days were you bullied?
V444	q21	Bullied how	During the past 30 days, how were you bullied most often?
V445	q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V446	q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V447	q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V448	q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V449	q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V450	q27	Close friends	How many close friends do you have?
V451	q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V452	q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V453	q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V454	q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V455	q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V456	q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V457	q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V458	q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V459	q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V460	q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V461	q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V462	q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V463	q40	Initiation of drug use	How old were you when you first used drugs?
V464	q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V465	q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V466	q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V467	q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V468	q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V469	q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V470	q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V471	q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V472	q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V473	q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V474	q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V475	q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V476	q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V477	q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V478	q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V479	q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V480	q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V481	q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V482	qn6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V483	qn7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V484	qn8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V485	qn9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V486	qn10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V487	qn11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V488	qn12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V489	qn13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V490	qn14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V491	qn15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V492	qn16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V493	qn17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V494	qn18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V495	qn19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V496	qn20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V497	qn21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V498	qn22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V499	qn23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V500	qn24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V501	qn25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V502	qn26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V503	qn27	Did not have any close friends	Percentage of students who did not have any close friends
V504	qn28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V505	qn29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V506	qn30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V507	qn31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V508	qn32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V509	qn33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V510	qn34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V511	qn35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V512	qn36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V513	qn37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V514	qn38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V515	qn39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V516	qn40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V517	qn41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V518	qn42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V519	qn43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V520	qn44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V521	qn45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V522	qn46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V523	qn47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V524	qn48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V525	qn49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V526	qn50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V527	qn51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V528	qn52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V529	qn53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V530	qn54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V531	qn55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V532	qn56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V533	qn57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V534	qn58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V535	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V536	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V537	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V538	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V539	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V540	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V541	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V542	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V543	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V544	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V545	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V546	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V547	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V548	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V549	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V550	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V551	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V552	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V553	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V554	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V555	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V556	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V557	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V558	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V559	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V560	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V561	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V562	weight		
V563	stratum		
V564	psu		

total: 141

Q1: Custom Age**Data file:** npl2015**Overview**

Valid: 6481 Invalid: 48

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	113	1.7%
2	12 years old	493	7.6%
3	13 years old	1174	18.1%
4	14 years old	1504	23.2%
5	15 years old	1445	22.3%
6	16 years old	1111	17.1%
7	17 years old	513	7.9%
8	18 years old or older	128	2%
Sysmiss		48	

Q10: Fast food eating**Data file:** npl2015**Overview**

Valid: 6462 Invalid: 67

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1625	25.1%
2	1 day	2174	33.6%
3	2 days	1021	15.8%

4	3 days	632	9.8%
5	4 days	377	5.8%
6	5 days	207	3.2%
7	6 days	161	2.5%
8	7 days	265	4.1%
Sysmiss		67	

Q2: Sex

Data file: npl2015

Overview

Valid: 6422 Invalid: 107

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	3016	47%
2	Female	3406	53%
Sysmiss		107	

Q3: In what grade are you

Data file: npl2015

Overview

Valid: 6440 Invalid: 89

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Class 7	1407	21.8%
2	Class 8	1830	28.4%
3	Class 9	1496	23.2%

4	Class 10	1568	24.3%
5	Class 11	139	2.2%
Sysmiss		89	

Q4: How tall are you

Data file: npl2015

Overview

Valid: 5791 Invalid: 738 Minimum: 1.13 Maximum: 1.94 Mean: 1.523 Standard deviation: 0.0943
Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: npl2015

Overview

Valid: 5791 Invalid: 738 Minimum: 21 Maximum: 142 Mean: 43.777 Standard deviation: 8
Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: npl2015

Overview

Valid: 6478 Invalid: 51
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	4191	64.7%
2	Rarely	389	6%
3	Sometimes	1626	25.1%
4	Most of the time	162	2.5%
5	Always	110	1.7%
Sysmiss		51	

Q7: No fruit eating

Data file: npl2015

Overview

Valid: 6478 Invalid: 51

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	758	11.7%
2	Less than one time per day	2729	42.1%
3	1 time per day	1773	27.4%
4	2 times per day	706	10.9%
5	3 times per day	268	4.1%
6	4 times per day	100	1.5%
7	5 or more times per day	144	2.2%
Sysmiss		51	

Q8: No vegetable eating**Data file: npl2015****Overview**

Valid: 6448 Invalid: 81

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	309	4.8%
2	Less than one time per day	2161	33.5%
3	1 time per day	1924	29.8%
4	2 times per day	1473	22.8%
5	3 times per day	370	5.7%
6	4 times per day	74	1.1%
7	5 or more times per day	137	2.1%
Sysmiss		81	

Q9: Soft drinks**Data file: npl2015****Overview**

Valid: 6475 Invalid: 54

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	1602	24.7%
2	Less than one time per day	2820	43.6%

3	1 time per day	1446	22.3%
4	2 times per day	367	5.7%
5	3 times per day	131	2%
6	4 times per day	55	0.8%
7	5 or more times per day	54	0.8%
Sysmiss		54	

Q11: Tooth brushing

Data file: npl2015

Overview

Valid: 6482 Invalid: 47

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	259	4%
2	Less than 1 time per day	567	8.7%
3	1 time per day	2546	39.3%
4	2 times per day	2726	42.1%
5	3 times per day	307	4.7%
6	4 or more times per day	77	1.2%
Sysmiss		47	

Q12: Hand washing before eating

Data file: npl2015

Overview

Valid: 6428 Invalid: 101

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	88	1.4%
2	Rarely	114	1.8%
3	Sometimes	237	3.7%
4	Most of the time	1442	22.4%
5	Always	4547	70.7%
Sysmiss		101	

Q13: Hand washing after toilet

Data file: npl2015

Overview

Valid: 6443 Invalid: 86

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	96	1.5%
2	Rarely	150	2.3%
3	Sometimes	265	4.1%
4	Most of the time	1327	20.6%
5	Always	4605	71.5%
Sysmiss		86	

Q14: Hand washing with soap

Data file: npl2015

Overview

Valid: 6474 Invalid: 55

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	137	2.1%
2	Rarely	143	2.2%
3	Sometimes	549	8.5%
4	Most of the time	1871	28.9%
5	Always	3774	58.3%
Sysmiss		55	

Q15: Physically attacked

Data file: npl2015

Overview

Valid: 6422 Invalid: 107

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	3685	57.4%
2	1 time	1190	18.5%
3	2 or 3 times	901	14%
4	4 or 5 times	288	4.5%
5	6 or 7 times	114	1.8%
6	8 or 9 times	60	0.9%
7	10 or 11 times	51	0.8%
8	12 or more times	133	2.1%
Sysmiss		107	

Q16: Physical fighting**Data file:** npl2015**Overview**

Valid: 6507 Invalid: 22

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	4051	62.3%
2	1 time	1114	17.1%
3	2 or 3 times	816	12.5%
4	4 or 5 times	216	3.3%
5	6 or 7 times	73	1.1%
6	8 or 9 times	39	0.6%
7	10 or 11 times	24	0.4%
8	12 or more times	174	2.7%
Sysmiss		22	

Q17: Seriously injured**Data file:** npl2015**Overview**

Valid: 5774 Invalid: 755

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	2080	36%
2	1 time	1879	32.5%
3	2 or 3 times	1164	20.2%
4	4 or 5 times	319	5.5%
5	6 or 7 times	136	2.4%
6	8 or 9 times	63	1.1%
7	10 or 11 times	42	0.7%
8	12 or more times	91	1.6%
Sysmiss		755	

Q18: Serious injury type

Data file: npl2015

Overview

Valid: 5866 Invalid: 663

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2742	46.7%
2	Broken bone/dislocated joint	344	5.9%
3	I had a cut or stab wound	2099	35.8%
4	Concussion/head injury	197	3.4%
5	I had a gunshot wound	22	0.4%
6	I had a bad burn	104	1.8%
7	I was poisoned	11	0.2%
8	Something else happened to me	347	5.9%
Sysmiss		663	

Q19: Serious injury cause

Data file: npl2015

Overview

Valid: 5915 Invalid: 614

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2824	47.7%
2	Motor vehicle accident	244	4.1%
3	I fell	1965	33.2%
4	Something fell on me or hit me	303	5.1%
5	I was attacked	54	0.9%
6	Was in a fire	48	0.8%
7	breathed something bad	25	0.4%
8	Something else	452	7.6%
Sysmiss		614	

Q20: Bullied

Data file: npl2015

Overview

Valid: 6201 Invalid: 328

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	3213	51.8%

2	1 or 2 days	1970	31.8%
3	3 to 5 days	507	8.2%
4	6 to 9 days	230	3.7%
5	10 to 19 days	108	1.7%
6	20 to 29 days	26	0.4%
7	All 30 days	147	2.4%
Sysmiss		328	

Q21: Bullied how

Data file: npl2015

Overview

Valid: 6174 Invalid: 355

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	3765	61%
2	Kicked, pushed, or shoved	298	4.8%
3	Made fun of race	202	3.3%
4	Made fun because of religion	171	2.8%
5	Made fun of about sex	250	4%
6	Left out of activities	91	1.5%
7	Made fun of about body	204	3.3%
8	Some other way	1193	19.3%
Sysmiss		355	

Q22: Felt lonely

Data file: npl2015

Overview

Valid: 6388 Invalid: 141

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	3252	50.9%
2	Rarely	904	14.2%
3	Sometimes	1830	28.6%
4	Most of the time	273	4.3%
5	Always	129	2%
Sysmiss		141	

Q23: Could not sleep

Data file: npl2015

Overview

Valid: 6488 Invalid: 41

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	3162	48.7%
2	Rarely	981	15.1%
3	Sometimes	2063	31.8%
4	Most of the time	194	3%
5	Always	88	1.4%
Sysmiss		41	

Q24: Considered suicide**Data file:** npl2015**Overview**

Valid: 6392 Invalid: 137

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	814	12.7%
2	No	5578	87.3%
Sysmiss		137	

Q25: Made a suicide plan**Data file:** npl2015**Overview**

Valid: 6406 Invalid: 123

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	853	13.3%
2	No	5553	86.7%
Sysmiss		123	

Q26: Attempted suicide**Data file:** npl2015

Overview

Valid: 6498 Invalid: 31

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	5899	90.8%
2	1 time	360	5.5%
3	2 or 3 times	137	2.1%
4	4 or 5 times	65	1%
5	6 or more times	37	0.6%
Sysmiss		31	

Q27: Close friends

Data file: npl2015

Overview

Valid: 6417 Invalid: 112

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	268	4.2%
2	1	833	13%
3	2	990	15.4%
4	3 or more	4326	67.4%
Sysmiss		112	

Q28: Initiation of cigarette use**Data file:** npl2015**Overview**

Valid: 6208 Invalid: 321

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	5640	90.9%
2	7 years old or younger	157	2.5%
3	8 or 9 years old	85	1.4%
4	10 or 11 years old	79	1.3%
5	12 or 13 years old	109	1.8%
6	14 or 15 years old	102	1.6%
7	16 or 17 years old	34	0.5%
8	18 years old or older	2	0%
Sysmiss		321	

Q29: Current cigarette use**Data file:** npl2015**Overview**

Valid: 6381 Invalid: 148

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	6025	94.4%
2	1 or 2 days	160	2.5%

3	3 to 5 days	68	1.1%
4	6 to 9 days	37	0.6%
5	10 to 19 days	28	0.4%
6	20 to 29 days	28	0.4%
7	All 30 days	35	0.5%
Sysmiss		148	

Q30: Other tobacco use

Data file: npl2015

Overview

Valid: 6496 Invalid: 33

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	6170	95%
2	1 or 2 days	178	2.7%
3	3 to 5 days	56	0.9%
4	6 to 9 days	25	0.4%
5	10 to 19 days	29	0.4%
6	20 to 29 days	23	0.4%
7	All 30 days	15	0.2%
Sysmiss		33	

Q31: Smoking cessation

Data file: npl2015

Overview

Valid: 6287 Invalid: 242

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	5875	93.4%
2	Did not smoke cigarettes	152	2.4%
3	Yes	218	3.5%
4	No	42	0.7%
Sysmiss		242	

Q32: Smoking in their presence

Data file: npl2015

Overview

Valid: 6447 Invalid: 82

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	2817	43.7%
2	1 or 2 days	1493	23.2%
3	3 or 4 days	551	8.5%
4	5 or 6 days	315	4.9%
5	All 7 days	1271	19.7%
Sysmiss		82	

Q33: Parental tobacco use

Data file: npl2015

Overview

Valid: 6480 Invalid: 49

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	3930	60.6%
2	My father or male guardian	1552	24%
3	My mother or female guardian	326	5%
4	Both	447	6.9%
5	I do not know	225	3.5%
Sysmiss		49	

Q34: Initiation of alcohol use

Data file: npl2015

Overview

Valid: 6123 Invalid: 406

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	5547	90.6%
2	7 years old or younger	160	2.6%
3	8 or 9 years old	89	1.5%
4	10 or 11 years old	72	1.2%
5	12 or 13 years old	98	1.6%
6	14 or 15 years old	119	1.9%

7	16 or 17 years old	32	0.5%
8	18 years old or older	6	0.1%
Sysmiss		406	

Q35: Current alcohol use

Data file: npl2015

Overview

Valid: 6385 Invalid: 144

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	6085	95.3%
2	1 or 2 days	176	2.8%
3	3 to 5 days	59	0.9%
4	6 to 9 days	34	0.5%
5	10 to 19 days	10	0.2%
6	20 to 29 days	7	0.1%
7	All 30 days	14	0.2%
Sysmiss		144	

Q36: Drank 2+ drinks

Data file: npl2015

Overview

Valid: 6420 Invalid: 109

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	6033	94%
2	Less than one drink	238	3.7%
3	1 drink	65	1%
4	2 drinks	40	0.6%
5	3 drinks	16	0.2%
6	4 drinks	6	0.1%
7	5 or more drinks	22	0.3%
Sysmiss		109	

Q37: Source of alcohol

Data file: npl2015

Overview

Valid: 6383 Invalid: 146

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	6057	94.9%
2	I bought in a store	109	1.7%
3	I gave someone money to buy	37	0.6%
4	I got it from my friends	69	1.1%
5	I got it from my family	71	1.1%
6	I stole it	8	0.1%
7	Some other way	32	0.5%
Sysmiss		146	

Q38: Really drunk**Data file:** npl2015**Overview**

Valid: 6350 Invalid: 179

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	6056	95.4%
2	1 or 2 times	199	3.1%
3	3 to 9 times	58	0.9%
4	10 or more times	37	0.6%
Sysmiss		179	

Q39: Trouble from drinking**Data file:** npl2015**Overview**

Valid: 6274 Invalid: 255

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	6143	97.9%

2	1 or 2 times	74	1.2%
3	3 to 9 times	36	0.6%
4	10 or more times	21	0.3%
Sysmiss		255	

Q40: Initiation of drug use

Data file: npl2015

Overview

Valid: 6207 Invalid: 322

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	5712	92%
2	7 years old or younger	163	2.6%
3	8 or 9 years old	89	1.4%
4	10 or 11 years old	62	1%
5	12 or 13 years old	85	1.4%
6	14 or 15 years old	65	1%
7	16 or 17 years old	29	0.5%
8	18 years old or older	2	0%
Sysmiss		322	

Q41: Ever marijuana use

Data file: npl2015

Overview

Valid: 6284 Invalid: 245

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	6057	96.4%
2	1 or 2 times	118	1.9%
3	3 to 9 times	52	0.8%
4	10 to 19 times	20	0.3%
5	20 or more times	37	0.6%
Sysmiss		245	

Q42: Current marijuana use

Data file: npl2015

Overview

Valid: 6396 Invalid: 133

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	6215	97.2%
2	1 or 2 times	105	1.6%
3	3 to 9 times	46	0.7%
4	10 to 19 times	14	0.2%
5	20 or more times	16	0.3%
Sysmiss		133	

Q43: Amphetamine or methamphetamine use

Data file: npl2015

Overview

Valid: 6377 Invalid: 152

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	6218	97.5%
2	1 or 2 times	81	1.3%
3	3 to 9 times	32	0.5%
4	10 to 19 times	24	0.4%
5	20 or more times	22	0.3%
Sysmiss		152	

Q44: Ever sexual intercourse

Data file: npl2015

Overview

Valid: 5629 Invalid: 900

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	1015	18%
2	No	4614	82%
Sysmiss		900	

Q45: Age first had sex**Data file:** npl2015**Overview**

Valid: 6193 Invalid: 336

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	5787	93.4%
2	11 years old or younger	141	2.3%
3	12 years old	60	1%
4	13 years old	49	0.8%
5	14 years old	42	0.7%
6	15 years old	62	1%
7	16 or 17 years old	49	0.8%
8	18 years old or older	3	0%
Sysmiss		336	

Q46: Number of sex partners**Data file:** npl2015**Overview**

Valid: 6275 Invalid: 254

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	5908	94.2%
2	1 person	139	2.2%

3	2 people	83	1.3%
4	3 people	42	0.7%
5	4 people	19	0.3%
6	5 people	30	0.5%
7	6 or more people	54	0.9%
Sysmiss		254	

Q47: Condom use

Data file: npl2015

Overview

Valid: 6056 Invalid: 473

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	5687	93.9%
2	Yes	220	3.6%
3	No	149	2.5%
Sysmiss		473	

Q48: Birth control used

Data file: npl2015

Overview

Valid: 5923 Invalid: 606

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	5552	93.7%
2	Yes	176	3%
3	No	142	2.4%
4	I do not know	53	0.9%
Sysmiss		606	

Q49: Physical activity past 7 days

Data file: npl2015

Overview

Valid: 6419 Invalid: 110

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	3074	47.9%
2	1 day	883	13.8%
3	2 days	434	6.8%
4	3 days	272	4.2%
5	4 days	275	4.3%
6	5 days	181	2.8%
7	6 days	199	3.1%
8	7 days	1101	17.2%
Sysmiss		110	

Q50: Walk or bike to school

Data file: npl2015

Overview

Valid: 6420 Invalid: 109

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	2685	41.8%
2	1 day	557	8.7%
3	2 days	197	3.1%
4	3 days	165	2.6%
5	4 days	130	2%
6	5 days	127	2%
7	6 days	773	12%
8	7 days	1786	27.8%
Sysmiss		109	

Q51: PE attendance**Data file:** npl2015**Overview**

Valid: 6300 Invalid: 229

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1979	31.4%
2	1 day	870	13.8%
3	2 days	598	9.5%

4	3 days	472	7.5%
5	4 days	348	5.5%
6	5 or more days	2033	32.3%
Sysmiss		229	

Q52: Sitting activities

Data file: npl2015

Overview

Valid: 6427 Invalid: 102

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	4126	64.2%
2	1 to 2 hours per day	1603	24.9%
3	3 to 4 hours per day	416	6.5%
4	5 to 6 hours per day	135	2.1%
5	7 to 8 hours per day	47	0.7%
6	More than 8 hours per day	100	1.6%
Sysmiss		102	

Q53: Miss school no permission

Data file: npl2015

Overview

Valid: 6358 Invalid: 171

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	4596	72.3%
2	1 or 2 days	1238	19.5%
3	3 to 5 days	320	5%
4	6 to 9 days	97	1.5%
5	10 or more days	107	1.7%
Sysmiss		171	

Q54: Other students kind and helpful

Data file: npl2015

Overview

Valid: 6427 Invalid: 102

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	807	12.6%
2	Rarely	613	9.5%
3	Sometimes	1420	22.1%
4	Most of the time	1325	20.6%
5	Always	2262	35.2%
Sysmiss		102	

Q55: Parents check homework

Data file: npl2015

Overview

Valid: 6403 Invalid: 126

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	942	14.7%
2	Rarely	665	10.4%
3	Sometimes	1464	22.9%
4	Most of the time	1266	19.8%
5	Always	2066	32.3%
Sysmiss		126	

Q56: Parents understand problems

Data file: npl2015

Overview

Valid: 6351 Invalid: 178

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	789	12.4%
2	Rarely	717	11.3%
3	Sometimes	1332	21%
4	Most of the time	1681	26.5%
5	Always	1832	28.8%
Sysmiss		178	

Q57: Parents know about free time

Data file: npl2015

Overview

Valid: 6420 Invalid: 109

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	1040	16.2%
2	Rarely	698	10.9%
3	Sometimes	1260	19.6%
4	Most of the time	1634	25.5%
5	Always	1788	27.9%
Sysmiss		109	

Q58: Parents go through their things

Data file: npl2015

Overview

Valid: 6352 Invalid: 177 Mean: 2.799 Standard deviation: 1.45

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1847	29.1%
2		781	12.3%
3		1648	25.9%
4		955	15%
5		1121	17.6%
Sysmiss		177	

QN6: Most of the time or always went hungry**Data file:** npl2015**Overview**

Valid: 6478 Invalid: 51 Mean: 1.958 Standard deviation: 0.201
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	272	4.2%
2	No	6206	95.8%
Sysmiss		51	

QN7: Did not eat fruit**Data file:** npl2015**Overview**

Valid: 6478 Invalid: 51 Mean: 1.883 Standard deviation: 0.321
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	758	11.7%
2	No	5720	88.3%
Sysmiss		51	

QN8: Did not eat vegetables**Data file:** npl2015**Overview**

Valid: 6448 Invalid: 81 Mean: 1.952 Standard deviation: 0.214

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	309	4.8%
2	No	6139	95.2%
Sysmiss		81	

QN9: Did not drink carbonated soft drinks

Data file: npl2015

Overview

Valid: 6475 Invalid: 54 Mean: 1.753 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1602	24.7%
2	No	4873	75.3%
Sysmiss		54	

QN10: Did not eat food from a fast food restaurant

Data file: npl2015

Overview

Valid: 6462 Invalid: 67 Mean: 1.749 Standard deviation: 0.434
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1625	25.1%
2	No	4837	74.9%
Sysmiss		67	

QN11: Usually cleaned or brushed their teeth

Data file: npl2015

Overview

Valid: 6482 Invalid: 47 Mean: 1.127 Standard deviation: 0.333
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5656	87.3%
2	No	826	12.7%
Sysmiss		47	

QN12: Never or rarely washed their hands before eating

Data file: npl2015

Overview

Valid: 6428 Invalid: 101 Mean: 1.969 Standard deviation: 0.174
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	202	3.1%
2	No	6226	96.9%
Sysmiss		101	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** npl2015**Overview**

Valid: 6443 Invalid: 86 Mean: 1.962 Standard deviation: 0.192
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	246	3.8%
2	No	6197	96.2%
Sysmiss		86	

QN14: Never or rarely used soap when washing their hands**Data file:** npl2015**Overview**

Valid: 6474 Invalid: 55 Mean: 1.957 Standard deviation: 0.203
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	280	4.3%
2	No	6194	95.7%
Sysmiss		55	

QN15: Were physically attacked**Data file:** npl2015**Overview**

Valid: 6422 Invalid: 107 Mean: 1.574 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2737	42.6%
2	No	3685	57.4%
Sysmiss		107	

QN16: Were in a physical fight

Data file: npl2015

Overview

Valid: 6507 Invalid: 22 Mean: 1.623 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2456	37.7%
2	No	4051	62.3%
Sysmiss		22	

QN17: Were seriously injured

Data file: npl2015

Overview

Valid: 5774 Invalid: 755 Mean: 1.36 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	3694	64%
2	No	2080	36%
Sysmiss		755	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: npl2015

Overview

Valid: 3124 Invalid: 3405 Mean: 1.89 Standard deviation: 0.313
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	344	11%
2	No	2780	89%
Sysmiss		3405	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: npl2015

Overview

Valid: 3091 Invalid: 3438 Mean: 1.921 Standard deviation: 0.27
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	244	7.9%
2	No	2847	92.1%
Sysmiss		3438	

QN20: Were bullied**Data file:** npl2015**Overview**

Valid: 6201 Invalid: 328 Mean: 1.518 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2988	48.2%
2	No	3213	51.8%
Sysmiss		328	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** npl2015**Overview**

Valid: 2409 Invalid: 4120 Mean: 1.876 Standard deviation: 0.329
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	298	12.4%
2	No	2111	87.6%
Sysmiss		4120	

QN22: Most of the time or always felt lonely**Data file:** npl2015**Overview**

Valid: 6388 Invalid: 141 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	402	6.3%
2	No	5986	93.7%
Sysmiss		141	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: npl2015

Overview

Valid: 6488 Invalid: 41 Mean: 1.957 Standard deviation: 0.204
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	282	4.3%
2	No	6206	95.7%
Sysmiss		41	

QN24: Seriously considered attempting suicide

Data file: npl2015

Overview

Valid: 6392 Invalid: 137 Mean: 1.873 Standard deviation: 0.333
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	814	12.7%
2	No	5578	87.3%
Sysmiss		137	

QN25: Made a plan about how they would attempt suicide

Data file: npl2015

Overview

Valid: 6406 Invalid: 123 Mean: 1.867 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	853	13.3%
2	No	5553	86.7%
Sysmiss		123	

QN26: Attempted suicide

Data file: npl2015

Overview

Valid: 6498 Invalid: 31 Mean: 1.908 Standard deviation: 0.289
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	599	9.2%
2	No	5899	90.8%
Sysmiss		31	

QN27: Did not have any close friends**Data file:** npl2015**Overview**

Valid: 6417 Invalid: 112 Mean: 1.958 Standard deviation: 0.2
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	268	4.2%
2	No	6149	95.8%
Sysmiss		112	

QN28: Tried a cigarette before age 14 years**Data file:** npl2015**Overview**

Valid: 568 Invalid: 5961 Mean: 1.243 Standard deviation: 0.429
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	430	75.7%
2	No	138	24.3%
Sysmiss		5961	

QN29: Currently smoked cigarettes**Data file:** npl2015**Overview**

Valid: 6381 Invalid: 148 Mean: 1.944 Standard deviation: 0.23
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	356	5.6%
2	No	6025	94.4%
Sysmiss		148	

QN30: Currently used any tobacco products other than cigarettes

Data file: npl2015

Overview

Valid: 6496 Invalid: 33 Mean: 1.95 Standard deviation: 0.218
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	326	5%
2	No	6170	95%
Sysmiss		33	

QN31: Tried to quit smoking cigarettes

Data file: npl2015

Overview

Valid: 260 Invalid: 6269 Mean: 1.162 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	218	83.8%
2	No	42	16.2%
Sysmiss		6269	

QN32: Reported that people smoked in their presence

Data file: npl2015

Overview

Valid: 6447 Invalid: 82 Mean: 1.437 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3630	56.3%
2	No	2817	43.7%
Sysmiss		82	

QN33: Had parents or guardians who used any form of tobacco

Data file: npl2015

Overview

Valid: 6480 Invalid: 49 Mean: 1.641 Standard deviation: 0.48
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	2325	35.9%
2	No	4155	64.1%
Sysmiss		49	

QN34: Drank alcohol before age 14 years**Data file:** npl2015**Overview**

Valid: 576 Invalid: 5953 Mean: 1.273 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	419	72.7%
2	No	157	27.3%
Sysmiss		5953	

QN35: Currently drank alcohol**Data file:** npl2015**Overview**

Valid: 6385 Invalid: 144 Mean: 1.953 Standard deviation: 0.212
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	300	4.7%
2	No	6085	95.3%
Sysmiss		144	

QN36: Usually drank two or more drinks per day**Data file:** npl2015**Overview**

Valid: 387 Invalid: 6142 Mean: 1.783 Standard deviation: 0.413
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	84	21.7%
2	No	303	78.3%
Sysmiss		6142	

■ QN37: Usually obtained the alcohol they drank from friends

Data file: npl2015

Overview

Valid: 326 Invalid: 6203 Mean: 1.788 Standard deviation: 0.409
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	69	21.2%
2	No	257	78.8%
Sysmiss		6203	

■ QN47: Used a condom

Data file: npl2015

Overview

Valid: 369 Invalid: 6160 Mean: 1.404 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	220	59.6%
2	No	149	40.4%
Sysmiss		6160	

QN38: Ever drank so much alcohol that they were really drunk

Data file: npl2015

Overview

Valid: 6350 Invalid: 179 Mean: 1.954 Standard deviation: 0.21
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	294	4.6%
2	No	6056	95.4%
Sysmiss		179	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: npl2015

Overview

Valid: 6274 Invalid: 255 Mean: 1.979 Standard deviation: 0.143
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	131	2.1%
2	No	6143	97.9%
Sysmiss		255	

QN40: Used drugs before age 14 years**Data file:** npl2015**Overview**

Valid: 495 Invalid: 6034 Mean: 1.194 Standard deviation: 0.396
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	399	80.6%
2	No	96	19.4%
Sysmiss		6034	

QN41: Ever used marijuana**Data file:** npl2015**Overview**

Valid: 6284 Invalid: 245 Mean: 1.964 Standard deviation: 0.187
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	227	3.6%
2	No	6057	96.4%
Sysmiss		245	

QN42: Currently used marijuana**Data file:** npl2015**Overview**

Valid: 6396 Invalid: 133 Mean: 1.972 Standard deviation: 0.166
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	181	2.8%
2	No	6215	97.2%
Sysmiss		133	

QN43: Ever used amphetamines or methamphetamines

Data file: npl2015

Overview

Valid: 6377 Invalid: 152 Mean: 1.975 Standard deviation: 0.156
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	159	2.5%
2	No	6218	97.5%
Sysmiss		152	

QN44: Ever had sexual intercourse

Data file: npl2015

Overview

Valid: 5629 Invalid: 900 Mean: 1.82 Standard deviation: 0.384
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1015	18%
2	No	4614	82%
Sysmiss		900	

QN45: Had sexual intercourse before age 14 years

Data file: npl2015

Overview

Valid: 406 Invalid: 6123 Mean: 1.384 Standard deviation: 0.487
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	250	61.6%
2	No	156	38.4%
Sysmiss		6123	

QN46: Had sexual intercourse with two or more persons

Data file: npl2015

Overview

Valid: 6275 Invalid: 254 Mean: 1.964 Standard deviation: 0.187
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	228	3.6%
2	No	6047	96.4%
Sysmiss		254	

QN48: Used a method of birth control other than condoms**Data file:** npl2015**Overview**

Valid: 371 Invalid: 6158 Mean: 1.526 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	176	47.4%
2	No	195	52.6%
Sysmiss		6158	

QN49: Were not physically active**Data file:** npl2015**Overview**

Valid: 6419 Invalid: 110 Mean: 1.521 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3074	47.9%
2	No	3345	52.1%
Sysmiss		110	

QN50: Did not walk or ride a bicycle to or from school**Data file:** npl2015**Overview**

Valid: 6420 Invalid: 109 Mean: 1.582 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2685	41.8%
2	No	3735	58.2%
Sysmiss		109	

QN51: Did not attend physical education classes

Data file: npl2015

Overview

Valid: 6300 Invalid: 229 Mean: 1.686 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1979	31.4%
2	No	4321	68.6%
Sysmiss		229	

QN52: Spent three or more hours per day doing sitting activities

Data file: npl2015

Overview

Valid: 6427 Invalid: 102 Mean: 1.891 Standard deviation: 0.311
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	698	10.9%
2	No	5729	89.1%
Sysmiss		102	

QN53: Missed classes or school without permission

Data file: npl2015

Overview

Valid: 6358 Invalid: 171 Mean: 1.723 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1762	27.7%
2	No	4596	72.3%
Sysmiss		171	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: npl2015

Overview

Valid: 6427 Invalid: 102 Mean: 1.442 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3587	55.8%
2	No	2840	44.2%
Sysmiss		102	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: npl2015

Overview

Valid: 6403 Invalid: 126 Mean: 1.48 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3332	52%
2	No	3071	48%
Sysmiss		126	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: npl2015

Overview

Valid: 6351 Invalid: 178 Mean: 1.447 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3513	55.3%
2	No	2838	44.7%
Sysmiss		178	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: npl2015

Overview

Valid: 6420 Invalid: 109 Mean: 1.467 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3422	53.3%
2	No	2998	46.7%
Sysmiss		109	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: npl2015

Overview

Valid: 6352 Invalid: 177 Mean: 1.586 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2628	41.4%
2	No	3724	58.6%
Sysmiss		177	

QNUNWTG: Were underweight

Data file: npl2015

Overview

Valid: 5791 Invalid: 738 Mean: 1.892 Standard deviation: 0.311
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	628	10.8%
2	No	5163	89.2%
Sysmiss		738	

QNOWTG: Were overweight

Data file: npl2015

Overview

Valid: 5791 Invalid: 738 Mean: 1.942 Standard deviation: 0.234
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	336	5.8%
2	No	5455	94.2%
Sysmiss		738	

QNOBESEG: Were obese

Data file: npl2015

Overview

Valid: 5791 Invalid: 738 Mean: 1.993 Standard deviation: 0.0839
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	41	0.7%
2	No	5750	99.3%
Sysmiss		738	

QNFR1G: Usually ate fruit less than one time per day

Data file: npl2015

Overview

Valid: 6478 Invalid: 51 Mean: 1.579 Standard deviation: 0.494
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2729	42.1%
2	No	3749	57.9%
Sysmiss		51	

QNFR1G: Usually ate fruit one or more times per day

Data file: npl2015

Overview

Valid: 6478 Invalid: 51 Mean: 1.538 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2991	46.2%
2	No	3487	53.8%
Sysmiss		51	

QNFR2G: Usually ate fruit two or more times per day**Data file:** npl2015**Overview**

Valid: 6478 Invalid: 51 Mean: 1.812 Standard deviation: 0.391
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1218	18.8%
2	No	5260	81.2%
Sysmiss		51	

QNFR3G: Usually ate fruit three or more times per day**Data file:** npl2015**Overview**

Valid: 6478 Invalid: 51 Mean: 1.921 Standard deviation: 0.27
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	512	7.9%
2	No	5966	92.1%
Sysmiss		51	

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** npl2015**Overview**

Valid: 6448 Invalid: 81 Mean: 1.665 Standard deviation: 0.472
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2161	33.5%
2	No	4287	66.5%
Sysmiss		81	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: npl2015

Overview

Valid: 6448 Invalid: 81 Mean: 1.383 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	3978	61.7%
2	No	2470	38.3%
Sysmiss		81	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: npl2015

Overview

Valid: 6448 Invalid: 81 Mean: 1.681 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	2054	31.9%
2	No	4394	68.1%
Sysmiss		81	

QNVG3G: Usually ate vegetables three or more times per day

Data file: npl2015

Overview

Valid: 6448 Invalid: 81 Mean: 1.91 Standard deviation: 0.286
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	581	9%
2	No	5867	91%
Sysmiss		81	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: npl2015

Overview

Valid: 6475 Invalid: 54 Mean: 1.564 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2820	43.6%
2	No	3655	56.4%
Sysmiss		54	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** npl2015**Overview**

Valid: 6475 Invalid: 54 Mean: 1.683 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2053	31.7%
2	No	4422	68.3%
Sysmiss		54	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** npl2015**Overview**

Valid: 6475 Invalid: 54 Mean: 1.906 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	607	9.4%
2	No	5868	90.6%
Sysmiss		54	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** npl2015**Overview**

Valid: 6475 Invalid: 54 Mean: 1.963 Standard deviation: 0.189
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	240	3.7%
2	No	6235	96.3%
Sysmiss		54	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: npl2015

Overview

Valid: 6462 Invalid: 67 Mean: 1.251 Standard deviation: 0.434
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	4837	74.9%
2	No	1625	25.1%
Sysmiss		67	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: npl2015

Overview

Valid: 6462 Invalid: 67 Mean: 1.588 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	2663	41.2%
2	No	3799	58.8%
Sysmiss		67	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: npl2015

Overview

Valid: 6462 Invalid: 67 Mean: 1.746 Standard deviation: 0.435
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1642	25.4%
2	No	4820	74.6%
Sysmiss		67	

QNC2G: Were bullied and could not sleep at night

Data file: npl2015

Overview

Valid: 263 Invalid: 6266 Mean: 1.3 Standard deviation: 0.459
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	184	70%
2	No	79	30%
Sysmiss		6266	

QNTOB2G: Currently used any tobacco product**Data file:** npl2015**Overview**

Valid: 6403 Invalid: 126 Mean: 1.924 Standard deviation: 0.266
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	489	7.6%
2	No	5914	92.4%
Sysmiss		126	

QNNOTB2G: Did not currently use any tobacco products**Data file:** npl2015**Overview**

Valid: 6368 Invalid: 161 Mean: 1.071 Standard deviation: 0.257
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	5914	92.9%
2	No	454	7.1%
Sysmiss		161	

QNBCANYG: Used a method of birth control**Data file:** npl2015**Overview**

Valid: 270 Invalid: 6259 Mean: 1.193 Standard deviation: 0.395
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	218	80.7%
2	No	52	19.3%
Sysmiss		6259	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: npl2015

Overview

Valid: 213 Invalid: 6316 Mean: 1.521 Standard deviation: 0.501
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	102	47.9%
2	No	111	52.1%
Sysmiss		6316	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: npl2015

Overview

Valid: 6419 Invalid: 110 Mean: 1.769 Standard deviation: 0.421
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1481	23.1%
2	No	4938	76.9%
Sysmiss		110	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: npl2015

Overview

Valid: 6419 Invalid: 110 Mean: 1.828 Standard deviation: 0.377
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1101	17.2%
2	No	5318	82.8%
Sysmiss		110	

QNPE3G: Attended physical education classes on three or more days

Data file: npl2015

Overview

Valid: 6300 Invalid: 229 Mean: 1.547 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	2853	45.3%
2	No	3447	54.7%
Sysmiss		229	

QNPE5G: Attended physical education classes on five or more days**Data file:** npl2015**Overview**

Valid: 6300 Invalid: 229 Mean: 1.677 Standard deviation: 0.468
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	2033	32.3%
2	No	4267	67.7%
Sysmiss		229	

WEIGHT:**Data file:** npl2015**Overview**

Valid: 6529 Invalid: 0 Mean: 339.283 Standard deviation: 237.168
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file:** npl2015**Overview**

Valid: 6529 Invalid: 0 Mean: 201502017.291 Standard deviation: 812.999
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201501001		170	2.6%
201501002		159	2.4%
201501003		277	4.2%
201501004		305	4.7%
201501005		293	4.5%

201501006		193	3%
201501007		267	4.1%
201501008		184	2.8%
201501009		76	1.2%
201501010		99	1.5%
201501011		98	1.5%
201502001		231	3.5%
201502002		261	4%
201502003		140	2.1%
201502004		208	3.2%
201502005		154	2.4%
201502006		279	4.3%
201502007		233	3.6%
201502008		336	5.1%
201502009		224	3.4%
201502010		44	0.7%
201502011		98	1.5%
201503001		281	4.3%
201503002		258	4%
201503003		266	4.1%
201503004		391	6%
201503005		236	3.6%
201503006		245	3.8%
201503007		181	2.8%
201503008		73	1.1%
201503009		115	1.8%
201503010		55	0.8%
201503011		99	1.5%

PSU:**Data file: npl2015****Overview**

Valid: 6529 Invalid: 0 Mean: 9.864 Standard deviation: 5.626
 Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file:** npl2015-hill-region**Overview**

Valid: 2092 Invalid: 29

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	43	2.1%
2	12 years old	171	8.2%
3	13 years old	381	18.2%
4	14 years old	467	22.3%
5	15 years old	466	22.3%
6	16 years old	338	16.2%
7	17 years old	177	8.5%
8	18 years old or older	49	2.3%
Sysmiss		29	

Q2: Sex**Data file:** npl2015-hill-region**Overview**

Valid: 2059 Invalid: 62

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	950	46.1%
2	Female	1109	53.9%
Sysmiss		62	

Q3: In what grade are you**Data file:** npl2015-hill-region**Overview**

Valid: 2060 Invalid: 61

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Class 7	463	22.5%
2	Class 8	613	29.8%
3	Class 9	501	24.3%
4	Class 10	416	20.2%
5	Class 11	67	3.3%
Sysmiss		61	

Q4: How tall are you**Data file:** npl2015-hill-region**Overview**

Valid: 1734 Invalid: 387 Minimum: 1.19 Maximum: 1.87 Mean: 1.512 Standard deviation: 0.0961

Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file:** npl2015-hill-region**Overview**

Valid: 1734 Invalid: 387 Minimum: 23 Maximum: 83 Mean: 43.74 Standard deviation: 7.79

Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: npl2015-hill-region

Overview

Valid: 2106 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1366	64.9%
2	Rarely	113	5.4%
3	Sometimes	540	25.6%
4	Most of the time	49	2.3%
5	Always	38	1.8%
Sysmiss		15	

Q7: No fruit eating

Data file: npl2015-hill-region

Overview

Valid: 2102 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	315	15%
2	Less than one time per day	869	41.3%
3	1 time per day	546	26%
4	2 times per day	234	11.1%
5	3 times per day	64	3%
6	4 times per day	25	1.2%
7	5 or more times per day	49	2.3%
Sysmiss		19	

Q8: No vegetable eating

Data file: npl2015-hill-region

Overview

Valid: 2088 Invalid: 33

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	120	5.7%
2	Less than one time per day	694	33.2%
3	1 time per day	614	29.4%
4	2 times per day	472	22.6%
5	3 times per day	114	5.5%
6	4 times per day	29	1.4%
7	5 or more times per day	45	2.2%
Sysmiss		33	

Q9: Soft drinks

Data file: npl2015-hill-region

Overview

Valid: 2097 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	556	26.5%
2	Less than one time per day	878	41.9%
3	1 time per day	467	22.3%
4	2 times per day	120	5.7%
5	3 times per day	35	1.7%
6	4 times per day	17	0.8%
7	5 or more times per day	24	1.1%
Sysmiss		24	

Q10: Fast food eating

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	582	27.9%
2	1 day	705	33.8%
3	2 days	326	15.6%
4	3 days	182	8.7%

5	4 days	114	5.5%
6	5 days	64	3.1%
7	6 days	39	1.9%
8	7 days	73	3.5%
Sysmiss		36	

Q11: Tooth brushing

Data file: npl2015-hill-region

Overview

Valid: 2107 Invalid: 14

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	98	4.7%
2	Less than 1 time per day	190	9%
3	1 time per day	805	38.2%
4	2 times per day	872	41.4%
5	3 times per day	115	5.5%
6	4 or more times per day	27	1.3%
Sysmiss		14	

Q12: Hand washing before eating

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	42	2%
2	Rarely	44	2.1%
3	Sometimes	85	4.1%
4	Most of the time	498	23.9%
5	Always	1416	67.9%
Sysmiss		36	

Q13: Hand washing after toilet

Data file: npl2015-hill-region

Overview

Valid: 2094 Invalid: 27

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	39	1.9%
2	Rarely	58	2.8%
3	Sometimes	93	4.4%
4	Most of the time	482	23%
5	Always	1422	67.9%
Sysmiss		27	

Q14: Hand washing with soap

Data file: npl2015-hill-region

Overview

Valid: 2111 Invalid: 10

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	48	2.3%
2	Rarely	45	2.1%
3	Sometimes	203	9.6%
4	Most of the time	672	31.8%
5	Always	1143	54.1%
Sysmiss		10	

Q15: Physically attacked

Data file: npl2015-hill-region

Overview

Valid: 2072 Invalid: 49

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1293	62.4%
2	1 time	348	16.8%
3	2 or 3 times	243	11.7%
4	4 or 5 times	92	4.4%
5	6 or 7 times	29	1.4%
6	8 or 9 times	24	1.2%
7	10 or 11 times	8	0.4%
8	12 or more times	35	1.7%
Sysmiss		49	

Q16: Physical fighting**Data file:** npl2015-hill-region**Overview**

Valid: 2113 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1375	65.1%
2	1 time	361	17.1%
3	2 or 3 times	243	11.5%
4	4 or 5 times	53	2.5%
5	6 or 7 times	28	1.3%
6	8 or 9 times	11	0.5%
7	10 or 11 times	2	0.1%
8	12 or more times	40	1.9%
Sysmiss		8	

Q17: Seriously injured**Data file:** npl2015-hill-region**Overview**

Valid: 1846 Invalid: 275

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	699	37.9%
2	1 time	592	32.1%
3	2 or 3 times	353	19.1%
4	4 or 5 times	97	5.3%
5	6 or 7 times	37	2%
6	8 or 9 times	23	1.2%
7	10 or 11 times	16	0.9%
8	12 or more times	29	1.6%
Sysmiss		275	

Q18: Serious injury type

Data file: npl2015-hill-region

Overview

Valid: 1875 Invalid: 246

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	919	49%
2	Broken bone/dislocated joint	81	4.3%
3	I had a cut or stab wound	684	36.5%
4	Concussion/head injury	56	3%
5	I had a gunshot wound	5	0.3%
6	I had a bad burn	34	1.8%
7	I was poisoned	1	0.1%
8	Something else happened to me	95	5.1%
Sysmiss		246	

Q19: Serious injury cause

Data file: npl2015-hill-region

Overview

Valid: 1905 Invalid: 216

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	979	51.4%
2	Motor vehicle accident	54	2.8%
3	I fell	635	33.3%
4	Something fell on me or hit me	78	4.1%
5	I was attacked	10	0.5%
6	Was in a fire	13	0.7%
7	breathed something bad	12	0.6%
8	Something else	124	6.5%
Sysmiss		216	

Q20: Bullied

Data file: npl2015-hill-region

Overview

Valid: 2009 Invalid: 112

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1076	53.6%

2	1 or 2 days	609	30.3%
3	3 to 5 days	177	8.8%
4	6 to 9 days	62	3.1%
5	10 to 19 days	37	1.8%
6	20 to 29 days	12	0.6%
7	All 30 days	36	1.8%
Sysmiss		112	

Q21: Bullied how

Data file: npl2015-hill-region

Overview

Valid: 1990 Invalid: 131

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1285	64.6%
2	Kicked, pushed, or shoved	108	5.4%
3	Made fun of race	66	3.3%
4	Made fun because of religion	48	2.4%
5	Made fun of about sex	80	4%
6	Left out of activities	27	1.4%
7	Made fun of about body	67	3.4%
8	Some other way	309	15.5%
Sysmiss		131	

Q22: Felt lonely

Data file: npl2015-hill-region

Overview

Valid: 2071 Invalid: 50

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1088	52.5%
2	Rarely	272	13.1%
3	Sometimes	583	28.2%
4	Most of the time	87	4.2%
5	Always	41	2%
Sysmiss		50	

Q23: Could not sleep

Data file: np12015-hill-region

Overview

Valid: 2110 Invalid: 11

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1065	50.5%
2	Rarely	319	15.1%
3	Sometimes	627	29.7%
4	Most of the time	68	3.2%
5	Always	31	1.5%
Sysmiss		11	

Q24: Considered suicide**Data file:** npl2015-hill-region**Overview**

Valid: 2073 Invalid: 48

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	259	12.5%
2	No	1814	87.5%
Sysmiss		48	

Q25: Made a suicide plan**Data file:** npl2015-hill-region**Overview**

Valid: 2082 Invalid: 39

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	270	13%
2	No	1812	87%
Sysmiss		39	

Q26: Attempted suicide**Data file:** npl2015-hill-region

Overview

Valid: 2113 Invalid: 8

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1916	90.7%
2	1 time	112	5.3%
3	2 or 3 times	51	2.4%
4	4 or 5 times	20	0.9%
5	6 or more times	14	0.7%
Sysmiss		8	

Q27: Close friends

Data file: npl2015-hill-region

Overview

Valid: 2082 Invalid: 39

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	90	4.3%
2	1	305	14.6%
3	2	333	16%
4	3 or more	1354	65%
Sysmiss		39	

Q28: Initiation of cigarette use**Data file:** npl2015-hill-region**Overview**

Valid: 2029 Invalid: 92

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1843	90.8%
2	7 years old or younger	59	2.9%
3	8 or 9 years old	33	1.6%
4	10 or 11 years old	21	1%
5	12 or 13 years old	34	1.7%
6	14 or 15 years old	26	1.3%
7	16 or 17 years old	12	0.6%
8	18 years old or older	1	0%
Sysmiss		92	

Q29: Current cigarette use**Data file:** npl2015-hill-region**Overview**

Valid: 2070 Invalid: 51

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1962	94.8%
2	1 or 2 days	60	2.9%

3	3 to 5 days	22	1.1%
4	6 to 9 days	9	0.4%
5	10 to 19 days	7	0.3%
6	20 to 29 days	2	0.1%
7	All 30 days	8	0.4%
Sysmiss		51	

Q30: Other tobacco use

Data file: npl2015-hill-region

Overview

Valid: 2116 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2016	95.3%
2	1 or 2 days	54	2.6%
3	3 to 5 days	21	1%
4	6 to 9 days	12	0.6%
5	10 to 19 days	6	0.3%
6	20 to 29 days	3	0.1%
7	All 30 days	4	0.2%
Sysmiss		5	

Q31: Smoking cessation

Data file: npl2015-hill-region

Overview

Valid: 2049 Invalid: 72

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1940	94.7%
2	Did not smoke cigarettes	46	2.2%
3	Yes	53	2.6%
4	No	10	0.5%
Sysmiss		72	

Q32: Smoking in their presence

Data file: npl2015-hill-region

Overview

Valid: 2096 Invalid: 25

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	956	45.6%
2	1 or 2 days	475	22.7%
3	3 or 4 days	167	8%
4	5 or 6 days	88	4.2%
5	All 7 days	410	19.6%
Sysmiss		25	

Q33: Parental tobacco use

Data file: npl2015-hill-region

Overview

Valid: 2108 Invalid: 13

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1270	60.2%
2	My father or male guardian	479	22.7%
3	My mother or female guardian	126	6%
4	Both	165	7.8%
5	I do not know	68	3.2%
Sysmiss		13	

Q34: Initiation of alcohol use

Data file: npl2015-hill-region

Overview

Valid: 1998 Invalid: 123

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1811	90.6%
2	7 years old or younger	46	2.3%
3	8 or 9 years old	26	1.3%
4	10 or 11 years old	28	1.4%
5	12 or 13 years old	41	2.1%
6	14 or 15 years old	34	1.7%

7	16 or 17 years old	12	0.6%
8	18 years old or older	0	0%
Sysmiss		123	

Q35: Current alcohol use

Data file: npl2015-hill-region

Overview

Valid: 2075 Invalid: 46

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1980	95.4%
2	1 or 2 days	69	3.3%
3	3 to 5 days	15	0.7%
4	6 to 9 days	5	0.2%
5	10 to 19 days	1	0%
6	20 to 29 days	2	0.1%
7	All 30 days	3	0.1%
Sysmiss		46	

Q36: Drank 2+ drinks

Data file: npl2015-hill-region

Overview

Valid: 2083 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1962	94.2%
2	Less than one drink	85	4.1%
3	1 drink	21	1%
4	2 drinks	2	0.1%
5	3 drinks	8	0.4%
6	4 drinks	1	0%
7	5 or more drinks	4	0.2%
Sysmiss		38	

Q37: Source of alcohol

Data file: npl2015-hill-region

Overview

Valid: 2071 Invalid: 50

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1979	95.6%
2	I bought in a store	34	1.6%
3	I gave someone money to buy	9	0.4%
4	I got it from my friends	22	1.1%
5	I got it from my family	17	0.8%
6	I stole it	3	0.1%
7	Some other way	7	0.3%
Sysmiss		50	

Q38: Really drunk**Data file:** npl2015-hill-region**Overview**

Valid: 2060 Invalid: 61

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1975	95.9%
2	1 or 2 times	68	3.3%
3	3 to 9 times	14	0.7%
4	10 or more times	3	0.1%
Sysmiss		61	

Q39: Trouble from drinking**Data file:** npl2015-hill-region**Overview**

Valid: 2038 Invalid: 83

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2001	98.2%

2	1 or 2 times	20	1%
3	3 to 9 times	10	0.5%
4	10 or more times	7	0.3%
Sysmiss		83	

Q40: Initiation of drug use

Data file: npl2015-hill-region

Overview

Valid: 2036 Invalid: 85

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1874	92%
2	7 years old or younger	52	2.6%
3	8 or 9 years old	25	1.2%
4	10 or 11 years old	20	1%
5	12 or 13 years old	34	1.7%
6	14 or 15 years old	21	1%
7	16 or 17 years old	9	0.4%
8	18 years old or older	1	0%
Sysmiss		85	

Q41: Ever marijuana use

Data file: npl2015-hill-region

Overview

Valid: 2051 Invalid: 70

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1988	96.9%
2	1 or 2 times	40	2%
3	3 to 9 times	12	0.6%
4	10 to 19 times	1	0%
5	20 or more times	10	0.5%
Sysmiss		70	

Q42: Current marijuana use

Data file: npl2015-hill-region

Overview

Valid: 2088 Invalid: 33

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2038	97.6%
2	1 or 2 times	32	1.5%
3	3 to 9 times	7	0.3%
4	10 to 19 times	6	0.3%
5	20 or more times	5	0.2%
Sysmiss		33	

Q43: Amphetamine or methamphetamine use

Data file: npl2015-hill-region

Overview

Valid: 2077 Invalid: 44

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2031	97.8%
2	1 or 2 times	26	1.3%
3	3 to 9 times	3	0.1%
4	10 to 19 times	12	0.6%
5	20 or more times	5	0.2%
Sysmiss		44	

Q44: Ever sexual intercourse

Data file: npl2015-hill-region

Overview

Valid: 1789 Invalid: 332

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	357	20%
2	No	1432	80%
Sysmiss		332	

Q45: Age first had sex**Data file:** npl2015-hill-region**Overview**

Valid: 2009 Invalid: 112

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1889	94%
2	11 years old or younger	62	3.1%
3	12 years old	12	0.6%
4	13 years old	9	0.4%
5	14 years old	7	0.3%
6	15 years old	16	0.8%
7	16 or 17 years old	13	0.6%
8	18 years old or older	1	0%
Sysmiss		112	

Q46: Number of sex partners**Data file:** npl2015-hill-region**Overview**

Valid: 2041 Invalid: 80

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1942	95.1%
2	1 person	39	1.9%

3	2 people	21	1%
4	3 people	9	0.4%
5	4 people	4	0.2%
6	5 people	7	0.3%
7	6 or more people	19	0.9%
Sysmiss		80	

Q47: Condom use

Data file: npl2015-hill-region

Overview

Valid: 1971 Invalid: 150

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1863	94.5%
2	Yes	66	3.3%
3	No	42	2.1%
Sysmiss		150	

Q48: Birth control used

Data file: npl2015-hill-region

Overview

Valid: 1898 Invalid: 223

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1791	94.4%
2	Yes	51	2.7%
3	No	41	2.2%
4	I do not know	15	0.8%
Sysmiss		223	

Q49: Physical activity past 7 days**Data file:** npl2015-hill-region**Overview**

Valid: 2073 Invalid: 48

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1093	52.7%
2	1 day	278	13.4%
3	2 days	140	6.8%
4	3 days	95	4.6%
5	4 days	77	3.7%
6	5 days	53	2.6%
7	6 days	54	2.6%
8	7 days	283	13.7%
Sysmiss		48	

Q50: Walk or bike to school**Data file:** npl2015-hill-region**Overview**

Valid: 2084 Invalid: 37

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1102	52.9%
2	1 day	166	8%
3	2 days	52	2.5%
4	3 days	32	1.5%
5	4 days	33	1.6%
6	5 days	37	1.8%
7	6 days	203	9.7%
8	7 days	459	22%
Sysmiss		37	

Q51: PE attendance

Data file: npl2015-hill-region

Overview

Valid: 2045 Invalid: 76

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	667	32.6%
2	1 day	310	15.2%
3	2 days	177	8.7%

4	3 days	162	7.9%
5	4 days	121	5.9%
6	5 or more days	608	29.7%
Sysmiss		76	

Q52: Sitting activities

Data file: npl2015-hill-region

Overview

Valid: 2087 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1434	68.7%
2	1 to 2 hours per day	460	22%
3	3 to 4 hours per day	123	5.9%
4	5 to 6 hours per day	27	1.3%
5	7 to 8 hours per day	9	0.4%
6	More than 8 hours per day	34	1.6%
Sysmiss		34	

Q53: Miss school no permission

Data file: npl2015-hill-region

Overview

Valid: 2059 Invalid: 62

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1572	76.3%
2	1 or 2 days	325	15.8%
3	3 to 5 days	101	4.9%
4	6 to 9 days	26	1.3%
5	10 or more days	35	1.7%
Sysmiss		62	

Q54: Other students kind and helpful

Data file: npl2015-hill-region

Overview

Valid: 2096 Invalid: 25

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	297	14.2%
2	Rarely	211	10.1%
3	Sometimes	463	22.1%
4	Most of the time	407	19.4%
5	Always	718	34.3%
Sysmiss		25	

Q55: Parents check homework

Data file: npl2015-hill-region

Overview

Valid: 2087 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	332	15.9%
2	Rarely	199	9.5%
3	Sometimes	474	22.7%
4	Most of the time	421	20.2%
5	Always	661	31.7%
Sysmiss		34	

Q56: Parents understand problems

Data file: npl2015-hill-region

Overview

Valid: 2063 Invalid: 58

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	277	13.4%
2	Rarely	228	11.1%
3	Sometimes	445	21.6%
4	Most of the time	529	25.6%
5	Always	584	28.3%
Sysmiss		58	

Q57: Parents know about free time

Data file: npl2015-hill-region

Overview

Valid: 2089 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	372	17.8%
2	Rarely	221	10.6%
3	Sometimes	419	20.1%
4	Most of the time	543	26%
5	Always	534	25.6%
Sysmiss		32	

Q58: Parents go through their things

Data file: npl2015-hill-region

Overview

Valid: 2062 Invalid: 59 Mean: 2.785 Standard deviation: 1.476

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		630	30.6%
2		242	11.7%
3		513	24.9%
4		295	14.3%
5		382	18.5%
Sysmiss		59	

QN6: Most of the time or always went hungry**Data file:** npl2015-hill-region**Overview**

Valid: 2106 Invalid: 15 Mean: 1.959 Standard deviation: 0.199
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	87	4.1%
2	No	2019	95.9%
Sysmiss		15	

QN7: Did not eat fruit**Data file:** npl2015-hill-region**Overview**

Valid: 2102 Invalid: 19 Mean: 1.85 Standard deviation: 0.357
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	315	15%
2	No	1787	85%
Sysmiss		19	

QN8: Did not eat vegetables**Data file:** npl2015-hill-region**Overview**

Valid: 2088 Invalid: 33 Mean: 1.943 Standard deviation: 0.233

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	120	5.7%
2	No	1968	94.3%
Sysmiss		33	

QN9: Did not drink carbonated soft drinks

Data file: npl2015-hill-region

Overview

Valid: 2097 Invalid: 24 Mean: 1.735 Standard deviation: 0.442
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	556	26.5%
2	No	1541	73.5%
Sysmiss		24	

QN10: Did not eat food from a fast food restaurant

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36 Mean: 1.721 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	582	27.9%
2	No	1503	72.1%
Sysmiss		36	

QN11: Usually cleaned or brushed their teeth

Data file: npl2015-hill-region

Overview

Valid: 2107 Invalid: 14 Mean: 1.137 Standard deviation: 0.344
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1819	86.3%
2	No	288	13.7%
Sysmiss		14	

QN12: Never or rarely washed their hands before eating

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36 Mean: 1.959 Standard deviation: 0.199
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	86	4.1%
2	No	1999	95.9%
Sysmiss		36	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** npl2015-hill-region**Overview**

Valid: 2094 Invalid: 27 Mean: 1.954 Standard deviation: 0.21
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	97	4.6%
2	No	1997	95.4%
Sysmiss		27	

QN14: Never or rarely used soap when washing their hands**Data file:** npl2015-hill-region**Overview**

Valid: 2111 Invalid: 10 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	93	4.4%
2	No	2018	95.6%
Sysmiss		10	

QN15: Were physically attacked**Data file:** npl2015-hill-region**Overview**

Valid: 2072 Invalid: 49 Mean: 1.624 Standard deviation: 0.484
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	779	37.6%
2	No	1293	62.4%
Sysmiss		49	

QN16: Were in a physical fight

Data file: npl2015-hill-region

Overview

Valid: 2113 Invalid: 8 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	738	34.9%
2	No	1375	65.1%
Sysmiss		8	

QN17: Were seriously injured

Data file: npl2015-hill-region

Overview

Valid: 1846 Invalid: 275 Mean: 1.379 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1147	62.1%
2	No	699	37.9%
Sysmiss		275	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: npl2015-hill-region

Overview

Valid: 956 Invalid: 1165 Mean: 1.915 Standard deviation: 0.279
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	81	8.5%
2	No	875	91.5%
Sysmiss		1165	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: npl2015-hill-region

Overview

Valid: 926 Invalid: 1195 Mean: 1.942 Standard deviation: 0.234
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	54	5.8%
2	No	872	94.2%
Sysmiss		1195	

QN20: Were bullied**Data file:** npl2015-hill-region**Overview**

Valid: 2009 Invalid: 112 Mean: 1.536 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	933	46.4%
2	No	1076	53.6%
Sysmiss		112	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** npl2015-hill-region**Overview**

Valid: 705 Invalid: 1416 Mean: 1.847 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	108	15.3%
2	No	597	84.7%
Sysmiss		1416	

QN22: Most of the time or always felt lonely**Data file:** npl2015-hill-region**Overview**

Valid: 2071 Invalid: 50 Mean: 1.938 Standard deviation: 0.241
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	128	6.2%
2	No	1943	93.8%
Sysmiss		50	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: npl2015-hill-region

Overview

Valid: 2110 Invalid: 11 Mean: 1.953 Standard deviation: 0.212
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	99	4.7%
2	No	2011	95.3%
Sysmiss		11	

QN24: Seriously considered attempting suicide

Data file: npl2015-hill-region

Overview

Valid: 2073 Invalid: 48 Mean: 1.875 Standard deviation: 0.331
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	259	12.5%
2	No	1814	87.5%
Sysmiss		48	

QN25: Made a plan about how they would attempt suicide

Data file: npl2015-hill-region

Overview

Valid: 2082 Invalid: 39 Mean: 1.87 Standard deviation: 0.336
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	270	13%
2	No	1812	87%
Sysmiss		39	

QN26: Attempted suicide

Data file: npl2015-hill-region

Overview

Valid: 2113 Invalid: 8 Mean: 1.907 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	197	9.3%
2	No	1916	90.7%
Sysmiss		8	

QN27: Did not have any close friends**Data file:** npl2015-hill-region**Overview**

Valid: 2082 Invalid: 39 Mean: 1.957 Standard deviation: 0.203
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	90	4.3%
2	No	1992	95.7%
Sysmiss		39	

QN28: Tried a cigarette before age 14 years**Data file:** npl2015-hill-region**Overview**

Valid: 186 Invalid: 1935 Mean: 1.21 Standard deviation: 0.408
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	147	79%
2	No	39	21%
Sysmiss		1935	

QN29: Currently smoked cigarettes**Data file:** npl2015-hill-region**Overview**

Valid: 2070 Invalid: 51 Mean: 1.948 Standard deviation: 0.222
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	108	5.2%
2	No	1962	94.8%
Sysmiss		51	

QN30: Currently used any tobacco products other than cigarettes

Data file: npl2015-hill-region

Overview

Valid: 2116 Invalid: 5 Mean: 1.953 Standard deviation: 0.212
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	100	4.7%
2	No	2016	95.3%
Sysmiss		5	

QN31: Tried to quit smoking cigarettes

Data file: npl2015-hill-region

Overview

Valid: 63 Invalid: 2058 Mean: 1.159 Standard deviation: 0.368
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	53	84.1%
2	No	10	15.9%
Sysmiss		2058	

QN32: Reported that people smoked in their presence

Data file: npl2015-hill-region

Overview

Valid: 2096 Invalid: 25 Mean: 1.456 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1140	54.4%
2	No	956	45.6%
Sysmiss		25	

QN33: Had parents or guardians who used any form of tobacco

Data file: npl2015-hill-region

Overview

Valid: 2108 Invalid: 13 Mean: 1.635 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	770	36.5%
2	No	1338	63.5%
Sysmiss		13	

QN34: Drank alcohol before age 14 years**Data file:** npl2015-hill-region**Overview**

Valid: 187 Invalid: 1934 Mean: 1.246 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	141	75.4%
2	No	46	24.6%
Sysmiss		1934	

QN35: Currently drank alcohol**Data file:** npl2015-hill-region**Overview**

Valid: 2075 Invalid: 46 Mean: 1.954 Standard deviation: 0.209
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	95	4.6%
2	No	1980	95.4%
Sysmiss		46	

QN36: Usually drank two or more drinks per day**Data file:** npl2015-hill-region**Overview**

Valid: 121 Invalid: 2000 Mean: 1.876 Standard deviation: 0.331
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	15	12.4%
2	No	106	87.6%
Sysmiss		2000	

QN37: Usually obtained the alcohol they drank from friends

Data file: npl2015-hill-region

Overview

Valid: 92 Invalid: 2029 Mean: 1.761 Standard deviation: 0.429
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	22	23.9%
2	No	70	76.1%
Sysmiss		2029	

QN38: Ever drank so much alcohol that they were really drunk

Data file: npl2015-hill-region

Overview

Valid: 2060 Invalid: 61 Mean: 1.959 Standard deviation: 0.199
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	85	4.1%
2	No	1975	95.9%
Sysmiss		61	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: npl2015-hill-region

Overview

Valid: 2038 Invalid: 83 Mean: 1.982 Standard deviation: 0.134
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	37	1.8%
2	No	2001	98.2%
Sysmiss		83	

QN40: Used drugs before age 14 years

Data file: npl2015-hill-region

Overview

Valid: 162 Invalid: 1959 Mean: 1.191 Standard deviation: 0.395
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	131	80.9%
2	No	31	19.1%
Sysmiss		1959	

QN41: Ever used marijuana**Data file:** npl2015-hill-region**Overview**

Valid: 2051 Invalid: 70 Mean: 1.969 Standard deviation: 0.173
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	63	3.1%
2	No	1988	96.9%
Sysmiss		70	

QN42: Currently used marijuana**Data file:** npl2015-hill-region**Overview**

Valid: 2088 Invalid: 33 Mean: 1.976 Standard deviation: 0.153
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	50	2.4%
2	No	2038	97.6%
Sysmiss		33	

QN43: Ever used amphetamines or methamphetamines**Data file:** npl2015-hill-region**Overview**

Valid: 2077 Invalid: 44 Mean: 1.978 Standard deviation: 0.147
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	46	2.2%
2	No	2031	97.8%
Sysmiss		44	

QN44: Ever had sexual intercourse

Data file: npl2015-hill-region

Overview

Valid: 1789 Invalid: 332 Mean: 1.8 Standard deviation: 0.4
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	357	20%
2	No	1432	80%
Sysmiss		332	

QN45: Had sexual intercourse before age 14 years

Data file: npl2015-hill-region

Overview

Valid: 120 Invalid: 2001 Mean: 1.308 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	83	69.2%
2	No	37	30.8%
Sysmiss		2001	

QN46: Had sexual intercourse with two or more persons

Data file: npl2015-hill-region

Overview

Valid: 2041 Invalid: 80 Mean: 1.971 Standard deviation: 0.169
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	60	2.9%
2	No	1981	97.1%
Sysmiss		80	

QN47: Used a condom

Data file: npl2015-hill-region

Overview

Valid: 108 Invalid: 2013 Mean: 1.389 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	66	61.1%
2	No	42	38.9%
Sysmiss		2013	

QN48: Used a method of birth control other than condoms**Data file:** npl2015-hill-region**Overview**

Valid: 107 Invalid: 2014 Mean: 1.523 Standard deviation: 0.502
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	51	47.7%
2	No	56	52.3%
Sysmiss		2014	

QN49: Were not physically active**Data file:** npl2015-hill-region**Overview**

Valid: 2073 Invalid: 48 Mean: 1.473 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1093	52.7%
2	No	980	47.3%
Sysmiss		48	

QN50: Did not walk or ride a bicycle to or from school**Data file:** npl2015-hill-region**Overview**

Valid: 2084 Invalid: 37 Mean: 1.471 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1102	52.9%
2	No	982	47.1%
Sysmiss		37	

QN51: Did not attend physical education classes

Data file: npl2015-hill-region

Overview

Valid: 2045 Invalid: 76 Mean: 1.674 Standard deviation: 0.469
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	667	32.6%
2	No	1378	67.4%
Sysmiss		76	

QN52: Spent three or more hours per day doing sitting activities

Data file: npl2015-hill-region

Overview

Valid: 2087 Invalid: 34 Mean: 1.908 Standard deviation: 0.29
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	193	9.2%
2	No	1894	90.8%
Sysmiss		34	

QN53: Missed classes or school without permission

Data file: npl2015-hill-region

Overview

Valid: 2059 Invalid: 62 Mean: 1.763 Standard deviation: 0.425
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	487	23.7%
2	No	1572	76.3%
Sysmiss		62	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: npl2015-hill-region

Overview

Valid: 2096 Invalid: 25 Mean: 1.463 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1125	53.7%
2	No	971	46.3%
Sysmiss		25	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: npl2015-hill-region

Overview

Valid: 2087 Invalid: 34 Mean: 1.482 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1082	51.8%
2	No	1005	48.2%
Sysmiss		34	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: npl2015-hill-region

Overview

Valid: 2063 Invalid: 58 Mean: 1.46 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1113	54%
2	No	950	46%
Sysmiss		58	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: npl2015-hill-region

Overview

Valid: 2089 Invalid: 32 Mean: 1.484 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1077	51.6%
2	No	1012	48.4%
Sysmiss		32	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: npl2015-hill-region

Overview

Valid: 2062 Invalid: 59 Mean: 1.577 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	872	42.3%
2	No	1190	57.7%
Sysmiss		59	

QNUNWTG: Were underweight

Data file: npl2015-hill-region

Overview

Valid: 1734 Invalid: 387 Mean: 1.926 Standard deviation: 0.262
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	128	7.4%
2	No	1606	92.6%
Sysmiss		387	

QNOWTG: Were overweight

Data file: npl2015-hill-region

Overview

Valid: 1734 Invalid: 387 Mean: 1.938 Standard deviation: 0.242
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	108	6.2%
2	No	1626	93.8%
Sysmiss		387	

QNOBESEG: Were obese

Data file: npl2015-hill-region

Overview

Valid: 1734 Invalid: 387 Mean: 1.995 Standard deviation: 0.0678
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	8	0.5%
2	No	1726	99.5%
Sysmiss		387	

QNFR1G: Usually ate fruit less than one time per day

Data file: npl2015-hill-region

Overview

Valid: 2102 Invalid: 19 Mean: 1.587 Standard deviation: 0.493
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	869	41.3%
2	No	1233	58.7%
Sysmiss		19	

QNFR1G: Usually ate fruit one or more times per day

Data file: npl2015-hill-region

Overview

Valid: 2102 Invalid: 19 Mean: 1.563 Standard deviation: 0.496
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	918	43.7%
2	No	1184	56.3%
Sysmiss		19	

QNFR2G: Usually ate fruit two or more times per day**Data file:** npl2015-hill-region**Overview**

Valid: 2102 Invalid: 19 Mean: 1.823 Standard deviation: 0.382
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	372	17.7%
2	No	1730	82.3%
Sysmiss		19	

QNFR3G: Usually ate fruit three or more times per day**Data file:** npl2015-hill-region**Overview**

Valid: 2102 Invalid: 19 Mean: 1.934 Standard deviation: 0.248
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	138	6.6%
2	No	1964	93.4%
Sysmiss		19	

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** npl2015-hill-region**Overview**

Valid: 2088 Invalid: 33 Mean: 1.668 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	694	33.2%
2	No	1394	66.8%
Sysmiss		33	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: npl2015-hill-region

Overview

Valid: 2088 Invalid: 33 Mean: 1.39 Standard deviation: 0.488
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1274	61%
2	No	814	39%
Sysmiss		33	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: npl2015-hill-region

Overview

Valid: 2088 Invalid: 33 Mean: 1.684 Standard deviation: 0.465
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	660	31.6%
2	No	1428	68.4%
Sysmiss		33	

QNVG3G: Usually ate vegetables three or more times per day

Data file: npl2015-hill-region

Overview

Valid: 2088 Invalid: 33 Mean: 1.91 Standard deviation: 0.286
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	188	9%
2	No	1900	91%
Sysmiss		33	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: npl2015-hill-region

Overview

Valid: 2097 Invalid: 24 Mean: 1.581 Standard deviation: 0.493
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	878	41.9%
2	No	1219	58.1%
Sysmiss		24	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** npl2015-hill-region**Overview**

Valid: 2097 Invalid: 24 Mean: 1.684 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	663	31.6%
2	No	1434	68.4%
Sysmiss		24	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** npl2015-hill-region**Overview**

Valid: 2097 Invalid: 24 Mean: 1.907 Standard deviation: 0.291
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	196	9.3%
2	No	1901	90.7%
Sysmiss		24	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** npl2015-hill-region**Overview**

Valid: 2097 Invalid: 24 Mean: 1.964 Standard deviation: 0.187
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	76	3.6%
2	No	2021	96.4%
Sysmiss		24	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36 Mean: 1.279 Standard deviation: 0.449
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1503	72.1%
2	No	582	27.9%
Sysmiss		36	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36 Mean: 1.617 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	798	38.3%
2	No	1287	61.7%
Sysmiss		36	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: npl2015-hill-region

Overview

Valid: 2085 Invalid: 36 Mean: 1.774 Standard deviation: 0.419
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	472	22.6%
2	No	1613	77.4%
Sysmiss		36	

QNC2G: Were bullied and could not sleep at night

Data file: npl2015-hill-region

Overview

Valid: 89 Invalid: 2032 Mean: 1.326 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	60	67.4%
2	No	29	32.6%
Sysmiss		2032	

QNTOB2G: Currently used any tobacco product**Data file:** npl2015-hill-region**Overview**

Valid: 2075 Invalid: 46 Mean: 1.927 Standard deviation: 0.26
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	151	7.3%
2	No	1924	92.7%
Sysmiss		46	

QNNOTB2G: Did not currently use any tobacco products**Data file:** npl2015-hill-region**Overview**

Valid: 2066 Invalid: 55 Mean: 1.069 Standard deviation: 0.253
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1924	93.1%
2	No	142	6.9%
Sysmiss		55	

QNBCANYG: Used a method of birth control**Data file:** npl2015-hill-region**Overview**

Valid: 77 Invalid: 2044 Mean: 1.117 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	68	88.3%
2	No	9	11.7%
Sysmiss		2044	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: npl2015-hill-region

Overview

Valid: 60 Invalid: 2061 Mean: 1.583 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	25	41.7%
2	No	35	58.3%
Sysmiss		2061	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: npl2015-hill-region

Overview

Valid: 2073 Invalid: 48 Mean: 1.812 Standard deviation: 0.391
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	390	18.8%
2	No	1683	81.2%
Sysmiss		48	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: npl2015-hill-region

Overview

Valid: 2073 Invalid: 48 Mean: 1.863 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	283	13.7%
2	No	1790	86.3%
Sysmiss		48	

QNPE3G: Attended physical education classes on three or more days

Data file: npl2015-hill-region

Overview

Valid: 2045 Invalid: 76 Mean: 1.564 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	891	43.6%
2	No	1154	56.4%
Sysmiss		76	

QNPE5G: Attended physical education classes on five or more days**Data file:** npl2015-hill-region**Overview**

Valid: 2045 Invalid: 76 Mean: 1.703 Standard deviation: 0.457
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	608	29.7%
2	No	1437	70.3%
Sysmiss		76	

WEIGHT:**Data file:** npl2015-hill-region**Overview**

Valid: 2121 Invalid: 0 Mean: 513.895 Standard deviation: 149.117
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file:** npl2015-hill-region**Overview**

Valid: 2121 Invalid: 0 Mean: 201501005.306 Standard deviation: 25.93
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201501001		170	8%
201501002		159	7.5%
201501003		277	13.1%
201501004		305	14.4%
201501005		293	13.8%

201501006		193	9.1%
201501007		267	12.6%
201501008		184	8.7%
201501009		76	3.6%
201501010		99	4.7%
201501011		98	4.6%

PSU:

Data file: npl2015-hill-region

Overview

Valid: 2121 Invalid: 0 Mean: 10.135 Standard deviation: 5.395

Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file:** npl2015-mt-region**Overview**

Valid: 2194 Invalid: 6

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	29	1.3%
2	12 years old	171	7.8%
3	13 years old	415	18.9%
4	14 years old	479	21.8%
5	15 years old	498	22.7%
6	16 years old	390	17.8%
7	17 years old	183	8.3%
8	18 years old or older	29	1.3%
Sysmiss		6	

Q2: Sex**Data file:** npl2015-mt-region**Overview**

Valid: 2178 Invalid: 22

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	983	45.1%
2	Female	1195	54.9%
Sysmiss		22	

Q3: In what grade are you**Data file:** npl2015-mt-region**Overview**

Valid: 2186 Invalid: 14

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Class 7	550	25.2%
2	Class 8	661	30.2%
3	Class 9	398	18.2%
4	Class 10	553	25.3%
5	Class 11	24	1.1%
Sysmiss		14	

Q4: How tall are you**Data file:** npl2015-mt-region**Overview**

Valid: 2019 Invalid: 181 Minimum: 1.23 Maximum: 1.94 Mean: 1.521 Standard deviation: 0.095

Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file:** npl2015-mt-region**Overview**

Valid: 2019 Invalid: 181 Minimum: 23 Maximum: 87 Mean: 43.755 Standard deviation: 7.857

Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: npl2015-mt-region

Overview

Valid: 2181 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1250	57.3%
2	Rarely	142	6.5%
3	Sometimes	709	32.5%
4	Most of the time	55	2.5%
5	Always	25	1.1%
Sysmiss		19	

Q7: No fruit eating

Data file: npl2015-mt-region

Overview

Valid: 2183 Invalid: 17

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	288	13.2%
2	Less than one time per day	922	42.2%
3	1 time per day	558	25.6%
4	2 times per day	215	9.8%
5	3 times per day	116	5.3%
6	4 times per day	39	1.8%
7	5 or more times per day	45	2.1%
Sysmiss		17	

Q8: No vegetable eating

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	102	4.7%
2	Less than one time per day	721	33.1%
3	1 time per day	725	33.3%
4	2 times per day	455	20.9%
5	3 times per day	107	4.9%
6	4 times per day	21	1%
7	5 or more times per day	45	2.1%
Sysmiss		24	

Q9: Soft drinks

Data file: npl2015-mt-region

Overview

Valid: 2187 Invalid: 13

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	608	27.8%
2	Less than one time per day	893	40.8%
3	1 time per day	452	20.7%
4	2 times per day	130	5.9%
5	3 times per day	63	2.9%
6	4 times per day	21	1%
7	5 or more times per day	20	0.9%
Sysmiss		13	

Q10: Fast food eating

Data file: npl2015-mt-region

Overview

Valid: 2185 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	597	27.3%
2	1 day	746	34.1%
3	2 days	326	14.9%
4	3 days	185	8.5%

5	4 days	139	6.4%
6	5 days	65	3%
7	6 days	42	1.9%
8	7 days	85	3.9%
Sysmiss		15	

Q11: Tooth brushing

Data file: npl2015-mt-region

Overview

Valid: 2188 Invalid: 12

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	70	3.2%
2	Less than 1 time per day	172	7.9%
3	1 time per day	945	43.2%
4	2 times per day	842	38.5%
5	3 times per day	131	6%
6	4 or more times per day	28	1.3%
Sysmiss		12	

Q12: Hand washing before eating

Data file: npl2015-mt-region

Overview

Valid: 2168 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	19	0.9%
2	Rarely	31	1.4%
3	Sometimes	74	3.4%
4	Most of the time	507	23.4%
5	Always	1537	70.9%
Sysmiss		32	

Q13: Hand washing after toilet

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	28	1.3%
2	Rarely	43	2%
3	Sometimes	102	4.7%
4	Most of the time	486	22.3%
5	Always	1517	69.7%
Sysmiss		24	

Q14: Hand washing with soap

Data file: npl2015-mt-region

Overview

Valid: 2180 Invalid: 20

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	43	2%
2	Rarely	49	2.2%
3	Sometimes	207	9.5%
4	Most of the time	644	29.5%
5	Always	1237	56.7%
Sysmiss		20	

Q15: Physically attacked

Data file: npl2015-mt-region

Overview

Valid: 2173 Invalid: 27

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1295	59.6%
2	1 time	376	17.3%
3	2 or 3 times	317	14.6%
4	4 or 5 times	80	3.7%
5	6 or 7 times	42	1.9%
6	8 or 9 times	22	1%
7	10 or 11 times	15	0.7%
8	12 or more times	26	1.2%
Sysmiss		27	

Q16: Physical fighting**Data file:** npl2015-mt-region**Overview**

Valid: 2193 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1446	65.9%
2	1 time	375	17.1%
3	2 or 3 times	236	10.8%
4	4 or 5 times	61	2.8%
5	6 or 7 times	14	0.6%
6	8 or 9 times	9	0.4%
7	10 or 11 times	10	0.5%
8	12 or more times	42	1.9%
Sysmiss		7	

Q17: Seriously injured**Data file:** npl2015-mt-region**Overview**

Valid: 1956 Invalid: 244

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	661	33.8%
2	1 time	690	35.3%
3	2 or 3 times	399	20.4%
4	4 or 5 times	104	5.3%
5	6 or 7 times	52	2.7%
6	8 or 9 times	12	0.6%
7	10 or 11 times	9	0.5%
8	12 or more times	29	1.5%
Sysmiss		244	

Q18: Serious injury type

Data file: npl2015-mt-region

Overview

Valid: 1981 Invalid: 219

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	853	43.1%
2	Broken bone/dislocated joint	111	5.6%
3	I had a cut or stab wound	779	39.3%
4	Concussion/head injury	66	3.3%
5	I had a gunshot wound	13	0.7%
6	I had a bad burn	39	2%
7	I was poisoned	1	0.1%
8	Something else happened to me	119	6%
Sysmiss		219	

Q19: Serious injury cause

Data file: npl2015-mt-region

Overview

Valid: 1999 Invalid: 201

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	883	44.2%
2	Motor vehicle accident	50	2.5%
3	I fell	769	38.5%
4	Something fell on me or hit me	104	5.2%
5	I was attacked	16	0.8%
6	Was in a fire	17	0.9%
7	breathed something bad	3	0.2%
8	Something else	157	7.9%
Sysmiss		201	

Q20: Bullied

Data file: npl2015-mt-region

Overview

Valid: 2115 Invalid: 85

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1208	57.1%

2	1 or 2 days	641	30.3%
3	3 to 5 days	132	6.2%
4	6 to 9 days	55	2.6%
5	10 to 19 days	27	1.3%
6	20 to 29 days	7	0.3%
7	All 30 days	45	2.1%
Sysmiss		85	

Q21: Bullied how

Data file: npl2015-mt-region

Overview

Valid: 2107 Invalid: 93

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1371	65.1%
2	Kicked, pushed, or shoved	76	3.6%
3	Made fun of race	54	2.6%
4	Made fun because of religion	52	2.5%
5	Made fun of about sex	64	3%
6	Left out of activities	39	1.9%
7	Made fun of about body	60	2.8%
8	Some other way	391	18.6%
Sysmiss		93	

Q22: Felt lonely

Data file: npl2015-mt-region

Overview

Valid: 2163 Invalid: 37

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1132	52.3%
2	Rarely	260	12%
3	Sometimes	638	29.5%
4	Most of the time	90	4.2%
5	Always	43	2%
Sysmiss		37	

Q23: Could not sleep

Data file: npl2015-mt-region

Overview

Valid: 2194 Invalid: 6

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1042	47.5%
2	Rarely	293	13.4%
3	Sometimes	770	35.1%
4	Most of the time	60	2.7%
5	Always	29	1.3%
Sysmiss		6	

Q24: Considered suicide**Data file:** npl2015-mt-region**Overview**

Valid: 2176 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	257	11.8%
2	No	1919	88.2%
Sysmiss		24	

Q25: Made a suicide plan**Data file:** npl2015-mt-region**Overview**

Valid: 2177 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	290	13.3%
2	No	1887	86.7%
Sysmiss		23	

Q26: Attempted suicide**Data file:** npl2015-mt-region

Overview

Valid: 2195 Invalid: 5

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2018	91.9%
2	1 time	105	4.8%
3	2 or 3 times	43	2%
4	4 or 5 times	19	0.9%
5	6 or more times	10	0.5%
Sysmiss		5	

Q27: Close friends

Data file: npl2015-mt-region

Overview

Valid: 2168 Invalid: 32

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	86	4%
2	1	259	11.9%
3	2	329	15.2%
4	3 or more	1494	68.9%
Sysmiss		32	

Q28: Initiation of cigarette use**Data file:** npl2015-mt-region**Overview**

Valid: 2103 Invalid: 97

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1941	92.3%
2	7 years old or younger	45	2.1%
3	8 or 9 years old	21	1%
4	10 or 11 years old	26	1.2%
5	12 or 13 years old	34	1.6%
6	14 or 15 years old	28	1.3%
7	16 or 17 years old	8	0.4%
8	18 years old or older	0	0%
Sysmiss		97	

Q29: Current cigarette use**Data file:** npl2015-mt-region**Overview**

Valid: 2165 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2070	95.6%
2	1 or 2 days	45	2.1%

3	3 to 5 days	16	0.7%
4	6 to 9 days	9	0.4%
5	10 to 19 days	6	0.3%
6	20 to 29 days	8	0.4%
7	All 30 days	11	0.5%
Sysmiss		35	

Q30: Other tobacco use

Data file: npl2015-mt-region

Overview

Valid: 2191 Invalid: 9

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2108	96.2%
2	1 or 2 days	48	2.2%
3	3 to 5 days	14	0.6%
4	6 to 9 days	8	0.4%
5	10 to 19 days	7	0.3%
6	20 to 29 days	3	0.1%
7	All 30 days	3	0.1%
Sysmiss		9	

Q31: Smoking cessation

Data file: npl2015-mt-region

Overview

Valid: 2121 Invalid: 79

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2002	94.4%
2	Did not smoke cigarettes	41	1.9%
3	Yes	71	3.3%
4	No	7	0.3%
Sysmiss		79	

Q32: Smoking in their presence

Data file: npl2015-mt-region

Overview

Valid: 2181 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	878	40.3%
2	1 or 2 days	461	21.1%
3	3 or 4 days	207	9.5%
4	5 or 6 days	132	6.1%
5	All 7 days	503	23.1%
Sysmiss		19	

Q33: Parental tobacco use

Data file: npl2015-mt-region

Overview

Valid: 2193 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1265	57.7%
2	My father or male guardian	554	25.3%
3	My mother or female guardian	124	5.7%
4	Both	186	8.5%
5	I do not know	64	2.9%
Sysmiss		7	

Q34: Initiation of alcohol use

Data file: npl2015-mt-region

Overview

Valid: 2096 Invalid: 104

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1930	92.1%
2	7 years old or younger	53	2.5%
3	8 or 9 years old	27	1.3%
4	10 or 11 years old	17	0.8%
5	12 or 13 years old	26	1.2%
6	14 or 15 years old	37	1.8%

7	16 or 17 years old	4	0.2%
8	18 years old or older	2	0.1%
Sysmiss		104	

Q35: Current alcohol use

Data file: npl2015-mt-region

Overview

Valid: 2171 Invalid: 29

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2096	96.5%
2	1 or 2 days	38	1.8%
3	3 to 5 days	17	0.8%
4	6 to 9 days	11	0.5%
5	10 to 19 days	4	0.2%
6	20 to 29 days	2	0.1%
7	All 30 days	3	0.1%
Sysmiss		29	

Q36: Drank 2+ drinks

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2070	95.1%
2	Less than one drink	71	3.3%
3	1 drink	14	0.6%
4	2 drinks	9	0.4%
5	3 drinks	5	0.2%
6	4 drinks	3	0.1%
7	5 or more drinks	4	0.2%
Sysmiss		24	

Q37: Source of alcohol

Data file: npl2015-mt-region

Overview

Valid: 2162 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2073	95.9%
2	I bought in a store	29	1.3%
3	I gave someone money to buy	6	0.3%
4	I got it from my friends	23	1.1%
5	I got it from my family	24	1.1%
6	I stole it	2	0.1%
7	Some other way	5	0.2%
Sysmiss		38	

Q38: Really drunk**Data file:** npl2015-mt-region**Overview**

Valid: 2160 Invalid: 40

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2079	96.3%
2	1 or 2 times	56	2.6%
3	3 to 9 times	16	0.7%
4	10 or more times	9	0.4%
Sysmiss		40	

Q39: Trouble from drinking**Data file:** npl2015-mt-region**Overview**

Valid: 2139 Invalid: 61

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2111	98.7%

2	1 or 2 times	20	0.9%
3	3 to 9 times	6	0.3%
4	10 or more times	2	0.1%
Sysmiss		61	

Q40: Initiation of drug use

Data file: npl2015-mt-region

Overview

Valid: 2126 Invalid: 74

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1986	93.4%
2	7 years old or younger	49	2.3%
3	8 or 9 years old	32	1.5%
4	10 or 11 years old	15	0.7%
5	12 or 13 years old	24	1.1%
6	14 or 15 years old	15	0.7%
7	16 or 17 years old	5	0.2%
8	18 years old or older	0	0%
Sysmiss		74	

Q41: Ever marijuana use

Data file: npl2015-mt-region

Overview

Valid: 2153 Invalid: 47

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2094	97.3%
2	1 or 2 times	30	1.4%
3	3 to 9 times	12	0.6%
4	10 to 19 times	7	0.3%
5	20 or more times	10	0.5%
Sysmiss		47	

Q42: Current marijuana use

Data file: npl2015-mt-region

Overview

Valid: 2180 Invalid: 20

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2131	97.8%
2	1 or 2 times	27	1.2%
3	3 to 9 times	14	0.6%
4	10 to 19 times	3	0.1%
5	20 or more times	5	0.2%
Sysmiss		20	

Q43: Amphetamine or methamphetamine use

Data file: npl2015-mt-region

Overview

Valid: 2172 Invalid: 28

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2132	98.2%
2	1 or 2 times	19	0.9%
3	3 to 9 times	11	0.5%
4	10 to 19 times	3	0.1%
5	20 or more times	7	0.3%
Sysmiss		28	

Q44: Ever sexual intercourse

Data file: npl2015-mt-region

Overview

Valid: 1916 Invalid: 284

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	291	15.2%
2	No	1625	84.8%
Sysmiss		284	

Q45: Age first had sex**Data file:** npl2015-mt-region**Overview**

Valid: 2124 Invalid: 76

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1990	93.7%
2	11 years old or younger	33	1.6%
3	12 years old	23	1.1%
4	13 years old	16	0.8%
5	14 years old	16	0.8%
6	15 years old	23	1.1%
7	16 or 17 years old	22	1%
8	18 years old or older	1	0%
Sysmiss		76	

Q46: Number of sex partners**Data file:** npl2015-mt-region**Overview**

Valid: 2145 Invalid: 55

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2014	93.9%
2	1 person	48	2.2%

3	2 people	22	1%
4	3 people	20	0.9%
5	4 people	10	0.5%
6	5 people	15	0.7%
7	6 or more people	16	0.7%
Sysmiss		55	

Q47: Condom use

Data file: npl2015-mt-region

Overview

Valid: 2046 Invalid: 154

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1921	93.9%
2	Yes	76	3.7%
3	No	49	2.4%
Sysmiss		154	

Q48: Birth control used

Data file: npl2015-mt-region

Overview

Valid: 2001 Invalid: 199

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1872	93.6%
2	Yes	63	3.1%
3	No	44	2.2%
4	I do not know	22	1.1%
Sysmiss		199	

Q49: Physical activity past 7 days**Data file:** npl2015-mt-region**Overview**

Valid: 2188 Invalid: 12

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1033	47.2%
2	1 day	295	13.5%
3	2 days	143	6.5%
4	3 days	81	3.7%
5	4 days	114	5.2%
6	5 days	80	3.7%
7	6 days	80	3.7%
8	7 days	362	16.5%
Sysmiss		12	

Q50: Walk or bike to school**Data file:** npl2015-mt-region**Overview**

Valid: 2177 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1026	47.1%
2	1 day	165	7.6%
3	2 days	52	2.4%
4	3 days	52	2.4%
5	4 days	30	1.4%
6	5 days	38	1.7%
7	6 days	265	12.2%
8	7 days	549	25.2%
Sysmiss		23	

Q51: PE attendance

Data file: npl2015-mt-region

Overview

Valid: 2135 Invalid: 65

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	571	26.7%
2	1 day	310	14.5%
3	2 days	227	10.6%

4	3 days	159	7.4%
5	4 days	123	5.8%
6	5 or more days	745	34.9%
Sysmiss		65	

Q52: Sitting activities

Data file: npl2015-mt-region

Overview

Valid: 2180 Invalid: 20

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1430	65.6%
2	1 to 2 hours per day	501	23%
3	3 to 4 hours per day	137	6.3%
4	5 to 6 hours per day	53	2.4%
5	7 to 8 hours per day	22	1%
6	More than 8 hours per day	37	1.7%
Sysmiss		20	

Q53: Miss school no permission

Data file: npl2015-mt-region

Overview

Valid: 2165 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1571	72.6%
2	1 or 2 days	444	20.5%
3	3 to 5 days	86	4%
4	6 to 9 days	17	0.8%
5	10 or more days	47	2.2%
Sysmiss		35	

Q54: Other students kind and helpful

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	237	10.9%
2	Rarely	189	8.7%
3	Sometimes	493	22.7%
4	Most of the time	433	19.9%
5	Always	824	37.9%
Sysmiss		24	

Q55: Parents check homework

Data file: npl2015-mt-region

Overview

Valid: 2166 Invalid: 34

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	290	13.4%
2	Rarely	176	8.1%
3	Sometimes	521	24.1%
4	Most of the time	421	19.4%
5	Always	758	35%
Sysmiss		34	

Q56: Parents understand problems

Data file: npl2015-mt-region

Overview

Valid: 2155 Invalid: 45

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	232	10.8%
2	Rarely	224	10.4%
3	Sometimes	473	21.9%
4	Most of the time	583	27.1%
5	Always	643	29.8%
Sysmiss		45	

Q57: Parents know about free time

Data file: npl2015-mt-region

Overview

Valid: 2172 Invalid: 28

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	291	13.4%
2	Rarely	191	8.8%
3	Sometimes	471	21.7%
4	Most of the time	580	26.7%
5	Always	639	29.4%
Sysmiss		28	

Q58: Parents go through their things

Data file: npl2015-mt-region

Overview

Valid: 2143 Invalid: 57 Mean: 2.931 Standard deviation: 1.427

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		546	25.5%
2		218	10.2%
3		620	28.9%
4		356	16.6%
5		403	18.8%
Sysmiss		57	

QN6: Most of the time or always went hungry**Data file:** npl2015-mt-region**Overview**

Valid: 2181 Invalid: 19 Mean: 1.963 Standard deviation: 0.188
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	80	3.7%
2	No	2101	96.3%
Sysmiss		19	

QN7: Did not eat fruit**Data file:** npl2015-mt-region**Overview**

Valid: 2183 Invalid: 17 Mean: 1.868 Standard deviation: 0.338
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	288	13.2%
2	No	1895	86.8%
Sysmiss		17	

QN8: Did not eat vegetables**Data file:** npl2015-mt-region**Overview**

Valid: 2176 Invalid: 24 Mean: 1.953 Standard deviation: 0.211

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	102	4.7%
2	No	2074	95.3%
Sysmiss		24	

QN9: Did not drink carbonated soft drinks

Data file: npl2015-mt-region

Overview

Valid: 2187 Invalid: 13 Mean: 1.722 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	608	27.8%
2	No	1579	72.2%
Sysmiss		13	

QN10: Did not eat food from a fast food restaurant

Data file: npl2015-mt-region

Overview

Valid: 2185 Invalid: 15 Mean: 1.727 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	597	27.3%
2	No	1588	72.7%
Sysmiss		15	

QN11: Usually cleaned or brushed their teeth

Data file: npl2015-mt-region

Overview

Valid: 2188 Invalid: 12 Mean: 1.111 Standard deviation: 0.314
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1946	88.9%
2	No	242	11.1%
Sysmiss		12	

QN12: Never or rarely washed their hands before eating

Data file: npl2015-mt-region

Overview

Valid: 2168 Invalid: 32 Mean: 1.977 Standard deviation: 0.15
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	50	2.3%
2	No	2118	97.7%
Sysmiss		32	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** npl2015-mt-region**Overview**

Valid: 2176 Invalid: 24 Mean: 1.967 Standard deviation: 0.178
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	71	3.3%
2	No	2105	96.7%
Sysmiss		24	

QN14: Never or rarely used soap when washing their hands**Data file:** npl2015-mt-region**Overview**

Valid: 2180 Invalid: 20 Mean: 1.958 Standard deviation: 0.201
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	92	4.2%
2	No	2088	95.8%
Sysmiss		20	

QN15: Were physically attacked**Data file:** npl2015-mt-region**Overview**

Valid: 2173 Invalid: 27 Mean: 1.596 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	878	40.4%
2	No	1295	59.6%
Sysmiss		27	

QN16: Were in a physical fight

Data file: npl2015-mt-region

Overview

Valid: 2193 Invalid: 7 Mean: 1.659 Standard deviation: 0.474
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	747	34.1%
2	No	1446	65.9%
Sysmiss		7	

QN17: Were seriously injured

Data file: npl2015-mt-region

Overview

Valid: 1956 Invalid: 244 Mean: 1.338 Standard deviation: 0.473
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1295	66.2%
2	No	661	33.8%
Sysmiss		244	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: npl2015-mt-region

Overview

Valid: 1128 Invalid: 1072 Mean: 1.902 Standard deviation: 0.298
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	111	9.8%
2	No	1017	90.2%
Sysmiss		1072	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: npl2015-mt-region

Overview

Valid: 1116 Invalid: 1084 Mean: 1.955 Standard deviation: 0.207
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	50	4.5%
2	No	1066	95.5%
Sysmiss		1084	

QN20: Were bullied**Data file:** npl2015-mt-region**Overview**

Valid: 2115 Invalid: 85 Mean: 1.571 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	907	42.9%
2	No	1208	57.1%
Sysmiss		85	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** npl2015-mt-region**Overview**

Valid: 736 Invalid: 1464 Mean: 1.897 Standard deviation: 0.305
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	76	10.3%
2	No	660	89.7%
Sysmiss		1464	

QN22: Most of the time or always felt lonely**Data file:** npl2015-mt-region**Overview**

Valid: 2163 Invalid: 37 Mean: 1.939 Standard deviation: 0.24
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	133	6.1%
2	No	2030	93.9%
Sysmiss		37	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: npl2015-mt-region

Overview

Valid: 2194 Invalid: 6 Mean: 1.959 Standard deviation: 0.197
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	89	4.1%
2	No	2105	95.9%
Sysmiss		6	

QN24: Seriously considered attempting suicide

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24 Mean: 1.882 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	257	11.8%
2	No	1919	88.2%
Sysmiss		24	

QN25: Made a plan about how they would attempt suicide

Data file: npl2015-mt-region

Overview

Valid: 2177 Invalid: 23 Mean: 1.867 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	290	13.3%
2	No	1887	86.7%
Sysmiss		23	

QN26: Attempted suicide

Data file: npl2015-mt-region

Overview

Valid: 2195 Invalid: 5 Mean: 1.919 Standard deviation: 0.272
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	177	8.1%
2	No	2018	91.9%
Sysmiss		5	

QN27: Did not have any close friends**Data file:** npl2015-mt-region**Overview**

Valid: 2168 Invalid: 32 Mean: 1.96 Standard deviation: 0.195
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	86	4%
2	No	2082	96%
Sysmiss		32	

QN28: Tried a cigarette before age 14 years**Data file:** npl2015-mt-region**Overview**

Valid: 162 Invalid: 2038 Mean: 1.222 Standard deviation: 0.417
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	126	77.8%
2	No	36	22.2%
Sysmiss		2038	

QN29: Currently smoked cigarettes**Data file:** npl2015-mt-region**Overview**

Valid: 2165 Invalid: 35 Mean: 1.956 Standard deviation: 0.205
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	95	4.4%
2	No	2070	95.6%
Sysmiss		35	

QN30: Currently used any tobacco products other than cigarettes

Data file: npl2015-mt-region

Overview

Valid: 2191 Invalid: 9 Mean: 1.962 Standard deviation: 0.191
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	83	3.8%
2	No	2108	96.2%
Sysmiss		9	

QN31: Tried to quit smoking cigarettes

Data file: npl2015-mt-region

Overview

Valid: 78 Invalid: 2122 Mean: 1.09 Standard deviation: 0.288
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	71	91%
2	No	7	9%
Sysmiss		2122	

QN32: Reported that people smoked in their presence

Data file: npl2015-mt-region

Overview

Valid: 2181 Invalid: 19 Mean: 1.403 Standard deviation: 0.491
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1303	59.7%
2	No	878	40.3%
Sysmiss		19	

QN33: Had parents or guardians who used any form of tobacco

Data file: npl2015-mt-region

Overview

Valid: 2193 Invalid: 7 Mean: 1.606 Standard deviation: 0.489
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	864	39.4%
2	No	1329	60.6%
Sysmiss		7	

QN34: Drank alcohol before age 14 years**Data file:** npl2015-mt-region**Overview**

Valid: 166 Invalid: 2034 Mean: 1.259 Standard deviation: 0.439
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	123	74.1%
2	No	43	25.9%
Sysmiss		2034	

QN35: Currently drank alcohol**Data file:** npl2015-mt-region**Overview**

Valid: 2171 Invalid: 29 Mean: 1.965 Standard deviation: 0.183
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	75	3.5%
2	No	2096	96.5%
Sysmiss		29	

QN36: Usually drank two or more drinks per day**Data file:** npl2015-mt-region**Overview**

Valid: 106 Invalid: 2094 Mean: 1.802 Standard deviation: 0.4
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	21	19.8%
2	No	85	80.2%
Sysmiss		2094	

QN37: Usually obtained the alcohol they drank from friends

Data file: npl2015-mt-region

Overview

Valid: 89 Invalid: 2111 Mean: 1.742 Standard deviation: 0.44
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	23	25.8%
2	No	66	74.2%
Sysmiss		2111	

QN38: Ever drank so much alcohol that they were really drunk

Data file: npl2015-mt-region

Overview

Valid: 2160 Invalid: 40 Mean: 1.963 Standard deviation: 0.19
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	81	3.8%
2	No	2079	96.3%
Sysmiss		40	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: npl2015-mt-region

Overview

Valid: 2139 Invalid: 61 Mean: 1.987 Standard deviation: 0.114
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	28	1.3%
2	No	2111	98.7%
Sysmiss		61	

QN40: Used drugs before age 14 years

Data file: npl2015-mt-region

Overview

Valid: 140 Invalid: 2060 Mean: 1.143 Standard deviation: 0.351
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	120	85.7%
2	No	20	14.3%
Sysmiss		2060	

QN41: Ever used marijuana**Data file:** npl2015-mt-region**Overview**

Valid: 2153 Invalid: 47 Mean: 1.973 Standard deviation: 0.163
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	59	2.7%
2	No	2094	97.3%
Sysmiss		47	

QN42: Currently used marijuana**Data file:** npl2015-mt-region**Overview**

Valid: 2180 Invalid: 20 Mean: 1.978 Standard deviation: 0.148
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	49	2.2%
2	No	2131	97.8%
Sysmiss		20	

QN43: Ever used amphetamines or methamphetamines**Data file:** npl2015-mt-region**Overview**

Valid: 2172 Invalid: 28 Mean: 1.982 Standard deviation: 0.134
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	40	1.8%
2	No	2132	98.2%
Sysmiss		28	

QN44: Ever had sexual intercourse

Data file: npl2015-mt-region

Overview

Valid: 1916 Invalid: 284 Mean: 1.848 Standard deviation: 0.359
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	291	15.2%
2	No	1625	84.8%
Sysmiss		284	

QN45: Had sexual intercourse before age 14 years

Data file: npl2015-mt-region

Overview

Valid: 134 Invalid: 2066 Mean: 1.463 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	72	53.7%
2	No	62	46.3%
Sysmiss		2066	

QN46: Had sexual intercourse with two or more persons

Data file: npl2015-mt-region

Overview

Valid: 2145 Invalid: 55 Mean: 1.961 Standard deviation: 0.193
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	83	3.9%
2	No	2062	96.1%
Sysmiss		55	

QN47: Used a condom

Data file: npl2015-mt-region

Overview

Valid: 125 Invalid: 2075 Mean: 1.392 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	76	60.8%
2	No	49	39.2%
Sysmiss		2075	

QN48: Used a method of birth control other than condoms**Data file:** npl2015-mt-region**Overview**

Valid: 129 Invalid: 2071 Mean: 1.512 Standard deviation: 0.502
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	63	48.8%
2	No	66	51.2%
Sysmiss		2071	

QN49: Were not physically active**Data file:** npl2015-mt-region**Overview**

Valid: 2188 Invalid: 12 Mean: 1.528 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1033	47.2%
2	No	1155	52.8%
Sysmiss		12	

QN50: Did not walk or ride a bicycle to or from school**Data file:** npl2015-mt-region**Overview**

Valid: 2177 Invalid: 23 Mean: 1.529 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1026	47.1%
2	No	1151	52.9%
Sysmiss		23	

QN51: Did not attend physical education classes

Data file: npl2015-mt-region

Overview

Valid: 2135 Invalid: 65 Mean: 1.733 Standard deviation: 0.443
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	571	26.7%
2	No	1564	73.3%
Sysmiss		65	

QN52: Spent three or more hours per day doing sitting activities

Data file: npl2015-mt-region

Overview

Valid: 2180 Invalid: 20 Mean: 1.886 Standard deviation: 0.318
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	249	11.4%
2	No	1931	88.6%
Sysmiss		20	

QN53: Missed classes or school without permission

Data file: npl2015-mt-region

Overview

Valid: 2165 Invalid: 35 Mean: 1.726 Standard deviation: 0.446
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	594	27.4%
2	No	1571	72.6%
Sysmiss		35	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24 Mean: 1.422 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1257	57.8%
2	No	919	42.2%
Sysmiss		24	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: npl2015-mt-region

Overview

Valid: 2166 Invalid: 34 Mean: 1.456 Standard deviation: 0.498
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1179	54.4%
2	No	987	45.6%
Sysmiss		34	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: npl2015-mt-region

Overview

Valid: 2155 Invalid: 45 Mean: 1.431 Standard deviation: 0.495
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1226	56.9%
2	No	929	43.1%
Sysmiss		45	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: npl2015-mt-region

Overview

Valid: 2172 Invalid: 28 Mean: 1.439 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1219	56.1%
2	No	953	43.9%
Sysmiss		28	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: npl2015-mt-region

Overview

Valid: 2143 Invalid: 57 Mean: 1.643 Standard deviation: 0.479
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	764	35.7%
2	No	1379	64.3%
Sysmiss		57	

QNUNWTG: Were underweight

Data file: npl2015-mt-region

Overview

Valid: 2019 Invalid: 181 Mean: 1.908 Standard deviation: 0.289
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	186	9.2%
2	No	1833	90.8%
Sysmiss		181	

QNOWTG: Were overweight

Data file: npl2015-mt-region

Overview

Valid: 2019 Invalid: 181 Mean: 1.958 Standard deviation: 0.201
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	85	4.2%
2	No	1934	95.8%
Sysmiss		181	

QNOBESEG: Were obese

Data file: npl2015-mt-region

Overview

Valid: 2019 Invalid: 181 Mean: 1.994 Standard deviation: 0.08
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	13	0.6%
2	No	2006	99.4%
Sysmiss		181	

QNFR1G: Usually ate fruit less than one time per day

Data file: npl2015-mt-region

Overview

Valid: 2183 Invalid: 17 Mean: 1.578 Standard deviation: 0.494
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	922	42.2%
2	No	1261	57.8%
Sysmiss		17	

QNFR1G: Usually ate fruit one or more times per day

Data file: npl2015-mt-region

Overview

Valid: 2183 Invalid: 17 Mean: 1.554 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	973	44.6%
2	No	1210	55.4%
Sysmiss		17	

QNFR2G: Usually ate fruit two or more times per day**Data file:** npl2015-mt-region**Overview**

Valid: 2183 Invalid: 17 Mean: 1.81 Standard deviation: 0.392
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	415	19%
2	No	1768	81%
Sysmiss		17	

QNFR3G: Usually ate fruit three or more times per day**Data file:** npl2015-mt-region**Overview**

Valid: 2183 Invalid: 17 Mean: 1.908 Standard deviation: 0.289
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	200	9.2%
2	No	1983	90.8%
Sysmiss		17	

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** npl2015-mt-region**Overview**

Valid: 2176 Invalid: 24 Mean: 1.669 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	721	33.1%
2	No	1455	66.9%
Sysmiss		24	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24 Mean: 1.378 Standard deviation: 0.485
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1353	62.2%
2	No	823	37.8%
Sysmiss		24	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24 Mean: 1.711 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	628	28.9%
2	No	1548	71.1%
Sysmiss		24	

QNVG3G: Usually ate vegetables three or more times per day

Data file: npl2015-mt-region

Overview

Valid: 2176 Invalid: 24 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	173	8%
2	No	2003	92%
Sysmiss		24	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: npl2015-mt-region

Overview

Valid: 2187 Invalid: 13 Mean: 1.592 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	893	40.8%
2	No	1294	59.2%
Sysmiss		13	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** npl2015-mt-region**Overview**

Valid: 2187 Invalid: 13 Mean: 1.686 Standard deviation: 0.464
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	686	31.4%
2	No	1501	68.6%
Sysmiss		13	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** npl2015-mt-region**Overview**

Valid: 2187 Invalid: 13 Mean: 1.893 Standard deviation: 0.309
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	234	10.7%
2	No	1953	89.3%
Sysmiss		13	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** npl2015-mt-region**Overview**

Valid: 2187 Invalid: 13 Mean: 1.952 Standard deviation: 0.213
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	104	4.8%
2	No	2083	95.2%
Sysmiss		13	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: npl2015-mt-region

Overview

Valid: 2185 Invalid: 15 Mean: 1.273 Standard deviation: 0.446
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1588	72.7%
2	No	597	27.3%
Sysmiss		15	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: npl2015-mt-region

Overview

Valid: 2185 Invalid: 15 Mean: 1.615 Standard deviation: 0.487
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	842	38.5%
2	No	1343	61.5%
Sysmiss		15	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: npl2015-mt-region

Overview

Valid: 2185 Invalid: 15 Mean: 1.764 Standard deviation: 0.425
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	516	23.6%
2	No	1669	76.4%
Sysmiss		15	

QNC2G: Were bullied and could not sleep at night

Data file: npl2015-mt-region

Overview

Valid: 86 Invalid: 2114 Mean: 1.372 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	54	62.8%
2	No	32	37.2%
Sysmiss		2114	

QNTOB2G: Currently used any tobacco product**Data file:** npl2015-mt-region**Overview**

Valid: 2170 Invalid: 30 Mean: 1.94 Standard deviation: 0.238
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	131	6%
2	No	2039	94%
Sysmiss		30	

QNNOTB2G: Did not currently use any tobacco products**Data file:** npl2015-mt-region**Overview**

Valid: 2161 Invalid: 39 Mean: 1.056 Standard deviation: 0.231
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	2039	94.4%
2	No	122	5.6%
Sysmiss		39	

QNBCANYG: Used a method of birth control**Data file:** npl2015-mt-region**Overview**

Valid: 98 Invalid: 2102 Mean: 1.184 Standard deviation: 0.389
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	80	81.6%
2	No	18	18.4%
Sysmiss		2102	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: npl2015-mt-region

Overview

Valid: 64 Invalid: 2136 Mean: 1.453 Standard deviation: 0.502
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	35	54.7%
2	No	29	45.3%
Sysmiss		2136	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: npl2015-mt-region

Overview

Valid: 2188 Invalid: 12 Mean: 1.761 Standard deviation: 0.426
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	522	23.9%
2	No	1666	76.1%
Sysmiss		12	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: npl2015-mt-region

Overview

Valid: 2188 Invalid: 12 Mean: 1.835 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	362	16.5%
2	No	1826	83.5%
Sysmiss		12	

QNPE3G: Attended physical education classes on three or more days

Data file: npl2015-mt-region

Overview

Valid: 2135 Invalid: 65 Mean: 1.519 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	1027	48.1%
2	No	1108	51.9%
Sysmiss		65	

QNPE5G: Attended physical education classes on five or more days**Data file:** npl2015-mt-region**Overview**

Valid: 2135 Invalid: 65 Mean: 1.651 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	745	34.9%
2	No	1390	65.1%
Sysmiss		65	

WEIGHT:**Data file:** npl2015-mt-region**Overview**

Valid: 2200 Invalid: 0 Mean: 76.328 Standard deviation: 29.682
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file:** npl2015-mt-region**Overview**

Valid: 2200 Invalid: 0 Mean: 201503004.697 Standard deviation: 10.213
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions**CATEGORIES**

Value	Category	Cases	
201503001		281	12.8%
201503002		258	11.7%
201503003		266	12.1%
201503004		391	17.8%
201503005		236	10.7%

201503006		245	11.1%
201503007		181	8.2%
201503008		73	3.3%
201503009		115	5.2%
201503010		55	2.5%
201503011		99	4.5%

PSU:

Data file: npl2015-mt-region

Overview

Valid: 2200 Invalid: 0 Mean: 8.831 Standard deviation: 5.533

Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

Q1: Custom Age**Data file:** npl2015-terai-region**Overview**

Valid: 2195 Invalid: 13

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	41	1.9%
2	12 years old	151	6.9%
3	13 years old	378	17.2%
4	14 years old	558	25.4%
5	15 years old	481	21.9%
6	16 years old	383	17.4%
7	17 years old	153	7%
8	18 years old or older	50	2.3%
Sysmiss		13	

Q2: Sex**Data file:** npl2015-terai-region**Overview**

Valid: 2185 Invalid: 23

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1083	49.6%
2	Female	1102	50.4%
Sysmiss		23	

Q3: In what grade are you**Data file:** npl2015-terai-region**Overview**

Valid: 2194 Invalid: 14

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Class 7	394	18%
2	Class 8	556	25.3%
3	Class 9	597	27.2%
4	Class 10	599	27.3%
5	Class 11	48	2.2%
Sysmiss		14	

Q4: How tall are you**Data file:** npl2015-terai-region**Overview**

Valid: 2038 Invalid: 170 Minimum: 1.13 Maximum: 1.9 Mean: 1.533 Standard deviation: 0.091

Type: Continuous Decimal: 2 Width: 10 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file:** npl2015-terai-region**Overview**

Valid: 2038 Invalid: 170 Minimum: 21 Maximum: 142 Mean: 43.831 Standard deviation: 8.316

Type: Continuous Decimal: 2 Width: 10 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: npl2015-terai-region

Overview

Valid: 2191 Invalid: 17

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1575	71.9%
2	Rarely	134	6.1%
3	Sometimes	377	17.2%
4	Most of the time	58	2.6%
5	Always	47	2.1%
Sysmiss		17	

Q7: No fruit eating

Data file: npl2015-terai-region

Overview

Valid: 2193 Invalid: 15

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	155	7.1%
2	Less than one time per day	938	42.8%
3	1 time per day	669	30.5%
4	2 times per day	257	11.7%
5	3 times per day	88	4%
6	4 times per day	36	1.6%
7	5 or more times per day	50	2.3%
Sysmiss		15	

Q8: No vegetable eating

Data file: npl2015-terai-region

Overview

Valid: 2184 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	87	4%
2	Less than one time per day	746	34.2%
3	1 time per day	585	26.8%
4	2 times per day	546	25%
5	3 times per day	149	6.8%
6	4 times per day	24	1.1%
7	5 or more times per day	47	2.2%
Sysmiss		24	

Q9: Soft drinks

Data file: npl2015-terai-region

Overview

Valid: 2191 Invalid: 17

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	438	20%
2	Less than one time per day	1049	47.9%
3	1 time per day	527	24.1%
4	2 times per day	117	5.3%
5	3 times per day	33	1.5%
6	4 times per day	17	0.8%
7	5 or more times per day	10	0.5%
Sysmiss		17	

Q10: Fast food eating

Data file: npl2015-terai-region

Overview

Valid: 2192 Invalid: 16

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	446	20.3%
2	1 day	723	33%
3	2 days	369	16.8%
4	3 days	265	12.1%

5	4 days	124	5.7%
6	5 days	78	3.6%
7	6 days	80	3.6%
8	7 days	107	4.9%
Sysmiss		16	

Q11: Tooth brushing

Data file: npl2015-terai-region

Overview

Valid: 2187 Invalid: 21

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	91	4.2%
2	Less than 1 time per day	205	9.4%
3	1 time per day	796	36.4%
4	2 times per day	1012	46.3%
5	3 times per day	61	2.8%
6	4 or more times per day	22	1%
Sysmiss		21	

Q12: Hand washing before eating

Data file: npl2015-terai-region

Overview

Valid: 2175 Invalid: 33

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	27	1.2%
2	Rarely	39	1.8%
3	Sometimes	78	3.6%
4	Most of the time	437	20.1%
5	Always	1594	73.3%
Sysmiss		33	

Q13: Hand washing after toilet

Data file: npl2015-terai-region

Overview

Valid: 2173 Invalid: 35

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	29	1.3%
2	Rarely	49	2.3%
3	Sometimes	70	3.2%
4	Most of the time	359	16.5%
5	Always	1666	76.7%
Sysmiss		35	

Q14: Hand washing with soap

Data file: npl2015-terai-region

Overview

Valid: 2183 Invalid: 25

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	46	2.1%
2	Rarely	49	2.2%
3	Sometimes	139	6.4%
4	Most of the time	555	25.4%
5	Always	1394	63.9%
Sysmiss		25	

Q15: Physically attacked

Data file: npl2015-terai-region

Overview

Valid: 2177 Invalid: 31

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1097	50.4%
2	1 time	466	21.4%
3	2 or 3 times	341	15.7%
4	4 or 5 times	116	5.3%
5	6 or 7 times	43	2%
6	8 or 9 times	14	0.6%
7	10 or 11 times	28	1.3%
8	12 or more times	72	3.3%
Sysmiss		31	

Q16: Physical fighting**Data file:** npl2015-terai-region**Overview**

Valid: 2201 Invalid: 7

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1230	55.9%
2	1 time	378	17.2%
3	2 or 3 times	337	15.3%
4	4 or 5 times	102	4.6%
5	6 or 7 times	31	1.4%
6	8 or 9 times	19	0.9%
7	10 or 11 times	12	0.5%
8	12 or more times	92	4.2%
Sysmiss		7	

Q17: Seriously injured**Data file:** npl2015-terai-region**Overview**

Valid: 1972 Invalid: 236

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	720	36.5%
2	1 time	597	30.3%
3	2 or 3 times	412	20.9%
4	4 or 5 times	118	6%
5	6 or 7 times	47	2.4%
6	8 or 9 times	28	1.4%
7	10 or 11 times	17	0.9%
8	12 or more times	33	1.7%
Sysmiss		236	

Q18: Serious injury type

Data file: npl2015-terai-region

Overview

Valid: 2010 Invalid: 198

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	970	48.3%
2	Broken bone/dislocated joint	152	7.6%
3	I had a cut or stab wound	636	31.6%
4	Concussion/head injury	75	3.7%
5	I had a gunshot wound	4	0.2%
6	I had a bad burn	31	1.5%
7	I was poisoned	9	0.4%
8	Something else happened to me	133	6.6%
Sysmiss		198	

Q19: Serious injury cause

Data file: npl2015-terai-region

Overview

Valid: 2011 Invalid: 197

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	962	47.8%
2	Motor vehicle accident	140	7%
3	I fell	561	27.9%
4	Something fell on me or hit me	121	6%
5	I was attacked	28	1.4%
6	Was in a fire	18	0.9%
7	breathed something bad	10	0.5%
8	Something else	171	8.5%
Sysmiss		197	

Q20: Bullied

Data file: npl2015-terai-region

Overview

Valid: 2077 Invalid: 131

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	929	44.7%

2	1 or 2 days	720	34.7%
3	3 to 5 days	198	9.5%
4	6 to 9 days	113	5.4%
5	10 to 19 days	44	2.1%
6	20 to 29 days	7	0.3%
7	All 30 days	66	3.2%
Sysmiss		131	

Q21: Bullied how

Data file: npl2015-terai-region

Overview

Valid: 2077 Invalid: 131

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1109	53.4%
2	Kicked, pushed, or shoved	114	5.5%
3	Made fun of race	82	3.9%
4	Made fun because of religion	71	3.4%
5	Made fun of about sex	106	5.1%
6	Left out of activities	25	1.2%
7	Made fun of about body	77	3.7%
8	Some other way	493	23.7%
Sysmiss		131	

Q22: Felt lonely

Data file: npl2015-terai-region

Overview

Valid: 2154 Invalid: 54

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1032	47.9%
2	Rarely	372	17.3%
3	Sometimes	609	28.3%
4	Most of the time	96	4.5%
5	Always	45	2.1%
Sysmiss		54	

Q23: Could not sleep

Data file: np12015-terai-region

Overview

Valid: 2184 Invalid: 24

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1055	48.3%
2	Rarely	369	16.9%
3	Sometimes	666	30.5%
4	Most of the time	66	3%
5	Always	28	1.3%
Sysmiss		24	

Q24: Considered suicide**Data file:** npl2015-terai-region**Overview**

Valid: 2143 Invalid: 65

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	298	13.9%
2	No	1845	86.1%
Sysmiss		65	

Q25: Made a suicide plan**Data file:** npl2015-terai-region**Overview**

Valid: 2147 Invalid: 61

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	293	13.6%
2	No	1854	86.4%
Sysmiss		61	

Q26: Attempted suicide**Data file:** npl2015-terai-region

Overview

Valid: 2190 Invalid: 18

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1965	89.7%
2	1 time	143	6.5%
3	2 or 3 times	43	2%
4	4 or 5 times	26	1.2%
5	6 or more times	13	0.6%
Sysmiss		18	

Q27: Close friends

Data file: npl2015-terai-region

Overview

Valid: 2167 Invalid: 41

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	92	4.2%
2	1	269	12.4%
3	2	328	15.1%
4	3 or more	1478	68.2%
Sysmiss		41	

Q28: Initiation of cigarette use**Data file:** npl2015-terai-region**Overview**

Valid: 2076 Invalid: 132

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1856	89.4%
2	7 years old or younger	53	2.6%
3	8 or 9 years old	31	1.5%
4	10 or 11 years old	32	1.5%
5	12 or 13 years old	41	2%
6	14 or 15 years old	48	2.3%
7	16 or 17 years old	14	0.7%
8	18 years old or older	1	0%
Sysmiss		132	

Q29: Current cigarette use**Data file:** npl2015-terai-region**Overview**

Valid: 2146 Invalid: 62

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1993	92.9%
2	1 or 2 days	55	2.6%

3	3 to 5 days	30	1.4%
4	6 to 9 days	19	0.9%
5	10 to 19 days	15	0.7%
6	20 to 29 days	18	0.8%
7	All 30 days	16	0.7%
Sysmiss		62	

Q30: Other tobacco use

Data file: npl2015-terai-region

Overview

Valid: 2189 Invalid: 19

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2046	93.5%
2	1 or 2 days	76	3.5%
3	3 to 5 days	21	1%
4	6 to 9 days	5	0.2%
5	10 to 19 days	16	0.7%
6	20 to 29 days	17	0.8%
7	All 30 days	8	0.4%
Sysmiss		19	

Q31: Smoking cessation

Data file: npl2015-terai-region

Overview

Valid: 2117 Invalid: 91

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1933	91.3%
2	Did not smoke cigarettes	65	3.1%
3	Yes	94	4.4%
4	No	25	1.2%
Sysmiss		91	

Q32: Smoking in their presence

Data file: npl2015-terai-region

Overview

Valid: 2170 Invalid: 38

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	983	45.3%
2	1 or 2 days	557	25.7%
3	3 or 4 days	177	8.2%
4	5 or 6 days	95	4.4%
5	All 7 days	358	16.5%
Sysmiss		38	

Q33: Parental tobacco use

Data file: npl2015-terai-region

Overview

Valid: 2179 Invalid: 29

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1395	64%
2	My father or male guardian	519	23.8%
3	My mother or female guardian	76	3.5%
4	Both	96	4.4%
5	I do not know	93	4.3%
Sysmiss		29	

Q34: Initiation of alcohol use

Data file: npl2015-terai-region

Overview

Valid: 2029 Invalid: 179

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1806	89%
2	7 years old or younger	61	3%
3	8 or 9 years old	36	1.8%
4	10 or 11 years old	27	1.3%
5	12 or 13 years old	31	1.5%
6	14 or 15 years old	48	2.4%

7	16 or 17 years old	16	0.8%
8	18 years old or older	4	0.2%
Sysmiss		179	

Q35: Current alcohol use

Data file: npl2015-terai-region

Overview

Valid: 2139 Invalid: 69

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2009	93.9%
2	1 or 2 days	69	3.2%
3	3 to 5 days	27	1.3%
4	6 to 9 days	18	0.8%
5	10 to 19 days	5	0.2%
6	20 to 29 days	3	0.1%
7	All 30 days	8	0.4%
Sysmiss		69	

Q36: Drank 2+ drinks

Data file: npl2015-terai-region

Overview

Valid: 2161 Invalid: 47

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2001	92.6%
2	Less than one drink	82	3.8%
3	1 drink	30	1.4%
4	2 drinks	29	1.3%
5	3 drinks	3	0.1%
6	4 drinks	2	0.1%
7	5 or more drinks	14	0.6%
Sysmiss		47	

Q37: Source of alcohol

Data file: npl2015-terai-region

Overview

Valid: 2150 Invalid: 58

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2005	93.3%
2	I bought in a store	46	2.1%
3	I gave someone money to buy	22	1%
4	I got it from my friends	24	1.1%
5	I got it from my family	30	1.4%
6	I stole it	3	0.1%
7	Some other way	20	0.9%
Sysmiss		58	

Q38: Really drunk**Data file:** npl2015-terai-region**Overview**

Valid: 2130 Invalid: 78

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2002	94%
2	1 or 2 times	75	3.5%
3	3 to 9 times	28	1.3%
4	10 or more times	25	1.2%
Sysmiss		78	

Q39: Trouble from drinking**Data file:** npl2015-terai-region**Overview**

Valid: 2097 Invalid: 111

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2031	96.9%

2	1 or 2 times	34	1.6%
3	3 to 9 times	20	1%
4	10 or more times	12	0.6%
Sysmiss		111	

Q40: Initiation of drug use

Data file: npl2015-terai-region

Overview

Valid: 2045 Invalid: 163

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1852	90.6%
2	7 years old or younger	62	3%
3	8 or 9 years old	32	1.6%
4	10 or 11 years old	27	1.3%
5	12 or 13 years old	27	1.3%
6	14 or 15 years old	29	1.4%
7	16 or 17 years old	15	0.7%
8	18 years old or older	1	0%
Sysmiss		163	

Q41: Ever marijuana use

Data file: npl2015-terai-region

Overview

Valid: 2080 Invalid: 128

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1975	95%
2	1 or 2 times	48	2.3%
3	3 to 9 times	28	1.3%
4	10 to 19 times	12	0.6%
5	20 or more times	17	0.8%
Sysmiss		128	

Q42: Current marijuana use

Data file: npl2015-terai-region

Overview

Valid: 2128 Invalid: 80

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	2046	96.1%
2	1 or 2 times	46	2.2%
3	3 to 9 times	25	1.2%
4	10 to 19 times	5	0.2%
5	20 or more times	6	0.3%
Sysmiss		80	

Q43: Amphetamine or methamphetamine use

Data file: npl2015-terai-region

Overview

Valid: 2128 Invalid: 80

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	2055	96.6%
2	1 or 2 times	36	1.7%
3	3 to 9 times	18	0.8%
4	10 to 19 times	9	0.4%
5	20 or more times	10	0.5%
Sysmiss		80	

Q44: Ever sexual intercourse

Data file: npl2015-terai-region

Overview

Valid: 1924 Invalid: 284

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	367	19.1%
2	No	1557	80.9%
Sysmiss		284	

Q45: Age first had sex**Data file:** npl2015-terai-region**Overview**

Valid: 2060 Invalid: 148

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1908	92.6%
2	11 years old or younger	46	2.2%
3	12 years old	25	1.2%
4	13 years old	24	1.2%
5	14 years old	19	0.9%
6	15 years old	23	1.1%
7	16 or 17 years old	14	0.7%
8	18 years old or older	1	0%
Sysmiss		148	

Q46: Number of sex partners**Data file:** npl2015-terai-region**Overview**

Valid: 2089 Invalid: 119

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1952	93.4%
2	1 person	52	2.5%

3	2 people	40	1.9%
4	3 people	13	0.6%
5	4 people	5	0.2%
6	5 people	8	0.4%
7	6 or more people	19	0.9%
Sysmiss		119	

Q47: Condom use

Data file: npl2015-terai-region

Overview

Valid: 2039 Invalid: 169

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1903	93.3%
2	Yes	78	3.8%
3	No	58	2.8%
Sysmiss		169	

Q48: Birth control used

Data file: npl2015-terai-region

Overview

Valid: 2024 Invalid: 184

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1889	93.3%
2	Yes	62	3.1%
3	No	57	2.8%
4	I do not know	16	0.8%
Sysmiss		184	

Q49: Physical activity past 7 days**Data file:** npl2015-terai-region**Overview**

Valid: 2158 Invalid: 50

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	948	43.9%
2	1 day	310	14.4%
3	2 days	151	7%
4	3 days	96	4.4%
5	4 days	84	3.9%
6	5 days	48	2.2%
7	6 days	65	3%
8	7 days	456	21.1%
Sysmiss		50	

Q50: Walk or bike to school**Data file:** npl2015-terai-region**Overview**

Valid: 2159 Invalid: 49

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	557	25.8%
2	1 day	226	10.5%
3	2 days	93	4.3%
4	3 days	81	3.8%
5	4 days	67	3.1%
6	5 days	52	2.4%
7	6 days	305	14.1%
8	7 days	778	36%
Sysmiss		49	

Q51: PE attendance

Data file: npl2015-terai-region

Overview

Valid: 2120 Invalid: 88

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	741	35%
2	1 day	250	11.8%
3	2 days	194	9.2%

4	3 days	151	7.1%
5	4 days	104	4.9%
6	5 or more days	680	32.1%
Sysmiss		88	

Q52: Sitting activities

Data file: npl2015-terai-region

Overview

Valid: 2160 Invalid: 48

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1262	58.4%
2	1 to 2 hours per day	642	29.7%
3	3 to 4 hours per day	156	7.2%
4	5 to 6 hours per day	55	2.5%
5	7 to 8 hours per day	16	0.7%
6	More than 8 hours per day	29	1.3%
Sysmiss		48	

Q53: Miss school no permission

Data file: npl2015-terai-region

Overview

Valid: 2134 Invalid: 74

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1453	68.1%
2	1 or 2 days	469	22%
3	3 to 5 days	133	6.2%
4	6 to 9 days	54	2.5%
5	10 or more days	25	1.2%
Sysmiss		74	

Q54: Other students kind and helpful

Data file: npl2015-terai-region

Overview

Valid: 2155 Invalid: 53

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	273	12.7%
2	Rarely	213	9.9%
3	Sometimes	464	21.5%
4	Most of the time	485	22.5%
5	Always	720	33.4%
Sysmiss		53	

Q55: Parents check homework

Data file: npl2015-terai-region

Overview

Valid: 2150 Invalid: 58

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	320	14.9%
2	Rarely	290	13.5%
3	Sometimes	469	21.8%
4	Most of the time	424	19.7%
5	Always	647	30.1%
Sysmiss		58	

Q56: Parents understand problems

Data file: npl2015-terai-region

Overview

Valid: 2133 Invalid: 75

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	280	13.1%
2	Rarely	265	12.4%
3	Sometimes	414	19.4%
4	Most of the time	569	26.7%
5	Always	605	28.4%
Sysmiss		75	

Q57: Parents know about free time

Data file: npl2015-terai-region

Overview

Valid: 2159 Invalid: 49

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	377	17.5%
2	Rarely	286	13.2%
3	Sometimes	370	17.1%
4	Most of the time	511	23.7%
5	Always	615	28.5%
Sysmiss		49	

Q58: Parents go through their things

Data file: npl2015-terai-region

Overview

Valid: 2147 Invalid: 61 Mean: 2.68 Standard deviation: 1.437

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		671	31.3%
2		321	15%
3		515	24%
4		304	14.2%
5		336	15.6%
Sysmiss		61	

QN6: Most of the time or always went hungry**Data file:** npl2015-terai-region**Overview**

Valid: 2191 Invalid: 17 Mean: 1.952 Standard deviation: 0.214
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	105	4.8%
2	No	2086	95.2%
Sysmiss		17	

QN7: Did not eat fruit**Data file:** npl2015-terai-region**Overview**

Valid: 2193 Invalid: 15 Mean: 1.929 Standard deviation: 0.256
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	155	7.1%
2	No	2038	92.9%
Sysmiss		15	

QN8: Did not eat vegetables**Data file:** npl2015-terai-region**Overview**

Valid: 2184 Invalid: 24 Mean: 1.96 Standard deviation: 0.196

Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	87	4%
2	No	2097	96%
Sysmiss		24	

QN9: Did not drink carbonated soft drinks

Data file: npl2015-terai-region

Overview

Valid: 2191 Invalid: 17 Mean: 1.8 Standard deviation: 0.4
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	438	20%
2	No	1753	80%
Sysmiss		17	

QN10: Did not eat food from a fast food restaurant

Data file: npl2015-terai-region

Overview

Valid: 2192 Invalid: 16 Mean: 1.797 Standard deviation: 0.403
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	446	20.3%
2	No	1746	79.7%
Sysmiss		16	

QN11: Usually cleaned or brushed their teeth

Data file: npl2015-terai-region

Overview

Valid: 2187 Invalid: 21 Mean: 1.135 Standard deviation: 0.342
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1891	86.5%
2	No	296	13.5%
Sysmiss		21	

QN12: Never or rarely washed their hands before eating

Data file: npl2015-terai-region

Overview

Valid: 2175 Invalid: 33 Mean: 1.97 Standard deviation: 0.172
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	66	3%
2	No	2109	97%
Sysmiss		33	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** npl2015-terai-region**Overview**

Valid: 2173 Invalid: 35 Mean: 1.964 Standard deviation: 0.186
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	78	3.6%
2	No	2095	96.4%
Sysmiss		35	

QN14: Never or rarely used soap when washing their hands**Data file:** npl2015-terai-region**Overview**

Valid: 2183 Invalid: 25 Mean: 1.956 Standard deviation: 0.204
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	95	4.4%
2	No	2088	95.6%
Sysmiss		25	

QN15: Were physically attacked**Data file:** npl2015-terai-region**Overview**

Valid: 2177 Invalid: 31 Mean: 1.504 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1080	49.6%
2	No	1097	50.4%
Sysmiss		31	

QN16: Were in a physical fight

Data file: npl2015-terai-region

Overview

Valid: 2201 Invalid: 7 Mean: 1.559 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	971	44.1%
2	No	1230	55.9%
Sysmiss		7	

QN17: Were seriously injured

Data file: npl2015-terai-region

Overview

Valid: 1972 Invalid: 236 Mean: 1.365 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1252	63.5%
2	No	720	36.5%
Sysmiss		236	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: npl2015-terai-region

Overview

Valid: 1040 Invalid: 1168 Mean: 1.854 Standard deviation: 0.353
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	152	14.6%
2	No	888	85.4%
Sysmiss		1168	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: npl2015-terai-region

Overview

Valid: 1049 Invalid: 1159 Mean: 1.867 Standard deviation: 0.34
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	140	13.3%
2	No	909	86.7%
Sysmiss		1159	

QN20: Were bullied**Data file:** npl2015-terai-region**Overview**

Valid: 2077 Invalid: 131 Mean: 1.447 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1148	55.3%
2	No	929	44.7%
Sysmiss		131	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** npl2015-terai-region**Overview**

Valid: 968 Invalid: 1240 Mean: 1.882 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	114	11.8%
2	No	854	88.2%
Sysmiss		1240	

QN22: Most of the time or always felt lonely**Data file:** npl2015-terai-region**Overview**

Valid: 2154 Invalid: 54 Mean: 1.935 Standard deviation: 0.247
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	141	6.5%
2	No	2013	93.5%
Sysmiss		54	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: npl2015-terai-region

Overview

Valid: 2184 Invalid: 24 Mean: 1.957 Standard deviation: 0.203
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	94	4.3%
2	No	2090	95.7%
Sysmiss		24	

QN24: Seriously considered attempting suicide

Data file: npl2015-terai-region

Overview

Valid: 2143 Invalid: 65 Mean: 1.861 Standard deviation: 0.346
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	298	13.9%
2	No	1845	86.1%
Sysmiss		65	

QN25: Made a plan about how they would attempt suicide

Data file: npl2015-terai-region

Overview

Valid: 2147 Invalid: 61 Mean: 1.864 Standard deviation: 0.343
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	293	13.6%
2	No	1854	86.4%
Sysmiss		61	

QN26: Attempted suicide

Data file: npl2015-terai-region

Overview

Valid: 2190 Invalid: 18 Mean: 1.897 Standard deviation: 0.304
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	225	10.3%
2	No	1965	89.7%
Sysmiss		18	

QN27: Did not have any close friends**Data file:** npl2015-terai-region**Overview**

Valid: 2167 Invalid: 41 Mean: 1.958 Standard deviation: 0.202
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1	Yes	92	4.2%
2	No	2075	95.8%
Sysmiss		41	

QN28: Tried a cigarette before age 14 years**Data file:** npl2015-terai-region**Overview**

Valid: 220 Invalid: 1988 Mean: 1.286 Standard deviation: 0.453
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1	Yes	157	71.4%
2	No	63	28.6%
Sysmiss		1988	

QN29: Currently smoked cigarettes**Data file:** npl2015-terai-region**Overview**

Valid: 2146 Invalid: 62 Mean: 1.929 Standard deviation: 0.257
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	153	7.1%
2	No	1993	92.9%
Sysmiss		62	

QN30: Currently used any tobacco products other than cigarettes

Data file: npl2015-terai-region

Overview

Valid: 2189 Invalid: 19 Mean: 1.935 Standard deviation: 0.247
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	143	6.5%
2	No	2046	93.5%
Sysmiss		19	

QN31: Tried to quit smoking cigarettes

Data file: npl2015-terai-region

Overview

Valid: 119 Invalid: 2089 Mean: 1.21 Standard deviation: 0.409
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	94	79%
2	No	25	21%
Sysmiss		2089	

QN32: Reported that people smoked in their presence

Data file: npl2015-terai-region

Overview

Valid: 2170 Invalid: 38 Mean: 1.453 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1187	54.7%
2	No	983	45.3%
Sysmiss		38	

QN33: Had parents or guardians who used any form of tobacco

Data file: npl2015-terai-region

Overview

Valid: 2179 Invalid: 29 Mean: 1.683 Standard deviation: 0.465
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	691	31.7%
2	No	1488	68.3%
Sysmiss		29	

QN34: Drank alcohol before age 14 years**Data file:** npl2015-terai-region**Overview**

Valid: 223 Invalid: 1985 Mean: 1.305 Standard deviation: 0.461
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1	Yes	155	69.5%
2	No	68	30.5%
Sysmiss		1985	

QN35: Currently drank alcohol**Data file:** npl2015-terai-region**Overview**

Valid: 2139 Invalid: 69 Mean: 1.939 Standard deviation: 0.239
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	130	6.1%
2	No	2009	93.9%
Sysmiss		69	

QN36: Usually drank two or more drinks per day**Data file:** npl2015-terai-region**Overview**

Valid: 160 Invalid: 2048 Mean: 1.7 Standard deviation: 0.46
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	48	30%
2	No	112	70%
Sysmiss		2048	

QN37: Usually obtained the alcohol they drank from friends

Data file: npl2015-terai-region

Overview

Valid: 145 Invalid: 2063 Mean: 1.834 Standard deviation: 0.373
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	24	16.6%
2	No	121	83.4%
Sysmiss		2063	

QN38: Ever drank so much alcohol that they were really drunk

Data file: npl2015-terai-region

Overview

Valid: 2130 Invalid: 78 Mean: 1.94 Standard deviation: 0.238
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	128	6%
2	No	2002	94%
Sysmiss		78	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: npl2015-terai-region

Overview

Valid: 2097 Invalid: 111 Mean: 1.969 Standard deviation: 0.175
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	66	3.1%
2	No	2031	96.9%
Sysmiss		111	

QN40: Used drugs before age 14 years

Data file: npl2015-terai-region

Overview

Valid: 193 Invalid: 2015 Mean: 1.233 Standard deviation: 0.424
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1	Yes	148	76.7%
2	No	45	23.3%
Sysmiss		2015	

QN41: Ever used marijuana**Data file:** npl2015-terai-region**Overview**

Valid: 2080 Invalid: 128 Mean: 1.95 Standard deviation: 0.219
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	105	5%
2	No	1975	95%
Sysmiss		128	

QN42: Currently used marijuana**Data file:** npl2015-terai-region**Overview**

Valid: 2128 Invalid: 80 Mean: 1.961 Standard deviation: 0.193
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	82	3.9%
2	No	2046	96.1%
Sysmiss		80	

QN43: Ever used amphetamines or methamphetamines**Data file:** npl2015-terai-region**Overview**

Valid: 2128 Invalid: 80 Mean: 1.966 Standard deviation: 0.182
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	73	3.4%
2	No	2055	96.6%
Sysmiss		80	

QN44: Ever had sexual intercourse

Data file: npl2015-terai-region

Overview

Valid: 1924 Invalid: 284 Mean: 1.809 Standard deviation: 0.393
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	367	19.1%
2	No	1557	80.9%
Sysmiss		284	

QN45: Had sexual intercourse before age 14 years

Data file: npl2015-terai-region

Overview

Valid: 152 Invalid: 2056 Mean: 1.375 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	95	62.5%
2	No	57	37.5%
Sysmiss		2056	

QN46: Had sexual intercourse with two or more persons

Data file: npl2015-terai-region

Overview

Valid: 2089 Invalid: 119 Mean: 1.959 Standard deviation: 0.198
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	85	4.1%
2	No	2004	95.9%
Sysmiss		119	

QN47: Used a condom

Data file: npl2015-terai-region

Overview

Valid: 136 Invalid: 2072 Mean: 1.426 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	78	57.4%
2	No	58	42.6%
Sysmiss		2072	

QN48: Used a method of birth control other than condoms**Data file:** npl2015-terai-region**Overview**

Valid: 135 Invalid: 2073 Mean: 1.541 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	62	45.9%
2	No	73	54.1%
Sysmiss		2073	

QN49: Were not physically active**Data file:** npl2015-terai-region**Overview**

Valid: 2158 Invalid: 50 Mean: 1.561 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	948	43.9%
2	No	1210	56.1%
Sysmiss		50	

QN50: Did not walk or ride a bicycle to or from school**Data file:** npl2015-terai-region**Overview**

Valid: 2159 Invalid: 49 Mean: 1.742 Standard deviation: 0.438
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	557	25.8%
2	No	1602	74.2%
Sysmiss		49	

QN51: Did not attend physical education classes

Data file: npl2015-terai-region

Overview

Valid: 2120 Invalid: 88 Mean: 1.65 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	741	35%
2	No	1379	65%
Sysmiss		88	

QN52: Spent three or more hours per day doing sitting activities

Data file: npl2015-terai-region

Overview

Valid: 2160 Invalid: 48 Mean: 1.881 Standard deviation: 0.323
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	256	11.9%
2	No	1904	88.1%
Sysmiss		48	

QN53: Missed classes or school without permission

Data file: npl2015-terai-region

Overview

Valid: 2134 Invalid: 74 Mean: 1.681 Standard deviation: 0.466
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	681	31.9%
2	No	1453	68.1%
Sysmiss		74	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: npl2015-terai-region

Overview

Valid: 2155 Invalid: 53 Mean: 1.441 Standard deviation: 0.497
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1205	55.9%
2	No	950	44.1%
Sysmiss		53	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: npl2015-terai-region

Overview

Valid: 2150 Invalid: 58 Mean: 1.502 Standard deviation: 0.5
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1071	49.8%
2	No	1079	50.2%
Sysmiss		58	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: npl2015-terai-region

Overview

Valid: 2133 Invalid: 75 Mean: 1.45 Standard deviation: 0.498
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1174	55%
2	No	959	45%
Sysmiss		75	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: npl2015-terai-region

Overview

Valid: 2159 Invalid: 49 Mean: 1.478 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1126	52.2%
2	No	1033	47.8%
Sysmiss		49	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: npl2015-terai-region

Overview

Valid: 2147 Invalid: 61 Mean: 1.538 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	992	46.2%
2	No	1155	53.8%
Sysmiss		61	

QNUNWTG: Were underweight

Data file: npl2015-terai-region

Overview

Valid: 2038 Invalid: 170 Mean: 1.846 Standard deviation: 0.361
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight ($<-2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	314	15.4%
2	No	1724	84.6%
Sysmiss		170	

QNOWTG: Were overweight

Data file: npl2015-terai-region

Overview

Valid: 2038 Invalid: 170 Mean: 1.93 Standard deviation: 0.255
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	143	7%
2	No	1895	93%
Sysmiss		170	

QNOBESEG: Were obese

Data file: npl2015-terai-region

Overview

Valid: 2038 Invalid: 170 Mean: 1.99 Standard deviation: 0.0986
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	20	1%
2	No	2018	99%
Sysmiss		170	

QNFR1G: Usually ate fruit less than one time per day

Data file: npl2015-terai-region

Overview

Valid: 2193 Invalid: 15 Mean: 1.572 Standard deviation: 0.495
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	938	42.8%
2	No	1255	57.2%
Sysmiss		15	

QNFR1G: Usually ate fruit one or more times per day

Data file: npl2015-terai-region

Overview

Valid: 2193 Invalid: 15 Mean: 1.498 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1100	50.2%
2	No	1093	49.8%
Sysmiss		15	

QNFR2G: Usually ate fruit two or more times per day**Data file:** npl2015-terai-region**Overview**

Valid: 2193 Invalid: 15 Mean: 1.803 Standard deviation: 0.397
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	431	19.7%
2	No	1762	80.3%
Sysmiss		15	

QNFR3G: Usually ate fruit three or more times per day**Data file:** npl2015-terai-region**Overview**

Valid: 2193 Invalid: 15 Mean: 1.921 Standard deviation: 0.27
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	174	7.9%
2	No	2019	92.1%
Sysmiss		15	

QNVEGLG: Usually ate vegetables less than one time per day**Data file:** npl2015-terai-region**Overview**

Valid: 2184 Invalid: 24 Mean: 1.658 Standard deviation: 0.474
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	746	34.2%
2	No	1438	65.8%
Sysmiss		24	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: npl2015-terai-region

Overview

Valid: 2184 Invalid: 24 Mean: 1.381 Standard deviation: 0.486
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1351	61.9%
2	No	833	38.1%
Sysmiss		24	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: npl2015-terai-region

Overview

Valid: 2184 Invalid: 24 Mean: 1.649 Standard deviation: 0.477
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	766	35.1%
2	No	1418	64.9%
Sysmiss		24	

QNVG3G: Usually ate vegetables three or more times per day

Data file: npl2015-terai-region

Overview

Valid: 2184 Invalid: 24 Mean: 1.899 Standard deviation: 0.301
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	220	10.1%
2	No	1964	89.9%
Sysmiss		24	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: npl2015-terai-region

Overview

Valid: 2191 Invalid: 17 Mean: 1.521 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1049	47.9%
2	No	1142	52.1%
Sysmiss		17	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** npl2015-terai-region**Overview**

Valid: 2191 Invalid: 17 Mean: 1.679 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	704	32.1%
2	No	1487	67.9%
Sysmiss		17	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** npl2015-terai-region**Overview**

Valid: 2191 Invalid: 17 Mean: 1.919 Standard deviation: 0.273
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	177	8.1%
2	No	2014	91.9%
Sysmiss		17	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** npl2015-terai-region**Overview**

Valid: 2191 Invalid: 17 Mean: 1.973 Standard deviation: 0.163
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	60	2.7%
2	No	2131	97.3%
Sysmiss		17	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: npl2015-terai-region

Overview

Valid: 2192 Invalid: 16 Mean: 1.203 Standard deviation: 0.403
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1746	79.7%
2	No	446	20.3%
Sysmiss		16	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: npl2015-terai-region

Overview

Valid: 2192 Invalid: 16 Mean: 1.533 Standard deviation: 0.499
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1023	46.7%
2	No	1169	53.3%
Sysmiss		16	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: npl2015-terai-region

Overview

Valid: 2192 Invalid: 16 Mean: 1.702 Standard deviation: 0.458
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	654	29.8%
2	No	1538	70.2%
Sysmiss		16	

QNC2G: Were bullied and could not sleep at night

Data file: npl2015-terai-region

Overview

Valid: 88 Invalid: 2120 Mean: 1.205 Standard deviation: 0.406
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	70	79.5%
2	No	18	20.5%
Sysmiss		2120	

QNTOB2G: Currently used any tobacco product**Data file:** npl2015-terai-region**Overview**

Valid: 2158 Invalid: 50 Mean: 1.904 Standard deviation: 0.295
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	207	9.6%
2	No	1951	90.4%
Sysmiss		50	

QNNOTB2G: Did not currently use any tobacco products**Data file:** npl2015-terai-region**Overview**

Valid: 2141 Invalid: 67 Mean: 1.089 Standard deviation: 0.284
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	1951	91.1%
2	No	190	8.9%
Sysmiss		67	

QNBCANYG: Used a method of birth control**Data file:** npl2015-terai-region**Overview**

Valid: 95 Invalid: 2113 Mean: 1.263 Standard deviation: 0.443
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1	Yes	70	73.7%
2	No	25	26.3%
Sysmiss		2113	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: npl2015-terai-region

Overview

Valid: 89 Invalid: 2119 Mean: 1.528 Standard deviation: 0.502
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1	Yes	42	47.2%
2	No	47	52.8%
Sysmiss		2119	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: npl2015-terai-region

Overview

Valid: 2158 Invalid: 50 Mean: 1.736 Standard deviation: 0.441
Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	569	26.4%
2	No	1589	73.6%
Sysmiss		50	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: npl2015-terai-region

Overview

Valid: 2158 Invalid: 50 Mean: 1.789 Standard deviation: 0.408
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1	Yes	456	21.1%
2	No	1702	78.9%
Sysmiss		50	

QNPE3G: Attended physical education classes on three or more days

Data file: npl2015-terai-region

Overview

Valid: 2120 Invalid: 88 Mean: 1.559 Standard deviation: 0.497
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	935	44.1%
2	No	1185	55.9%
Sysmiss		88	

QNPE5G: Attended physical education classes on five or more days**Data file:** npl2015-terai-region**Overview**

Valid: 2120 Invalid: 88 Mean: 1.679 Standard deviation: 0.467
 Type: Discrete Decimal: 0 Width: 10 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1	Yes	680	32.1%
2	No	1440	67.9%
Sysmiss		88	

WEIGHT:**Data file:** npl2015-terai-region**Overview**

Valid: 2208 Invalid: 0 Mean: 433.553 Standard deviation: 192.408
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric

STRATUM:**Data file:** npl2015-terai-region**Overview**

Valid: 2208 Invalid: 0 Mean: 201502005.572 Standard deviation: 22.302
 Type: Discrete Decimal: 0 Width: 10 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201502001		231	10.5%
201502002		261	11.8%
201502003		140	6.3%
201502004		208	9.4%
201502005		154	7%

201502006		279	12.6%
201502007		233	10.6%
201502008		336	15.2%
201502009		224	10.1%
201502010		44	2%
201502011		98	4.4%

PSU:

Data file: npl2015-terai-region

Overview

Valid: 2208 Invalid: 0 Mean: 10.632 Standard deviation: 5.783

Type: Continuous Decimal: 0 Width: 10 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2015_GSHS_Nepal_Questionnaire.pdf

Questionnaire (Nepali)

title Questionnaire (Nepali)
filename 2015_GSHS_Nepal_Questionnaire-Nepali.pdf

reports

Fact Sheet (National)

title Fact Sheet (National)
filename gshs_fs_nepal_2015.pdf

Fact Sheet (Hill Region)

title Fact Sheet (Hill Region)
filename gshs_fs_nepal_hill_region_2015.pdf

Fact Sheet (Mountain Region)

title Fact Sheet (Mountain Region)
filename gshs_fs_nepal_mountain_region_2015.pdf

Fact Sheet (Terai Region)

title Fact Sheet (Terai Region)
filename gshs_fs_nepal_terai_region_2015.pdf

technical_documents

Codebook (National)

title Codebook (National)
filename 2015NPH_Public_Use_Codebook.pdf

Codebook (Hill Region)

title Codebook (Hill Region)

filename 2015NPAH_Public_Use_Codebook.pdf

Codebook (Mountain Region)

title Codebook (Mountain Region)

filename 2015NPCH_Public_Use_Codebook.pdf

Codebook (Terai Region)

title Codebook (Terai Region)

filename 2015NPBH_Public_Use_Codebook.pdf
