

Global School-Based Student Health Survey 2017

report_generated_on: April 23, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
PRY_2017_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2017

COUNTRY

Name	Country code
Paraguay	PRY

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Paraguay.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents

school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
hygiene
mental health
physical activity
sexual behaviours
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades Ocatvo-Tercer Curso in Paraguay. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 87%, and the overall response rate was 87%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

- W1 - The inverse of the probability of selecting each school
 W2 - The inverse of the probability of selecting each classroom
 f1 - A school-level non response adjustment factor
 f2 - A student-level non response adjustment factor calculated by classroom
 f3 - A post stratification adjustment factor calculated by sex within grade

data_collection

DATES OF DATA COLLECTION

Start	End
2017	2017

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_PRY_2017_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-12

DDI DOCUMENT VERSION

Identical to a metadata (PRY_2017_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
PYH2017	3149	141

Data file: PYH2017

Cases:	3149
variables:	141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury type	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury cause	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied how	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Age first had sex	How old were you when you had sexual intercourse for the first time?
V46	Q46	Number of sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight		
V143	stratum		
V144	psu		

total: 141

Q1: Custom Age**Data file: PYH2017****Overview**

Valid: 3101 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	23	0.7%
2	12 years old	157	5.1%
3	13 years old	488	15.7%
4	14 years old	683	22%
5	15 years old	644	20.8%
6	16 years old	587	18.9%
7	17 years old	397	12.8%
8	18 years old or older	122	3.9%
Sysmiss		48	

Q10: Fast food eating**Data file: PYH2017****Overview**

Valid: 3105 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1420	45.7%
2	1 day	820	26.4%
3	2 days	408	13.1%

4	3 days	195	6.3%
5	4 days	90	2.9%
6	5 days	69	2.2%
7	6 days	31	1%
8	7 days	72	2.3%
Sysmiss		44	

Q2: Sex

Data file: PYH2017

Overview

Valid: 3087 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1468	47.6%
2	Female	1619	52.4%
Sysmiss		62	

Q3: In what grade are you

Data file: PYH2017

Overview

Valid: 3086 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Octavo (8)	665	21.5%
2	Noveno (9)	686	22.2%
3	Primer Curso (1)	738	23.9%

4	Segundo Curso (2)	531	17.2%
5	Tercer Curso (3)	466	15.1%
Sysmiss		63	

Q4: How tall are you

Data file: PYH2017

Overview

Valid: 2843 Invalid: 306 Minimum: 1.32 Maximum: 1.94 Mean: 1.634 Standard deviation: 0.0867
 Type: Continuous Decimal: 2 Width: 4 Range: 1.27 - 1.87 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: PYH2017

Overview

Valid: 2843 Invalid: 306 Minimum: 23 Maximum: 172 Mean: 57.906 Standard deviation: 14.209
 Type: Continuous Decimal: 2 Width: 6 Range: 28 - 116 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: PYH2017

Overview

Valid: 3113 Invalid: 36
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	2213	71.1%
2	Rarely	551	17.7%
3	Sometimes	277	8.9%
4	Most of the time	37	1.2%
5	Always	35	1.1%
Sysmiss		36	

Q7: No fruit eating

Data file: PYH2017

Overview

Valid: 3093 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	243	7.9%
2	Less than one time per day	638	20.6%
3	1 time per day	946	30.6%
4	2 times per day	702	22.7%
5	3 times per day	315	10.2%
6	4 times per day	100	3.2%
7	5 or more times per day	149	4.8%
Sysmiss		56	

Q8: No vegetable eating**Data file: PYH2017****Overview**

Valid: 3118 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	142	4.6%
2	Less than one time per day	353	11.3%
3	1 time per day	1162	37.3%
4	2 times per day	688	22.1%
5	3 times per day	371	11.9%
6	4 times per day	86	2.8%
7	5 or more times per day	316	10.1%
Sysmiss		31	

Q9: Soft drinks**Data file: PYH2017****Overview**

Valid: 3100 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	278	9%
2	Less than one time per day	962	31%

3	1 time per day	835	26.9%
4	2 times per day	522	16.8%
5	3 times per day	206	6.6%
6	4 times per day	109	3.5%
7	5 or more times per day	188	6.1%
Sysmiss		49	

Q11: Tooth brushing

Data file: PYH2017

Overview

Valid: 3132 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	15	0.5%
2	Less than 1 time per day	69	2.2%
3	1 time per day	230	7.3%
4	2 times per day	747	23.9%
5	3 times per day	1522	48.6%
6	4 or more times per day	549	17.5%
Sysmiss		17	

Q12: Hand washing before eating

Data file: PYH2017

Overview

Valid: 3106 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	49	1.6%
2	Rarely	204	6.6%
3	Sometimes	381	12.3%
4	Most of the time	888	28.6%
5	Always	1584	51%
Sysmiss		43	

Q13: Hand washing after toilet

Data file: PYH2017

Overview

Valid: 3108 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	27	0.9%
2	Rarely	58	1.9%
3	Sometimes	167	5.4%
4	Most of the time	492	15.8%
5	Always	2364	76.1%
Sysmiss		41	

Q14: Hand washing with soap

Data file: PYH2017

Overview

Valid: 3133 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	55	1.8%
2	Rarely	151	4.8%
3	Sometimes	362	11.6%
4	Most of the time	954	30.5%
5	Always	1611	51.4%
Sysmiss		16	

Q15: Physically attacked

Data file: PYH2017

Overview

Valid: 3101 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2626	84.7%
2	1 time	243	7.8%
3	2 or 3 times	131	4.2%
4	4 or 5 times	40	1.3%
5	6 or 7 times	16	0.5%
6	8 or 9 times	14	0.5%
7	10 or 11 times	7	0.2%
8	12 or more times	24	0.8%
Sysmiss		48	

Q16: Physical fighting**Data file: PYH2017****Overview**

Valid: 3131 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2558	81.7%
2	1 time	322	10.3%
3	2 or 3 times	162	5.2%
4	4 or 5 times	38	1.2%
5	6 or 7 times	16	0.5%
6	8 or 9 times	4	0.1%
7	10 or 11 times	5	0.2%
8	12 or more times	26	0.8%
Sysmiss		18	

Q17: Seriously injured**Data file: PYH2017****Overview**

Valid: 2873 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1825	63.5%
2	1 time	661	23%
3	2 or 3 times	278	9.7%
4	4 or 5 times	48	1.7%
5	6 or 7 times	23	0.8%
6	8 or 9 times	17	0.6%
7	10 or 11 times	4	0.1%
8	12 or more times	17	0.6%
Sysmiss		276	

Q18: Serious injury type

Data file: PYH2017

Overview

Valid: 2976 Invalid: 173

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2164	72.7%
2	Broken bone/dislocated joint	142	4.8%
3	I had a cut or stab wound	65	2.2%
4	Concussion/head injury	64	2.2%
5	I had a gunshot wound	9	0.3%
6	I had a bad burn	34	1.1%
7	I was poisoned	2	0.1%
8	Something else happened to me	496	16.7%
Sysmiss		173	

Q19: Serious injury cause

Data file: PYH2017

Overview

Valid: 2925 Invalid: 224

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2096	71.7%
2	Motor vehicle accident	52	1.8%
3	I fell	322	11%
4	Something fell on me or hit me	40	1.4%
5	I was attacked	14	0.5%
6	Was in a fire	10	0.3%
7	breathed something bad	7	0.2%
8	Something else	384	13.1%
Sysmiss		224	

Q20: Bullied

Data file: PYH2017

Overview

Valid: 2974 Invalid: 175

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2482	83.5%

2	1 or 2 days	361	12.1%
3	3 to 5 days	59	2%
4	6 to 9 days	28	0.9%
5	10 to 19 days	17	0.6%
6	20 to 29 days	6	0.2%
7	All 30 days	21	0.7%
Sysmiss		175	

Q21: Bullied how

Data file: PYH2017

Overview

Valid: 3002 Invalid: 147

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2650	88.3%
2	Kicked, pushed, or shoved	40	1.3%
3	Made fun of race	27	0.9%
4	Made fun because of religion	11	0.4%
5	Made fun of about sex	44	1.5%
6	Left out of activities	35	1.2%
7	Made fun of about body	68	2.3%
8	Some other way	127	4.2%
Sysmiss		147	

Q22: Felt lonely

Data file: PYH2017

Overview

Valid: 3090 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	1214	39.3%
2	Rarely	809	26.2%
3	Sometimes	723	23.4%
4	Most of the time	224	7.2%
5	Always	120	3.9%
Sysmiss		59	

Q23: Could not sleep

Data file: PYH2017

Overview

Valid: 3131 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1074	34.3%
2	Rarely	956	30.5%
3	Sometimes	803	25.6%
4	Most of the time	214	6.8%
5	Always	84	2.7%
Sysmiss		18	

Q24: Considered suicide**Data file: PYH2017****Overview**

Valid: 3096 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	431	13.9%
2	No	2665	86.1%
Sysmiss		53	

Q25: Made a suicide plan**Data file: PYH2017****Overview**

Valid: 3085 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	412	13.4%
2	No	2673	86.6%
Sysmiss		64	

Q26: Attempted suicide**Data file: PYH2017**

Overview

Valid: 3124 Invalid: 25
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2779	89%
2	1 time	213	6.8%
3	2 or 3 times	77	2.5%
4	4 or 5 times	35	1.1%
5	6 or more times	20	0.6%
Sysmiss		25	

Q27: Close friends

Data file: PYH2017

Overview

Valid: 3101 Invalid: 48
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	183	5.9%
2	1	292	9.4%
3	2	504	16.3%
4	3 or more	2122	68.4%
Sysmiss		48	

Q28: Initiation of cigarette use**Data file: PYH2017****Overview**

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q29: Current cigarette use**Data file: PYH2017****Overview**

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days

3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q30: Other tobacco use

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q31: Smoking cessation

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category
1	I have never smoked cigarettes
2	Did not smoke cigarettes
3	Yes
4	No
Sysmiss	

Q32: Smoking in their presence

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 or 4 days
4	5 or 6 days
5	All 7 days
Sysmiss	

Q33: Parental tobacco use

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category
1	Neither
2	My father or male guardian
3	My mother or female guardian
4	Both
5	I do not know
Sysmiss	

Q34: Initiation of alcohol use

Data file: PYH2017

Overview

Valid: 2858 Invalid: 291

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1146	40.1%
2	7 years old or younger	96	3.4%
3	8 or 9 years old	73	2.6%
4	10 or 11 years old	169	5.9%
5	12 or 13 years old	469	16.4%
6	14 or 15 years old	665	23.3%

7	16 or 17 years old	216	7.6%
8	18 years old or older	24	0.8%
Sysmiss		291	

Q35: Current alcohol use

Data file: PYH2017

Overview

Valid: 3040 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1993	65.6%
2	1 or 2 days	672	22.1%
3	3 to 5 days	180	5.9%
4	6 to 9 days	75	2.5%
5	10 to 19 days	64	2.1%
6	20 to 29 days	31	1%
7	All 30 days	25	0.8%
Sysmiss		109	

Q36: Drank 2+ drinks

Data file: PYH2017

Overview

Valid: 3057 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1828	59.8%
2	Less than one drink	304	9.9%
3	1 drink	229	7.5%
4	2 drinks	161	5.3%
5	3 drinks	120	3.9%
6	4 drinks	87	2.8%
7	5 or more drinks	328	10.7%
Sysmiss		92	

Q37: Source of alcohol

Data file: PYH2017

Overview

Valid: 3031 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1941	64%
2	I bought in a store	286	9.4%
3	I gave someone money to buy	68	2.2%
4	I got it from my friends	348	11.5%
5	I got it from my family	173	5.7%
6	I stole it	11	0.4%
7	Some other way	204	6.7%
Sysmiss		118	

Q38: Really drunk**Data file: PYH2017****Overview**

Valid: 3078 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2414	78.4%
2	1 or 2 times	516	16.8%
3	3 to 9 times	94	3.1%
4	10 or more times	54	1.8%
Sysmiss		71	

Q39: Trouble from drinking**Data file: PYH2017****Overview**

Valid: 3023 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2782	92%

2	1 or 2 times	162	5.4%
3	3 to 9 times	46	1.5%
4	10 or more times	33	1.1%
Sysmiss		126	

Q40: Initiation of drug use

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category
1	I have never used drugs
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q41: Ever marijuana use

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q42: Current marijuana use

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q43: Amphetamine or methamphetamine use

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: PYH2017

Overview

Valid: 2900 Invalid: 249

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	831	28.7%
2	No	2069	71.3%
Sysmiss		249	

Q45: Age first had sex**Data file: PYH2017****Overview**

Valid: 3041 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2286	75.2%
2	11 years old or younger	48	1.6%
3	12 years old	33	1.1%
4	13 years old	88	2.9%
5	14 years old	175	5.8%
6	15 years old	198	6.5%
7	16 or 17 years old	203	6.7%
8	18 years old or older	10	0.3%
Sysmiss		108	

Q46: Number of sex partners**Data file: PYH2017****Overview**

Valid: 3061 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2305	75.3%
2	1 person	348	11.4%

3	2 people	149	4.9%
4	3 people	92	3%
5	4 people	58	1.9%
6	5 people	33	1.1%
7	6 or more people	76	2.5%
Sysmiss		88	

Q47: Condom use

Data file: PYH2017

Overview

Valid: 2972 Invalid: 177

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2222	74.8%
2	Yes	542	18.2%
3	No	208	7%
Sysmiss		177	

Q48: Birth control used

Data file: PYH2017

Overview

Valid: 2980 Invalid: 169

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	2224	74.6%
2	Yes	319	10.7%
3	No	294	9.9%
4	I do not know	143	4.8%
Sysmiss		169	

Q49: Physical activity past 7 days**Data file: PYH2017****Overview**

Valid: 3066 Invalid: 83

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	678	22.1%
2	1 day	653	21.3%
3	2 days	338	11%
4	3 days	354	11.5%
5	4 days	198	6.5%
6	5 days	231	7.5%
7	6 days	96	3.1%
8	7 days	518	16.9%
Sysmiss		83	

Q50: Walk or bike to school**Data file: PYH2017****Overview**

Valid: 3108 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1348	43.4%
2	1 day	294	9.5%
3	2 days	151	4.9%
4	3 days	133	4.3%
5	4 days	82	2.6%
6	5 days	376	12.1%
7	6 days	54	1.7%
8	7 days	670	21.6%
Sysmiss		41	

Q51: PE attendance

Data file: PYH2017

Overview

Valid: 3069 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	493	16.1%
2	1 day	1769	57.6%
3	2 days	188	6.1%

4	3 days	74	2.4%
5	4 days	51	1.7%
6	5 or more days	494	16.1%
Sysmiss		80	

Q52: Sitting activities

Data file: PYH2017

Overview

Valid: 3089 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1071	34.7%
2	1 to 2 hours per day	957	31%
3	3 to 4 hours per day	582	18.8%
4	5 to 6 hours per day	216	7%
5	7 to 8 hours per day	84	2.7%
6	More than 8 hours per day	179	5.8%
Sysmiss		60	

Q53: Miss school no permission

Data file: PYH2017

Overview

Valid: 3109 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2622	84.3%
2	1 or 2 days	367	11.8%
3	3 to 5 days	68	2.2%
4	6 to 9 days	28	0.9%
5	10 or more days	24	0.8%
Sysmiss		40	

Q54: Other students kind and helpful

Data file: PYH2017

Overview

Valid: 3077 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	159	5.2%
2	Rarely	400	13%
3	Sometimes	569	18.5%
4	Most of the time	919	29.9%
5	Always	1030	33.5%
Sysmiss		72	

Q55: Parents check homework

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	673	21.6%
2	Rarely	508	16.3%
3	Sometimes	512	16.4%
4	Most of the time	615	19.7%
5	Always	810	26%
Sysmiss		31	

Q56: Parents understand problems

Data file: PYH2017

Overview

Valid: 3099 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	539	17.4%
2	Rarely	531	17.1%
3	Sometimes	507	16.4%
4	Most of the time	634	20.5%
5	Always	888	28.7%
Sysmiss		50	

Q57: Parents know about free time

Data file: PYH2017

Overview

Valid: 3078 Invalid: 71
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	362	11.8%
2	Rarely	366	11.9%
3	Sometimes	401	13%
4	Most of the time	695	22.6%
5	Always	1254	40.7%
Sysmiss		71	

Q58: Parents go through their things

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.702 Standard deviation: 1.114
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1969	63.1%
2		538	17.3%
3		324	10.4%
4		146	4.7%
5		141	4.5%
Sysmiss		31	

QN6: Most of the time or always went hungry**Data file: PYH2017****Overview**

Valid: 3113 Invalid: 36 Mean: 1.977 Standard deviation: 0.15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		72	2.3%
2		3041	97.7%
Sysmiss		36	

QN7: Did not eat fruit**Data file: PYH2017****Overview**

Valid: 3093 Invalid: 56 Mean: 1.921 Standard deviation: 0.269
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		243	7.9%
2		2850	92.1%
Sysmiss		56	

QN8: Did not eat vegetables**Data file: PYH2017****Overview**

Valid: 3118 Invalid: 31 Mean: 1.954 Standard deviation: 0.209

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		142	4.6%
2		2976	95.4%
Sysmiss		31	

QN9: Did not drink carbonated soft drinks

Data file: PYH2017

OverviewValid: 3100 Invalid: 49 Mean: 1.91 Standard deviation: 0.286
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		278	9%
2		2822	91%
Sysmiss		49	

QN10: Did not eat food from a fast food restaurant

Data file: PYH2017

OverviewValid: 3105 Invalid: 44 Mean: 1.543 Standard deviation: 0.498
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric**Questions and instructions**

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1420	45.7%
2		1685	54.3%
Sysmiss		44	

QN11: Usually cleaned or brushed their teeth

Data file: PYH2017

Overview

Valid: 3132 Invalid: 17 Mean: 1.027 Standard deviation: 0.162
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		3048	97.3%
2		84	2.7%
Sysmiss		17	

QN12: Never or rarely washed their hands before eating

Data file: PYH2017

Overview

Valid: 3106 Invalid: 43 Mean: 1.919 Standard deviation: 0.274
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		253	8.1%
2		2853	91.9%
Sysmiss		43	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file: PYH2017****Overview**

Valid: 3108 Invalid: 41 Mean: 1.973 Standard deviation: 0.163
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		85	2.7%
2		3023	97.3%
Sysmiss		41	

QN14: Never or rarely used soap when washing their hands**Data file: PYH2017****Overview**

Valid: 3133 Invalid: 16 Mean: 1.934 Standard deviation: 0.248
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		206	6.6%
2		2927	93.4%
Sysmiss		16	

QN15: Were physically attacked**Data file: PYH2017****Overview**

Valid: 3101 Invalid: 48 Mean: 1.847 Standard deviation: 0.36
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		475	15.3%
2		2626	84.7%
Sysmiss		48	

QN16: Were in a physical fight

Data file: PYH2017

Overview

Valid: 3131 Invalid: 18 Mean: 1.817 Standard deviation: 0.387
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		573	18.3%
2		2558	81.7%
Sysmiss		18	

QN17: Were seriously injured

Data file: PYH2017

Overview

Valid: 2873 Invalid: 276 Mean: 1.635 Standard deviation: 0.481
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1048	36.5%
2		1825	63.5%
Sysmiss		276	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: PYH2017

Overview

Valid: 812 Invalid: 2337 Mean: 1.825 Standard deviation: 0.38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		142	17.5%
2		670	82.5%
Sysmiss		2337	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: PYH2017

Overview

Valid: 829 Invalid: 2320 Mean: 1.937 Standard deviation: 0.243
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		52	6.3%
2		777	93.7%
Sysmiss		2320	

QN20: Were bullied**Data file: PYH2017****Overview**

Valid: 2974 Invalid: 175 Mean: 1.835 Standard deviation: 0.372
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		492	16.5%
2		2482	83.5%
Sysmiss		175	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file: PYH2017****Overview**

Valid: 352 Invalid: 2797 Mean: 1.886 Standard deviation: 0.318
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		40	11.4%
2		312	88.6%
Sysmiss		2797	

QN22: Most of the time or always felt lonely**Data file: PYH2017****Overview**

Valid: 3090 Invalid: 59 Mean: 1.889 Standard deviation: 0.315
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		344	11.1%
2		2746	88.9%
Sysmiss		59	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: PYH2017

Overview

Valid: 3131 Invalid: 18 Mean: 1.905 Standard deviation: 0.294
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		298	9.5%
2		2833	90.5%
Sysmiss		18	

QN24: Seriously considered attempting suicide

Data file: PYH2017

Overview

Valid: 3096 Invalid: 53 Mean: 1.861 Standard deviation: 0.346
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		431	13.9%
2		2665	86.1%
Sysmiss		53	

QN25: Made a plan about how they would attempt suicide

Data file: PYH2017

Overview

Valid: 3085 Invalid: 64 Mean: 1.866 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		412	13.4%
2		2673	86.6%
Sysmiss		64	

QN26: Attempted suicide

Data file: PYH2017

Overview

Valid: 3124 Invalid: 25 Mean: 1.89 Standard deviation: 0.313
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		345	11%
2		2779	89%
Sysmiss		25	

QN27: Did not have any close friends**Data file: PYH2017****Overview**

Valid: 3101 Invalid: 48 Mean: 1.941 Standard deviation: 0.236
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		183	5.9%
2		2918	94.1%
Sysmiss		48	

QN28: Tried a cigarette before age 14 years**Data file: PYH2017****Overview**

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category
Sysmiss	

QN29: Currently smoked cigarettes**Data file: PYH2017****Overview**

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN30: Currently used any tobacco products other than cigarettes

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN31: Tried to quit smoking cigarettes

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN32: Reported that people smoked in their presence

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN33: Had parents or guardians who used any form of tobacco

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category
Sysmiss	

QN34: Drank alcohol before age 14 years

Data file: PYH2017

Overview

Valid: 1712 Invalid: 1437 Mean: 1.529 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases

1		807	47.1%
2		905	52.9%
Sysmiss		1437	

QN35: Currently drank alcohol

Data file: PYH2017

Overview

Valid: 3040 Invalid: 109 Mean: 1.656 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1047	34.4%
2		1993	65.6%
Sysmiss		109	

QN36: Usually drank two or more drinks per day

Data file: PYH2017

Overview

Valid: 1229 Invalid: 1920 Mean: 1.434 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		696	56.6%
2		533	43.4%
Sysmiss		1920	

QN37: Usually obtained the alcohol they drank from friends**Data file: PYH2017****Overview**

Valid: 1090 Invalid: 2059 Mean: 1.681 Standard deviation: 0.466
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		348	31.9%
2		742	68.1%
Sysmiss		2059	

QN47: Used a condom**Data file: PYH2017****Overview**

Valid: 750 Invalid: 2399 Mean: 1.277 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		542	72.3%
2		208	27.7%
Sysmiss		2399	

QN38: Ever drank so much alcohol that they were really drunk**Data file: PYH2017****Overview**

Valid: 3078 Invalid: 71 Mean: 1.784 Standard deviation: 0.411
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		664	21.6%
2		2414	78.4%
Sysmiss		71	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: PYH2017

Overview

Valid: 3023 Invalid: 126 Mean: 1.92 Standard deviation: 0.271
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		241	8%
2		2782	92%
Sysmiss		126	

QN40: Used drugs before age 14 years

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category
Sysmiss	

QN41: Ever used marijuana

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN42: Currently used marijuana

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN43: Ever used amphetamines or methamphetamines

Data file: PYH2017

Overview

Valid: 0 Invalid: 3149

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse

Data file: PYH2017

Overview

Valid: 2900 Invalid: 249 Mean: 1.713 Standard deviation: 0.452
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1		831	28.7%
2		2069	71.3%
Sysmiss		249	

QN45: Had sexual intercourse before age 14 years

Data file: PYH2017

Overview

Valid: 755 Invalid: 2394 Mean: 1.776 Standard deviation: 0.417
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		169	22.4%
2		586	77.6%

Sysmiss		2394	
---------	--	------	--

QN46: Had sexual intercourse with two or more persons

Data file: PYH2017

Overview

Valid: 3061 Invalid: 88 Mean: 1.867 Standard deviation: 0.34
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1		408	13.3%
2		2653	86.7%
Sysmiss		88	

QN48: Used a method of birth control other than condoms

Data file: PYH2017

Overview

Valid: 756 Invalid: 2393 Mean: 1.578 Standard deviation: 0.494
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		319	42.2%
2		437	57.8%
Sysmiss		2393	

QN49: Were not physically active

Data file: PYH2017

Overview

Valid: 3066 Invalid: 83 Mean: 1.779 Standard deviation: 0.415
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		678	22.1%
2		2388	77.9%
Sysmiss		83	

QN50: Did not walk or ride a bicycle to or from school

Data file: PYH2017

Overview

Valid: 3108 Invalid: 41 Mean: 1.566 Standard deviation: 0.496
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1348	43.4%
2		1760	56.6%
Sysmiss		41	

QN51: Did not attend physical education classes

Data file: PYH2017

Overview

Valid: 3069 Invalid: 80 Mean: 1.839 Standard deviation: 0.367
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		493	16.1%
2		2576	83.9%
Sysmiss		80	

QN52: Spent three or more hours per day doing sitting activities

Data file: PYH2017

Overview

Valid: 3089 Invalid: 60 Mean: 1.657 Standard deviation: 0.475
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		1061	34.3%
2		2028	65.7%
Sysmiss		60	

QN53: Missed classes or school without permission

Data file: PYH2017

Overview

Valid: 3109 Invalid: 40 Mean: 1.843 Standard deviation: 0.364
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		487	15.7%
2		2622	84.3%

Sysmiss		40	
---------	--	----	--

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: PYH2017

Overview

Valid: 3077 Invalid: 72 Mean: 1.367 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1949	63.3%
2		1128	36.7%
Sysmiss		72	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.543 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1425	45.7%
2		1693	54.3%
Sysmiss		31	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: PYH2017

Overview

Valid: 3099 Invalid: 50 Mean: 1.509 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1522	49.1%
2		1577	50.9%
Sysmiss		50	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: PYH2017

Overview

Valid: 3078 Invalid: 71 Mean: 1.367 Standard deviation: 0.482
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1949	63.3%
2		1129	36.7%
Sysmiss		71	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.196 Standard deviation: 0.397
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2507	80.4%
2		611	19.6%
Sysmiss		31	

QNUNWTG: Were underweight

Data file: PYH2017

Overview

Valid: 2843 Invalid: 306 Mean: 1.979 Standard deviation: 0.143
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		59	2.1%
2		2784	97.9%
Sysmiss		306	

QNOWTG: Were overweight

Data file: PYH2017

Overview

Valid: 2843 Invalid: 306 Mean: 1.75 Standard deviation: 0.433
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight ($>+1SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		710	25%
2		2133	75%
Sysmiss		306	

QNOBESEG: Were obese

Data file: PYH2017

Overview

Valid: 2843 Invalid: 306 Mean: 1.927 Standard deviation: 0.26
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese ($>+2SD$ from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		207	7.3%
2		2636	92.7%
Sysmiss		306	

QNFRLG: Usually ate fruit less than one time per day

Data file: PYH2017

Overview

Valid: 3093 Invalid: 56 Mean: 1.794 Standard deviation: 0.405
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		638	20.6%
2		2455	79.4%
Sysmiss		56	

QNFR1G: Usually ate fruit one or more times per day**Data file: PYH2017****Overview**

Valid: 3093 Invalid: 56 Mean: 1.285 Standard deviation: 0.451
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2212	71.5%
2		881	28.5%
Sysmiss		56	

QNFR2G: Usually ate fruit two or more times per day**Data file: PYH2017****Overview**

Valid: 3093 Invalid: 56 Mean: 1.591 Standard deviation: 0.492
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1266	40.9%
2		1827	59.1%
Sysmiss		56	

QNFR3G: Usually ate fruit three or more times per day**Data file: PYH2017****Overview**

Valid: 3093 Invalid: 56 Mean: 1.818 Standard deviation: 0.386
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		564	18.2%
2		2529	81.8%
Sysmiss		56	

QNVEGLG: Usually ate vegetables less than one time per day

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.887 Standard deviation: 0.317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		353	11.3%
2		2765	88.7%
Sysmiss		31	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.159 Standard deviation: 0.366
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		2623	84.1%
2		495	15.9%
Sysmiss		31	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.531 Standard deviation: 0.499
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1461	46.9%
2		1657	53.1%
Sysmiss		31	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: PYH2017

Overview

Valid: 3118 Invalid: 31 Mean: 1.752 Standard deviation: 0.432
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		773	24.8%
2		2345	75.2%
Sysmiss		31	

QNSODALG: Usually drank carbonated soft drinks less than one time per day**Data file: PYH2017****Overview**

Valid: 3100 Invalid: 49 Mean: 1.69 Standard deviation: 0.463
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		962	31%
2		2138	69%
Sysmiss		49	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: PYH2017****Overview**

Valid: 3100 Invalid: 49 Mean: 1.4 Standard deviation: 0.49
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1860	60%
2		1240	40%
Sysmiss		49	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: PYH2017****Overview**

Valid: 3100 Invalid: 49 Mean: 1.669 Standard deviation: 0.471
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1025	33.1%
2		2075	66.9%
Sysmiss		49	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day

Data file: PYH2017

Overview

Valid: 3100 Invalid: 49 Mean: 1.838 Standard deviation: 0.369
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		503	16.2%
2		2597	83.8%
Sysmiss		49	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: PYH2017

Overview

Valid: 3105 Invalid: 44 Mean: 1.457 Standard deviation: 0.498
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1685	54.3%
2		1420	45.7%
Sysmiss		44	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: PYH2017

Overview

Valid: 3105 Invalid: 44 Mean: 1.721 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		865	27.9%
2		2240	72.1%
Sysmiss		44	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: PYH2017

Overview

Valid: 3105 Invalid: 44 Mean: 1.853 Standard deviation: 0.354
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		457	14.7%
2		2648	85.3%
Sysmiss		44	

QNC2G: Were bullied and could not sleep at night**Data file: PYH2017****Overview**

Valid: 271 Invalid: 2878 Mean: 1.723 Standard deviation: 0.448
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		75	27.7%
2		196	72.3%
Sysmiss		2878	

QNTOB2G: Currently used any tobacco product**Data file: PYH2017****Overview**

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNNOTB2G: Did not currently use any tobacco products**Data file: PYH2017****Overview**

Valid: 0 Invalid: 3149
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QNBCANYG: Used a method of birth control

Data file: PYH2017

Overview

Valid: 689 Invalid: 2460 Mean: 1.12 Standard deviation: 0.326
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		606	88%
2		83	12%
Sysmiss		2460	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: PYH2017

Overview

Valid: 618 Invalid: 2531 Mean: 1.487 Standard deviation: 0.5
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		317	51.3%
2		301	48.7%
Sysmiss		2531	

QNP5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: PYH2017

Overview

Valid: 3066 Invalid: 83 Mean: 1.724 Standard deviation: 0.447
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		845	27.6%
2		2221	72.4%
Sysmiss		83	

QNP7G: Were physically active at least 60 minutes per day on all 7 days

Data file: PYH2017

Overview

Valid: 3066 Invalid: 83 Mean: 1.831 Standard deviation: 0.375
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		518	16.9%
2		2548	83.1%
Sysmiss		83	

QNPE3G: Attended physical education classes on three or more days**Data file: PYH2017****Overview**

Valid: 3069 Invalid: 80 Mean: 1.798 Standard deviation: 0.401
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		619	20.2%
2		2450	79.8%
Sysmiss		80	

QNPE5G: Attended physical education classes on five or more days**Data file: PYH2017****Overview**

Valid: 3069 Invalid: 80 Mean: 1.839 Standard deviation: 0.368
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		494	16.1%
2		2575	83.9%
Sysmiss		80	

WEIGHT:**Data file: PYH2017****Overview**

Valid: 3149 Invalid: 0 Mean: 145.281 Standard deviation: 35.147
 Type: Continuous Decimal: 0 Width: 10 Range: 42.0329 - 329.5608 Format: Numeric Weighted: yes

STRATUM:**Data file: PYH2017****Overview**

Valid: 3149 Invalid: 0 Mean: 201701011.472 Standard deviation: 15.64

Type: Discrete Decimal: 0 Width: 9 Range: 201501001 - 201501019 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
201701001		165	5.2%
201701002		162	5.1%
201701003		94	3%
201701004		121	3.8%
201701005		143	4.5%
201701006		231	7.3%
201701007		161	5.1%
201701008		97	3.1%
201701009		121	3.8%
201701010		161	5.1%
201701011		160	5.1%
201701012		231	7.3%
201701013		108	3.4%
201701014		113	3.6%
201701015		134	4.3%
201701016		157	5%
201701017		114	3.6%
201701018		82	2.6%
201701019		91	2.9%
201701020		123	3.9%
201701021		78	2.5%
201701022		149	4.7%
201701023		63	2%
201701024		90	2.9%

PSU:**Data file: PYH2017**

Overview

Valid: 3149 Invalid: 0 Mean: 22.485 Standard deviation: 13.241
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 38 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
filename 2017_GSHS_Paraguay_Questionnaire.pdf

Questionnaire (Spanish)

title Questionnaire (Spanish)
filename 2017_GSHS_Paraguay_Questionnaire_ES.pdf

reports

Fact Sheet

title Fact Sheet
filename 2017PYH_FactSheet.pdf

technical_documents

Codebook

title Codebook
filename 2017PYH_Public_Use_Codebook.pdf
