

# Global School-Based Student Health Survey 2010

**Ministry of Health, United Nations Relief and Works Agency for Palestine Refugees  
in the Near East**

report\_generated\_on: April 23, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

### SURVEY ID NUMBER

WBG\_2010\_GSHS\_v01\_M

### TITLE

Global School-Based Student Health Survey 2010

### COUNTRY

Name	Country code
West Bank and Gaza	WBG

### STUDY TYPE

Other Household Survey [hh/oth]

### SERIES INFORMATION

This is the first GSHS conducted by West Bank and Gaza.

### ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

### KIND OF DATA

Sample survey data [ssd]

### UNIT OF ANALYSIS

Individuals

## Version

### VERSION DESCRIPTION

Public-use dataset

### VERSION DATE

2018-08-08

## Scope

### NOTES

The following core modules were included in the survey:

- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

### TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

### KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
drug use
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

### GEOGRAPHIC COVERAGE

Gaza Strip, West Bank, UNRWA Gaza Strip, UNRWA West Bank, UNRWA Jordan, UNRWA Lebanon and UNRWA Syria

### UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

### PRIMARY INVESTIGATORS

Name
Ministry of Health
United Nations Relief and Works Agency for Palestine Refugees in the Near East

### FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

## Sampling

### SAMPLING PROCEDURE

The GSHS was a school-based survey of students in grades 7th, 8th, and 9th. A two-stage cluster sample design was used to

produce data representative of all students in grades 7th, 8th, and 9th. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

#### RESPONSE RATE

Occupied Palestinian territory Gaza Strip: The school response rate was 100%, the student response rate was 95%, and the overall response rate was 95%.

Occupied Palestinian territory West Bank: The school response rate was 100%, the student response rate was 94%, and the overall response rate was 94%.

UNRWA Gaza Strip: The school response rate was 100%, the student response rate was 95%, and the overall response rate was 95%.

UNRWA West Bank: The school response rate was 96%, the student response rate was 93%, and the overall response rate was 90%.

UNRWA Jordan: The school response rate was 100%, the student response rate was 93%, and the overall response rate was 93%.

UNRWA Lebanon: The school response rate was 100%, the student response rate was 96%, and the overall response rate was 96%.

UNRWA Syria: The school response rate was 100%, the student response rate was 94%, and the overall response rate was 94%.

#### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## data\_collection

#### DATES OF DATA COLLECTION

Start	End
2010-08	2010-09

#### DATA COLLECTION MODE

self-administered

## questionnaires

#### QUESTIONNAIRES

The following core modules were included in the survey:

- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

## data\_processing

#### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

### CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

### DDI DOCUMENT ID

DDI\_WBG\_2010\_GSHS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2018-08-08

### DDI DOCUMENT VERSION

Identical to a metadata (PSE\_2010\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>PSE2010_Gaza_Public_Use</b> Gaza Strip public-use dataset	2677	100
<b>PSE2010_UNRWA_Gaza_Public_Use</b> UNRWA Gaza Strip public-use dataset	2122	100
<b>PSE2010_UNRWA_Jordan_Public_Use</b> UNRWA Jordan public-use dataset	1529	100
<b>PSE2010_UNRWA_Lebanon_Public_Use</b> UNRWA Lebanon public-use dataset	2187	100
<b>PSE2010_UNRWA_Syria_Public_Use</b> UNRWA Syria public-use dataset	2120	100
<b>PSE2010_UNRWA_WestBank_Public_Use</b> UNRWA West Bank public-use dataset	2015	100
<b>PSE2010_West_Bank_Public_Use</b> West Bank public-use dataset	1908	100



**Data file: PSE2010\_Gaza\_Public\_Use**

Gaza Strip public-use dataset

Cases: 2677

variables: 100

**variables**

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?



ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days

ID	Name	Label	Question
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days

ID	Name	Label	Question
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V93	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 100

**Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use**

UNRWA Gaza Strip public-use dataset

Cases: 2122

variables: 100

**variables**

ID	Name	Label	Question
V127	Q1	How old are you	How old are you?
V128	Q2	Sex	What is your sex?
V129	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V130	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V131	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V132	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V133	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V134	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V135	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V136	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V137	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V138	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V139	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V140	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V141	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V142	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V143	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V144	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V145	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V146	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V147	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V148	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V149	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V150	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V151	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V152	Q26	Times attempted suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V153	Q27	Number close friends	How many close friends do you have?
V154	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V155	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V156	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V157	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V158	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V159	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V166	Q40	Age first drugs	How old were you when you first used drugs?
V167	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V168	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V169	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V175	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V176	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V177	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V178	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V179	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V180	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V181	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V182	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V183	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V184	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V185	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V186	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days

ID	Name	Label	Question
V187	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V188	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V189	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V190	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V191	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V192	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V193	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V194	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V195	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V196	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V197	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V198	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V199	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V200	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V201	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V202	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V203	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V204	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V205	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V206	QN27	No close friends	Percentage of students who had no close friends
V207	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V208	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V209	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V210	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V211	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days

ID	Name	Label	Question
V212	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V219	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V220	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V221	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V222	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V228	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V229	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V230	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V231	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V232	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V233	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V234	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V235	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V236	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V237	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V241	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V242	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V243	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V244	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V245	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V246	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V247	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V249	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V250	weight	Weight	
V251	stratum	Stratum	
V252	psu	Primary Sampling Unit	



total: 100

**Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use**

UNRWA Jordan public-use dataset

Cases: 1529

variables: 100

**variables**

ID	Name	Label	Question
V253	Q1	How old are you	How old are you?
V254	Q2	Sex	What is your sex?
V255	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V256	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V257	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V258	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V259	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V260	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V261	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V262	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V263	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V264	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V265	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V266	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V267	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V268	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V269	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V270	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V271	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V272	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V273	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V274	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V275	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V276	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V277	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V278	Q26	Times attempted suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V279	Q27	Number close friends	How many close friends do you have?
V280	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V281	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V282	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V283	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V284	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V285	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V292	Q40	Age first drugs	How old were you when you first used drugs?
V293	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V294	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V295	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V301	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V302	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V303	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V304	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V305	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V306	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V307	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V308	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V309	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V310	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V311	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V312	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days

ID	Name	Label	Question
V313	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V314	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V315	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V316	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V317	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V318	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V319	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V320	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V321	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V322	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V323	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V324	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V325	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V326	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V327	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V328	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V329	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V330	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V331	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V332	QN27	No close friends	Percentage of students who had no close friends
V333	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V334	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V335	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V336	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V337	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days

ID	Name	Label	Question
V338	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V345	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V346	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V347	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V348	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V354	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V355	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V356	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V357	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V358	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V359	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V360	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V361	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V362	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V363	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V367	qnowtg	Overweight	Percentage of students who were overweight ( $>+1SD$ from median for BMI by age and sex)
V368	qnobeseg	Obese	Percentage of students who were obese ( $>+2SD$ from median for BMI by age and sex)
V369	qnunwtg	Underweight	Percentage of students who were underweight ( $<-2SD$ from median for BMI by age and sex)
V370	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V371	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V372	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V373	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V375	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V376	weight	Weight	
V377	stratum	Stratum	
V378	psu	Primary Sampling Unit	

total: 100

**Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use**

UNRWA Lebanon public-use dataset

Cases:	2187
variables:	100

**variables**

ID	Name	Label	Question
V379	Q1	How old are you	How old are you?
V380	Q2	Sex	What is your sex?
V381	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V382	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V383	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V384	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V385	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V386	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V387	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V388	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V389	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V390	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V391	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V392	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V393	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V394	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V395	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V396	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V397	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V398	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V399	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V400	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V401	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V402	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V403	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V404	Q26	How many times attempt suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V405	Q27	Number close friends	How many close friends do you have?
V406	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V407	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V408	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V409	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V410	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V411	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V418	Q40	Age first drugs	How old were you when you first used drugs?
V419	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V420	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V421	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V427	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V428	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V429	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V430	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V431	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V432	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V433	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V434	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V435	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V436	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V437	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V438	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days



ID	Name	Label	Question
V439	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V440	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V441	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V442	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V443	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V444	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V445	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V446	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V447	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V448	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V449	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V450	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V451	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V452	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V453	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V454	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V455	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V456	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V457	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V458	QN27	No close friends	Percentage of students who had no close friends
V459	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V460	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V461	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V462	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V463	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days

ID	Name	Label	Question
V464	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V471	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V472	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V473	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V474	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V480	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V481	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V482	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V483	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V484	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V485	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V486	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V487	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V488	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V489	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V493	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V494	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V495	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V496	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V497	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V498	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V499	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V501	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V502	weight	Weight	
V503	stratum	Stratum	
V504	psu	Primary Sampling Unit	

total: 100

**Data file: PSE2010\_UNRWA\_Syria\_Public\_Use**

UNRWA Syria public-use dataset

Cases: 2120

variables: 100

**variables**

ID	Name	Label	Question
V505	Q1	How old are you	
V506	Q2	Sex	
V507	Q3	In what grade are you	
V508	Q4	How tall are you	
V509	Q5	How much do you weigh	
V510	Q6	Went hungry past 30 days	
V511	Q7	Eat fruit per day past 30 days	
V512	Q8	Eat vegetables past 30 days	
V513	Q9	Drink soft drinks past 30 days	
V514	Q10	Ate fast food past 7 days	
V515	Q11	How many times per day brush teeth	
V516	Q12	Wash hands before eating past 30 days	
V517	Q13	Wash hands after toilet past 30 day	
V518	Q14	Used soap on hands past 30 days	
V519	Q15	Times attacked past 12 mo.	
V520	Q16	How many times in fight 12 mos	
V521	Q17	How many times injured past 12 months	
V522	Q18	What was serious injury past 12 mo.	
V523	Q19	Cause of injury past 12 mo.	
V524	Q20	How many days bullied past 30 days	
V525	Q21	How bullied past 30 days	
V526	Q22	Times felt lonely past 12 mo.	
V527	Q23	Times could not sleep past 12 mo.	
V528	Q24	Ever considered suicide 12 mos	
V529	Q25	Ever make suicide plan 12 mos	
V530	Q26	Times attempted suicide 12 mos	
V531	Q27	Number close friends	
V532	Q28	Age first tried cigarette	
V533	Q29	How many days smoked 30 days	
V534	Q30	Other forms of tobacco	
V535	Q31	Try stop smoking past 12 mo.	
V536	Q32	Others present smoking past 7 days	
V537	Q33	Parents who use tobacco	
V544	Q40	Age first drugs	
V545	Q41	Times used marijuana lifetime	
V546	Q42	Times used marijuana past 30 days	
V547	Q43	Times used amphetamines lifetime	

ID	Name	Label	Question
V553	Q49	Days active 60 min plus past 7 days	
V554	Q50	Walk or bike to school past 7 days	
V555	Q51	Days went to PE each week	
V556	Q52	Time spent sitting on usual day	
V557	Q53	Miss school no permission past 30 days	
V558	Q54	Others helpful in school past 30 days	
V559	Q55	Parents check homework past 30 days	
V560	Q56	Parent understand troubles past 30 days	
V561	Q57	Parent know what you do past 30 days	
V562	Q58	Parent go through things past 30 days	
V563	QN6	Went hungry most of time/always past 30 days	
V564	QN7	Ate fruit 2+ times per day past 30 days	
V565	QN8	Ate vegetables 3+ times per day past 30 day	
V566	QN9	Drank soft drinks 1+ times per day past 30 day	
V567	QN10	Ate fast food 3+ days past 7 day	
V568	QN11	Cleaned/brushed teeth <1 time/day past 30 days	
V569	QN12	Never/rarely wash hands before eating past 30 days	
V570	QN13	Never/rarely wash hands after toilet past 30 days	
V571	QN14	Never/rarely use soap on hands past 30 days	
V572	QN15	Attacked 1+ times past 12 months	
V573	QN16	In fight 1+ times past 12 months	
V574	QN17	Seriously injured 1+ times past 12 months	
V575	QN18	Broken bone as most serious injury	
V576	QN19	Motor vehicle caused most serious injury	
V577	QN20	Bullied 1+ of past 30 days	
V578	QN21	Of students bullied, most often hit, kicked, etc	
V579	QN22	Lonely most times/always past 12 months	
V580	QN23	Worry prevented sleep most time/always past 12 mos	
V581	QN24	Considered suicide past 12 months	
V582	QN25	Made suicide plan past 12 months	
V583	QN26	1+ times attempt suicide 12 mos.	
V584	QN27	No close friends	
V585	QN28	Age first cigarette before 14	
V586	QN29	Smoked cigarettes 1+ of past 30 days	
V587	QN30	Used other tobacco 1+ of past 30 days	
V588	QN31	Tried to quit smoking past 12 months	
V589	QN32	Others present smoking 1+ of past 7 days	
V590	QN33	Either/Both parents use tobacco	
V597	QN40	Age first drugs before 14	
V598	QN41	Marijuana 1+ times in lifetime	
V599	QN42	Marijuana 1+ times p 30 days	
V600	QN43	Amphetamines 1+ times lifetime	
V606	QN49	Active 60+ mins/day for 5+ of past 7 days	
V607	QN50	Walk/Bike to/from school 0 of past 7 days	
V608	QN51	3+ days PE each week	

ID	Name	Label	Question
V609	QN52	Sitting activities 3+ hours/day of usual day	
V610	QN53	Miss school no permission 1+ of past 30 days	
V611	QN54	Students most/always kind 30 days	
V612	QN55	Parents most/always check homework	
V613	QN56	Parents most/always understand problems	
V614	QN57	Parents most/always know about free time	
V615	QN58	Parents never/rarely go thru things	
V619	qnowtg	Overweight	
V620	qnobeseg	Obese	
V621	qnunwtg	Underweight	
V622	qnfrvgg	Ate 5+ fruits/vegetables 30 days	
V623	qnanytbg	Used any tobacco past 30 days	
V624	qnpa7g	Physically active all past 7 days	
V625	qnpe5g	Attended PE 5+ days each week	
V627	qnc2g	Among those worried, currently bullied	
V628	weight	Weight	
V629	stratum	Stratum	
V630	psu	Primary Sampling Unit	

total: 100

**Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use**

UNRWA West Bank public-use dataset

Cases: 2015

variables: 100

**variables**

ID	Name	Label	Question
V631	Q1	How old are you	How old are you?
V632	Q2	Sex	What is your sex?
V633	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V634	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V635	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V636	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V637	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V638	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V639	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V640	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V641	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V642	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V643	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V644	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V645	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V646	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V647	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V648	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V649	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V650	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V651	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V652	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V653	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V654	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V655	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V656	Q26	Times attempted suicide 12 mos	During the past 12 months, how many times did you actually attempt suicide?
V657	Q27	Number close friends	How many close friends do you have?
V658	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V659	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V660	Q30	Other forms of tobacco	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V661	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V662	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V663	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V670	Q40	Age first drugs	How old were you when you first used drugs?
V671	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V672	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V673	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V679	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V680	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V681	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V682	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V683	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V684	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V685	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V686	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V687	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V688	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V689	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V690	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days



ID	Name	Label	Question
V691	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V692	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V693	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V694	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V695	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V696	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V697	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V698	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V699	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V700	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V701	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V702	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V703	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V704	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V705	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V706	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V707	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V708	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V709	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V710	QN27	No close friends	Percentage of students who had no close friends
V711	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V712	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V713	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V714	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V715	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days

ID	Name	Label	Question
V716	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V723	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V724	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V725	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V726	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V732	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V733	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V734	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V735	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V736	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V737	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V738	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V739	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V740	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V741	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V745	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V746	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V747	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V748	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V749	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V750	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V751	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V753	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V754	weight	Weight	
V755	stratum	Stratum	
V756	psu	Primary Sampling Unit	

total: 100

**Data file: PSE2010\_West\_Bank\_Public\_Use**

West Bank public-use dataset

Cases: 1908

variables: 100

**variables**

ID	Name	Label	Question
V757	Q1	How old are you	
V758	Q2	Sex	
V759	Q3	In what grade are you	
V760	Q4	How tall are you	
V761	Q5	How much do you weigh	
V762	Q6	Went hungry past 30 days	
V763	Q7	Eat fruit per day past 30 days	
V764	Q8	Eat vegetables past 30 days	
V765	Q9	Drink soft drinks past 30 days	
V766	Q10	Ate fast food past 7 days	
V767	Q11	How many times per day brush teeth	
V768	Q12	Wash hands before eating past 30 days	
V769	Q13	Wash hands after toilet past 30 day	
V770	Q14	Used soap on hands past 30 days	
V771	Q15	Times attacked past 12 mo.	
V772	Q16	How many times in fight 12 mos	
V773	Q17	How many times injured past 12 months	
V774	Q18	What was serious injury past 12 mo.	
V775	Q19	Cause of injury past 12 mo.	
V776	Q20	How many days bullied past 30 days	
V777	Q21	How bullied past 30 days	
V778	Q22	Times felt lonely past 12 mo.	
V779	Q23	Times could not sleep past 12 mo.	
V780	Q24	Ever considered suicide 12 mos	
V781	Q25	Ever make suicide plan 12 mos	
V782	Q26	Times attempted suicide 12 mos	
V783	Q27	Number close friends	
V784	Q28	Age first tried cigarette	
V785	Q29	How many days smoked 30 days	
V786	Q30	Other forms of tobacco	
V787	Q31	Try stop smoking past 12 mo.	
V788	Q32	Others present smoking past 7 days	
V789	Q33	Parents who use tobacco	
V796	Q40	Age first drugs	
V797	Q41	Times used marijuana lifetime	
V798	Q42	Times used marijuana past 30 days	
V799	Q43	Times used amphetamines lifetime	

ID	Name	Label	Question
V805	Q49	Days active 60 min plus past 7 days	
V806	Q50	Walk or bike to school past 7 days	
V807	Q51	Days went to PE each week	
V808	Q52	Time spent sitting on usual day	
V809	Q53	Miss school no permission past 30 days	
V810	Q54	Others helpful in school past 30 days	
V811	Q55	Parents check homework past 30 days	
V812	Q56	Parent understand troubles past 30 days	
V813	Q57	Parent know what you do past 30 days	
V814	Q58	Parent go through things past 30 days	
V815	QN6	Went hungry most of time/always past 30 days	
V816	QN7	Ate fruit 2+ times per day past 30 days	
V817	QN8	Ate vegetables 3+ times per day past 30 day	
V818	QN9	Drank soft drinks 1+ times per day past 30 day	
V819	QN10	Ate fast food 3+ days past 7 day	
V820	QN11	Cleaned/brushed teeth <1 time/day past 30 days	
V821	QN12	Never/rarely wash hands before eating past 30 days	
V822	QN13	Never/rarely wash hands after toilet past 30 days	
V823	QN14	Never/rarely use soap on hands past 30 days	
V824	QN15	Attacked 1+ times past 12 months	
V825	QN16	In fight 1+ times past 12 months	
V826	QN17	Seriously injured 1+ times past 12 months	
V827	QN18	Broken bone as most serious injury	
V828	QN19	Motor vehicle caused most serious injury	
V829	QN20	Bullied 1+ of past 30 days	
V830	QN21	Of students bullied, most often hit, kicked, etc	
V831	QN22	Lonely most times/always past 12 months	
V832	QN23	Worry prevented sleep most time/always past 12 mos	
V833	QN24	Considered suicide past 12 months	
V834	QN25	Made suicide plan past 12 months	
V835	QN26	1+ times attempt suicide 12 mos.	
V836	QN27	No close friends	
V837	QN28	Age first cigarette before 14	
V838	QN29	Smoked cigarettes 1+ of past 30 days	
V839	QN30	Used other tobacco 1+ of past 30 days	
V840	QN31	Tried to quit smoking past 12 months	
V841	QN32	Others present smoking 1+ of past 7 days	
V842	QN33	Either/Both parents use tobacco	
V849	QN40	Age first drugs before 14	
V850	QN41	Marijuana 1+ times in lifetime	
V851	QN42	Marijuana 1+ times p 30 days	
V852	QN43	Amphetamines 1+ times lifetime	
V858	QN49	Active 60+ mins/day for 5+ of past 7 days	
V859	QN50	Walk/Bike to/from school 0 of past 7 days	
V860	QN51	3+ days PE each week	

ID	Name	Label	Question
V861	QN52	Sitting activities 3+ hours/day of usual day	
V862	QN53	Miss school no permission 1+ of past 30 days	
V863	QN54	Students most/always kind 30 days	
V864	QN55	Parents most/always check homework	
V865	QN56	Parents most/always understand problems	
V866	QN57	Parents most/always know about free time	
V867	QN58	Parents never/rarely go thru things	
V871	qnowtg	Overweight	
V872	qnobeseg	Obese	
V873	qnunwtg	Underweight	
V874	qnfrvgg	Ate 5+ fruits/vegetables 30 days	
V875	qnanytbg	Used any tobacco past 30 days	
V876	qnpa7g	Physically active all past 7 days	
V877	qnpe5g	Attended PE 5+ days each week	
V879	qnc2g	Among those worried, currently bullied	
V880	weight	Weight	
V881	stratum	Stratum	
V882	psu	Primary Sampling Unit	

total: 100



**Q1: How old are you****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2636 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	23	0.9%
2	12 years old	253	9.6%
3	13 years old	715	27.1%
4	14 years old	784	29.7%
5	15 years old	749	28.4%
6	16 years old or older	112	4.2%
Sysmiss		41	

**Q10: Ate fast food past 7 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2647 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1552	58.6%
2	1 day	533	20.1%
3	2 days	242	9.1%
4	3 days	151	5.7%
5	4 days	70	2.6%



6	5 days	36	1.4%
7	6 days	26	1%
8	7 days	37	1.4%
Sysmiss		30	

## Q2: Sex

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2607 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1191	45.7%
2	Female	1416	54.3%
Sysmiss		70	

## Q3: In what grade are you

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2599 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th	872	33.6%
2	8th	803	30.9%
3	9th	924	35.6%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%

Sysmiss

78

**Q4: How tall are you****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2306   Invalid: 371   Minimum: 1.27   Maximum: 1.98   Mean: 1.558   Standard deviation: 0.0937  
 Type: Continuous   Decimal: 0   Width: 4   Range: 1.27 - 1.98   Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about your height, weight, and going hungry.

**LITERAL QUESTION**

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2306   Invalid: 371   Minimum: 28   Maximum: 126   Mean: 50.369   Standard deviation: 11.702  
 Type: Continuous   Decimal: 0   Width: 6   Range: 28 - 126   Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about your height, weight, and going hungry.

**LITERAL QUESTION**

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2635   Invalid: 42  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1437	54.5%
2	Rarely	467	17.7%
3	Sometimes	428	16.2%
4	Most of the time	186	7.1%
5	Always	117	4.4%
Sysmiss		42	

### Q7: Eat fruit per day past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2646 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	299	11.3%
2	Less than one time per day	499	18.9%
3	1 time per day	768	29%
4	2 times per day	558	21.1%
5	3 times per day	252	9.5%
6	4 times per day	82	3.1%
7	5 or more times per day	188	7.1%
Sysmiss		31	

### Q8: Eat vegetables past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2632 Invalid: 45

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	264	10%
2	Less than one time per day	490	18.6%
3	1 time per day	797	30.3%
4	2 times per day	494	18.8%
5	3 times per day	293	11.1%
6	4 times per day	96	3.6%
7	5 or more times per day	198	7.5%
Sysmiss		45	

## Q9: Drink soft drinks past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2650    Invalid: 27

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	591	22.3%
2	Less than one time per day	724	27.3%
3	1 time per day	828	31.2%
4	2 times per day	264	10%
5	3 times per day	104	3.9%
6	4 times per day	50	1.9%

7	5 or more times per day	89	3.4%
Sysmiss		27	

## Q11: How many times per day brush teeth

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2602 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	404	15.5%
2	Less than 1 time per day	362	13.9%
3	1 time per day	578	22.2%
4	2 times per day	678	26.1%
5	3 times per day	314	12.1%
6	4 or more times per day	266	10.2%
Sysmiss		75	

## Q12: Wash hands before eating past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2621 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	100	3.8%
2	Rarely	124	4.7%
3	Sometimes	181	6.9%
4	Most of the time	276	10.5%
5	Always	1940	74%
Sysmiss		56	

### Q13: Wash hands after toilet past 30 day

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2599 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	75	2.9%
2	Rarely	138	5.3%
3	Sometimes	119	4.6%
4	Most of the time	151	5.8%
5	Always	2116	81.4%
Sysmiss		78	

### Q14: Used soap on hands past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2625 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	96	3.7%
2	Rarely	138	5.3%
3	Sometimes	189	7.2%
4	Most of the time	318	12.1%
5	Always	1884	71.8%
Sysmiss		52	

### Q15: Times attacked past 12 mo.

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2642 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1449	54.8%
2	1 time	449	17%
3	2 or 3 times	290	11%
4	4 or 5 times	157	5.9%
5	6 or 7 times	52	2%
6	8 or 9 times	38	1.4%
7	10 or 11 times	22	0.8%
8	12 or more times	185	7%
Sysmiss		35	

### Q16: How many times in fight 12 mos

Data file: PSE2010\_Gaza\_Public\_Use

## Overview

Valid: 2654 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1607	60.6%
2	1 time	436	16.4%
3	2 or 3 times	300	11.3%
4	4 or 5 times	96	3.6%
5	6 or 7 times	32	1.2%
6	8 or 9 times	24	0.9%
7	10 or 11 times	19	0.7%
8	12 or more times	140	5.3%
Sysmiss		23	

## Q17: How many times injured past 12 months

Data file: PSE2010\_Gaza\_Public\_Use

## Overview

Valid: 2186 Invalid: 491

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	1542	70.5%
2	1 time	384	17.6%
3	2 or 3 times	163	7.5%



4	4 or 5 times	45	2.1%
5	6 or 7 times	15	0.7%
6	8 or 9 times	15	0.7%
7	10 or 11 times	6	0.3%
8	12 or more times	16	0.7%
Sysmiss		491	

### Q18: What was serious injury past 12 mo.

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2276 Invalid: 401

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1819	79.9%
2	Broken bone/dislocated joint	142	6.2%
3	I had a cut or stab wound	107	4.7%
4	Concussion/head injury	25	1.1%
5	I had a gunshot wound	20	0.9%
6	I had a bad burn	22	1%
7	I was poisoned	16	0.7%
8	Something else happened to me	125	5.5%
Sysmiss		401	

### Q19: Cause of injury past 12 mo.

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2317 Invalid: 360

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1849	79.8%
2	Motor vehicle accident	76	3.3%
3	I fell	149	6.4%
4	Something fell on me or hit me	46	2%
5	I was attacked	54	2.3%
6	Was in a fire	14	0.6%
7	breathed something bad	17	0.7%
8	Something else	112	4.8%
Sysmiss		360	

## Q20: How many days bullied past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2492 Invalid: 185

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1029	41.3%
2	1 or 2 days	784	31.5%
3	3 to 5 days	304	12.2%
4	6 to 9 days	115	4.6%
5	10 to 19 days	79	3.2%

6	20 to 29 days	45	1.8%
7	All 30 days	136	5.5%
Sysmiss		185	

## Q21: How bullied past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2494 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1351	54.2%
2	Kicked, pushed, or shoved	138	5.5%
3	Made fun of race	116	4.7%
4	Made fun because of religion	48	1.9%
5	Made fun of about sex	280	11.2%
6	Left out of activities	59	2.4%
7	Made fun of about body	89	3.6%
8	Some other way	413	16.6%
Sysmiss		183	

## Q22: Times felt lonely past 12 mo.

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2617 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	1190	45.5%
2	Rarely	574	21.9%
3	Sometimes	448	17.1%
4	Most of the time	188	7.2%
5	Always	217	8.3%
Sysmiss		60	

### Q23: Times could not sleep past 12 mo.

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2602 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	779	29.9%
2	Rarely	846	32.5%
3	Sometimes	544	20.9%
4	Most of the time	243	9.3%
5	Always	190	7.3%
Sysmiss		75	

### Q24: Ever considered suicide 12 mos

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2552 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	496	19.4%
2	No	2056	80.6%
Sysmiss		125	

## Q25: Ever make suicide plan 12 mos

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2536 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	464	18.3%
2	No	2072	81.7%
Sysmiss		141	

## Q26: Times attempted suicide 12 mos

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2596 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	2059	79.3%
2	1 time	311	12%
3	2 or 3 times	130	5%
4	4 or 5 times	48	1.8%
5	6 or more times	48	1.8%
Sysmiss		81	

### Q27: Number close friends

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2578 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	224	8.7%
2	1	347	13.5%
3	2	346	13.4%
4	3 or more	1661	64.4%
Sysmiss		99	

### Q28: Age first tried cigarette

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2453 Invalid: 224

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1941	79.1%
2	7 years old or younger	129	5.3%
3	8 or 9 years old	99	4%
4	10 or 11 years old	86	3.5%
5	12 or 13 years old	114	4.6%
6	14 or 15 years old	80	3.3%
7	16 years old or older	4	0.2%
Sysmiss		224	

## Q29: How many days smoked 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2544 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	2253	88.6%
2	1 or 2 days	125	4.9%
3	3 to 5 days	47	1.8%
4	6 to 9 days	48	1.9%
5	10 to 19 days	32	1.3%
6	20 to 29 days	14	0.6%
7	All 30 days	25	1%
Sysmiss		133	

**Q30: Other forms of tobacco****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2629 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	2327	88.5%
2	1 or 2 days	139	5.3%
3	3 to 5 days	73	2.8%
4	6 to 9 days	40	1.5%
5	10 to 19 days	24	0.9%
6	20 to 29 days	8	0.3%
7	All 30 days	18	0.7%
Sysmiss		48	

**Q31: Try stop smoking past 12 mo.****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2478 Invalid: 199

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--



1	I have never smoked cigarettes	2155	87%
2	Did not smoke cigarettes	126	5.1%
3	Yes	126	5.1%
4	No	71	2.9%
Sysmiss		199	

### Q32: Others present smoking past 7 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2579 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	1151	44.6%
2	1 or 2 days	443	17.2%
3	3 or 4 days	215	8.3%
4	5 or 6 days	117	4.5%
5	All 7 days	653	25.3%
Sysmiss		98	

### Q33: Parents who use tobacco

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2619 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	1699	64.9%
2	My father or male guardian	705	26.9%
3	My mother or female guardian	45	1.7%
4	Both	70	2.7%
5	I do not know	100	3.8%
Sysmiss		58	

**Q40: Age first drugs****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2351 Invalid: 326

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

How old were you when you first used drugs?

## CATEGORIES

Value	Category	Cases	
1	I have never used drugs	2168	92.2%
2	7 years old or younger	74	3.1%
3	8 or 9 years old	52	2.2%
4	10 or 11 years old	19	0.8%
5	12 or 13 years old	18	0.8%
6	14 or 15 years old	11	0.5%
7	16 years old or older	9	0.4%
Sysmiss		326	

**Q41: Times used marijuana lifetime****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2550 Invalid: 127

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	2458	96.4%
2	1 or 2 times	38	1.5%
3	3 to 9 times	27	1.1%
4	10 to 19 times	19	0.7%
5	20 or more times	8	0.3%
Sysmiss		127	

## Q42: Times used marijuana past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2537 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	2439	96.1%
2	1 or 2 times	42	1.7%
3	3 to 9 times	33	1.3%
4	10 to 19 times	11	0.4%
5	20 or more times	12	0.5%
Sysmiss		140	

**Q43: Times used amphetamines lifetime****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2398 Invalid: 279

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	2299	95.9%
2	1 or 2 times	39	1.6%
3	3 to 9 times	32	1.3%
4	10 to 19 times	13	0.5%
5	20 or more times	15	0.6%
Sysmiss		279	

**Q49: Days active 60 min plus past 7 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2568 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	846	32.9%
2	1 day	540	21%

3	2 days	285	11.1%
4	3 days	175	6.8%
5	4 days	123	4.8%
6	5 days	114	4.4%
7	6 days	33	1.3%
8	7 days	452	17.6%
Sysmiss		109	

## Q50: Walk or bike to school past 7 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2607 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	849	32.6%
2	1 day	206	7.9%
3	2 days	126	4.8%
4	3 days	74	2.8%
5	4 days	45	1.7%
6	5 days	42	1.6%
7	6 days	219	8.4%
8	7 days	1046	40.1%
Sysmiss		70	

## Q51: Days went to PE each week

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2523 Invalid: 154

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

### CATEGORIES

Value	Category	Cases	
1	0 days	535	21.2%
2	1 day	1222	48.4%
3	2 days	188	7.5%
4	3 days	78	3.1%
5	4 days	56	2.2%
6	5 or more days	444	17.6%
Sysmiss		154	

## Q52: Time spent sitting on usual day

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2517 Invalid: 160

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	600	23.8%
2	1 to 2 hours per day	828	32.9%
3	3 to 4 hours per day	694	27.6%
4	5 to 6 hours per day	251	10%
5	7 to 8 hours per day	106	4.2%
6	More than 8 hours per day	38	1.5%
Sysmiss		160	

**Q53: Miss school no permission past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2565 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, on how many days did you miss classes or school without permission?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1557	60.7%
2	1 or 2 days	696	27.1%
3	3 to 5 days	180	7%
4	6 to 9 days	71	2.8%
5	10 or more days	61	2.4%
Sysmiss		112	

**Q54: Others helpful in school past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2519 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	312	12.4%
2	Rarely	435	17.3%
3	Sometimes	510	20.2%

4	Most of the time	457	18.1%
5	Always	805	32%
Sysmiss		158	

### Q55: Parents check homework past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2573 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

##### CATEGORIES

Value	Category	Cases	
1	Never	548	21.3%
2	Rarely	362	14.1%
3	Sometimes	361	14%
4	Most of the time	307	11.9%
5	Always	995	38.7%
Sysmiss		104	

### Q56: Parent understand troubles past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2575 Invalid: 102

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Never	697	27.1%
2	Rarely	530	20.6%
3	Sometimes	473	18.4%
4	Most of the time	350	13.6%
5	Always	525	20.4%
Sysmiss		102	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2536 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	571	22.5%
2	Rarely	409	16.1%
3	Sometimes	439	17.3%
4	Most of the time	359	14.2%
5	Always	758	29.9%
Sysmiss		141	

## Q58: Parent go through things past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2161 Invalid: 516 Mean: 2.16 Standard deviation: 1.299

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		1005	46.5%
2		369	17.1%
3		332	15.4%
4		346	16%
5		109	5%
Sysmiss		516	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2635 Invalid: 42 Mean: 1.885 Standard deviation: 0.319  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	303	11.5%
2	No	2332	88.5%
Sysmiss		42	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2646 Invalid: 31 Mean: 1.592 Standard deviation: 0.492  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1080	40.8%
2	No	1566	59.2%
Sysmiss		31	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2632 Invalid: 45 Mean: 1.777 Standard deviation: 0.416  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	587	22.3%
2	No	2045	77.7%
Sysmiss		45	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2650 Invalid: 27 Mean: 1.496 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1335	50.4%
2	No	1315	49.6%
Sysmiss		27	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2647   Invalid: 30   Mean: 1.879   Standard deviation: 0.326  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	320	12.1%
2	No	2327	87.9%
Sysmiss		30	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2602   Invalid: 75   Mean: 1.706   Standard deviation: 0.456  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	766	29.4%
2	No	1836	70.6%
Sysmiss		75	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2621   Invalid: 56   Mean: 1.915   Standard deviation: 0.28  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	224	8.5%
2	No	2397	91.5%
Sysmiss		56	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2599 Invalid: 78 Mean: 1.918 Standard deviation: 0.274  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	213	8.2%
2	No	2386	91.8%
Sysmiss		78	

## QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2625 Invalid: 52 Mean: 1.911 Standard deviation: 0.285  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	234	8.9%
2	No	2391	91.1%
Sysmiss		52	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2642   Invalid: 35   Mean: 1.548   Standard deviation: 0.498  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	1193	45.2%
2	No	1449	54.8%
Sysmiss		35	

### QN16: In fight 1+ times past 12 months

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2654   Invalid: 23   Mean: 1.606   Standard deviation: 0.489  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	1047	39.4%
2	No	1607	60.6%
Sysmiss		23	

**QN17: Seriously injured 1+ times past 12 months****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2186 Invalid: 491 Mean: 1.705 Standard deviation: 0.456  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were seriously injured one or more times during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	644	29.5%
2	No	1542	70.5%
Sysmiss		491	

**QN18: Broken bone as most serious injury****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 457 Invalid: 2220 Mean: 1.689 Standard deviation: 0.463  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

**CATEGORIES**

Value	Category	Cases	
1	Yes	142	31.1%
2	No	315	68.9%
Sysmiss		2220	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 468 Invalid: 2209 Mean: 1.838 Standard deviation: 0.369  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	76	16.2%
2	No	392	83.8%
Sysmiss		2209	

## QN20: Bullied 1+ of past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2492 Invalid: 185 Mean: 1.413 Standard deviation: 0.492  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1463	58.7%
2	No	1029	41.3%
Sysmiss		185	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 1143 Invalid: 1534 Mean: 1.879 Standard deviation: 0.326  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

### CATEGORIES



Value	Category	Cases	
1	Yes	138	12.1%
2	No	1005	87.9%
Sysmiss		1534	

## QN22: Lonely most times/always past 12 months

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2617 Invalid: 60 Mean: 1.845 Standard deviation: 0.362  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	405	15.5%
2	No	2212	84.5%
Sysmiss		60	

## QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2602 Invalid: 75 Mean: 1.834 Standard deviation: 0.373  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	433	16.6%
2	No	2169	83.4%
Sysmiss		75	

**QN24: Considered suicide past 12 months****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2552 Invalid: 125 Mean: 1.806 Standard deviation: 0.396  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	496	19.4%
2	No	2056	80.6%
Sysmiss		125	

**QN25: Made suicide plan past 12 months****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2536 Invalid: 141 Mean: 1.817 Standard deviation: 0.387  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	464	18.3%
2	No	2072	81.7%
Sysmiss		141	

**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2596 Invalid: 81 Mean: 1.793 Standard deviation: 0.405  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	537	20.7%
2	No	2059	79.3%
Sysmiss		81	

## QN27: No close friends

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2578 Invalid: 99 Mean: 1.913 Standard deviation: 0.282  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	224	8.7%
2	No	2354	91.3%
Sysmiss		99	

## QN28: Age first cigarette before 14

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 512 Invalid: 2165 Mean: 1.164 Standard deviation: 0.371  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	428	83.6%
2	No	84	16.4%
Sysmiss		2165	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2568 Invalid: 109 Mean: 1.767 Standard deviation: 0.423  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	599	23.3%
2	No	1969	76.7%
Sysmiss		109	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2544 Invalid: 133 Mean: 1.886 Standard deviation: 0.318  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	291	11.4%
2	No	2253	88.6%
Sysmiss		133	

**QN30: Used other tobacco 1+ of past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2629 Invalid: 48 Mean: 1.885 Standard deviation: 0.319  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	302	11.5%
2	No	2327	88.5%
Sysmiss		48	

**QN31: Tried to quit smoking past 12 months****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 197 Invalid: 2480 Mean: 1.36 Standard deviation: 0.481  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	126	64%
2	No	71	36%
Sysmiss		2480	

**QN32: Others present smoking 1+ of past 7 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2579 Invalid: 98 Mean: 1.446 Standard deviation: 0.497  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1428	55.4%
2	No	1151	44.6%
Sysmiss		98	

## QN33: Either/Both parents use tobacco

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2619 Invalid: 58 Mean: 1.687 Standard deviation: 0.464  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	820	31.3%
2	No	1799	68.7%
Sysmiss		58	

## QN40: Age first drugs before 14

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 183 Invalid: 2494 Mean: 1.109 Standard deviation: 0.313  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	163	89.1%
2	No	20	10.9%
Sysmiss		2494	

### QN41: Marijuana 1+ times in lifetime

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2550 Invalid: 127 Mean: 1.964 Standard deviation: 0.187  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	92	3.6%
2	No	2458	96.4%
Sysmiss		127	

### QN42: Marijuana 1+ times p 30 days

Data file: PSE2010\_Gaza\_Public\_Use

#### Overview

Valid: 2537 Invalid: 140 Mean: 1.961 Standard deviation: 0.193  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	98	3.9%
2	No	2439	96.1%
Sysmiss		140	

**QN43: Amphetamines 1+ times lifetime****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2398   Invalid: 279   Mean: 1.959   Standard deviation: 0.199  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used amphetamines or methamphetamines one or more times during their life

**CATEGORIES**

Value	Category	Cases	
1	Yes	99	4.1%
2	No	2299	95.9%
Sysmiss		279	

**QN50: Walk/Bike to/from school 0 of past 7 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2607   Invalid: 70   Mean: 1.674   Standard deviation: 0.469  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	849	32.6%
2	No	1758	67.4%
Sysmiss		70	

**QN51: 3+ days PE each week****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2523   Invalid: 154   Mean: 1.771   Standard deviation: 0.42  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	578	22.9%
2	No	1945	77.1%
Sysmiss		154	

## QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2517 Invalid: 160 Mean: 1.567 Standard deviation: 0.496  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

### CATEGORIES

Value	Category	Cases	
1	Yes	1089	43.3%
2	No	1428	56.7%
Sysmiss		160	

## QN53: Miss school no permission 1+ of past 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2565 Invalid: 112 Mean: 1.607 Standard deviation: 0.489  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1008	39.3%
2	No	1557	60.7%
Sysmiss		112	

#### QN54: Students most/always kind 30 days

Data file: PSE2010\_Gaza\_Public\_Use

##### Overview

Valid: 2519 Invalid: 158 Mean: 1.499 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

###### CATEGORIES

Value	Category	Cases	
1	Yes	1262	50.1%
2	No	1257	49.9%
Sysmiss		158	

#### QN55: Parents most/always check homework

Data file: PSE2010\_Gaza\_Public\_Use

##### Overview

Valid: 2573 Invalid: 104 Mean: 1.494 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

###### CATEGORIES

Value	Category	Cases	
1	Yes	1302	50.6%
2	No	1271	49.4%
Sysmiss		104	

**QN56: Parents most/always understand problems****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2575   Invalid: 102   Mean: 1.66   Standard deviation: 0.474  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	875	34%
2	No	1700	66%
Sysmiss		102	

**QN57: Parents most/always know about free time****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2536   Invalid: 141   Mean: 1.56   Standard deviation: 0.497  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1117	44%
2	No	1419	56%
Sysmiss		141	

**QN58: Parents never/rarely go thru things****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2161   Invalid: 516   Mean: 1.364   Standard deviation: 0.481  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1374	63.6%
2	No	787	36.4%
Sysmiss		516	

## QNOWTG: Overweight

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2306 Invalid: 371 Mean: 1.76 Standard deviation: 0.427  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	554	24%
2	No	1752	76%
Sysmiss		371	

## QNOBESEG: Obese

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2306 Invalid: 371 Mean: 1.938 Standard deviation: 0.24  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	142	6.2%
2	No	2164	93.8%
Sysmiss		371	

## QNUNWTG: Underweight

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2306 Invalid: 371 Mean: 1.949 Standard deviation: 0.22  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	117	5.1%
2	No	2189	94.9%
Sysmiss		371	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2615 Invalid: 62 Mean: 1.756 Standard deviation: 0.43  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	638	24.4%
2	No	1977	75.6%
Sysmiss		62	

**QNANYTBG: Used any tobacco past 30 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2531 Invalid: 146 Mean: 1.847 Standard deviation: 0.36  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used any tobacco on one or more days during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	388	15.3%
2	No	2143	84.7%
Sysmiss		146	

**QNPA7G: Physically active all past 7 days****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2568 Invalid: 109 Mean: 1.824 Standard deviation: 0.381  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	452	17.6%
2	No	2116	82.4%
Sysmiss		109	

**QNPE5G: Attended PE 5+ days each week****Data file: PSE2010\_Gaza\_Public\_Use****Overview**

Valid: 2523 Invalid: 154 Mean: 1.824 Standard deviation: 0.381  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	444	17.6%
2	No	2079	82.4%
Sysmiss		154	

## QNC2G: Among those worried, currently bullied

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 396 Invalid: 2281 Mean: 1.253 Standard deviation: 0.435  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	296	74.7%
2	No	100	25.3%
Sysmiss		2281	

## WEIGHT: Weight

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2677 Invalid: 0 Mean: 28.991 Standard deviation: 5.824  
Type: Continuous Decimal: 0 Width: 10 Range: 8.4014 - 41.9518 Format: Numeric Weighted: yes

## STRATUM: Stratum

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2677 Invalid: 0 Mean: 201001006.095 Standard deviation: 9.583  
Type: Discrete Decimal: 0 Width: 9 Range: 201001001 - 201001011 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201001001		295	11%
201001002		203	7.6%
201001003		262	9.8%
201001004		243	9.1%
201001005		263	9.8%
201001006		104	3.9%
201001007		223	8.3%
201001008		276	10.3%
201001009		258	9.6%
201001010		224	8.4%
201001011		326	12.2%

### PSU: Primary Sampling Unit

Data file: PSE2010\_Gaza\_Public\_Use

### Overview

Valid: 2677 Invalid: 0 Mean: 11.758 Standard deviation: 6.729

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 23 Format: Numeric



**Q1: How old are you****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2115 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.2%
2	12 years old	186	8.8%
3	13 years old	514	24.3%
4	14 years old	772	36.5%
5	15 years old	583	27.6%
6	16 years old or older	56	2.6%
Sysmiss		7	

**Q2: Sex****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2109 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	1045	49.5%
2	Female	1064	50.5%
Sysmiss		13	

**Q3: In what grade are you****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use**

## Overview

Valid: 2113 Invalid: 9  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	7th	576	27.3%
2	8th	768	36.3%
3	9th	769	36.4%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		9	

## Q4: How tall are you

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1930 Invalid: 192 Minimum: 1.28 Maximum: 1.96 Mean: 1.575 Standard deviation: 0.0919  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.28 - 1.96 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1930 Invalid: 192 Minimum: 29 Maximum: 132 Mean: 50.416 Standard deviation: 11.28  
 Type: Continuous Decimal: 0 Width: 6 Range: 29 - 132 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** PSE2010\_UNRWA\_Gaza\_Public\_Use

**Overview**

Valid: 2116 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1271	60.1%
2	Rarely	424	20%
3	Sometimes	266	12.6%
4	Most of the time	111	5.2%
5	Always	44	2.1%
Sysmiss		6	

**Q7: Eat fruit per day past 30 days**

**Data file:** PSE2010\_UNRWA\_Gaza\_Public\_Use

**Overview**

Valid: 2114 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	146	6.9%

2	Less than one time per day	545	25.8%
3	1 time per day	562	26.6%
4	2 times per day	481	22.8%
5	3 times per day	197	9.3%
6	4 times per day	53	2.5%
7	5 or more times per day	130	6.1%
Sysmiss		8	

## Q8: Eat vegetables past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2099 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	117	5.6%
2	Less than one time per day	542	25.8%
3	1 time per day	760	36.2%
4	2 times per day	339	16.2%
5	3 times per day	162	7.7%
6	4 times per day	67	3.2%
7	5 or more times per day	112	5.3%
Sysmiss		23	

## Q9: Drink soft drinks past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2116 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	389	18.4%
2	Less than one time per day	818	38.7%
3	1 time per day	543	25.7%
4	2 times per day	181	8.6%
5	3 times per day	77	3.6%
6	4 times per day	42	2%
7	5 or more times per day	66	3.1%
Sysmiss		6	

## Q10: Ate fast food past 7 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2110 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	1097	52%
2	1 day	404	19.1%
3	2 days	265	12.6%
4	3 days	159	7.5%
5	4 days	70	3.3%
6	5 days	38	1.8%
7	6 days	26	1.2%

8	7 days	51	2.4%
Sysmiss		12	

## Q11: How many times per day brush teeth

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2103 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	290	13.8%
2	Less than 1 time per day	389	18.5%
3	1 time per day	492	23.4%
4	2 times per day	514	24.4%
5	3 times per day	254	12.1%
6	4 or more times per day	164	7.8%
Sysmiss		19	

## Q12: Wash hands before eating past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2085 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	60	2.9%
2	Rarely	90	4.3%
3	Sometimes	147	7.1%
4	Most of the time	227	10.9%
5	Always	1561	74.9%
Sysmiss		37	

### Q13: Wash hands after toilet past 30 day

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2077 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	48	2.3%
2	Rarely	56	2.7%
3	Sometimes	91	4.4%
4	Most of the time	105	5.1%
5	Always	1777	85.6%
Sysmiss		45	

### Q14: Used soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2089 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	47	2.2%
2	Rarely	93	4.5%
3	Sometimes	129	6.2%
4	Most of the time	250	12%
5	Always	1570	75.2%
Sysmiss		33	

### Q15: Times attacked past 12 mo.

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2121 Invalid: 1

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1409	66.4%
2	1 time	301	14.2%
3	2 or 3 times	206	9.7%
4	4 or 5 times	74	3.5%
5	6 or 7 times	24	1.1%
6	8 or 9 times	15	0.7%
7	10 or 11 times	6	0.3%
8	12 or more times	86	4.1%
Sysmiss		1	

### Q16: How many times in fight 12 mos

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use



## Overview

Valid: 2102 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1269	60.4%
2	1 time	341	16.2%
3	2 or 3 times	240	11.4%
4	4 or 5 times	89	4.2%
5	6 or 7 times	33	1.6%
6	8 or 9 times	20	1%
7	10 or 11 times	11	0.5%
8	12 or more times	99	4.7%
Sysmiss		20	

## Q17: How many times injured past 12 months

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

## Overview

Valid: 1806 Invalid: 316

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	1350	74.8%
2	1 time	257	14.2%
3	2 or 3 times	122	6.8%

4	4 or 5 times	31	1.7%
5	6 or 7 times	15	0.8%
6	8 or 9 times	8	0.4%
7	10 or 11 times	4	0.2%
8	12 or more times	19	1.1%
Sysmiss		316	

## Q18: What was serious injury past 12 mo.

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1907 Invalid: 215

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

#### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

#### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1553	81.4%
2	Broken bone/dislocated joint	97	5.1%
3	I had a cut or stab wound	77	4%
4	Concussion/head injury	40	2.1%
5	I had a gunshot wound	9	0.5%
6	I had a bad burn	12	0.6%
7	I was poisoned	10	0.5%
8	Something else happened to me	109	5.7%
Sysmiss		215	

## Q19: Cause of injury past 12 mo.

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1868 Invalid: 254

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1501	80.4%
2	Motor vehicle accident	54	2.9%
3	I fell	115	6.2%
4	Something fell on me or hit me	44	2.4%
5	I was attacked	50	2.7%
6	Was in a fire	10	0.5%
7	breathed something bad	13	0.7%
8	Something else	81	4.3%
Sysmiss		254	

## Q20: How many days bullied past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2032 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	878	43.2%
2	1 or 2 days	617	30.4%
3	3 to 5 days	232	11.4%
4	6 to 9 days	114	5.6%
5	10 to 19 days	45	2.2%

6	20 to 29 days	34	1.7%
7	All 30 days	112	5.5%
Sysmiss		90	

## Q21: How bullied past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2034 Invalid: 88

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1056	51.9%
2	Kicked, pushed, or shoved	164	8.1%
3	Made fun of race	74	3.6%
4	Made fun because of religion	40	2%
5	Made fun of about sex	261	12.8%
6	Left out of activities	39	1.9%
7	Made fun of about body	47	2.3%
8	Some other way	353	17.4%
Sysmiss		88	

## Q22: Times felt lonely past 12 mo.

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2104 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	883	42%
2	Rarely	567	26.9%
3	Sometimes	339	16.1%
4	Most of the time	175	8.3%
5	Always	140	6.7%
Sysmiss		18	

### Q23: Times could not sleep past 12 mo.

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2099 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	656	31.3%
2	Rarely	719	34.3%
3	Sometimes	416	19.8%
4	Most of the time	208	9.9%
5	Always	100	4.8%
Sysmiss		23	

### Q24: Ever considered suicide 12 mos

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2071 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	381	18.4%
2	No	1690	81.6%
Sysmiss		51	

## Q25: Ever make suicide plan 12 mos

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2058 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	340	16.5%
2	No	1718	83.5%
Sysmiss		64	

## Q26: Times attempted suicide 12 mos

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2093 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1680	80.3%
2	1 time	216	10.3%
3	2 or 3 times	108	5.2%
4	4 or 5 times	55	2.6%
5	6 or more times	34	1.6%
Sysmiss		29	

### Q27: Number close friends

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2102 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	176	8.4%
2	1	275	13.1%
3	2	303	14.4%
4	3 or more	1348	64.1%
Sysmiss		20	

### Q28: Age first tried cigarette

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2008 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1623	80.8%
2	7 years old or younger	107	5.3%
3	8 or 9 years old	61	3%
4	10 or 11 years old	74	3.7%
5	12 or 13 years old	88	4.4%
6	14 or 15 years old	52	2.6%
7	16 years old or older	3	0.1%
Sysmiss		114	

## Q29: How many days smoked 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2062 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1851	89.8%
2	1 or 2 days	93	4.5%
3	3 to 5 days	29	1.4%
4	6 to 9 days	32	1.6%
5	10 to 19 days	21	1%
6	20 to 29 days	12	0.6%
7	All 30 days	24	1.2%
Sysmiss		60	



**Q30: Other forms of tobacco****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2115 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1891	89.4%
2	1 or 2 days	117	5.5%
3	3 to 5 days	46	2.2%
4	6 to 9 days	18	0.9%
5	10 to 19 days	16	0.8%
6	20 to 29 days	13	0.6%
7	All 30 days	14	0.7%
Sysmiss		7	

**Q31: Try stop smoking past 12 mo.****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2007 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1770	88.2%
2	Did not smoke cigarettes	67	3.3%
3	Yes	126	6.3%
4	No	44	2.2%
Sysmiss		115	

### Q32: Others present smoking past 7 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2080 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	990	47.6%
2	1 or 2 days	353	17%
3	3 or 4 days	157	7.5%
4	5 or 6 days	108	5.2%
5	All 7 days	472	22.7%
Sysmiss		42	

### Q33: Parents who use tobacco

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2103 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	1341	63.8%
2	My father or male guardian	646	30.7%
3	My mother or female guardian	30	1.4%
4	Both	35	1.7%
5	I do not know	51	2.4%
Sysmiss		19	

**Q40: Age first drugs****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 1975    Invalid: 147

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

How old were you when you first used drugs?

## CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1843	93.3%
2	7 years old or younger	48	2.4%
3	8 or 9 years old	25	1.3%
4	10 or 11 years old	27	1.4%
5	12 or 13 years old	14	0.7%
6	14 or 15 years old	11	0.6%
7	16 years old or older	7	0.4%
Sysmiss		147	

**Q41: Times used marijuana lifetime****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2067    Invalid: 55

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 5    Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1994	96.5%
2	1 or 2 times	25	1.2%
3	3 to 9 times	26	1.3%
4	10 to 19 times	18	0.9%
5	20 or more times	4	0.2%
Sysmiss		55	

## Q42: Times used marijuana past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2051 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1977	96.4%
2	1 or 2 times	37	1.8%
3	3 to 9 times	15	0.7%
4	10 to 19 times	14	0.7%
5	20 or more times	8	0.4%
Sysmiss		71	

**Q43: Times used amphetamines lifetime****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 1998 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1925	96.3%
2	1 or 2 times	28	1.4%
3	3 to 9 times	26	1.3%
4	10 to 19 times	11	0.6%
5	20 or more times	8	0.4%
Sysmiss		124	

**Q49: Days active 60 min plus past 7 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2086 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	688	33%
2	1 day	432	20.7%

3	2 days	264	12.7%
4	3 days	161	7.7%
5	4 days	87	4.2%
6	5 days	84	4%
7	6 days	26	1.2%
8	7 days	344	16.5%
Sysmiss		36	

## Q50: Walk or bike to school past 7 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2101 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	575	27.4%
2	1 day	174	8.3%
3	2 days	100	4.8%
4	3 days	61	2.9%
5	4 days	38	1.8%
6	5 days	23	1.1%
7	6 days	163	7.8%
8	7 days	967	46%
Sysmiss		21	

## Q51: Days went to PE each week

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2066 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

### CATEGORIES

Value	Category	Cases	
1	0 days	316	15.3%
2	1 day	591	28.6%
3	2 days	145	7%
4	3 days	91	4.4%
5	4 days	79	3.8%
6	5 or more days	844	40.9%
Sysmiss		56	

## Q52: Time spent sitting on usual day

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2096 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	791	37.7%
2	1 to 2 hours per day	782	37.3%
3	3 to 4 hours per day	314	15%
4	5 to 6 hours per day	104	5%
5	7 to 8 hours per day	26	1.2%
6	More than 8 hours per day	79	3.8%
Sysmiss		26	

**Q53: Miss school no permission past 30 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2085 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, on how many days did you miss classes or school without permission?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1293	62%
2	1 or 2 days	576	27.6%
3	3 to 5 days	139	6.7%
4	6 to 9 days	38	1.8%
5	10 or more days	39	1.9%
Sysmiss		37	

**Q54: Others helpful in school past 30 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2074 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	209	10.1%
2	Rarely	318	15.3%
3	Sometimes	338	16.3%



4	Most of the time	382	18.4%
5	Always	827	39.9%
Sysmiss		48	

## Q55: Parents check homework past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2094 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

#### CATEGORIES

Value	Category	Cases	
1	Never	485	23.2%
2	Rarely	243	11.6%
3	Sometimes	280	13.4%
4	Most of the time	291	13.9%
5	Always	795	38%
Sysmiss		28	

## Q56: Parent understand troubles past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2086 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	469	22.5%
2	Rarely	407	19.5%
3	Sometimes	401	19.2%
4	Most of the time	287	13.8%
5	Always	522	25%
Sysmiss		36	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2073 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	467	22.5%
2	Rarely	320	15.4%
3	Sometimes	386	18.6%
4	Most of the time	343	16.5%
5	Always	557	26.9%
Sysmiss		49	

## Q58: Parent go through things past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2085 Invalid: 37 Mean: 1.645 Standard deviation: 1.179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		1464	70.2%
2		256	12.3%
3		135	6.5%
4		102	4.9%
5		128	6.1%
Sysmiss		37	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2116 Invalid: 6 Mean: 1.927 Standard deviation: 0.261  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	155	7.3%
2	No	1961	92.7%
Sysmiss		6	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2114 Invalid: 8 Mean: 1.593 Standard deviation: 0.491  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	861	40.7%
2	No	1253	59.3%
Sysmiss		8	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2099 Invalid: 23 Mean: 1.838 Standard deviation: 0.369  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	341	16.2%
2	No	1758	83.8%
Sysmiss		23	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2116 Invalid: 6 Mean: 1.57 Standard deviation: 0.495  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	909	43%
2	No	1207	57%
Sysmiss		6	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2110   Invalid: 12   Mean: 1.837   Standard deviation: 0.369  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	344	16.3%
2	No	1766	83.7%
Sysmiss		12	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2103   Invalid: 19   Mean: 1.677   Standard deviation: 0.468  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	679	32.3%
2	No	1424	67.7%
Sysmiss		19	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2085   Invalid: 37   Mean: 1.928   Standard deviation: 0.258  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	150	7.2%
2	No	1935	92.8%
Sysmiss		37	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2077 Invalid: 45 Mean: 1.95 Standard deviation: 0.218  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	104	5%
2	No	1973	95%
Sysmiss		45	

## QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2089 Invalid: 33 Mean: 1.933 Standard deviation: 0.25  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	140	6.7%
2	No	1949	93.3%
Sysmiss		33	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2121 Invalid: 1 Mean: 1.664 Standard deviation: 0.472  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	712	33.6%
2	No	1409	66.4%
Sysmiss		1	

### QN16: In fight 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2102 Invalid: 20 Mean: 1.604 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	833	39.6%
2	No	1269	60.4%
Sysmiss		20	

**QN17: Seriously injured 1+ times past 12 months****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 1806   Invalid: 316   Mean: 1.748   Standard deviation: 0.435  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were seriously injured one or more times during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	456	25.2%
2	No	1350	74.8%
Sysmiss		316	

**QN18: Broken bone as most serious injury****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 354   Invalid: 1768   Mean: 1.726   Standard deviation: 0.447  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

**CATEGORIES**

Value	Category	Cases	
1	Yes	97	27.4%
2	No	257	72.6%
Sysmiss		1768	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 367   Invalid: 1755   Mean: 1.853   Standard deviation: 0.355  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	54	14.7%
2	No	313	85.3%
Sysmiss		1755	

## QN20: Bullied 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2032 Invalid: 90 Mean: 1.432 Standard deviation: 0.495  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1154	56.8%
2	No	878	43.2%
Sysmiss		90	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 978 Invalid: 1144 Mean: 1.832 Standard deviation: 0.374  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

### CATEGORIES

Value	Category	Cases	
1	Yes	164	16.8%
2	No	814	83.2%
Sysmiss		1144	

## QN22: Lonely most times/always past 12 months

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2104 Invalid: 18 Mean: 1.85 Standard deviation: 0.357  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	315	15%
2	No	1789	85%
Sysmiss		18	

## QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2099 Invalid: 23 Mean: 1.853 Standard deviation: 0.354  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	308	14.7%
2	No	1791	85.3%
Sysmiss		23	

**QN24: Considered suicide past 12 months****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2071   Invalid: 51   Mean: 1.816   Standard deviation: 0.388  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	381	18.4%
2	No	1690	81.6%
Sysmiss		51	

**QN25: Made suicide plan past 12 months****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2058   Invalid: 64   Mean: 1.835   Standard deviation: 0.371  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	340	16.5%
2	No	1718	83.5%
Sysmiss		64	

**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2093   Invalid: 29   Mean: 1.803   Standard deviation: 0.398  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	413	19.7%
2	No	1680	80.3%
Sysmiss		29	

## QN27: No close friends

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2102 Invalid: 20 Mean: 1.916 Standard deviation: 0.277  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	176	8.4%
2	No	1926	91.6%
Sysmiss		20	

## QN28: Age first cigarette before 14

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 385 Invalid: 1737 Mean: 1.143 Standard deviation: 0.35  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	330	85.7%
2	No	55	14.3%
Sysmiss		1737	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2062 Invalid: 60 Mean: 1.898 Standard deviation: 0.303  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	211	10.2%
2	No	1851	89.8%
Sysmiss		60	

### QN30: Used other tobacco 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2115 Invalid: 7 Mean: 1.894 Standard deviation: 0.308  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	224	10.6%
2	No	1891	89.4%
Sysmiss		7	

**QN31: Tried to quit smoking past 12 months****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 170    Invalid: 1952    Mean: 1.259    Standard deviation: 0.439  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	126	74.1%
2	No	44	25.9%
Sysmiss		1952	

**QN32: Others present smoking 1+ of past 7 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2080    Invalid: 42    Mean: 1.476    Standard deviation: 0.5  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1090	52.4%
2	No	990	47.6%
Sysmiss		42	

**QN33: Either/Both parents use tobacco****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2103    Invalid: 19    Mean: 1.662    Standard deviation: 0.473  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	711	33.8%
2	No	1392	66.2%
Sysmiss		19	

## QN40: Age first drugs before 14

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 132   Invalid: 1990   Mean: 1.136   Standard deviation: 0.344  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	114	86.4%
2	No	18	13.6%
Sysmiss		1990	

## QN41: Marijuana 1+ times in lifetime

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2067   Invalid: 55   Mean: 1.965   Standard deviation: 0.185  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	73	3.5%
2	No	1994	96.5%
Sysmiss		55	

**QN42: Marijuana 1+ times p 30 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2051   Invalid: 71   Mean: 1.964   Standard deviation: 0.187  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	74	3.6%
2	No	1977	96.4%
Sysmiss		71	

**QN43: Amphetamines 1+ times lifetime****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 1998   Invalid: 124   Mean: 1.963   Standard deviation: 0.188  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	73	3.7%
2	No	1925	96.3%
Sysmiss		124	



**QN49: Active 60+ mins/day for 5+ of past 7 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2086   Invalid: 36   Mean: 1.782   Standard deviation: 0.413  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	454	21.8%
2	No	1632	78.2%
Sysmiss		36	

**QN50: Walk/Bike to/from school 0 of past 7 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2101   Invalid: 21   Mean: 1.726   Standard deviation: 0.446  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	575	27.4%
2	No	1526	72.6%
Sysmiss		21	

**QN51: 3+ days PE each week****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2066   Invalid: 56   Mean: 1.509   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	1014	49.1%
2	No	1052	50.9%
Sysmiss		56	

## QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2096 Invalid: 26 Mean: 1.75 Standard deviation: 0.433  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

### CATEGORIES

Value	Category	Cases	
1	Yes	523	25%
2	No	1573	75%
Sysmiss		26	

## QN53: Miss school no permission 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2085 Invalid: 37 Mean: 1.62 Standard deviation: 0.485  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	792	38%
2	No	1293	62%
Sysmiss		37	

#### QN54: Students most/always kind 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

##### Overview

Valid: 2074 Invalid: 48 Mean: 1.417 Standard deviation: 0.493  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

###### CATEGORIES

Value	Category	Cases	
1	Yes	1209	58.3%
2	No	865	41.7%
Sysmiss		48	

#### QN55: Parents most/always check homework

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

##### Overview

Valid: 2094 Invalid: 28 Mean: 1.481 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

###### CATEGORIES

Value	Category	Cases	
1	Yes	1086	51.9%
2	No	1008	48.1%
Sysmiss		28	

**QN56: Parents most/always understand problems****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2086 Invalid: 36 Mean: 1.612 Standard deviation: 0.487  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	809	38.8%
2	No	1277	61.2%
Sysmiss		36	

**QN57: Parents most/always know about free time****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2073 Invalid: 49 Mean: 1.566 Standard deviation: 0.496  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	900	43.4%
2	No	1173	56.6%
Sysmiss		49	

**QN58: Parents never/rarely go thru things****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2085 Invalid: 37 Mean: 1.175 Standard deviation: 0.38  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1720	82.5%
2	No	365	17.5%
Sysmiss		37	

## QNOWTG: Overweight

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1930 Invalid: 192 Mean: 1.794 Standard deviation: 0.405  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	398	20.6%
2	No	1532	79.4%
Sysmiss		192	

## QNOBESEG: Obese

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1930 Invalid: 192 Mean: 1.959 Standard deviation: 0.198  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	79	4.1%
2	No	1851	95.9%
Sysmiss		192	

## QNUNWTG: Underweight

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 1930 Invalid: 192 Mean: 1.944 Standard deviation: 0.231  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	109	5.6%
2	No	1821	94.4%
Sysmiss		192	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2096 Invalid: 26 Mean: 1.806 Standard deviation: 0.395  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	406	19.4%
2	No	1690	80.6%
Sysmiss		26	

**QNANYTBG: Used any tobacco past 30 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2058   Invalid: 64   Mean: 1.865   Standard deviation: 0.341  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used any tobacco on one or more days during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	277	13.5%
2	No	1781	86.5%
Sysmiss		64	

**QNPA7G: Physically active all past 7 days****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2086   Invalid: 36   Mean: 1.835   Standard deviation: 0.371  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	344	16.5%
2	No	1742	83.5%
Sysmiss		36	

**QNPE5G: Attended PE 5+ days each week****Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use****Overview**

Valid: 2066   Invalid: 56   Mean: 1.591   Standard deviation: 0.492  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	844	40.9%
2	No	1222	59.1%
Sysmiss		56	

## QNC2G: Among those worried, currently bullied

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 295 Invalid: 1827 Mean: 1.281 Standard deviation: 0.45  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	212	71.9%
2	No	83	28.1%
Sysmiss		1827	

## WEIGHT: Weight

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2122 Invalid: 0 Mean: 29.32 Standard deviation: 5.223  
Type: Continuous Decimal: 0 Width: 10 Range: 23.9908 - 43.5113 Format: Numeric Weighted: yes

## STRATUM: Stratum

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

### Overview

Valid: 2122 Invalid: 0 Mean: 201001006.377 Standard deviation: 27.373  
Type: Discrete Decimal: 0 Width: 9 Range: 201001001 - 201001012 Format: Numeric



## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201001001		166	7.8%
201001002		204	9.6%
201001003		192	9%
201001004		157	7.4%
201001005		216	10.2%
201001006		157	7.4%
201001007		168	7.9%
201001008		192	9%
201001009		169	8%
201001010		179	8.4%
201001011		154	7.3%
201001012		168	7.9%

### PSU: Primary Sampling Unit

Data file: PSE2010\_UNRWA\_Gaza\_Public\_Use

#### Overview

Valid: 2122   Invalid: 0   Mean: 12.246   Standard deviation: 6.863  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 24   Format: Numeric

**Q1: How old are you****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1513 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	7	0.5%
2	12 years old	52	3.4%
3	13 years old	366	24.2%
4	14 years old	456	30.1%
5	15 years old	556	36.7%
6	16 years old or older	76	5%
Sysmiss		16	

**Q2: Sex****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1484 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	745	50.2%
2	Female	739	49.8%
Sysmiss		45	

**Q3: In what grade are you****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use**

## Overview

Valid: 1487 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	7th	396	26.6%
2	8th	487	32.8%
3	9th	604	40.6%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		42	

## Q4: How tall are you

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

## Overview

Valid: 1403 Invalid: 126 Minimum: 1.28 Maximum: 1.95 Mean: 1.594 Standard deviation: 0.0981

Type: Continuous Decimal: 0 Width: 4 Range: 1.28 - 1.95 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

## Overview

Valid: 1403 Invalid: 126 Minimum: 29 Maximum: 143 Mean: 52.719 Standard deviation: 12.287

Type: Continuous Decimal: 0 Width: 6 Range: 29 - 143 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** PSE2010\_UNRWA\_Jordan\_Public\_Use

**Overview**

Valid: 1517 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	934	61.6%
2	Rarely	268	17.7%
3	Sometimes	183	12.1%
4	Most of the time	100	6.6%
5	Always	32	2.1%
Sysmiss		12	

**Q7: Eat fruit per day past 30 days**

**Data file:** PSE2010\_UNRWA\_Jordan\_Public\_Use

**Overview**

Valid: 1521 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	160	10.5%

2	Less than one time per day	393	25.8%
3	1 time per day	344	22.6%
4	2 times per day	299	19.7%
5	3 times per day	144	9.5%
6	4 times per day	57	3.7%
7	5 or more times per day	124	8.2%
Sysmiss		8	

## Q8: Eat vegetables past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1514 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	75	5%
2	Less than one time per day	373	24.6%
3	1 time per day	498	32.9%
4	2 times per day	269	17.8%
5	3 times per day	136	9%
6	4 times per day	54	3.6%
7	5 or more times per day	109	7.2%
Sysmiss		15	

## Q9: Drink soft drinks past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1522 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	139	9.1%
2	Less than one time per day	521	34.2%
3	1 time per day	380	25%
4	2 times per day	227	14.9%
5	3 times per day	109	7.2%
6	4 times per day	37	2.4%
7	5 or more times per day	109	7.2%
Sysmiss		7	

## Q10: Ate fast food past 7 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1519 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	612	40.3%
2	1 day	339	22.3%
3	2 days	229	15.1%
4	3 days	140	9.2%
5	4 days	51	3.4%
6	5 days	49	3.2%
7	6 days	21	1.4%

8	7 days	78	5.1%
Sysmiss		10	

## Q11: How many times per day brush teeth

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1515 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	215	14.2%
2	Less than 1 time per day	280	18.5%
3	1 time per day	329	21.7%
4	2 times per day	344	22.7%
5	3 times per day	234	15.4%
6	4 or more times per day	113	7.5%
Sysmiss		14	

## Q12: Wash hands before eating past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1516 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	50	3.3%
2	Rarely	66	4.4%
3	Sometimes	112	7.4%
4	Most of the time	187	12.3%
5	Always	1101	72.6%
Sysmiss		13	

### Q13: Wash hands after toilet past 30 day

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1508 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	35	2.3%
2	Rarely	55	3.6%
3	Sometimes	94	6.2%
4	Most of the time	72	4.8%
5	Always	1252	83%
Sysmiss		21	

### Q14: Used soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1516 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION



During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	52	3.4%
2	Rarely	51	3.4%
3	Sometimes	109	7.2%
4	Most of the time	166	10.9%
5	Always	1138	75.1%
Sysmiss		13	

### Q15: Times attacked past 12 mo.

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1522 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	791	52%
2	1 time	269	17.7%
3	2 or 3 times	214	14.1%
4	4 or 5 times	89	5.8%
5	6 or 7 times	36	2.4%
6	8 or 9 times	15	1%
7	10 or 11 times	8	0.5%
8	12 or more times	100	6.6%
Sysmiss		7	

### Q16: How many times in fight 12 mos

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

## Overview

Valid: 1509 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	886	58.7%
2	1 time	224	14.8%
3	2 or 3 times	174	11.5%
4	4 or 5 times	66	4.4%
5	6 or 7 times	25	1.7%
6	8 or 9 times	21	1.4%
7	10 or 11 times	12	0.8%
8	12 or more times	101	6.7%
Sysmiss		20	

## Q17: How many times injured past 12 months

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

## Overview

Valid: 1287 Invalid: 242

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	791	61.5%
2	1 time	276	21.4%
3	2 or 3 times	132	10.3%

4	4 or 5 times	32	2.5%
5	6 or 7 times	18	1.4%
6	8 or 9 times	5	0.4%
7	10 or 11 times	8	0.6%
8	12 or more times	25	1.9%
Sysmiss		242	

### Q18: What was serious injury past 12 mo.

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1372 Invalid: 157

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1004	73.2%
2	Broken bone/dislocated joint	96	7%
3	I had a cut or stab wound	81	5.9%
4	Concussion/head injury	25	1.8%
5	I had a gunshot wound	15	1.1%
6	I had a bad burn	20	1.5%
7	I was poisoned	6	0.4%
8	Something else happened to me	125	9.1%
Sysmiss		157	

### Q19: Cause of injury past 12 mo.

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1322 Invalid: 207

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	929	70.3%
2	Motor vehicle accident	48	3.6%
3	I fell	137	10.4%
4	Something fell on me or hit me	33	2.5%
5	I was attacked	52	3.9%
6	Was in a fire	20	1.5%
7	breathed something bad	12	0.9%
8	Something else	91	6.9%
Sysmiss		207	

## Q20: How many days bullied past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1459 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	601	41.2%
2	1 or 2 days	445	30.5%
3	3 to 5 days	173	11.9%
4	6 to 9 days	86	5.9%
5	10 to 19 days	50	3.4%

6	20 to 29 days	22	1.5%
7	All 30 days	82	5.6%
Sysmiss		70	

## Q21: How bullied past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1454 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	735	50.6%
2	Kicked, pushed, or shoved	95	6.5%
3	Made fun of race	49	3.4%
4	Made fun because of religion	47	3.2%
5	Made fun of about sex	166	11.4%
6	Left out of activities	40	2.8%
7	Made fun of about body	66	4.5%
8	Some other way	256	17.6%
Sysmiss		75	

## Q22: Times felt lonely past 12 mo.

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1511 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	593	39.2%
2	Rarely	393	26%
3	Sometimes	250	16.5%
4	Most of the time	158	10.5%
5	Always	117	7.7%
Sysmiss		18	

### Q23: Times could not sleep past 12 mo.

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1502 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	407	27.1%
2	Rarely	485	32.3%
3	Sometimes	293	19.5%
4	Most of the time	212	14.1%
5	Always	105	7%
Sysmiss		27	

### Q24: Ever considered suicide 12 mos

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1485 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	328	22.1%
2	No	1157	77.9%
Sysmiss		44	

## Q25: Ever make suicide plan 12 mos

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1473 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	269	18.3%
2	No	1204	81.7%
Sysmiss		56	

## Q26: Times attempted suicide 12 mos

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1506 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1168	77.6%
2	1 time	193	12.8%
3	2 or 3 times	87	5.8%
4	4 or 5 times	23	1.5%
5	6 or more times	35	2.3%
Sysmiss		23	

### Q27: Number close friends

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1503 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	137	9.1%
2	1	164	10.9%
3	2	204	13.6%
4	3 or more	998	66.4%
Sysmiss		26	

### Q28: Age first tried cigarette

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1428 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	954	66.8%
2	7 years old or younger	86	6%
3	8 or 9 years old	54	3.8%
4	10 or 11 years old	93	6.5%
5	12 or 13 years old	131	9.2%
6	14 or 15 years old	100	7%
7	16 years old or older	10	0.7%
Sysmiss		101	

## Q29: How many days smoked 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1457 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1145	78.6%
2	1 or 2 days	106	7.3%
3	3 to 5 days	51	3.5%
4	6 to 9 days	28	1.9%
5	10 to 19 days	35	2.4%
6	20 to 29 days	22	1.5%
7	All 30 days	70	4.8%
Sysmiss		72	

**Q30: Other forms of tobacco****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1513 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1234	81.6%
2	1 or 2 days	138	9.1%
3	3 to 5 days	52	3.4%
4	6 to 9 days	25	1.7%
5	10 to 19 days	22	1.5%
6	20 to 29 days	8	0.5%
7	All 30 days	34	2.2%
Sysmiss		16	

**Q31: Try stop smoking past 12 mo.****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1453 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1096	75.4%
2	Did not smoke cigarettes	91	6.3%
3	Yes	165	11.4%
4	No	101	7%
Sysmiss		76	

### Q32: Others present smoking past 7 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1496 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	472	31.6%
2	1 or 2 days	238	15.9%
3	3 or 4 days	164	11%
4	5 or 6 days	78	5.2%
5	All 7 days	544	36.4%
Sysmiss		33	

### Q33: Parents who use tobacco

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1510 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	743	49.2%
2	My father or male guardian	586	38.8%
3	My mother or female guardian	50	3.3%
4	Both	67	4.4%
5	I do not know	64	4.2%
Sysmiss		19	

**Q40: Age first drugs****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1428 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

How old were you when you first used drugs?

## CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1302	91.2%
2	7 years old or younger	44	3.1%
3	8 or 9 years old	24	1.7%
4	10 or 11 years old	23	1.6%
5	12 or 13 years old	16	1.1%
6	14 or 15 years old	10	0.7%
7	16 years old or older	9	0.6%
Sysmiss		101	

**Q41: Times used marijuana lifetime****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1474 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1406	95.4%
2	1 or 2 times	27	1.8%
3	3 to 9 times	15	1%
4	10 to 19 times	10	0.7%
5	20 or more times	16	1.1%
Sysmiss		55	

## Q42: Times used marijuana past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1464 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1386	94.7%
2	1 or 2 times	31	2.1%
3	3 to 9 times	20	1.4%
4	10 to 19 times	12	0.8%
5	20 or more times	15	1%
Sysmiss		65	

**Q43: Times used amphetamines lifetime****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1438 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1375	95.6%
2	1 or 2 times	24	1.7%
3	3 to 9 times	18	1.3%
4	10 to 19 times	16	1.1%
5	20 or more times	5	0.3%
Sysmiss		91	

**Q49: Days active 60 min plus past 7 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1497 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	418	27.9%
2	1 day	244	16.3%

3	2 days	198	13.2%
4	3 days	167	11.2%
5	4 days	80	5.3%
6	5 days	69	4.6%
7	6 days	46	3.1%
8	7 days	275	18.4%
Sysmiss		32	

## Q50: Walk or bike to school past 7 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1514 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	403	26.6%
2	1 day	100	6.6%
3	2 days	72	4.8%
4	3 days	29	1.9%
5	4 days	39	2.6%
6	5 days	25	1.7%
7	6 days	127	8.4%
8	7 days	719	47.5%
Sysmiss		15	

## Q51: Days went to PE each week

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1490 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

### CATEGORIES

Value	Category	Cases	
1	0 days	354	23.8%
2	1 day	297	19.9%
3	2 days	176	11.8%
4	3 days	69	4.6%
5	4 days	51	3.4%
6	5 or more days	543	36.4%
Sysmiss		39	

## Q52: Time spent sitting on usual day

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1506 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	485	32.2%
2	1 to 2 hours per day	513	34.1%
3	3 to 4 hours per day	266	17.7%
4	5 to 6 hours per day	116	7.7%
5	7 to 8 hours per day	28	1.9%
6	More than 8 hours per day	98	6.5%
Sysmiss		23	



**Q53: Miss school no permission past 30 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1490 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, on how many days did you miss classes or school without permission?

**CATEGORIES**

Value	Category	Cases	
1	0 days	884	59.3%
2	1 or 2 days	407	27.3%
3	3 to 5 days	112	7.5%
4	6 to 9 days	44	3%
5	10 or more days	43	2.9%
Sysmiss		39	

**Q54: Others helpful in school past 30 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1486 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	218	14.7%
2	Rarely	222	14.9%
3	Sometimes	250	16.8%

4	Most of the time	322	21.7%
5	Always	474	31.9%
Sysmiss		43	

## Q55: Parents check homework past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1506 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

#### CATEGORIES

Value	Category	Cases	
1	Never	351	23.3%
2	Rarely	191	12.7%
3	Sometimes	201	13.3%
4	Most of the time	222	14.7%
5	Always	541	35.9%
Sysmiss		23	

## Q56: Parent understand troubles past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1500 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	422	28.1%
2	Rarely	263	17.5%
3	Sometimes	246	16.4%
4	Most of the time	243	16.2%
5	Always	326	21.7%
Sysmiss		29	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1493 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	381	25.5%
2	Rarely	241	16.1%
3	Sometimes	246	16.5%
4	Most of the time	276	18.5%
5	Always	349	23.4%
Sysmiss		36	

## Q58: Parent go through things past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1487 Invalid: 42 Mean: 1.575 Standard deviation: 1.116

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		1082	72.8%
2		171	11.5%
3		96	6.5%
4		60	4%
5		78	5.2%
Sysmiss		42	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1517 Invalid: 12 Mean: 1.913 Standard deviation: 0.282  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	132	8.7%
2	No	1385	91.3%
Sysmiss		12	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1521 Invalid: 8 Mean: 1.59 Standard deviation: 0.492  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	624	41%
2	No	897	59%
Sysmiss		8	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1514 Invalid: 15 Mean: 1.803 Standard deviation: 0.398  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	299	19.7%
2	No	1215	80.3%
Sysmiss		15	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1522 Invalid: 7 Mean: 1.434 Standard deviation: 0.496  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	862	56.6%
2	No	660	43.4%
Sysmiss		7	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1519 Invalid: 10 Mean: 1.777 Standard deviation: 0.417  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	339	22.3%
2	No	1180	77.7%
Sysmiss		10	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1515 Invalid: 14 Mean: 1.673 Standard deviation: 0.469  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	495	32.7%
2	No	1020	67.3%
Sysmiss		14	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1516 Invalid: 13 Mean: 1.923 Standard deviation: 0.266  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	116	7.7%
2	No	1400	92.3%
Sysmiss		13	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1508 Invalid: 21 Mean: 1.94 Standard deviation: 0.237  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	90	6%
2	No	1418	94%
Sysmiss		21	

## QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1516 Invalid: 13 Mean: 1.932 Standard deviation: 0.252  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	103	6.8%
2	No	1413	93.2%
Sysmiss		13	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1522 Invalid: 7 Mean: 1.52 Standard deviation: 0.5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	731	48%
2	No	791	52%
Sysmiss		7	

### QN16: In fight 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1509 Invalid: 20 Mean: 1.587 Standard deviation: 0.493  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	623	41.3%
2	No	886	58.7%
Sysmiss		20	



**QN17: Seriously injured 1+ times past 12 months****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1287   Invalid: 242   Mean: 1.615   Standard deviation: 0.487  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were seriously injured one or more times during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	496	38.5%
2	No	791	61.5%
Sysmiss		242	

**QN18: Broken bone as most serious injury****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 368   Invalid: 1161   Mean: 1.739   Standard deviation: 0.44  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

**CATEGORIES**

Value	Category	Cases	
1	Yes	96	26.1%
2	No	272	73.9%
Sysmiss		1161	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 393   Invalid: 1136   Mean: 1.878   Standard deviation: 0.328  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	48	12.2%
2	No	345	87.8%
Sysmiss		1136	

## QN20: Bullied 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1459 Invalid: 70 Mean: 1.412 Standard deviation: 0.492  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	858	58.8%
2	No	601	41.2%
Sysmiss		70	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 719 Invalid: 810 Mean: 1.868 Standard deviation: 0.339  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

### CATEGORIES

Value	Category	Cases	
1	Yes	95	13.2%
2	No	624	86.8%
Sysmiss		810	

## QN22: Lonely most times/always past 12 months

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1511 Invalid: 18 Mean: 1.818 Standard deviation: 0.386  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	275	18.2%
2	No	1236	81.8%
Sysmiss		18	

## QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1502 Invalid: 27 Mean: 1.789 Standard deviation: 0.408  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	317	21.1%
2	No	1185	78.9%
Sysmiss		27	

**QN24: Considered suicide past 12 months****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1485   Invalid: 44   Mean: 1.779   Standard deviation: 0.415  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	328	22.1%
2	No	1157	77.9%
Sysmiss		44	

**QN25: Made suicide plan past 12 months****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1473   Invalid: 56   Mean: 1.817   Standard deviation: 0.386  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	269	18.3%
2	No	1204	81.7%
Sysmiss		56	

**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1506   Invalid: 23   Mean: 1.776   Standard deviation: 0.417  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	338	22.4%
2	No	1168	77.6%
Sysmiss		23	

## QN27: No close friends

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1503 Invalid: 26 Mean: 1.909 Standard deviation: 0.288  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	137	9.1%
2	No	1366	90.9%
Sysmiss		26	

## QN28: Age first cigarette before 14

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 474 Invalid: 1055 Mean: 1.232 Standard deviation: 0.423  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	364	76.8%
2	No	110	23.2%
Sysmiss		1055	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1457   Invalid: 72   Mean: 1.786   Standard deviation: 0.41  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	312	21.4%
2	No	1145	78.6%
Sysmiss		72	

### QN30: Used other tobacco 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1513   Invalid: 16   Mean: 1.816   Standard deviation: 0.388  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	279	18.4%
2	No	1234	81.6%
Sysmiss		16	

**QN31: Tried to quit smoking past 12 months****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 266    Invalid: 1263    Mean: 1.38    Standard deviation: 0.486  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	165	62%
2	No	101	38%
Sysmiss		1263	

**QN32: Others present smoking 1+ of past 7 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1496    Invalid: 33    Mean: 1.316    Standard deviation: 0.465  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1024	68.4%
2	No	472	31.6%
Sysmiss		33	

**QN33: Either/Both parents use tobacco****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1510    Invalid: 19    Mean: 1.534    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	703	46.6%
2	No	807	53.4%
Sysmiss		19	

## QN40: Age first drugs before 14

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 126    Invalid: 1403    Mean: 1.151    Standard deviation: 0.359  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	107	84.9%
2	No	19	15.1%
Sysmiss		1403	

## QN41: Marijuana 1+ times in lifetime

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1474    Invalid: 55    Mean: 1.954    Standard deviation: 0.21  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Yes	68	4.6%
2	No	1406	95.4%
Sysmiss		55	

**QN42: Marijuana 1+ times p 30 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1464   Invalid: 65   Mean: 1.947   Standard deviation: 0.225  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	78	5.3%
2	No	1386	94.7%
Sysmiss		65	

**QN43: Amphetamines 1+ times lifetime****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1438   Invalid: 91   Mean: 1.956   Standard deviation: 0.205  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	63	4.4%
2	No	1375	95.6%
Sysmiss		91	

**QN49: Active 60+ mins/day for 5+ of past 7 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1497   Invalid: 32   Mean: 1.739   Standard deviation: 0.439  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	390	26.1%
2	No	1107	73.9%
Sysmiss		32	

**QN50: Walk/Bike to/from school 0 of past 7 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1514   Invalid: 15   Mean: 1.734   Standard deviation: 0.442  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	403	26.6%
2	No	1111	73.4%
Sysmiss		15	

**QN51: 3+ days PE each week****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1490   Invalid: 39   Mean: 1.555   Standard deviation: 0.497  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	663	44.5%
2	No	827	55.5%
Sysmiss		39	

## QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1506 Invalid: 23 Mean: 1.663 Standard deviation: 0.473  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

### CATEGORIES

Value	Category	Cases	
1	Yes	508	33.7%
2	No	998	66.3%
Sysmiss		23	

## QN53: Miss school no permission 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1490 Invalid: 39 Mean: 1.593 Standard deviation: 0.491  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	606	40.7%
2	No	884	59.3%
Sysmiss		39	

### QN54: Students most/always kind 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1486 Invalid: 43 Mean: 1.464 Standard deviation: 0.499  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	796	53.6%
2	No	690	46.4%
Sysmiss		43	

### QN55: Parents most/always check homework

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1506 Invalid: 23 Mean: 1.493 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	763	50.7%
2	No	743	49.3%
Sysmiss		23	

**QN56: Parents most/always understand problems****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1500   Invalid: 29   Mean: 1.621   Standard deviation: 0.485  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	569	37.9%
2	No	931	62.1%
Sysmiss		29	

**QN57: Parents most/always know about free time****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1493   Invalid: 36   Mean: 1.581   Standard deviation: 0.493  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	625	41.9%
2	No	868	58.1%
Sysmiss		36	

**QN58: Parents never/rarely go thru things****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1487   Invalid: 42   Mean: 1.157   Standard deviation: 0.364  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1253	84.3%
2	No	234	15.7%
Sysmiss		42	

## QNOWTG: Overweight

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1403 Invalid: 126 Mean: 1.763 Standard deviation: 0.426  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	333	23.7%
2	No	1070	76.3%
Sysmiss		126	

## QNOBESEG: Obese

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1403 Invalid: 126 Mean: 1.936 Standard deviation: 0.245  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	90	6.4%
2	No	1313	93.6%
Sysmiss		126	

### QNUNWTG: Underweight

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1403 Invalid: 126 Mean: 1.954 Standard deviation: 0.209  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

##### CATEGORIES

Value	Category	Cases	
1	Yes	64	4.6%
2	No	1339	95.4%
Sysmiss		126	

### QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1509 Invalid: 20 Mean: 1.764 Standard deviation: 0.425  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	356	23.6%
2	No	1153	76.4%
Sysmiss		20	

**QNANYTBG: Used any tobacco past 30 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1450   Invalid: 79   Mean: 1.726   Standard deviation: 0.446  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used any tobacco on one or more days during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	398	27.4%
2	No	1052	72.6%
Sysmiss		79	

**QNPA7G: Physically active all past 7 days****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1497   Invalid: 32   Mean: 1.816   Standard deviation: 0.387  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	275	18.4%
2	No	1222	81.6%
Sysmiss		32	

**QNPE5G: Attended PE 5+ days each week****Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use****Overview**

Valid: 1490   Invalid: 39   Mean: 1.636   Standard deviation: 0.481  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	543	36.4%
2	No	947	63.6%
Sysmiss		39	

## QNC2G: Among those worried, currently bullied

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 300 Invalid: 1229 Mean: 1.277 Standard deviation: 0.448  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	217	72.3%
2	No	83	27.7%
Sysmiss		1229	

## WEIGHT: Weight

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1529 Invalid: 0 Mean: 24.823 Standard deviation: 5.423  
Type: Continuous Decimal: 0 Width: 10 Range: 17.3255 - 36.7914 Format: Numeric Weighted: yes

## STRATUM: Stratum

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

### Overview

Valid: 1529 Invalid: 0 Mean: 201003006.23 Standard deviation: 0  
Type: Discrete Decimal: 0 Width: 9 Range: 201003001 - 201003012 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201003001		167	10.9%
201003002		129	8.4%
201003003		102	6.7%
201003004		154	10.1%
201003005		125	8.2%
201003006		130	8.5%
201003007		146	9.5%
201003008		112	7.3%
201003009		119	7.8%
201003010		112	7.3%
201003011		132	8.6%
201003012		101	6.6%

### PSU: Primary Sampling Unit

Data file: PSE2010\_UNRWA\_Jordan\_Public\_Use

#### Overview

Valid: 1529   Invalid: 0   Mean: 11.957   Standard deviation: 6.979  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 24   Format: Numeric

**Q1: How old are you****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2163 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	12	0.6%
2	12 years old	315	14.6%
3	13 years old	643	29.7%
4	14 years old	660	30.5%
5	15 years old	423	19.6%
6	16 years old or older	110	5.1%
Sysmiss		24	

**Q2: Sex****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2155 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	906	42%
2	Female	1249	58%
Sysmiss		32	

**Q3: In what grade are you****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use**

## Overview

Valid: 2145 Invalid: 42  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	7th	845	39.4%
2	8th	747	34.8%
3	9th	553	25.8%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		42	

## Q4: How tall are you

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

## Overview

Valid: 1869 Invalid: 318 Minimum: 1.27 Maximum: 1.95 Mean: 1.573 Standard deviation: 0.0917  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.95 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

## Overview

Valid: 1869 Invalid: 318 Minimum: 28 Maximum: 110 Mean: 51.646 Standard deviation: 12.389  
 Type: Continuous Decimal: 0 Width: 6 Range: 28 - 110 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** PSE2010\_UNRWA\_Lebanon\_Public\_Use

**Overview**

Valid: 2176 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1619	74.4%
2	Rarely	244	11.2%
3	Sometimes	201	9.2%
4	Most of the time	84	3.9%
5	Always	28	1.3%
Sysmiss		11	

**Q7: Eat fruit per day past 30 days**

**Data file:** PSE2010\_UNRWA\_Lebanon\_Public\_Use

**Overview**

Valid: 2175 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	66	3%

2	Less than one time per day	287	13.2%
3	1 time per day	509	23.4%
4	2 times per day	571	26.3%
5	3 times per day	405	18.6%
6	4 times per day	93	4.3%
7	5 or more times per day	244	11.2%
Sysmiss		12	

## Q8: Eat vegetables past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2161 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	132	6.1%
2	Less than one time per day	518	24%
3	1 time per day	703	32.5%
4	2 times per day	454	21%
5	3 times per day	182	8.4%
6	4 times per day	66	3.1%
7	5 or more times per day	106	4.9%
Sysmiss		26	

## Q9: Drink soft drinks past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2174 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	152	7%
2	Less than one time per day	497	22.9%
3	1 time per day	610	28.1%
4	2 times per day	434	20%
5	3 times per day	204	9.4%
6	4 times per day	80	3.7%
7	5 or more times per day	197	9.1%
Sysmiss		13	

## Q10: Ate fast food past 7 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2174 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	792	36.4%
2	1 day	591	27.2%
3	2 days	393	18.1%
4	3 days	191	8.8%
5	4 days	100	4.6%
6	5 days	43	2%
7	6 days	12	0.6%

8	7 days	52	2.4%
Sysmiss		13	

## Q11: How many times per day brush teeth

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2167 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	133	6.1%
2	Less than 1 time per day	234	10.8%
3	1 time per day	402	18.6%
4	2 times per day	630	29.1%
5	3 times per day	569	26.3%
6	4 or more times per day	199	9.2%
Sysmiss		20	

## Q12: Wash hands before eating past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2164 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Never	34	1.6%
2	Rarely	49	2.3%
3	Sometimes	122	5.6%
4	Most of the time	191	8.8%
5	Always	1768	81.7%
Sysmiss		23	

### Q13: Wash hands after toilet past 30 day

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2160 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	34	1.6%
2	Rarely	59	2.7%
3	Sometimes	86	4%
4	Most of the time	83	3.8%
5	Always	1898	87.9%
Sysmiss		27	

### Q14: Used soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2171 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	40	1.8%
2	Rarely	61	2.8%
3	Sometimes	91	4.2%
4	Most of the time	164	7.6%
5	Always	1815	83.6%
Sysmiss		16	

### Q15: Times attacked past 12 mo.

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2177 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1520	69.8%
2	1 time	256	11.8%
3	2 or 3 times	179	8.2%
4	4 or 5 times	64	2.9%
5	6 or 7 times	25	1.1%
6	8 or 9 times	22	1%
7	10 or 11 times	9	0.4%
8	12 or more times	102	4.7%
Sysmiss		10	

### Q16: How many times in fight 12 mos

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

## Overview

Valid: 2158 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1513	70.1%
2	1 time	280	13%
3	2 or 3 times	150	7%
4	4 or 5 times	57	2.6%
5	6 or 7 times	28	1.3%
6	8 or 9 times	14	0.6%
7	10 or 11 times	11	0.5%
8	12 or more times	105	4.9%
Sysmiss		29	

## Q17: How many times injured past 12 months

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

## Overview

Valid: 1911 Invalid: 276

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	1477	77.3%
2	1 time	250	13.1%
3	2 or 3 times	113	5.9%

4	4 or 5 times	26	1.4%
5	6 or 7 times	13	0.7%
6	8 or 9 times	7	0.4%
7	10 or 11 times	4	0.2%
8	12 or more times	21	1.1%
Sysmiss		276	

### Q18: What was serious injury past 12 mo.

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 1979 Invalid: 208

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1661	83.9%
2	Broken bone/dislocated joint	97	4.9%
3	I had a cut or stab wound	77	3.9%
4	Concussion/head injury	23	1.2%
5	I had a gunshot wound	8	0.4%
6	I had a bad burn	14	0.7%
7	I was poisoned	10	0.5%
8	Something else happened to me	89	4.5%
Sysmiss		208	

### Q19: Cause of injury past 12 mo.

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 1977 Invalid: 210

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1682	85.1%
2	Motor vehicle accident	44	2.2%
3	I fell	93	4.7%
4	Something fell on me or hit me	20	1%
5	I was attacked	45	2.3%
6	Was in a fire	15	0.8%
7	breathed something bad	10	0.5%
8	Something else	68	3.4%
Sysmiss		210	

## Q20: How many days bullied past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2107 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	1336	63.4%
2	1 or 2 days	458	21.7%
3	3 to 5 days	128	6.1%
4	6 to 9 days	54	2.6%
5	10 to 19 days	25	1.2%

6	20 to 29 days	20	0.9%
7	All 30 days	86	4.1%
Sysmiss		80	

## Q21: How bullied past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2080 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1503	72.3%
2	Kicked, pushed, or shoved	106	5.1%
3	Made fun of race	55	2.6%
4	Made fun because of religion	18	0.9%
5	Made fun of about sex	123	5.9%
6	Left out of activities	16	0.8%
7	Made fun of about body	26	1.3%
8	Some other way	233	11.2%
Sysmiss		107	

## Q22: Times felt lonely past 12 mo.

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2165 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	1272	58.8%
2	Rarely	331	15.3%
3	Sometimes	338	15.6%
4	Most of the time	134	6.2%
5	Always	90	4.2%
Sysmiss		22	

### Q23: Times could not sleep past 12 mo.

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2161 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	911	42.2%
2	Rarely	491	22.7%
3	Sometimes	470	21.7%
4	Most of the time	226	10.5%
5	Always	63	2.9%
Sysmiss		26	

### Q24: Ever considered suicide 12 mos

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2154 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	311	14.4%
2	No	1843	85.6%
Sysmiss		33	

## Q25: Ever make suicide plan 12 mos

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2138 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	306	14.3%
2	No	1832	85.7%
Sysmiss		49	

## Q26: How many times attempt suicide 12 mos

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2161 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT



The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1842	85.2%
2	1 time	199	9.2%
3	2 or 3 times	63	2.9%
4	4 or 5 times	32	1.5%
5	6 or more times	25	1.2%
Sysmiss		26	

### Q27: Number close friends

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2149 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	122	5.7%
2	1	223	10.4%
3	2	239	11.1%
4	3 or more	1565	72.8%
Sysmiss		38	

### Q28: Age first tried cigarette

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2062 Invalid: 125

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1747	84.7%
2	7 years old or younger	71	3.4%
3	8 or 9 years old	56	2.7%
4	10 or 11 years old	78	3.8%
5	12 or 13 years old	68	3.3%
6	14 or 15 years old	39	1.9%
7	16 years old or older	3	0.1%
Sysmiss		125	

## Q29: How many days smoked 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2136 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1937	90.7%
2	1 or 2 days	69	3.2%
3	3 to 5 days	42	2%
4	6 to 9 days	21	1%
5	10 to 19 days	22	1%
6	20 to 29 days	11	0.5%
7	All 30 days	34	1.6%
Sysmiss		51	

**Q30: Other forms of tobacco****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2185 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1862	85.2%
2	1 or 2 days	136	6.2%
3	3 to 5 days	76	3.5%
4	6 to 9 days	29	1.3%
5	10 to 19 days	22	1%
6	20 to 29 days	11	0.5%
7	All 30 days	49	2.2%
Sysmiss		2	

**Q31: Try stop smoking past 12 mo.****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2074 Invalid: 113

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1861	89.7%
2	Did not smoke cigarettes	60	2.9%
3	Yes	108	5.2%
4	No	45	2.2%
Sysmiss		113	

### Q32: Others present smoking past 7 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2153 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	792	36.8%
2	1 or 2 days	307	14.3%
3	3 or 4 days	149	6.9%
4	5 or 6 days	96	4.5%
5	All 7 days	809	37.6%
Sysmiss		34	

### Q33: Parents who use tobacco

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2165 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	987	45.6%
2	My father or male guardian	723	33.4%
3	My mother or female guardian	102	4.7%
4	Both	279	12.9%
5	I do not know	74	3.4%
Sysmiss		22	

**Q40: Age first drugs****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 1992 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

How old were you when you first used drugs?

## CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1893	95%
2	7 years old or younger	43	2.2%
3	8 or 9 years old	25	1.3%
4	10 or 11 years old	8	0.4%
5	12 or 13 years old	16	0.8%
6	14 or 15 years old	3	0.2%
7	16 years old or older	4	0.2%
Sysmiss		195	

**Q41: Times used marijuana lifetime****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2029 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1968	97%
2	1 or 2 times	17	0.8%
3	3 to 9 times	13	0.6%
4	10 to 19 times	14	0.7%
5	20 or more times	17	0.8%
Sysmiss		158	

## Q42: Times used marijuana past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2020 Invalid: 167

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1950	96.5%
2	1 or 2 times	27	1.3%
3	3 to 9 times	19	0.9%
4	10 to 19 times	10	0.5%
5	20 or more times	14	0.7%
Sysmiss		167	

**Q43: Times used amphetamines lifetime****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2015 Invalid: 172

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1950	96.8%
2	1 or 2 times	24	1.2%
3	3 to 9 times	17	0.8%
4	10 to 19 times	12	0.6%
5	20 or more times	12	0.6%
Sysmiss		172	

**Q49: Days active 60 min plus past 7 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2136 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	832	39%
2	1 day	377	17.6%

3	2 days	335	15.7%
4	3 days	145	6.8%
5	4 days	74	3.5%
6	5 days	59	2.8%
7	6 days	22	1%
8	7 days	292	13.7%
Sysmiss		51	

## Q50: Walk or bike to school past 7 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2150 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

#### CATEGORIES

Value	Category	Cases	
1	0 days	863	40.1%
2	1 day	162	7.5%
3	2 days	92	4.3%
4	3 days	40	1.9%
5	4 days	29	1.3%
6	5 days	159	7.4%
7	6 days	62	2.9%
8	7 days	743	34.6%
Sysmiss		37	

## Q51: Days went to PE each week

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2113 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

### CATEGORIES

Value	Category	Cases	
1	0 days	594	28.1%
2	1 day	341	16.1%
3	2 days	413	19.5%
4	3 days	86	4.1%
5	4 days	62	2.9%
6	5 or more days	617	29.2%
Sysmiss		74	

## Q52: Time spent sitting on usual day

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2150 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	778	36.2%
2	1 to 2 hours per day	814	37.9%
3	3 to 4 hours per day	312	14.5%
4	5 to 6 hours per day	101	4.7%
5	7 to 8 hours per day	30	1.4%
6	More than 8 hours per day	115	5.3%
Sysmiss		37	

**Q53: Miss school no permission past 30 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2148 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, on how many days did you miss classes or school without permission?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1650	76.8%
2	1 or 2 days	377	17.6%
3	3 to 5 days	69	3.2%
4	6 to 9 days	18	0.8%
5	10 or more days	34	1.6%
Sysmiss		39	

**Q54: Others helpful in school past 30 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2145 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	209	9.7%
2	Rarely	245	11.4%
3	Sometimes	314	14.6%

4	Most of the time	360	16.8%
5	Always	1017	47.4%
Sysmiss		42	

### Q55: Parents check homework past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2147 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

##### CATEGORIES

Value	Category	Cases	
1	Never	409	19%
2	Rarely	206	9.6%
3	Sometimes	249	11.6%
4	Most of the time	257	12%
5	Always	1026	47.8%
Sysmiss		40	

### Q56: Parent understand troubles past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2143 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	550	25.7%
2	Rarely	292	13.6%
3	Sometimes	313	14.6%
4	Most of the time	302	14.1%
5	Always	686	32%
Sysmiss		44	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2122 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	573	27%
2	Rarely	259	12.2%
3	Sometimes	380	17.9%
4	Most of the time	281	13.2%
5	Always	629	29.6%
Sysmiss		65	

## Q58: Parent go through things past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2133 Invalid: 54 Mean: 1.45 Standard deviation: 1.035

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		1700	79.7%
2		162	7.6%
3		113	5.3%
4		61	2.9%
5		97	4.5%
Sysmiss		54	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2176 Invalid: 11 Mean: 1.949 Standard deviation: 0.221  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	112	5.1%
2	No	2064	94.9%
Sysmiss		11	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2175 Invalid: 12 Mean: 1.396 Standard deviation: 0.489  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1313	60.4%
2	No	862	39.6%
Sysmiss		12	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2161 Invalid: 26 Mean: 1.836 Standard deviation: 0.37  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	354	16.4%
2	No	1807	83.6%
Sysmiss		26	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2174 Invalid: 13 Mean: 1.299 Standard deviation: 0.458  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1525	70.1%
2	No	649	29.9%
Sysmiss		13	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2174 Invalid: 13 Mean: 1.817 Standard deviation: 0.387  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	398	18.3%
2	No	1776	81.7%
Sysmiss		13	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2167 Invalid: 20 Mean: 1.831 Standard deviation: 0.375  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	367	16.9%
2	No	1800	83.1%
Sysmiss		20	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2164 Invalid: 23 Mean: 1.962 Standard deviation: 0.192  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	83	3.8%
2	No	2081	96.2%
Sysmiss		23	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2160 Invalid: 27 Mean: 1.957 Standard deviation: 0.203  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	93	4.3%
2	No	2067	95.7%
Sysmiss		27	

## QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2171 Invalid: 16 Mean: 1.953 Standard deviation: 0.211  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Yes	101	4.7%
2	No	2070	95.3%
Sysmiss		16	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2177 Invalid: 10 Mean: 1.698 Standard deviation: 0.459  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	657	30.2%
2	No	1520	69.8%
Sysmiss		10	

### QN16: In fight 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2158 Invalid: 29 Mean: 1.701 Standard deviation: 0.458  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	645	29.9%
2	No	1513	70.1%
Sysmiss		29	

**QN17: Seriously injured 1+ times past 12 months****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 1911   Invalid: 276   Mean: 1.773   Standard deviation: 0.419  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were seriously injured one or more times during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	434	22.7%
2	No	1477	77.3%
Sysmiss		276	

**QN18: Broken bone as most serious injury****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 318   Invalid: 1869   Mean: 1.695   Standard deviation: 0.461  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

**CATEGORIES**

Value	Category	Cases	
1	Yes	97	30.5%
2	No	221	69.5%
Sysmiss		1869	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 295   Invalid: 1892   Mean: 1.851   Standard deviation: 0.357  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	44	14.9%
2	No	251	85.1%
Sysmiss		1892	

## QN20: Bullied 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2107 Invalid: 80 Mean: 1.634 Standard deviation: 0.482  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	771	36.6%
2	No	1336	63.4%
Sysmiss		80	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 577 Invalid: 1610 Mean: 1.816 Standard deviation: 0.388  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

### CATEGORIES

Value	Category	Cases	
1	Yes	106	18.4%
2	No	471	81.6%
Sysmiss		1610	

## QN22: Lonely most times/always past 12 months

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2165 Invalid: 22 Mean: 1.897 Standard deviation: 0.305  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	224	10.3%
2	No	1941	89.7%
Sysmiss		22	

## QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2161 Invalid: 26 Mean: 1.866 Standard deviation: 0.34  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	289	13.4%
2	No	1872	86.6%
Sysmiss		26	

**QN24: Considered suicide past 12 months****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2154   Invalid: 33   Mean: 1.856   Standard deviation: 0.352  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	311	14.4%
2	No	1843	85.6%
Sysmiss		33	

**QN25: Made suicide plan past 12 months****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2138   Invalid: 49   Mean: 1.857   Standard deviation: 0.35  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	306	14.3%
2	No	1832	85.7%
Sysmiss		49	

**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2161   Invalid: 26   Mean: 1.852   Standard deviation: 0.355  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	319	14.8%
2	No	1842	85.2%
Sysmiss		26	

## QN27: No close friends

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2149 Invalid: 38 Mean: 1.943 Standard deviation: 0.231  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	122	5.7%
2	No	2027	94.3%
Sysmiss		38	

## QN28: Age first cigarette before 14

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 315 Invalid: 1872 Mean: 1.133 Standard deviation: 0.34  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	273	86.7%
2	No	42	13.3%
Sysmiss		1872	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2136 Invalid: 51 Mean: 1.907 Standard deviation: 0.291  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	199	9.3%
2	No	1937	90.7%
Sysmiss		51	

### QN30: Used other tobacco 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2185 Invalid: 2 Mean: 1.852 Standard deviation: 0.355  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	323	14.8%
2	No	1862	85.2%
Sysmiss		2	

**QN31: Tried to quit smoking past 12 months****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 153    Invalid: 2034    Mean: 1.294    Standard deviation: 0.457  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	108	70.6%
2	No	45	29.4%
Sysmiss		2034	

**QN32: Others present smoking 1+ of past 7 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2153    Invalid: 34    Mean: 1.368    Standard deviation: 0.482  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1361	63.2%
2	No	792	36.8%
Sysmiss		34	

**QN33: Either/Both parents use tobacco****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2165    Invalid: 22    Mean: 1.49    Standard deviation: 0.5  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	1104	51%
2	No	1061	49%
Sysmiss		22	

## QN40: Age first drugs before 14

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 99 Invalid: 2088 Mean: 1.071 Standard deviation: 0.258  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	92	92.9%
2	No	7	7.1%
Sysmiss		2088	

## QN41: Marijuana 1+ times in lifetime

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2029 Invalid: 158 Mean: 1.97 Standard deviation: 0.171  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	61	3%
2	No	1968	97%
Sysmiss		158	

### QN42: Marijuana 1+ times p 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2020 Invalid: 167 Mean: 1.965 Standard deviation: 0.183  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	70	3.5%
2	No	1950	96.5%
Sysmiss		167	

### QN43: Amphetamines 1+ times lifetime

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2015 Invalid: 172 Mean: 1.968 Standard deviation: 0.177  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	65	3.2%
2	No	1950	96.8%
Sysmiss		172	

**QN49: Active 60+ mins/day for 5+ of past 7 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2136   Invalid: 51   Mean: 1.825   Standard deviation: 0.38  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	373	17.5%
2	No	1763	82.5%
Sysmiss		51	

**QN50: Walk/Bike to/from school 0 of past 7 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2150   Invalid: 37   Mean: 1.599   Standard deviation: 0.49  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	863	40.1%
2	No	1287	59.9%
Sysmiss		37	

**QN51: 3+ days PE each week****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2113   Invalid: 74   Mean: 1.638   Standard deviation: 0.481  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	765	36.2%
2	No	1348	63.8%
Sysmiss		74	

## QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2150 Invalid: 37 Mean: 1.74 Standard deviation: 0.438  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

### CATEGORIES

Value	Category	Cases	
1	Yes	558	26%
2	No	1592	74%
Sysmiss		37	

## QN53: Miss school no permission 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2148 Invalid: 39 Mean: 1.768 Standard deviation: 0.422  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	498	23.2%
2	No	1650	76.8%
Sysmiss		39	

### QN54: Students most/always kind 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2145 Invalid: 42 Mean: 1.358 Standard deviation: 0.48  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1377	64.2%
2	No	768	35.8%
Sysmiss		42	

### QN55: Parents most/always check homework

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

#### Overview

Valid: 2147 Invalid: 40 Mean: 1.402 Standard deviation: 0.491  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1283	59.8%
2	No	864	40.2%
Sysmiss		40	

**QN56: Parents most/always understand problems****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2143   Invalid: 44   Mean: 1.539   Standard deviation: 0.499  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	988	46.1%
2	No	1155	53.9%
Sysmiss		44	

**QN57: Parents most/always know about free time****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2122   Invalid: 65   Mean: 1.571   Standard deviation: 0.495  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	910	42.9%
2	No	1212	57.1%
Sysmiss		65	

**QN58: Parents never/rarely go thru things****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2133   Invalid: 54   Mean: 1.127   Standard deviation: 0.333  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1862	87.3%
2	No	271	12.7%
Sysmiss		54	

## QNOWTG: Overweight

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 1869 Invalid: 318 Mean: 1.719 Standard deviation: 0.45  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight ( $>+1SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	526	28.1%
2	No	1343	71.9%
Sysmiss		318	

## QNOBESEG: Obese

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 1869 Invalid: 318 Mean: 1.919 Standard deviation: 0.273  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese ( $>+2SD$  from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	152	8.1%
2	No	1717	91.9%
Sysmiss		318	

## QNUNWTG: Underweight

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 1869 Invalid: 318 Mean: 1.951 Standard deviation: 0.215  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	91	4.9%
2	No	1778	95.1%
Sysmiss		318	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2154 Invalid: 33 Mean: 1.719 Standard deviation: 0.45  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	606	28.1%
2	No	1548	71.9%
Sysmiss		33	



**QNANYTBG: Used any tobacco past 30 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2135 Invalid: 52 Mean: 1.83 Standard deviation: 0.376  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used any tobacco on one or more days during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	363	17%
2	No	1772	83%
Sysmiss		52	

**QNPA7G: Physically active all past 7 days****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2136 Invalid: 51 Mean: 1.863 Standard deviation: 0.344  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	292	13.7%
2	No	1844	86.3%
Sysmiss		51	

**QNPE5G: Attended PE 5+ days each week****Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use****Overview**

Valid: 2113 Invalid: 74 Mean: 1.708 Standard deviation: 0.455  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	617	29.2%
2	No	1496	70.8%
Sysmiss		74	

## QNC2G: Among those worried, currently bullied

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 274 Invalid: 1913 Mean: 1.394 Standard deviation: 0.49  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	166	60.6%
2	No	108	39.4%
Sysmiss		1913	

## WEIGHT: Weight

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2187 Invalid: 0 Mean: 5.19 Standard deviation: 1.06  
Type: Continuous Decimal: 0 Width: 10 Range: 3.9963 - 8.8373 Format: Numeric Weighted: yes

## STRATUM: Stratum

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2187 Invalid: 0 Mean: 201004006.028 Standard deviation: 28.713  
Type: Discrete Decimal: 0 Width: 9 Range: 201004001 - 201004011 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201004001		142	6.5%
201004002		150	6.9%
201004003		164	7.5%
201004004		246	11.2%
201004005		261	11.9%
201004006		236	10.8%
201004007		250	11.4%
201004008		224	10.2%
201004009		243	11.1%
201004010		165	7.5%
201004011		106	4.8%

### PSU: Primary Sampling Unit

Data file: PSE2010\_UNRWA\_Lebanon\_Public\_Use

### Overview

Valid: 2187   Invalid: 0   Mean: 19.629   Standard deviation: 7.228  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 31   Format: Numeric

**Q1: How old are you****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2106 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	14	0.7%
2	12 years old	171	8.1%
3	13 years old	629	29.9%
4	14 years old	717	34%
5	15 years old	505	24%
6	16 years old or older	70	3.3%
Sysmiss		14	

**Q2: Sex****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2090 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Male	1029	49.2%
2	Female	1061	50.8%
Sysmiss		30	

**Q3: In what grade are you****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2077 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	7th	780	37.6%
2	8th	694	33.4%
3	9th	603	29%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		43	

### Q4: How tall are you

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 1247 Invalid: 873 Minimum: 1.27 Maximum: 1.87 Mean: 1.556 Standard deviation: 0.105  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.87 Format: Numeric

### Q5: How much do you weigh

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 1247 Invalid: 873 Minimum: 25 Maximum: 101 Mean: 48.816 Standard deviation: 10.568  
 Type: Continuous Decimal: 0 Width: 6 Range: 25 - 101 Format: Numeric

### Q6: Went hungry past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2111 Invalid: 9  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Never	1442	68.3%
2	Rarely	340	16.1%
3	Sometimes	227	10.8%
4	Most of the time	82	3.9%

5	Always	20	0.9%
Sysmiss		9	

## Q7: Eat fruit per day past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2106 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	103	4.9%
2	Less than one time per day	484	23%
3	1 time per day	560	26.6%
4	2 times per day	507	24.1%
5	3 times per day	219	10.4%
6	4 times per day	74	3.5%
7	5 or more times per day	159	7.5%
Sysmiss		14	

## Q8: Eat vegetables past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2098 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	94	4.5%
2	Less than one time per day	513	24.5%
3	1 time per day	717	34.2%
4	2 times per day	383	18.3%
5	3 times per day	211	10.1%
6	4 times per day	64	3.1%

7	5 or more times per day	116	5.5%
Sysmiss		22	

### Q9: Drink soft drinks past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2112 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	279	13.2%
2	Less than one time per day	738	34.9%
3	1 time per day	583	27.6%
4	2 times per day	260	12.3%
5	3 times per day	99	4.7%
6	4 times per day	53	2.5%
7	5 or more times per day	100	4.7%
Sysmiss		8	

### Q10: Ate fast food past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2105 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	0 days	812	38.6%
2	1 day	485	23%
3	2 days	378	18%
4	3 days	204	9.7%
5	4 days	109	5.2%
6	5 days	48	2.3%

7	6 days	19	0.9%
8	7 days	50	2.4%
Sysmiss		15	

### Q11: How many times per day brush teeth

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2095 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	207	9.9%
2	Less than 1 time per day	333	15.9%
3	1 time per day	555	26.5%
4	2 times per day	557	26.6%
5	3 times per day	321	15.3%
6	4 or more times per day	122	5.8%
Sysmiss		25	

### Q12: Wash hands before eating past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2103 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Never	46	2.2%
2	Rarely	82	3.9%
3	Sometimes	164	7.8%
4	Most of the time	285	13.6%
5	Always	1526	72.6%
Sysmiss		17	



**Q13: Wash hands after toilet past 30 day****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2093 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	18	0.9%
2	Rarely	34	1.6%
3	Sometimes	57	2.7%
4	Most of the time	70	3.3%
5	Always	1914	91.4%
Sysmiss		27	

**Q14: Used soap on hands past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2113 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	26	1.2%
2	Rarely	54	2.6%
3	Sometimes	97	4.6%
4	Most of the time	233	11%
5	Always	1703	80.6%
Sysmiss		7	

**Q15: Times attacked past 12 mo.****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use**

## Overview

Valid: 2111 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1136	53.8%
2	1 time	350	16.6%
3	2 or 3 times	292	13.8%
4	4 or 5 times	103	4.9%
5	6 or 7 times	31	1.5%
6	8 or 9 times	34	1.6%
7	10 or 11 times	20	0.9%
8	12 or more times	145	6.9%
Sysmiss		9	

## Q16: How many times in fight 12 mos

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

## Overview

Valid: 2099 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1220	58.1%
2	1 time	299	14.2%
3	2 or 3 times	243	11.6%
4	4 or 5 times	119	5.7%
5	6 or 7 times	56	2.7%
6	8 or 9 times	20	1%
7	10 or 11 times	12	0.6%
8	12 or more times	130	6.2%
Sysmiss		21	

**Q17: How many times injured past 12 months****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 1793 Invalid: 327

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 times	1168	65.1%
2	1 time	393	21.9%
3	2 or 3 times	144	8%
4	4 or 5 times	40	2.2%
5	6 or 7 times	12	0.7%
6	8 or 9 times	7	0.4%
7	10 or 11 times	7	0.4%
8	12 or more times	22	1.2%
Sysmiss		327	

**Q18: What was serious injury past 12 mo.****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 1895 Invalid: 225

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1416	74.7%
2	Broken bone/dislocated joint	139	7.3%
3	I had a cut or stab wound	109	5.8%
4	Concussion/head injury	32	1.7%
5	I had a gunshot wound	9	0.5%
6	I had a bad burn	20	1.1%
7	I was poisoned	19	1%
8	Something else happened to me	151	8%
Sysmiss		225	

**Q19: Cause of injury past 12 mo.****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 1860 Invalid: 260

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1379	74.1%
2	Motor vehicle accident	52	2.8%
3	I fell	172	9.2%
4	Something fell on me or hit me	38	2%
5	I was attacked	77	4.1%
6	Was in a fire	15	0.8%
7	breathed something bad	20	1.1%
8	Something else	107	5.8%
Sysmiss		260	

**Q20: How many days bullied past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2024 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 days	827	40.9%
2	1 or 2 days	639	31.6%
3	3 to 5 days	252	12.5%
4	6 to 9 days	102	5%
5	10 to 19 days	70	3.5%
6	20 to 29 days	25	1.2%
7	All 30 days	109	5.4%

Sysmiss

96

**Q21: How bullied past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2023 Invalid: 97

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Not bullied	1025	50.7%
2	Kicked, pushed, or shoved	155	7.7%
3	Made fun of race	106	5.2%
4	Made fun because of religion	32	1.6%
5	Made fun of about sex	232	11.5%
6	Left out of activities	51	2.5%
7	Made fun of about body	69	3.4%
8	Some other way	353	17.4%
Sysmiss		97	

**Q22: Times felt lonely past 12 mo.****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2103 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	860	40.9%
2	Rarely	517	24.6%
3	Sometimes	426	20.3%
4	Most of the time	176	8.4%
5	Always	124	5.9%
Sysmiss		17	

**Q23: Times could not sleep past 12 mo.****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2097 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	533	25.4%
2	Rarely	660	31.5%
3	Sometimes	514	24.5%
4	Most of the time	264	12.6%
5	Always	126	6%
Sysmiss		23	

**Q24: Ever considered suicide 12 mos****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2107 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	449	21.3%
2	No	1658	78.7%
Sysmiss		13	

**Q25: Ever make suicide plan 12 mos****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2089 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	362	17.3%
2	No	1727	82.7%
Sysmiss		31	

### Q26: Times attempted suicide 12 mos

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2102 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1690	80.4%
2	1 time	240	11.4%
3	2 or 3 times	102	4.9%
4	4 or 5 times	37	1.8%
5	6 or more times	33	1.6%
Sysmiss		18	

### Q27: Number close friends

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2104 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0	149	7.1%
2	1	245	11.6%
3	2	304	14.4%

4	3 or more	1406	66.8%
Sysmiss		16	

## Q28: Age first tried cigarette

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2034 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1578	77.6%
2	7 years old or younger	72	3.5%
3	8 or 9 years old	38	1.9%
4	10 or 11 years old	107	5.3%
5	12 or 13 years old	143	7%
6	14 or 15 years old	91	4.5%
7	16 years old or older	5	0.2%
Sysmiss		86	

## Q29: How many days smoked 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2078 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	0 days	1853	89.2%
2	1 or 2 days	109	5.2%
3	3 to 5 days	37	1.8%
4	6 to 9 days	20	1%
5	10 to 19 days	14	0.7%
6	20 to 29 days	16	0.8%



7	All 30 days	29	1.4%
Sysmiss		42	

### Q30: Other forms of tobacco

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2115 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	0 days	1810	85.6%
2	1 or 2 days	173	8.2%
3	3 to 5 days	71	3.4%
4	6 to 9 days	17	0.8%
5	10 to 19 days	21	1%
6	20 to 29 days	7	0.3%
7	All 30 days	16	0.8%
Sysmiss		5	

### Q31: Try stop smoking past 12 mo.

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2051 Invalid: 69

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1748	85.2%
2	Did not smoke cigarettes	96	4.7%
3	Yes	145	7.1%
4	No	62	3%
Sysmiss		69	

**Q32: Others present smoking past 7 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2094 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 days	603	28.8%
2	1 or 2 days	379	18.1%
3	3 or 4 days	216	10.3%
4	5 or 6 days	145	6.9%
5	All 7 days	751	35.9%
Sysmiss		26	

**Q33: Parents who use tobacco****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2113 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Neither	991	46.9%
2	My father or male guardian	737	34.9%
3	My mother or female guardian	108	5.1%
4	Both	224	10.6%
5	I do not know	53	2.5%
Sysmiss		7	

**Q40: Age first drugs****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use**

## Overview

Valid: 2011 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1941	96.5%
2	7 years old or younger	28	1.4%
3	8 or 9 years old	14	0.7%
4	10 or 11 years old	11	0.5%
5	12 or 13 years old	6	0.3%
6	14 or 15 years old	10	0.5%
7	16 years old or older	1	0%
Sysmiss		109	

### Q41: Times used marijuana lifetime

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

## Overview

Valid: 2076 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	2033	97.9%
2	1 or 2 times	23	1.1%
3	3 to 9 times	10	0.5%
4	10 to 19 times	3	0.1%
5	20 or more times	7	0.3%
Sysmiss		44	

### Q42: Times used marijuana past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

## Overview

Valid: 2076 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	2034	98%
2	1 or 2 times	17	0.8%
3	3 to 9 times	14	0.7%
4	10 to 19 times	5	0.2%
5	20 or more times	6	0.3%
Sysmiss		44	

### Q43: Times used amphetamines lifetime

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2048 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	2007	98%
2	1 or 2 times	17	0.8%
3	3 to 9 times	13	0.6%
4	10 to 19 times	6	0.3%
5	20 or more times	5	0.2%
Sysmiss		72	

### Q49: Days active 60 min plus past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2088 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	554	26.5%
2	1 day	456	21.8%
3	2 days	280	13.4%
4	3 days	200	9.6%
5	4 days	124	5.9%
6	5 days	93	4.5%
7	6 days	28	1.3%
8	7 days	353	16.9%
Sysmiss		32	

### Q50: Walk or bike to school past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2098 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	0 days	601	28.6%
2	1 day	144	6.9%
3	2 days	105	5%
4	3 days	71	3.4%
5	4 days	34	1.6%
6	5 days	224	10.7%
7	6 days	34	1.6%
8	7 days	885	42.2%
Sysmiss		22	

### Q51: Days went to PE each week

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2074 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 days	494	23.8%
2	1 day	523	25.2%
3	2 days	160	7.7%
4	3 days	67	3.2%
5	4 days	72	3.5%
6	5 or more days	758	36.5%
Sysmiss		46	

### Q52: Time spent sitting on usual day

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2106 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	652	31%
2	1 to 2 hours per day	828	39.3%
3	3 to 4 hours per day	418	19.8%
4	5 to 6 hours per day	113	5.4%
5	7 to 8 hours per day	23	1.1%
6	More than 8 hours per day	72	3.4%
Sysmiss		14	

### Q53: Miss school no permission past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2097 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 days	1360	64.9%
2	1 or 2 days	528	25.2%
3	3 to 5 days	125	6%
4	6 to 9 days	49	2.3%
5	10 or more days	35	1.7%
Sysmiss		23	

### Q54: Others helpful in school past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2090 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Never	191	9.1%
2	Rarely	300	14.4%
3	Sometimes	387	18.5%
4	Most of the time	453	21.7%
5	Always	759	36.3%
Sysmiss		30	

### Q55: Parents check homework past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2103 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	436	20.7%
2	Rarely	268	12.7%
3	Sometimes	275	13.1%
4	Most of the time	305	14.5%
5	Always	819	38.9%
Sysmiss		17	

## Q56: Parent understand troubles past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2099 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Never	535	25.5%
2	Rarely	335	16%
3	Sometimes	365	17.4%
4	Most of the time	345	16.4%
5	Always	519	24.7%
Sysmiss		21	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2077 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Never	428	20.6%
2	Rarely	271	13%
3	Sometimes	394	19%
4	Most of the time	370	17.8%



5	Always	614	29.6%
Sysmiss		43	

### Q58: Parent go through things past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2094 Invalid: 26 Mean: 1.522 Standard deviation: 1.061  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1		1560	74.5%
2		234	11.2%
3		139	6.6%
4		63	3%
5		98	4.7%
Sysmiss		26	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2111 Invalid: 9 Mean: 1.952 Standard deviation: 0.214  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	102	4.8%
2	No	2009	95.2%
Sysmiss		9	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

## Overview

Valid: 2106 Invalid: 14 Mean: 1.545 Standard deviation: 0.498  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	959	45.5%
2	No	1147	54.5%
Sysmiss		14	

## QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

## Overview

Valid: 2098 Invalid: 22 Mean: 1.814 Standard deviation: 0.389  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	391	18.6%
2	No	1707	81.4%
Sysmiss		22	

## QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

## Overview

Valid: 2112 Invalid: 8 Mean: 1.482 Standard deviation: 0.5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1095	51.8%
2	No	1017	48.2%
Sysmiss		8	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2105    Invalid: 15    Mean: 1.796    Standard deviation: 0.403  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	430	20.4%
2	No	1675	79.6%
Sysmiss		15	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2095    Invalid: 25    Mean: 1.742    Standard deviation: 0.438  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	540	25.8%
2	No	1555	74.2%
Sysmiss		25	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2103    Invalid: 17    Mean: 1.939    Standard deviation: 0.239  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	128	6.1%
2	No	1975	93.9%
Sysmiss		17	

### QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2093    Invalid: 27    Mean: 1.975    Standard deviation: 0.156  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	52	2.5%
2	No	2041	97.5%
Sysmiss		27	

### QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2113    Invalid: 7    Mean: 1.962    Standard deviation: 0.191  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	80	3.8%
2	No	2033	96.2%
Sysmiss		7	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2111    Invalid: 9    Mean: 1.538    Standard deviation: 0.499

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	975	46.2%
2	No	1136	53.8%
Sysmiss		9	

## QN16: In fight 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 2099    Invalid: 21    Mean: 1.581    Standard deviation: 0.493  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	879	41.9%
2	No	1220	58.1%
Sysmiss		21	

## QN17: Seriously injured 1+ times past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

### Overview

Valid: 1793    Invalid: 327    Mean: 1.651    Standard deviation: 0.477  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	625	34.9%
2	No	1168	65.1%
Sysmiss		327	

**QN18: Broken bone as most serious injury****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 479    Invalid: 1641    Mean: 1.71    Standard deviation: 0.454  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	139	29%
2	No	340	71%
Sysmiss		1641	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 481    Invalid: 1639    Mean: 1.892    Standard deviation: 0.311  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	52	10.8%
2	No	429	89.2%
Sysmiss		1639	

**QN20: Bullied 1+ of past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2024    Invalid: 96    Mean: 1.409    Standard deviation: 0.492  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	1197	59.1%

2	No	827	40.9%
Sysmiss		96	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 998 Invalid: 1122 Mean: 1.845 Standard deviation: 0.362  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	155	15.5%
2	No	843	84.5%
Sysmiss		1122	

### QN22: Lonely most times/always past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2103 Invalid: 17 Mean: 1.857 Standard deviation: 0.35  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	300	14.3%
2	No	1803	85.7%
Sysmiss		17	

### QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2097 Invalid: 23 Mean: 1.814 Standard deviation: 0.389  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	390	18.6%
2	No	1707	81.4%
Sysmiss		23	

### QN24: Considered suicide past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2107 Invalid: 13 Mean: 1.787 Standard deviation: 0.41  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	449	21.3%
2	No	1658	78.7%
Sysmiss		13	

### QN25: Made suicide plan past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2089 Invalid: 31 Mean: 1.827 Standard deviation: 0.379  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	362	17.3%
2	No	1727	82.7%
Sysmiss		31	



**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2102 Invalid: 18 Mean: 1.804 Standard deviation: 0.397  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	412	19.6%
2	No	1690	80.4%
Sysmiss		18	

**QN27: No close friends****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2104 Invalid: 16 Mean: 1.929 Standard deviation: 0.257  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	149	7.1%
2	No	1955	92.9%
Sysmiss		16	

**QN28: Age first cigarette before 14****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 456 Invalid: 1664 Mean: 1.211 Standard deviation: 0.408  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	360	78.9%

2	No	96	21.1%
Sysmiss		1664	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2078 Invalid: 42 Mean: 1.892 Standard deviation: 0.311  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	225	10.8%
2	No	1853	89.2%
Sysmiss		42	

### QN30: Used other tobacco 1+ of past 30 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2115 Invalid: 5 Mean: 1.856 Standard deviation: 0.351  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	305	14.4%
2	No	1810	85.6%
Sysmiss		5	

### QN31: Tried to quit smoking past 12 months

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 207 Invalid: 1913 Mean: 1.3 Standard deviation: 0.459  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	145	70%
2	No	62	30%
Sysmiss		1913	

### QN32: Others present smoking 1+ of past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2094   Invalid: 26   Mean: 1.288   Standard deviation: 0.453  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1491	71.2%
2	No	603	28.8%
Sysmiss		26	

### QN33: Either/Both parents use tobacco

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2113   Invalid: 7   Mean: 1.494   Standard deviation: 0.5  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1069	50.6%
2	No	1044	49.4%
Sysmiss		7	

**QN40: Age first drugs before 14****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 70   Invalid: 2050   Mean: 1.157   Standard deviation: 0.367  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	59	84.3%
2	No	11	15.7%
Sysmiss		2050	

**QN41: Marijuana 1+ times in lifetime****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2076   Invalid: 44   Mean: 1.979   Standard deviation: 0.142  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	43	2.1%
2	No	2033	97.9%
Sysmiss		44	

**QN42: Marijuana 1+ times p 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2076   Invalid: 44   Mean: 1.98   Standard deviation: 0.141  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	42	2%

2	No	2034	98%
Sysmiss		44	

### QN43: Amphetamines 1+ times lifetime

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2048 Invalid: 72 Mean: 1.98 Standard deviation: 0.14  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	41	2%
2	No	2007	98%
Sysmiss		72	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2088 Invalid: 32 Mean: 1.773 Standard deviation: 0.419  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	474	22.7%
2	No	1614	77.3%
Sysmiss		32	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2098 Invalid: 22 Mean: 1.714 Standard deviation: 0.452  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	601	28.6%
2	No	1497	71.4%
Sysmiss		22	

### QN51: 3+ days PE each week

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2074   Invalid: 46   Mean: 1.568   Standard deviation: 0.496  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	897	43.2%
2	No	1177	56.8%
Sysmiss		46	

### QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2106   Invalid: 14   Mean: 1.703   Standard deviation: 0.457  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	626	29.7%
2	No	1480	70.3%
Sysmiss		14	

**QN53: Miss school no permission 1+ of past 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2097   Invalid: 23   Mean: 1.649   Standard deviation: 0.478  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	737	35.1%
2	No	1360	64.9%
Sysmiss		23	

**QN54: Students most/always kind 30 days****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2090   Invalid: 30   Mean: 1.42   Standard deviation: 0.494  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	1212	58%
2	No	878	42%
Sysmiss		30	

**QN55: Parents most/always check homework****Data file: PSE2010\_UNRWA\_Syria\_Public\_Use****Overview**

Valid: 2103   Invalid: 17   Mean: 1.466   Standard deviation: 0.499  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	1124	53.4%

2	No	979	46.6%
Sysmiss		17	

### QN56: Parents most/always understand problems

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2099 Invalid: 21 Mean: 1.588 Standard deviation: 0.492  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	864	41.2%
2	No	1235	58.8%
Sysmiss		21	

### QN57: Parents most/always know about free time

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2077 Invalid: 43 Mean: 1.526 Standard deviation: 0.499  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	984	47.4%
2	No	1093	52.6%
Sysmiss		43	

### QN58: Parents never/rarely go thru things

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2094 Invalid: 26 Mean: 1.143 Standard deviation: 0.35  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1794	85.7%
2	No	300	14.3%
Sysmiss		26	

### QNOWTG: Overweight

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 0 Invalid: 2120

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

### QNOBESEG: Obese

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 0 Invalid: 2120

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

**QNUNWTG: Underweight****Data file:** PSE2010\_UNRWA\_Syria\_Public\_Use**Overview**

Valid: 0    Invalid: 2120

Type: Discrete    Decimal: 0    Width: 1    Range: -    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file:** PSE2010\_UNRWA\_Syria\_Public\_Use**Overview**

Valid: 2090    Invalid: 30    Mean: 1.767    Standard deviation: 0.423

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	486	23.3%
2	No	1604	76.7%
Sysmiss		30	

**QNANYTBG: Used any tobacco past 30 days****Data file:** PSE2010\_UNRWA\_Syria\_Public\_Use**Overview**

Valid: 2074    Invalid: 46    Mean: 1.808    Standard deviation: 0.394

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	399	19.2%

2	No	1675	80.8%
Sysmiss		46	

### QNPA7G: Physically active all past 7 days

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2088 Invalid: 32 Mean: 1.831 Standard deviation: 0.375  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	353	16.9%
2	No	1735	83.1%
Sysmiss		32	

### QNPE5G: Attended PE 5+ days each week

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2074 Invalid: 46 Mean: 1.635 Standard deviation: 0.482  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	758	36.5%
2	No	1316	63.5%
Sysmiss		46	

### QNC2G: Among those worried, currently bullied

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 372 Invalid: 1748 Mean: 1.317 Standard deviation: 0.466  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	254	68.3%
2	No	118	31.7%
Sysmiss		1748	

### WEIGHT: Weight

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2120 Invalid: 0 Mean: 9.252 Standard deviation: 0.923  
 Type: Continuous Decimal: 0 Width: 10 Range: 7.9519 - 11.978 Format: Numeric Weighted: yes

### STRATUM: Stratum

Data file: PSE2010\_UNRWA\_Syria\_Public\_Use

#### Overview

Valid: 2120 Invalid: 0 Mean: 201005007.461 Standard deviation: 19.063  
 Type: Discrete Decimal: 0 Width: 9 Range: 201005001 - 201005012 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201005001		126	5.9%
201005002		116	5.5%
201005003		117	5.5%
201005004		124	5.8%
201005005		136	6.4%
201005006		233	11%
201005007		155	7.3%
201005008		198	9.3%
201005009		162	7.6%
201005010		216	10.2%
201005011		197	9.3%
201005012		340	16%

## **PSU: Primary Sampling Unit**

**Data file:** PSE2010\_UNRWA\_Syria\_Public\_Use

### **Overview**

Valid: 2120   Invalid: 0   Mean: 18.775   Standard deviation: 8.156  
Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 30   Format: Numeric

---

**Q1: How old are you****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 2003    Invalid: 12

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 6    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

How old are you?

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	4	0.2%
2	12 years old	134	6.7%
3	13 years old	589	29.4%
4	14 years old	690	34.4%
5	15 years old	538	26.9%
6	16 years old or older	48	2.4%
Sysmiss		12	

**Q2: Sex****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1992    Invalid: 23

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

What is your sex?

## CATEGORIES

Value	Category	Cases	
1	Male	774	38.9%
2	Female	1218	61.1%
Sysmiss		23	

**Q3: In what grade are you****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use**

## Overview

Valid: 1988   Invalid: 27  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 5   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

### CATEGORIES

Value	Category	Cases	
1	7th	638	32.1%
2	8th	648	32.6%
3	9th	702	35.3%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		27	

## Q4: How tall are you

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1875   Invalid: 140   Minimum: 1.27   Maximum: 1.95   Mean: 1.566   Standard deviation: 0.0875  
 Type: Continuous   Decimal: 0   Width: 4   Range: 1.27 - 1.95   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

### LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

## Q5: How much do you weigh

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1875   Invalid: 140   Minimum: 28   Maximum: 100   Mean: 51.199   Standard deviation: 11.492  
 Type: Continuous   Decimal: 0   Width: 6   Range: 28 - 100   Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days**

**Data file:** PSE2010\_UNRWA\_WestBank\_Public\_Use

**Overview**

Valid: 1996 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	1268	63.5%
2	Rarely	332	16.6%
3	Sometimes	235	11.8%
4	Most of the time	104	5.2%
5	Always	57	2.9%
Sysmiss		19	

**Q7: Eat fruit per day past 30 days**

**Data file:** PSE2010\_UNRWA\_WestBank\_Public\_Use

**Overview**

Valid: 2002 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	133	6.6%



2	Less than one time per day	489	24.4%
3	1 time per day	491	24.5%
4	2 times per day	454	22.7%
5	3 times per day	230	11.5%
6	4 times per day	77	3.8%
7	5 or more times per day	128	6.4%
Sysmiss		13	

## Q8: Eat vegetables past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1992 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	102	5.1%
2	Less than one time per day	527	26.5%
3	1 time per day	624	31.3%
4	2 times per day	367	18.4%
5	3 times per day	184	9.2%
6	4 times per day	61	3.1%
7	5 or more times per day	127	6.4%
Sysmiss		23	

## Q9: Drink soft drinks past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 2005 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	180	9%
2	Less than one time per day	626	31.2%
3	1 time per day	536	26.7%
4	2 times per day	289	14.4%
5	3 times per day	171	8.5%
6	4 times per day	70	3.5%
7	5 or more times per day	133	6.6%
Sysmiss		10	

## Q10: Ate fast food past 7 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 2001 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

### LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	0 days	998	49.9%
2	1 day	440	22%
3	2 days	243	12.1%
4	3 days	130	6.5%
5	4 days	59	2.9%
6	5 days	40	2%
7	6 days	20	1%

8	7 days	71	3.5%
Sysmiss		14	

## Q11: How many times per day brush teeth

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1976 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

#### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	248	12.6%
2	Less than 1 time per day	367	18.6%
3	1 time per day	430	21.8%
4	2 times per day	507	25.7%
5	3 times per day	259	13.1%
6	4 or more times per day	165	8.4%
Sysmiss		39	

## Q12: Wash hands before eating past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1988 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

#### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	44	2.2%
2	Rarely	87	4.4%
3	Sometimes	143	7.2%
4	Most of the time	210	10.6%
5	Always	1504	75.7%
Sysmiss		27	

### Q13: Wash hands after toilet past 30 day

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1979 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	31	1.6%
2	Rarely	52	2.6%
3	Sometimes	85	4.3%
4	Most of the time	120	6.1%
5	Always	1691	85.4%
Sysmiss		36	

### Q14: Used soap on hands past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1986 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

#### CATEGORIES

Value	Category	Cases	
1	Never	55	2.8%
2	Rarely	98	4.9%
3	Sometimes	192	9.7%
4	Most of the time	290	14.6%
5	Always	1351	68%
Sysmiss		29	

### Q15: Times attacked past 12 mo.

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 2000 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

#### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1210	60.5%
2	1 time	305	15.3%
3	2 or 3 times	231	11.6%
4	4 or 5 times	78	3.9%
5	6 or 7 times	28	1.4%
6	8 or 9 times	12	0.6%
7	10 or 11 times	9	0.5%
8	12 or more times	127	6.4%
Sysmiss		15	

### Q16: How many times in fight 12 mos

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

## Overview

Valid: 1982 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	1251	63.1%
2	1 time	299	15.1%
3	2 or 3 times	199	10%
4	4 or 5 times	75	3.8%
5	6 or 7 times	27	1.4%
6	8 or 9 times	15	0.8%
7	10 or 11 times	12	0.6%
8	12 or more times	104	5.2%
Sysmiss		33	

## Q17: How many times injured past 12 months

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

## Overview

Valid: 1708 Invalid: 307

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	1225	71.7%
2	1 time	290	17%
3	2 or 3 times	118	6.9%

4	4 or 5 times	34	2%
5	6 or 7 times	13	0.8%
6	8 or 9 times	4	0.2%
7	10 or 11 times	2	0.1%
8	12 or more times	22	1.3%
Sysmiss		307	

### Q18: What was serious injury past 12 mo.

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1822 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1475	81%
2	Broken bone/dislocated joint	106	5.8%
3	I had a cut or stab wound	72	4%
4	Concussion/head injury	25	1.4%
5	I had a gunshot wound	14	0.8%
6	I had a bad burn	19	1%
7	I was poisoned	14	0.8%
8	Something else happened to me	97	5.3%
Sysmiss		193	

### Q19: Cause of injury past 12 mo.

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1757 Invalid: 258

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1389	79.1%
2	Motor vehicle accident	46	2.6%
3	I fell	141	8%
4	Something fell on me or hit me	44	2.5%
5	I was attacked	34	1.9%
6	Was in a fire	14	0.8%
7	breathed something bad	8	0.5%
8	Something else	81	4.6%
Sysmiss		258	

## Q20: How many days bullied past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1936 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	881	45.5%
2	1 or 2 days	601	31%
3	3 to 5 days	181	9.3%
4	6 to 9 days	95	4.9%
5	10 to 19 days	44	2.3%



6	20 to 29 days	32	1.7%
7	All 30 days	102	5.3%
Sysmiss		79	

## Q21: How bullied past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1925 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	1091	56.7%
2	Kicked, pushed, or shoved	83	4.3%
3	Made fun of race	78	4.1%
4	Made fun because of religion	36	1.9%
5	Made fun of about sex	211	11%
6	Left out of activities	37	1.9%
7	Made fun of about body	49	2.5%
8	Some other way	340	17.7%
Sysmiss		90	

## Q22: Times felt lonely past 12 mo.

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1981 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	861	43.5%
2	Rarely	490	24.7%
3	Sometimes	350	17.7%
4	Most of the time	154	7.8%
5	Always	126	6.4%
Sysmiss		34	

### Q23: Times could not sleep past 12 mo.

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1975 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	581	29.4%
2	Rarely	639	32.4%
3	Sometimes	407	20.6%
4	Most of the time	226	11.4%
5	Always	122	6.2%
Sysmiss		40	

### Q24: Ever considered suicide 12 mos

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1961 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	417	21.3%
2	No	1544	78.7%
Sysmiss		54	

## Q25: Ever make suicide plan 12 mos

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1950 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	361	18.5%
2	No	1589	81.5%
Sysmiss		65	

## Q26: Times attempted suicide 12 mos

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1986 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	1560	78.5%
2	1 time	229	11.5%
3	2 or 3 times	104	5.2%
4	4 or 5 times	50	2.5%
5	6 or more times	43	2.2%
Sysmiss		29	

### Q27: Number close friends

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1980 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	124	6.3%
2	1	189	9.5%
3	2	275	13.9%
4	3 or more	1392	70.3%
Sysmiss		35	

### Q28: Age first tried cigarette

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1853 Invalid: 162

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1288	69.5%
2	7 years old or younger	104	5.6%
3	8 or 9 years old	93	5%
4	10 or 11 years old	129	7%
5	12 or 13 years old	158	8.5%
6	14 or 15 years old	78	4.2%
7	16 years old or older	3	0.2%
Sysmiss		162	

## Q29: How many days smoked 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1941 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1573	81%
2	1 or 2 days	169	8.7%
3	3 to 5 days	61	3.1%
4	6 to 9 days	28	1.4%
5	10 to 19 days	32	1.6%
6	20 to 29 days	22	1.1%
7	All 30 days	56	2.9%
Sysmiss		74	

**Q30: Other forms of tobacco****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1998 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1679	84%
2	1 or 2 days	155	7.8%
3	3 to 5 days	71	3.6%
4	6 to 9 days	34	1.7%
5	10 to 19 days	21	1.1%
6	20 to 29 days	6	0.3%
7	All 30 days	32	1.6%
Sysmiss		17	

**Q31: Try stop smoking past 12 mo.****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1875 Invalid: 140

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about cigarette and other tobacco use.

**LITERAL QUESTION**

During the past 12 months, have you ever tried to stop smoking cigarettes?

**CATEGORIES**

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1495	79.7%
2	Did not smoke cigarettes	101	5.4%
3	Yes	182	9.7%
4	No	97	5.2%
Sysmiss		140	

### Q32: Others present smoking past 7 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1968 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	669	34%
2	1 or 2 days	320	16.3%
3	3 or 4 days	181	9.2%
4	5 or 6 days	92	4.7%
5	All 7 days	706	35.9%
Sysmiss		47	

### Q33: Parents who use tobacco

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1991 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	983	49.4%
2	My father or male guardian	815	40.9%
3	My mother or female guardian	52	2.6%
4	Both	67	3.4%
5	I do not know	74	3.7%
Sysmiss		24	

**Q40: Age first drugs****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1887 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

How old were you when you first used drugs?

## CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1747	92.6%
2	7 years old or younger	43	2.3%
3	8 or 9 years old	33	1.7%
4	10 or 11 years old	26	1.4%
5	12 or 13 years old	15	0.8%
6	14 or 15 years old	14	0.7%
7	16 years old or older	9	0.5%
Sysmiss		128	

**Q41: Times used marijuana lifetime****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1957 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric



## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1872	95.7%
2	1 or 2 times	21	1.1%
3	3 to 9 times	31	1.6%
4	10 to 19 times	13	0.7%
5	20 or more times	20	1%
Sysmiss		58	

### Q42: Times used marijuana past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1948 Invalid: 67

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1858	95.4%
2	1 or 2 times	32	1.6%
3	3 to 9 times	27	1.4%
4	10 to 19 times	14	0.7%
5	20 or more times	17	0.9%
Sysmiss		67	

**Q43: Times used amphetamines lifetime****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1920 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

**CATEGORIES**

Value	Category	Cases	
1	0 times	1830	95.3%
2	1 or 2 times	29	1.5%
3	3 to 9 times	25	1.3%
4	10 to 19 times	12	0.6%
5	20 or more times	24	1.3%
Sysmiss		95	

**Q49: Days active 60 min plus past 7 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1956 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

**LITERAL QUESTION**

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

**CATEGORIES**

Value	Category	Cases	
1	0 days	554	28.3%
2	1 day	443	22.6%

3	2 days	246	12.6%
4	3 days	185	9.5%
5	4 days	88	4.5%
6	5 days	88	4.5%
7	6 days	36	1.8%
8	7 days	316	16.2%
Sysmiss		59	

### Q50: Walk or bike to school past 7 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1986 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

##### LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

##### CATEGORIES

Value	Category	Cases	
1	0 days	484	24.4%
2	1 day	134	6.7%
3	2 days	88	4.4%
4	3 days	38	1.9%
5	4 days	36	1.8%
6	5 days	305	15.4%
7	6 days	65	3.3%
8	7 days	836	42.1%
Sysmiss		29	

### Q51: Days went to PE each week

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1939 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

### CATEGORIES

Value	Category	Cases	
1	0 days	281	14.5%
2	1 day	648	33.4%
3	2 days	110	5.7%
4	3 days	80	4.1%
5	4 days	89	4.6%
6	5 or more days	731	37.7%
Sysmiss		76	

## Q52: Time spent sitting on usual day

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1965 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	603	30.7%
2	1 to 2 hours per day	718	36.5%
3	3 to 4 hours per day	370	18.8%
4	5 to 6 hours per day	119	6.1%
5	7 to 8 hours per day	40	2%
6	More than 8 hours per day	115	5.9%
Sysmiss		50	

**Q53: Miss school no permission past 30 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1958 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, on how many days did you miss classes or school without permission?

**CATEGORIES**

Value	Category	Cases	
1	0 days	1260	64.4%
2	1 or 2 days	468	23.9%
3	3 to 5 days	128	6.5%
4	6 to 9 days	50	2.6%
5	10 or more days	52	2.7%
Sysmiss		57	

**Q54: Others helpful in school past 30 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1947 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions****QUESTION PRETEXT**

The next 6 questions ask about your experiences at school and at home.

**LITERAL QUESTION**

During the past 30 days, how often were most of the students in your school kind and helpful?

**CATEGORIES**

Value	Category	Cases	
1	Never	184	9.5%
2	Rarely	251	12.9%
3	Sometimes	366	18.8%

4	Most of the time	397	20.4%
5	Always	749	38.5%
Sysmiss		68	

### Q55: Parents check homework past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1987 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

##### CATEGORIES

Value	Category	Cases	
1	Never	344	17.3%
2	Rarely	264	13.3%
3	Sometimes	310	15.6%
4	Most of the time	305	15.3%
5	Always	764	38.4%
Sysmiss		28	

### Q56: Parent understand troubles past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1981 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	467	23.6%
2	Rarely	367	18.5%
3	Sometimes	438	22.1%
4	Most of the time	296	14.9%
5	Always	413	20.8%
Sysmiss		34	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1969 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	423	21.5%
2	Rarely	366	18.6%
3	Sometimes	416	21.1%
4	Most of the time	319	16.2%
5	Always	445	22.6%
Sysmiss		46	

## Q58: Parent go through things past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1961 Invalid: 54 Mean: 1.567 Standard deviation: 1.069

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

## CATEGORIES

Value	Category	Cases	
1		1412	72%
2		225	11.5%
3		162	8.3%
4		85	4.3%
5		77	3.9%
Sysmiss		54	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1996 Invalid: 19 Mean: 1.919 Standard deviation: 0.272  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	161	8.1%
2	No	1835	91.9%
Sysmiss		19	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 2002 Invalid: 13 Mean: 1.556 Standard deviation: 0.497  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

## LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--



1	Yes	889	44.4%
2	No	1113	55.6%
Sysmiss		13	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1992   Invalid: 23   Mean: 1.813   Standard deviation: 0.39  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	372	18.7%
2	No	1620	81.3%
Sysmiss		23	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 2005   Invalid: 10   Mean: 1.402   Standard deviation: 0.49  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1199	59.8%
2	No	806	40.2%
Sysmiss		10	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 2001   Invalid: 14   Mean: 1.84   Standard deviation: 0.367  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	320	16%
2	No	1681	84%
Sysmiss		14	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1976   Invalid: 39   Mean: 1.689   Standard deviation: 0.463  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	615	31.1%
2	No	1361	68.9%
Sysmiss		39	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1988   Invalid: 27   Mean: 1.934   Standard deviation: 0.248  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	131	6.6%
2	No	1857	93.4%
Sysmiss		27	

## QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1979   Invalid: 36   Mean: 1.958   Standard deviation: 0.201  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	83	4.2%
2	No	1896	95.8%
Sysmiss		36	

## QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1986   Invalid: 29   Mean: 1.923   Standard deviation: 0.267  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	153	7.7%
2	No	1833	92.3%
Sysmiss		29	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 2000   Invalid: 15   Mean: 1.605   Standard deviation: 0.489  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	790	39.5%
2	No	1210	60.5%
Sysmiss		15	

### QN16: In fight 1+ times past 12 months

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1982   Invalid: 33   Mean: 1.631   Standard deviation: 0.483  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	731	36.9%
2	No	1251	63.1%
Sysmiss		33	

**QN17: Seriously injured 1+ times past 12 months****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1708   Invalid: 307   Mean: 1.717   Standard deviation: 0.45  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were seriously injured one or more times during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	483	28.3%
2	No	1225	71.7%
Sysmiss		307	

**QN18: Broken bone as most serious injury****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 347   Invalid: 1668   Mean: 1.695   Standard deviation: 0.461  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

**CATEGORIES**

Value	Category	Cases	
1	Yes	106	30.5%
2	No	241	69.5%
Sysmiss		1668	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 368   Invalid: 1647   Mean: 1.875   Standard deviation: 0.331  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	46	12.5%
2	No	322	87.5%
Sysmiss		1647	

## QN20: Bullied 1+ of past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1936 Invalid: 79 Mean: 1.455 Standard deviation: 0.498  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1055	54.5%
2	No	881	45.5%
Sysmiss		79	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 834 Invalid: 1181 Mean: 1.9 Standard deviation: 0.3  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

### CATEGORIES

Value	Category	Cases	
1	Yes	83	10%
2	No	751	90%
Sysmiss		1181	

## QN22: Lonely most times/always past 12 months

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1981 Invalid: 34 Mean: 1.859 Standard deviation: 0.348  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	280	14.1%
2	No	1701	85.9%
Sysmiss		34	

## QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1975 Invalid: 40 Mean: 1.824 Standard deviation: 0.381  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	348	17.6%
2	No	1627	82.4%
Sysmiss		40	

**QN24: Considered suicide past 12 months****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1961   Invalid: 54   Mean: 1.787   Standard deviation: 0.409  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who ever seriously considered attempting suicide during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	417	21.3%
2	No	1544	78.7%
Sysmiss		54	

**QN25: Made suicide plan past 12 months****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1950   Invalid: 65   Mean: 1.815   Standard deviation: 0.389  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	361	18.5%
2	No	1589	81.5%
Sysmiss		65	

**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1986   Invalid: 29   Mean: 1.785   Standard deviation: 0.411  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric



## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

### CATEGORIES

Value	Category	Cases	
1	Yes	426	21.5%
2	No	1560	78.5%
Sysmiss		29	

## QN27: No close friends

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1980 Invalid: 35 Mean: 1.937 Standard deviation: 0.242  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

### CATEGORIES

Value	Category	Cases	
1	Yes	124	6.3%
2	No	1856	93.7%
Sysmiss		35	

## QN28: Age first cigarette before 14

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 565 Invalid: 1450 Mean: 1.143 Standard deviation: 0.351  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	484	85.7%
2	No	81	14.3%
Sysmiss		1450	

### QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1941 Invalid: 74 Mean: 1.81 Standard deviation: 0.392  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	368	19%
2	No	1573	81%
Sysmiss		74	

### QN30: Used other tobacco 1+ of past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1998 Invalid: 17 Mean: 1.84 Standard deviation: 0.366  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	319	16%
2	No	1679	84%
Sysmiss		17	

**QN31: Tried to quit smoking past 12 months****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 279    Invalid: 1736    Mean: 1.348    Standard deviation: 0.477  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

**CATEGORIES**

Value	Category	Cases	
1	Yes	182	65.2%
2	No	97	34.8%
Sysmiss		1736	

**QN32: Others present smoking 1+ of past 7 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1968    Invalid: 47    Mean: 1.34    Standard deviation: 0.474  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	1299	66%
2	No	669	34%
Sysmiss		47	

**QN33: Either/Both parents use tobacco****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1991    Invalid: 24    Mean: 1.531    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	934	46.9%
2	No	1057	53.1%
Sysmiss		24	

## QN40: Age first drugs before 14

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 140    Invalid: 1875    Mean: 1.164    Standard deviation: 0.372  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	117	83.6%
2	No	23	16.4%
Sysmiss		1875	

## QN41: Marijuana 1+ times in lifetime

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1957    Invalid: 58    Mean: 1.957    Standard deviation: 0.204  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	85	4.3%
2	No	1872	95.7%
Sysmiss		58	

**QN42: Marijuana 1+ times p 30 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1948   Invalid: 67   Mean: 1.954   Standard deviation: 0.21  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	90	4.6%
2	No	1858	95.4%
Sysmiss		67	

**QN43: Amphetamines 1+ times lifetime****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1920   Invalid: 95   Mean: 1.953   Standard deviation: 0.211  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	90	4.7%
2	No	1830	95.3%
Sysmiss		95	

**QN49: Active 60+ mins/day for 5+ of past 7 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1956   Invalid: 59   Mean: 1.775   Standard deviation: 0.418  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	440	22.5%
2	No	1516	77.5%
Sysmiss		59	

**QN50: Walk/Bike to/from school 0 of past 7 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1986   Invalid: 29   Mean: 1.756   Standard deviation: 0.429  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	484	24.4%
2	No	1502	75.6%
Sysmiss		29	

**QN51: 3+ days PE each week****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1939   Invalid: 76   Mean: 1.536   Standard deviation: 0.499  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

#### CATEGORIES

Value	Category	Cases	
1	Yes	900	46.4%
2	No	1039	53.6%
Sysmiss		76	

### QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1965 Invalid: 50 Mean: 1.672 Standard deviation: 0.47  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

#### CATEGORIES

Value	Category	Cases	
1	Yes	644	32.8%
2	No	1321	67.2%
Sysmiss		50	

### QN53: Miss school no permission 1+ of past 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 1958 Invalid: 57 Mean: 1.644 Standard deviation: 0.479  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	698	35.6%
2	No	1260	64.4%
Sysmiss		57	

#### QN54: Students most/always kind 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

##### Overview

Valid: 1947 Invalid: 68 Mean: 1.411 Standard deviation: 0.492  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

###### CATEGORIES

Value	Category	Cases	
1	Yes	1146	58.9%
2	No	801	41.1%
Sysmiss		68	

#### QN55: Parents most/always check homework

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

##### Overview

Valid: 1987 Invalid: 28 Mean: 1.462 Standard deviation: 0.499  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

##### Questions and instructions

###### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

###### CATEGORIES

Value	Category	Cases	
1	Yes	1069	53.8%
2	No	918	46.2%
Sysmiss		28	



**QN56: Parents most/always understand problems****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1981   Invalid: 34   Mean: 1.642   Standard deviation: 0.48  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	709	35.8%
2	No	1272	64.2%
Sysmiss		34	

**QN57: Parents most/always know about free time****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1969   Invalid: 46   Mean: 1.612   Standard deviation: 0.487  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	764	38.8%
2	No	1205	61.2%
Sysmiss		46	

**QN58: Parents never/rarely go thru things****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1961   Invalid: 54   Mean: 1.165   Standard deviation: 0.371  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1637	83.5%
2	No	324	16.5%
Sysmiss		54	

## QNOWTG: Overweight

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1875 Invalid: 140 Mean: 1.743 Standard deviation: 0.437  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
1	Yes	481	25.7%
2	No	1394	74.3%
Sysmiss		140	

## QNOBESEG: Obese

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1875 Invalid: 140 Mean: 1.932 Standard deviation: 0.251  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	127	6.8%
2	No	1748	93.2%
Sysmiss		140	

## QNUNWTG: Underweight

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1875 Invalid: 140 Mean: 1.962 Standard deviation: 0.191  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

#### CATEGORIES

Value	Category	Cases	
1	Yes	71	3.8%
2	No	1804	96.2%
Sysmiss		140	

## QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 1984 Invalid: 31 Mean: 1.761 Standard deviation: 0.427  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	475	23.9%
2	No	1509	76.1%
Sysmiss		31	

**QNANYTBG: Used any tobacco past 30 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1933 Invalid: 82 Mean: 1.756 Standard deviation: 0.43  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who used any tobacco on one or more days during the past 30 days

**CATEGORIES**

Value	Category	Cases	
1	Yes	472	24.4%
2	No	1461	75.6%
Sysmiss		82	

**QNPA7G: Physically active all past 7 days****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1956 Invalid: 59 Mean: 1.838 Standard deviation: 0.368  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions****LITERAL QUESTION**

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

**CATEGORIES**

Value	Category	Cases	
1	Yes	316	16.2%
2	No	1640	83.8%
Sysmiss		59	

**QNPE5G: Attended PE 5+ days each week****Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use****Overview**

Valid: 1939 Invalid: 76 Mean: 1.623 Standard deviation: 0.485  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

### CATEGORIES

Value	Category	Cases	
1	Yes	731	37.7%
2	No	1208	62.3%
Sysmiss		76	

## QNC2G: Among those worried, currently bullied

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 334 Invalid: 1681 Mean: 1.335 Standard deviation: 0.473  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	222	66.5%
2	No	112	33.5%
Sysmiss		1681	

## WEIGHT: Weight

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 2015 Invalid: 0 Mean: 9.307 Standard deviation: 1.512  
Type: Continuous Decimal: 0 Width: 10 Range: 6.9962 - 14.2394 Format: Numeric Weighted: yes

## STRATUM: Stratum

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

### Overview

Valid: 2015 Invalid: 0 Mean: 201002006.32 Standard deviation: 13.679  
Type: Discrete Decimal: 0 Width: 9 Range: 201002001 - 201002012 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201002001		159	7.9%
201002002		163	8.1%
201002003		215	10.7%
201002004		173	8.6%
201002005		167	8.3%
201002006		193	9.6%
201002007		169	8.4%
201002008		186	9.2%
201002009		127	6.3%
201002010		146	7.2%
201002011		158	7.8%
201002012		159	7.9%

### PSU: Primary Sampling Unit

Data file: PSE2010\_UNRWA\_WestBank\_Public\_Use

#### Overview

Valid: 2015   Invalid: 0   Mean: 12.135   Standard deviation: 6.779  
 Type: Continuous   Decimal: 0   Width: 5   Range: 1 - 24   Format: Numeric

**Q1: How old are you****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1896 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	11 years old or younger	9	0.5%
2	12 years old	150	7.9%
3	13 years old	503	26.5%
4	14 years old	701	37%
5	15 years old	479	25.3%
6	16 years old or older	54	2.8%
Sysmiss		12	

**Q2: Sex****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1875 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Male	927	49.4%
2	Female	948	50.6%
Sysmiss		33	

**Q3: In what grade are you****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1875 Invalid: 33

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	7th	518	27.6%
2	8th	662	35.3%
3	9th	695	37.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		33	

### Q4: How tall are you

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1763 Invalid: 145 Minimum: 1.27 Maximum: 1.88 Mean: 1.578 Standard deviation: 0.0881  
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.88 Format: Numeric

### Q5: How much do you weigh

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1763 Invalid: 145 Minimum: 28 Maximum: 153 Mean: 50.901 Standard deviation: 12.845  
 Type: Continuous Decimal: 0 Width: 6 Range: 28 - 153 Format: Numeric

### Q6: Went hungry past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1879 Invalid: 29  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Never	1149	61.1%
2	Rarely	309	16.4%
3	Sometimes	255	13.6%
4	Most of the time	122	6.5%



5	Always	44	2.3%
Sysmiss		29	

## Q7: Eat fruit per day past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1886 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	137	7.3%
2	Less than one time per day	288	15.3%
3	1 time per day	498	26.4%
4	2 times per day	479	25.4%
5	3 times per day	287	15.2%
6	4 times per day	85	4.5%
7	5 or more times per day	112	5.9%
Sysmiss		22	

## Q8: Eat vegetables past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1885 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	112	5.9%
2	Less than one time per day	300	15.9%
3	1 time per day	625	33.2%
4	2 times per day	394	20.9%
5	3 times per day	227	12%
6	4 times per day	112	5.9%

7	5 or more times per day	115	6.1%
Sysmiss		23	

### Q9: Drink soft drinks past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1900 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	183	9.6%
2	Less than one time per day	455	23.9%
3	1 time per day	553	29.1%
4	2 times per day	332	17.5%
5	3 times per day	169	8.9%
6	4 times per day	91	4.8%
7	5 or more times per day	117	6.2%
Sysmiss		8	

### Q10: Ate fast food past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1888 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	0 days	981	52%
2	1 day	411	21.8%
3	2 days	229	12.1%
4	3 days	121	6.4%
5	4 days	47	2.5%
6	5 days	35	1.9%

7	6 days	24	1.3%
8	7 days	40	2.1%
Sysmiss		20	

### Q11: How many times per day brush teeth

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1868 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	186	10%
2	Less than 1 time per day	219	11.7%
3	1 time per day	468	25.1%
4	2 times per day	522	27.9%
5	3 times per day	286	15.3%
6	4 or more times per day	187	10%
Sysmiss		40	

### Q12: Wash hands before eating past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1865 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Never	61	3.3%
2	Rarely	72	3.9%
3	Sometimes	108	5.8%
4	Most of the time	228	12.2%
5	Always	1396	74.9%
Sysmiss		43	

**Q13: Wash hands after toilet past 30 day****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1857 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	44	2.4%
2	Rarely	47	2.5%
3	Sometimes	92	5%
4	Most of the time	134	7.2%
5	Always	1540	82.9%
Sysmiss		51	

**Q14: Used soap on hands past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1871 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	44	2.4%
2	Rarely	86	4.6%
3	Sometimes	177	9.5%
4	Most of the time	300	16%
5	Always	1264	67.6%
Sysmiss		37	

**Q15: Times attacked past 12 mo.****Data file: PSE2010\_West\_Bank\_Public\_Use**

**Overview**

Valid: 1876 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 times	1166	62.2%
2	1 time	260	13.9%
3	2 or 3 times	208	11.1%
4	4 or 5 times	90	4.8%
5	6 or 7 times	29	1.5%
6	8 or 9 times	19	1%
7	10 or 11 times	13	0.7%
8	12 or more times	91	4.9%
Sysmiss		32	

**Q16: How many times in fight 12 mos**

Data file: PSE2010\_West\_Bank\_Public\_Use

**Overview**

Valid: 1894 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 times	1023	54%
2	1 time	354	18.7%
3	2 or 3 times	223	11.8%
4	4 or 5 times	101	5.3%
5	6 or 7 times	32	1.7%
6	8 or 9 times	18	1%
7	10 or 11 times	18	1%
8	12 or more times	125	6.6%
Sysmiss		14	

**Q17: How many times injured past 12 months****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1574 Invalid: 334

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 times	1077	68.4%
2	1 time	309	19.6%
3	2 or 3 times	103	6.5%
4	4 or 5 times	36	2.3%
5	6 or 7 times	18	1.1%
6	8 or 9 times	10	0.6%
7	10 or 11 times	6	0.4%
8	12 or more times	15	1%
Sysmiss		334	

**Q18: What was serious injury past 12 mo.****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1633 Invalid: 275

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1269	77.7%
2	Broken bone/dislocated joint	99	6.1%
3	I had a cut or stab wound	81	5%
4	Concussion/head injury	38	2.3%
5	I had a gunshot wound	19	1.2%
6	I had a bad burn	18	1.1%
7	I was poisoned	8	0.5%
8	Something else happened to me	101	6.2%
Sysmiss		275	

**Q19: Cause of injury past 12 mo.****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1656 Invalid: 252

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1273	76.9%
2	Motor vehicle accident	55	3.3%
3	I fell	137	8.3%
4	Something fell on me or hit me	43	2.6%
5	I was attacked	44	2.7%
6	Was in a fire	17	1%
7	breathed something bad	12	0.7%
8	Something else	75	4.5%
Sysmiss		252	

**Q20: How many days bullied past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1787 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 days	840	47%
2	1 or 2 days	521	29.2%
3	3 to 5 days	206	11.5%
4	6 to 9 days	83	4.6%
5	10 to 19 days	44	2.5%
6	20 to 29 days	28	1.6%
7	All 30 days	65	3.6%

Sysmiss

121

**Q21: How bullied past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1780 Invalid: 128

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Not bullied	1054	59.2%
2	Kicked, pushed, or shoved	69	3.9%
3	Made fun of race	56	3.1%
4	Made fun because of religion	37	2.1%
5	Made fun of about sex	162	9.1%
6	Left out of activities	42	2.4%
7	Made fun of about body	51	2.9%
8	Some other way	309	17.4%
Sysmiss		128	

**Q22: Times felt lonely past 12 mo.****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1876 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	873	46.5%
2	Rarely	423	22.5%
3	Sometimes	330	17.6%
4	Most of the time	144	7.7%
5	Always	106	5.7%
Sysmiss		32	



**Q23: Times could not sleep past 12 mo.****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1864 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Never	604	32.4%
2	Rarely	590	31.7%
3	Sometimes	373	20%
4	Most of the time	192	10.3%
5	Always	105	5.6%
Sysmiss		44	

**Q24: Ever considered suicide 12 mos****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1819 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	423	23.3%
2	No	1396	76.7%
Sysmiss		89	

**Q25: Ever make suicide plan 12 mos****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1800 Invalid: 108

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	310	17.2%
2	No	1490	82.8%
Sysmiss		108	

### Q26: Times attempted suicide 12 mos

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1852 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1435	77.5%
2	1 time	234	12.6%
3	2 or 3 times	93	5%
4	4 or 5 times	49	2.6%
5	6 or more times	41	2.2%
Sysmiss		56	

### Q27: Number close friends

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1852 Invalid: 56

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0	138	7.5%
2	1	227	12.3%
3	2	277	15%

4	3 or more	1210	65.3%
Sysmiss		56	

## Q28: Age first tried cigarette

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1765 Invalid: 143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1162	65.8%
2	7 years old or younger	118	6.7%
3	8 or 9 years old	89	5%
4	10 or 11 years old	152	8.6%
5	12 or 13 years old	157	8.9%
6	14 or 15 years old	84	4.8%
7	16 years old or older	3	0.2%
Sysmiss		143	

## Q29: How many days smoked 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1807 Invalid: 101

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	0 days	1444	79.9%
2	1 or 2 days	143	7.9%
3	3 to 5 days	74	4.1%
4	6 to 9 days	39	2.2%
5	10 to 19 days	32	1.8%
6	20 to 29 days	20	1.1%

7	All 30 days	55	3%
Sysmiss		101	

### Q30: Other forms of tobacco

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1886 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	0 days	1518	80.5%
2	1 or 2 days	167	8.9%
3	3 to 5 days	76	4%
4	6 to 9 days	49	2.6%
5	10 to 19 days	31	1.6%
6	20 to 29 days	19	1%
7	All 30 days	26	1.4%
Sysmiss		22	

### Q31: Try stop smoking past 12 mo.

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1790 Invalid: 118

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1359	75.9%
2	Did not smoke cigarettes	119	6.6%
3	Yes	227	12.7%
4	No	85	4.7%
Sysmiss		118	

**Q32: Others present smoking past 7 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1848 Invalid: 60

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	0 days	579	31.3%
2	1 or 2 days	372	20.1%
3	3 or 4 days	197	10.7%
4	5 or 6 days	110	6%
5	All 7 days	590	31.9%
Sysmiss		60	

**Q33: Parents who use tobacco****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1866 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Neither	959	51.4%
2	My father or male guardian	685	36.7%
3	My mother or female guardian	64	3.4%
4	Both	91	4.9%
5	I do not know	67	3.6%
Sysmiss		42	

**Q40: Age first drugs****Data file: PSE2010\_West\_Bank\_Public\_Use**

## Overview

Valid: 1657 Invalid: 251

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1509	91.1%
2	7 years old or younger	44	2.7%
3	8 or 9 years old	37	2.2%
4	10 or 11 years old	34	2.1%
5	12 or 13 years old	19	1.1%
6	14 or 15 years old	10	0.6%
7	16 years old or older	4	0.2%
Sysmiss		251	

## Q41: Times used marijuana lifetime

Data file: PSE2010\_West\_Bank\_Public\_Use

## Overview

Valid: 1819 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1735	95.4%
2	1 or 2 times	23	1.3%
3	3 to 9 times	24	1.3%
4	10 to 19 times	22	1.2%
5	20 or more times	15	0.8%
Sysmiss		89	

## Q42: Times used marijuana past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

## Overview

Valid: 1810 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1715	94.8%
2	1 or 2 times	31	1.7%
3	3 to 9 times	32	1.8%
4	10 to 19 times	24	1.3%
5	20 or more times	8	0.4%
Sysmiss		98	

### Q43: Times used amphetamines lifetime

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1713 Invalid: 195

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 times	1618	94.5%
2	1 or 2 times	38	2.2%
3	3 to 9 times	28	1.6%
4	10 to 19 times	19	1.1%
5	20 or more times	10	0.6%
Sysmiss		195	

### Q49: Days active 60 min plus past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1853 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	659	35.6%
2	1 day	400	21.6%
3	2 days	241	13%
4	3 days	131	7.1%
5	4 days	76	4.1%
6	5 days	78	4.2%
7	6 days	33	1.8%
8	7 days	235	12.7%
Sysmiss		55	

### Q50: Walk or bike to school past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1878 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	0 days	629	33.5%
2	1 day	166	8.8%
3	2 days	123	6.5%
4	3 days	73	3.9%
5	4 days	50	2.7%
6	5 days	189	10.1%
7	6 days	24	1.3%
8	7 days	624	33.2%
Sysmiss		30	

### Q51: Days went to PE each week

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1827 Invalid: 81

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric



## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 days	242	13.2%
2	1 day	929	50.8%
3	2 days	189	10.3%
4	3 days	74	4.1%
5	4 days	37	2%
6	5 or more days	356	19.5%
Sysmiss		81	

### Q52: Time spent sitting on usual day

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1859 Invalid: 49

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	585	31.5%
2	1 to 2 hours per day	676	36.4%
3	3 to 4 hours per day	333	17.9%
4	5 to 6 hours per day	131	7%
5	7 to 8 hours per day	42	2.3%
6	More than 8 hours per day	92	4.9%
Sysmiss		49	

### Q53: Miss school no permission past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1849 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	0 days	1217	65.8%
2	1 or 2 days	398	21.5%
3	3 to 5 days	141	7.6%
4	6 to 9 days	50	2.7%
5	10 or more days	43	2.3%
Sysmiss		59	

### Q54: Others helpful in school past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1854 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Never	264	14.2%
2	Rarely	342	18.4%
3	Sometimes	393	21.2%
4	Most of the time	389	21%
5	Always	466	25.1%
Sysmiss		54	

### Q55: Parents check homework past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1868 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	325	17.4%
2	Rarely	274	14.7%
3	Sometimes	243	13%
4	Most of the time	293	15.7%
5	Always	733	39.2%
Sysmiss		40	

## Q56: Parent understand troubles past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1853 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Never	389	21%
2	Rarely	352	19%
3	Sometimes	392	21.2%
4	Most of the time	294	15.9%
5	Always	426	23%
Sysmiss		55	

## Q57: Parent know what you do past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1846 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Never	305	16.5%
2	Rarely	267	14.5%
3	Sometimes	371	20.1%
4	Most of the time	339	18.4%

5	Always	564	30.6%
Sysmiss		62	

### Q58: Parent go through things past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1838 Invalid: 70 Mean: 1.884 Standard deviation: 1.236  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1		1039	56.5%
2		333	18.1%
3		228	12.4%
4		116	6.3%
5		122	6.6%
Sysmiss		70	

### QN6: Went hungry most of time/always past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1879 Invalid: 29 Mean: 1.912 Standard deviation: 0.284  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	166	8.8%
2	No	1713	91.2%
Sysmiss		29	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

## Overview

Valid: 1886 Invalid: 22 Mean: 1.489 Standard deviation: 0.5  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	963	51.1%
2	No	923	48.9%
Sysmiss		22	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: PSE2010\_West\_Bank\_Public\_Use

## Overview

Valid: 1885 Invalid: 23 Mean: 1.759 Standard deviation: 0.428  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	454	24.1%
2	No	1431	75.9%
Sysmiss		23	

### QN9: Drank soft drinks 1+ times per day past 30 day

Data file: PSE2010\_West\_Bank\_Public\_Use

## Overview

Valid: 1900 Invalid: 8 Mean: 1.336 Standard deviation: 0.472  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1262	66.4%
2	No	638	33.6%
Sysmiss		8	

**QN10: Ate fast food 3+ days past 7 day****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1888   Invalid: 20   Mean: 1.859   Standard deviation: 0.349  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	267	14.1%
2	No	1621	85.9%
Sysmiss		20	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1868   Invalid: 40   Mean: 1.783   Standard deviation: 0.412  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	405	21.7%
2	No	1463	78.3%
Sysmiss		40	

**QN12: Never/rarely wash hands before eating past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1865   Invalid: 43   Mean: 1.929   Standard deviation: 0.257  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	133	7.1%
2	No	1732	92.9%
Sysmiss		43	

### QN13: Never/rarely wash hands after toilet past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1857   Invalid: 51   Mean: 1.951   Standard deviation: 0.216  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	91	4.9%
2	No	1766	95.1%
Sysmiss		51	

### QN14: Never/rarely use soap on hands past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1871   Invalid: 37   Mean: 1.931   Standard deviation: 0.254  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	130	6.9%
2	No	1741	93.1%
Sysmiss		37	

### QN15: Attacked 1+ times past 12 months

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1876   Invalid: 32   Mean: 1.622   Standard deviation: 0.485

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	710	37.8%
2	No	1166	62.2%
Sysmiss		32	

**QN16: In fight 1+ times past 12 months****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1894    Invalid: 14    Mean: 1.54    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	871	46%
2	No	1023	54%
Sysmiss		14	

**QN17: Seriously injured 1+ times past 12 months****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1574    Invalid: 334    Mean: 1.684    Standard deviation: 0.465  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	497	31.6%
2	No	1077	68.4%
Sysmiss		334	



**QN18: Broken bone as most serious injury****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 364    Invalid: 1544    Mean: 1.728    Standard deviation: 0.446  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	99	27.2%
2	No	265	72.8%
Sysmiss		1544	

**QN19: Motor vehicle caused most serious injury****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 383    Invalid: 1525    Mean: 1.856    Standard deviation: 0.351  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	55	14.4%
2	No	328	85.6%
Sysmiss		1525	

**QN20: Bullied 1+ of past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1787    Invalid: 121    Mean: 1.47    Standard deviation: 0.499  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	947	53%

2	No	840	47%
Sysmiss		121	

### QN21: Of students bullied, most often hit, kicked, etc

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 726 Invalid: 1182 Mean: 1.905 Standard deviation: 0.293  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	69	9.5%
2	No	657	90.5%
Sysmiss		1182	

### QN22: Lonely most times/always past 12 months

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1876 Invalid: 32 Mean: 1.867 Standard deviation: 0.34  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	250	13.3%
2	No	1626	86.7%
Sysmiss		32	

### QN23: Worry prevented sleep most time/always past 12 mos

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1864 Invalid: 44 Mean: 1.841 Standard deviation: 0.366  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	297	15.9%
2	No	1567	84.1%
Sysmiss		44	

### QN24: Considered suicide past 12 months

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1819   Invalid: 89   Mean: 1.767   Standard deviation: 0.423  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	423	23.3%
2	No	1396	76.7%
Sysmiss		89	

### QN25: Made suicide plan past 12 months

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1800   Invalid: 108   Mean: 1.828   Standard deviation: 0.378  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	310	17.2%
2	No	1490	82.8%
Sysmiss		108	

**QN26: 1+ times attempt suicide 12 mos.****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1852   Invalid: 56   Mean: 1.775   Standard deviation: 0.418  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	417	22.5%
2	No	1435	77.5%
Sysmiss		56	

**QN27: No close friends****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1852   Invalid: 56   Mean: 1.925   Standard deviation: 0.263  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	138	7.5%
2	No	1714	92.5%
Sysmiss		56	

**QN28: Age first cigarette before 14****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 603   Invalid: 1305   Mean: 1.144   Standard deviation: 0.352  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	516	85.6%

2	No	87	14.4%
Sysmiss		1305	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1807 Invalid: 101 Mean: 1.799 Standard deviation: 0.401  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Yes	363	20.1%
2	No	1444	79.9%
Sysmiss		101	

## QN30: Used other tobacco 1+ of past 30 days

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 1886 Invalid: 22 Mean: 1.805 Standard deviation: 0.396  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### CATEGORIES

Value	Category	Cases	
1	Yes	368	19.5%
2	No	1518	80.5%
Sysmiss		22	

## QN31: Tried to quit smoking past 12 months

Data file: PSE2010\_West\_Bank\_Public\_Use

### Overview

Valid: 312 Invalid: 1596 Mean: 1.272 Standard deviation: 0.446  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	227	72.8%
2	No	85	27.2%
Sysmiss		1596	

### QN32: Others present smoking 1+ of past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1848   Invalid: 60   Mean: 1.313   Standard deviation: 0.464  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1269	68.7%
2	No	579	31.3%
Sysmiss		60	

### QN33: Either/Both parents use tobacco

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1866   Invalid: 42   Mean: 1.55   Standard deviation: 0.498  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	840	45%
2	No	1026	55%
Sysmiss		42	

**QN40: Age first drugs before 14****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 148    Invalid: 1760    Mean: 1.095    Standard deviation: 0.294  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	134	90.5%
2	No	14	9.5%
Sysmiss		1760	

**QN41: Marijuana 1+ times in lifetime****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1819    Invalid: 89    Mean: 1.954    Standard deviation: 0.21  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	84	4.6%
2	No	1735	95.4%
Sysmiss		89	

**QN42: Marijuana 1+ times p 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1810    Invalid: 98    Mean: 1.948    Standard deviation: 0.223  
 Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	95	5.2%

2	No	1715	94.8%
Sysmiss		98	

### Q43: Amphetamines 1+ times lifetime

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1713 Invalid: 195 Mean: 1.945 Standard deviation: 0.229  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	95	5.5%
2	No	1618	94.5%
Sysmiss		195	

### Q49: Active 60+ mins/day for 5+ of past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1853 Invalid: 55 Mean: 1.813 Standard deviation: 0.39  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	346	18.7%
2	No	1507	81.3%
Sysmiss		55	

### Q50: Walk/Bike to/from school 0 of past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1878 Invalid: 30 Mean: 1.665 Standard deviation: 0.472  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric



## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	629	33.5%
2	No	1249	66.5%
Sysmiss		30	

### QN51: 3+ days PE each week

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1827 Invalid: 81 Mean: 1.744 Standard deviation: 0.436  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	467	25.6%
2	No	1360	74.4%
Sysmiss		81	

### QN52: Sitting activities 3+ hours/day of usual day

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1859 Invalid: 49 Mean: 1.678 Standard deviation: 0.467  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	598	32.2%
2	No	1261	67.8%
Sysmiss		49	

**QN53: Miss school no permission 1+ of past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1849   Invalid: 59   Mean: 1.658   Standard deviation: 0.474  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	632	34.2%
2	No	1217	65.8%
Sysmiss		59	

**QN54: Students most/always kind 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1854   Invalid: 54   Mean: 1.539   Standard deviation: 0.499  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	855	46.1%
2	No	999	53.9%
Sysmiss		54	

**QN55: Parents most/always check homework****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1868   Invalid: 40   Mean: 1.451   Standard deviation: 0.498  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	1026	54.9%

2	No	842	45.1%
Sysmiss		40	

### QN56: Parents most/always understand problems

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1853 Invalid: 55 Mean: 1.611 Standard deviation: 0.488  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	720	38.9%
2	No	1133	61.1%
Sysmiss		55	

### QN57: Parents most/always know about free time

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1846 Invalid: 62 Mean: 1.511 Standard deviation: 0.5  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	903	48.9%
2	No	943	51.1%
Sysmiss		62	

### QN58: Parents never/rarely go thru things

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1838 Invalid: 70 Mean: 1.254 Standard deviation: 0.435  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	1372	74.6%
2	No	466	25.4%
Sysmiss		70	

### QNOWTG: Overweight

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1763   Invalid: 145   Mean: 1.778   Standard deviation: 0.416  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	392	22.2%
2	No	1371	77.8%
Sysmiss		145	

### QNOBESEG: Obese

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1763   Invalid: 145   Mean: 1.934   Standard deviation: 0.248  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	116	6.6%
2	No	1647	93.4%
Sysmiss		145	

**QNUNWTG: Underweight****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1763   Invalid: 145   Mean: 1.938   Standard deviation: 0.241  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	109	6.2%
2	No	1654	93.8%
Sysmiss		145	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1870   Invalid: 38   Mean: 1.718   Standard deviation: 0.45  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	527	28.2%
2	No	1343	71.8%
Sysmiss		38	

**QNANYTBG: Used any tobacco past 30 days****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1797   Invalid: 111   Mean: 1.727   Standard deviation: 0.445  
 Type: Discrete   Decimal: 0   Width: 1   Range: 1 - 2   Format: Numeric

**Questions and instructions**

## CATEGORIES

Value	Category	Cases	
1	Yes	490	27.3%

2	No	1307	72.7%
Sysmiss		111	

### QNPA7G: Physically active all past 7 days

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1853 Invalid: 55 Mean: 1.873 Standard deviation: 0.333  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	235	12.7%
2	No	1618	87.3%
Sysmiss		55	

### QNPE5G: Attended PE 5+ days each week

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1827 Invalid: 81 Mean: 1.805 Standard deviation: 0.396  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### CATEGORIES

Value	Category	Cases	
1	Yes	356	19.5%
2	No	1471	80.5%
Sysmiss		81	

### QNC2G: Among those worried, currently bullied

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 271 Invalid: 1637 Mean: 1.288 Standard deviation: 0.454  
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
1	Yes	193	71.2%
2	No	78	28.8%
Sysmiss		1637	

### WEIGHT: Weight

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1908 Invalid: 0 Mean: 35.613 Standard deviation: 5.822  
 Type: Continuous Decimal: 0 Width: 10 Range: 26.8493 - 51.936 Format: Numeric Weighted: yes

### STRATUM: Stratum

Data file: PSE2010\_West\_Bank\_Public\_Use

#### Overview

Valid: 1908 Invalid: 0 Mean: 201002006.67 Standard deviation: 2.931  
 Type: Discrete Decimal: 0 Width: 9 Range: 201002001 - 201002013 Format: Numeric

## Questions and instructions

### CATEGORIES

Value	Category	Cases	
201002001		205	10.7%
201002002		92	4.8%
201002003		151	7.9%
201002004		147	7.7%
201002005		200	10.5%
201002006		166	8.7%
201002007		166	8.7%
201002008		102	5.3%
201002009		155	8.1%
201002010		168	8.8%
201002011		117	6.1%
201002012		147	7.7%
201002013		92	4.8%

**PSU: Primary Sampling Unit****Data file: PSE2010\_West\_Bank\_Public\_Use****Overview**

Valid: 1908    Invalid: 0    Mean: 12.858    Standard deviation: 7.235  
Type: Continuous    Decimal: 0    Width: 5    Range: 1 - 26    Format: Numeric

---



# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
country Palestine  
filename 2010\_Palestine\_GSHS\_Questionnaire.pdf

---

## reports

### Fact Sheet (Gaza Strip)

---

title Fact Sheet (Gaza Strip)  
country Palestine  
filename PSE\_Gaza\_GSHS\_FS\_2010.pdf

---

### Fact Sheet (West Bank)

---

title Fact Sheet (West Bank)  
country Palestine  
filename PSE\_West\_Bank\_GSHS\_FS\_2010.pdf

---

### Fact Sheet (UNRWA Gaza Strip)

---

title Fact Sheet (UNRWA Gaza Strip)  
country Palestine  
filename PSE\_UNRWA\_Gaza\_GSHS\_FS\_2010.pdf

---

### Fact Sheet (UNRWA West Bank)

---

title Fact Sheet (UNRWA West Bank)  
country Palestine  
filename PSE\_UNRWA\_West\_Bank\_GSHS\_FS\_2010.pdf

---

### Fact Sheet (UNRWA Jordan)

---

title Fact Sheet (UNRWA Jordan)  
country Palestine  
filename PSE\_UNRWA\_Jordan\_GSHS\_FS\_2010.pdf

---

### Fact Sheet (UNRWA Lebanon)

---

title Fact Sheet (UNRWA Lebanon)  
country Palestine  
filename PSE\_UNRWA\_Lebanon\_GSHS\_FS\_2010.pdf

---

**Fact Sheet (UNRWA Syria)**

---

title Fact Sheet (UNRWA Syria)  
country Palestine  
filename PSE\_UNRWA\_Syria\_GSHS\_FS\_2010.pdf

---

**technical\_documents****Codebook**

---

title Codebook  
country Palestine  
filename PSE2010\_Gaza\_public\_use\_codebook.pdf

---