

Global School-Based Student Health Survey 2013

Ministry of Health

report_generated_on: September 20, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
TUV_2013_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2013

ABBREVIATION OR ACRONYM
GSHS 2013

COUNTRY

Name	Country code
Tuvalu	TUV

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Tuvalu.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-09

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO

US Centers for Disease Control and Prevention

CDC

Sampling

SAMPLING PROCEDURE

The Tuvalu GSHS was a school-based survey of students in Forms 2, 3, and 4. A two-stage cluster sample design was used to produce data representative of all students in Forms 2, 3, and 4 in Tuvalu. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 90%, and the overall response rate was 90%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2013	2013

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_TUV_2013_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-09

DDI DOCUMENT VERSION

Identical to a metadata (TUV_2013_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
TUV2013_Public_Use This file contains public-use data from Tuvalu	943	123

Data file: TUV2013_Public_Use

This file contains public-use data from Tuvalu

Cases: 943

variables: 123

variables

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 123

Q1: How old are you**Data file: TUV2013_Public_Use****Overview**

Valid: 911 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	7	0.8%
2	12 years old	199	21.8%
3	13 years old	189	20.7%
4	14 years old	163	17.9%
5	15 years old	128	14.1%
6	16 years old or older	225	24.7%
Sysmiss		32	

Q10: Ate fast food past 7 days**Data file: TUV2013_Public_Use****Overview**

Valid: 928 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	534	57.5%
2	1 day	154	16.6%
3	2 days	73	7.9%
4	3 days	57	6.1%
5	4 days	35	3.8%

6	5 days	21	2.3%
7	6 days	8	0.9%
8	7 days	46	5%
Sysmiss		15	

Q2: Sex

Data file: TUV2013_Public_Use

Overview

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	454	48.5%
2	Female	482	51.5%
Sysmiss		7	

Q3: In what grade are you

Data file: TUV2013_Public_Use

Overview

Valid: 519 Invalid: 424

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	8th EGB	188	36.2%
2	9th EGB	184	35.5%
3	1st Pol	147	28.3%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%

Sysmiss

424

Q4: How tall are you**Data file: TUV2013_Public_Use****Overview**

Valid: 589 Invalid: 354 Minimum: 1.3 Maximum: 2 Mean: 1.59 Standard deviation: 0.104
 Type: Continuous Decimal: 2 Width: 4 Range: 1.2 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: TUV2013_Public_Use****Overview**

Valid: 589 Invalid: 354 Minimum: 29 Maximum: 152 Mean: 59.314 Standard deviation: 16.449
 Type: Continuous Decimal: 2 Width: 6 Range: 30 - 180 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: Went hungry past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 926 Invalid: 17
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	438	47.3%
2	Rarely	277	29.9%
3	Sometimes	148	16%
4	Most of the time	26	2.8%
5	Always	37	4%
Sysmiss		17	

Q7: Eat fruit per day past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 916 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	236	25.8%
2	Less than one time per day	121	13.2%
3	1 time per day	208	22.7%
4	2 times per day	109	11.9%
5	3 times per day	88	9.6%
6	4 times per day	31	3.4%
7	5 or more times per day	123	13.4%
Sysmiss		27	

Q8: Eat vegetables past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 929 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	198	21.3%
2	Less than one time per day	135	14.5%
3	1 time per day	217	23.4%
4	2 times per day	133	14.3%
5	3 times per day	60	6.5%
6	4 times per day	21	2.3%
7	5 or more times per day	165	17.8%
Sysmiss		14	

Q9: Drink soft drinks past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	300	32.1%
2	Less than one time per day	150	16%
3	1 time per day	196	20.9%
4	2 times per day	97	10.4%
5	3 times per day	41	4.4%
6	4 times per day	25	2.7%

7	5 or more times per day	127	13.6%
Sysmiss		7	

Q11: How many times per day brush teeth

Data file: TUV2013_Public_Use

Overview

Valid: 932 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	29	3.1%
2	Less than 1 time per day	37	4%
3	1 time per day	69	7.4%
4	2 times per day	169	18.1%
5	3 times per day	328	35.2%
6	4 or more times per day	300	32.2%
Sysmiss		11	

Q12: Wash hands before eating past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 933 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	30	3.2%
2	Rarely	332	35.6%
3	Sometimes	119	12.8%
4	Most of the time	121	13%
5	Always	331	35.5%
Sysmiss		10	

Q13: Wash hands after toilet past 30 day

Data file: TUV2013_Public_Use

Overview

Valid: 921 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	38	4.1%
2	Rarely	129	14%
3	Sometimes	66	7.2%
4	Most of the time	142	15.4%
5	Always	546	59.3%
Sysmiss		22	

Q14: Used soap on hands past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 935 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	14	1.5%
2	Rarely	186	19.9%
3	Sometimes	75	8%
4	Most of the time	184	19.7%
5	Always	476	50.9%
Sysmiss		8	

Q15: Times attacked past 12 mo.

Data file: TUV2013_Public_Use

Overview

Valid: 932 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	341	36.6%
2	1 time	226	24.2%
3	2 or 3 times	213	22.9%
4	4 or 5 times	37	4%
5	6 or 7 times	10	1.1%
6	8 or 9 times	13	1.4%
7	10 or 11 times	5	0.5%
8	12 or more times	87	9.3%
Sysmiss		11	

Q16: How many times in fight 12 mos

Data file: TUV2013_Public_Use

Overview

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	277	29.6%
2	1 time	197	21%
3	2 or 3 times	217	23.2%
4	4 or 5 times	77	8.2%
5	6 or 7 times	26	2.8%
6	8 or 9 times	15	1.6%
7	10 or 11 times	6	0.6%
8	12 or more times	121	12.9%
Sysmiss		7	

Q17: How many times injured past 12 months

Data file: TUV2013_Public_Use

Overview

Valid: 826 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	407	49.3%
2	1 time	189	22.9%
3	2 or 3 times	134	16.2%

4	4 or 5 times	32	3.9%
5	6 or 7 times	15	1.8%
6	8 or 9 times	9	1.1%
7	10 or 11 times	17	2.1%
8	12 or more times	23	2.8%
Sysmiss		117	

Q18: What was serious injury past 12 mo.

Data file: TUV2013_Public_Use

Overview

Valid: 854 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	590	69.1%
2	Broken bone/dislocated joint	57	6.7%
3	I had a cut or stab wound	57	6.7%
4	Concussion/head injury	18	2.1%
5	I had a gunshot wound	4	0.5%
6	I had a bad burn	13	1.5%
7	I was poisoned	14	1.6%
8	Something else happened to me	101	11.8%
Sysmiss		89	

Q19: Cause of injury past 12 mo.

Data file: TUV2013_Public_Use

Overview

Valid: 871 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	604	69.3%
2	Motor vehicle accident	52	6%
3	I fell	72	8.3%
4	Something fell on me or hit me	32	3.7%
5	I was attacked	19	2.2%
6	Was in a fire	9	1%
7	breathed something bad	5	0.6%
8	Something else	78	9%
Sysmiss		72	

Q20: How many days bullied past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 875 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	638	72.9%
2	1 or 2 days	139	15.9%
3	3 to 5 days	43	4.9%
4	6 to 9 days	23	2.6%
5	10 to 19 days	4	0.5%

6	20 to 29 days	8	0.9%
7	All 30 days	20	2.3%
Sysmiss		68	

Q21: How bullied past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 882 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	705	79.9%
2	Kicked, pushed, or shoved	61	6.9%
3	Made fun of race	26	2.9%
4	Made fun because of religion	12	1.4%
5	Made fun of about sex	10	1.1%
6	Left out of activities	6	0.7%
7	Made fun of about body	12	1.4%
8	Some other way	50	5.7%
Sysmiss		61	

Q22: Times felt lonely past 12 mo.

Data file: TUV2013_Public_Use

Overview

Valid: 919 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	376	40.9%
2	Rarely	327	35.6%
3	Sometimes	137	14.9%
4	Most of the time	40	4.4%
5	Always	39	4.2%
Sysmiss		24	

Q23: Times could not sleep past 12 mo.

Data file: TUV2013_Public_Use

Overview

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	456	48.7%
2	Rarely	293	31.3%
3	Sometimes	127	13.6%
4	Most of the time	37	4%
5	Always	23	2.5%
Sysmiss		7	

Q24: Ever considered suicide 12 mos

Data file: TUV2013_Public_Use

Overview

Valid: 915 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	71	7.8%
2	No	844	92.2%
Sysmiss		28	

Q25: Ever make suicide plan 12 mos

Data file: TUV2013_Public_Use

Overview

Valid: 917 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	100	10.9%
2	No	817	89.1%
Sysmiss		26	

Q26: Times attempted suicide 12 mos.

Data file: TUV2013_Public_Use

Overview

Valid: 927 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	848	91.5%
2	1 time	43	4.6%
3	2 or 3 times	16	1.7%
4	4 or 5 times	11	1.2%
5	6 or more times	9	1%
Sysmiss		16	

Q27: Number close friends

Data file: TUV2013_Public_Use

Overview

Valid: 911 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	132	14.5%
2	1	228	25%
3	2	167	18.3%
4	3 or more	384	42.2%
Sysmiss		32	

Q28: Age first tried cigarette

Data file: TUV2013_Public_Use

Overview

Valid: 828 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	582	70.3%
2	7 years old or younger	42	5.1%
3	8 or 9 years old	33	4%
4	10 or 11 years old	47	5.7%
5	12 or 13 years old	52	6.3%
6	14 or 15 years old	41	5%
7	16 years old or older	31	3.7%
Sysmiss		115	

Q29: How many days smoked 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 918 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	760	82.8%
2	1 or 2 days	78	8.5%
3	3 to 5 days	29	3.2%
4	6 to 9 days	21	2.3%
5	10 to 19 days	13	1.4%
6	20 to 29 days	2	0.2%
7	All 30 days	15	1.6%
Sysmiss		25	

Q30: Other tobacco past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 932 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	780	83.7%
2	1 or 2 days	71	7.6%
3	3 to 5 days	24	2.6%
4	6 to 9 days	19	2%
5	10 to 19 days	10	1.1%
6	20 to 29 days	6	0.6%
7	All 30 days	22	2.4%
Sysmiss		11	

Q31: Try stop smoking past 12 mo.**Data file: TUV2013_Public_Use****Overview**

Valid: 821 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	642	78.2%
2	Did not smoke cigarettes	42	5.1%
3	Yes	121	14.7%
4	No	16	1.9%
Sysmiss		122	

Q32: Others present smoking past 7 days

Data file: TUV2013_Public_Use

Overview

Valid: 919 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	287	31.2%
2	1 or 2 days	253	27.5%
3	3 or 4 days	126	13.7%
4	5 or 6 days	59	6.4%
5	All 7 days	194	21.1%
Sysmiss		24	

Q33: Parents who use tobacco

Data file: TUV2013_Public_Use

Overview

Valid: 922 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	451	48.9%
2	My father or male guardian	234	25.4%
3	My mother or female guardian	51	5.5%
4	Both	72	7.8%
5	I do not know	114	12.4%
Sysmiss		21	

Q34: Age first drink alcohol

Data file: TUV2013_Public_Use

Overview

Valid: 591 Invalid: 352

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	386	65.3%
2	7 years old or younger	25	4.2%
3	8 or 9 years old	17	2.9%
4	10 or 11 years old	19	3.2%
5	12 or 13 years old	37	6.3%
6	14 or 15 years old	45	7.6%
7	16 years old or older	62	10.5%
Sysmiss		352	

Q35: Days one drink or more past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 888 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	748	84.2%
2	1 or 2 days	83	9.3%
3	3 to 5 days	27	3%
4	6 to 9 days	15	1.7%
5	10 to 19 days	7	0.8%
6	20 to 29 days	3	0.3%
7	All 30 days	5	0.6%
Sysmiss		55	

Q36: Number of drinks past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 656 Invalid: 287

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	500	76.2%
2	Less than one drink	104	15.9%
3	1 drink	20	3%
4	2 drinks	14	2.1%
5	3 drinks	3	0.5%
6	4 drinks	10	1.5%

7	5 or more drinks	5	0.8%
Sysmiss		287	

Q37: How got drinks past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 847 Invalid: 96

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	716	84.5%
2	I bought in a store	21	2.5%
3	I gave someone money to buy	24	2.8%
4	I got it from my friends	61	7.2%
5	I got it from my family	11	1.3%
6	I stole it	5	0.6%
7	Some other way	9	1.1%
Sysmiss		96	

Q38: Times drunk during life

Data file: TUV2013_Public_Use

Overview

Valid: 889 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	758	85.3%
2	1 or 2 times	97	10.9%
3	3 to 9 times	18	2%
4	10 or more times	16	1.8%
Sysmiss		54	

Q39: Number of troubles as result of drinking

Data file: TUV2013_Public_Use

Overview

Valid: 775 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	665	85.8%
2	1 or 2 times	74	9.5%
3	3 to 9 times	12	1.5%
4	10 or more times	24	3.1%
Sysmiss		168	

Q40: Age first drugs

Data file: TUV2013_Public_Use

Overview

Valid: 907 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	787	86.8%
2	7 years old or younger	40	4.4%
3	8 or 9 years old	23	2.5%
4	10 or 11 years old	22	2.4%
5	12 or 13 years old	11	1.2%
6	14 or 15 years old	15	1.7%
7	16 years old or older	9	1%
Sysmiss		36	

Q41: Times used marijuana lifetime

Data file: TUV2013_Public_Use

Overview

Valid: 908 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	876	96.5%
2	1 or 2 times	16	1.8%
3	3 to 9 times	6	0.7%
4	10 to 19 times	5	0.6%
5	20 or more times	5	0.6%
Sysmiss		35	

Q42: Times used marijuana past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 921 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	894	97.1%
2	1 or 2 times	12	1.3%
3	3 to 9 times	10	1.1%
4	10 to 19 times	3	0.3%
5	20 or more times	2	0.2%
Sysmiss		22	

Q43: Times used amphetamines lifetime**Data file: TUV2013_Public_Use****Overview**

Valid: 903 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	870	96.3%

2	1 or 2 times	11	1.2%
3	3 to 9 times	10	1.1%
4	10 to 19 times	9	1%
5	20 or more times	3	0.3%
Sysmiss		40	

Q44: Ever had sex

Data file: TUV2013_Public_Use

Overview

Valid: 751 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	143	19%
2	No	608	81%
Sysmiss		192	

Q45: Age first sexual intercourse

Data file: TUV2013_Public_Use

Overview

Valid: 906 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	807	89.1%

2	11 years old or younger	30	3.3%
3	12 years old	13	1.4%
4	13 years old	9	1%
5	14 years old	15	1.7%
6	15 years old	11	1.2%
7	16 years old or older	21	2.3%
Sysmiss		37	

Q46: How many sex partners

Data file: TUV2013_Public_Use

Overview

Valid: 901 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	809	89.8%
2	1 person	33	3.7%
3	2 people	20	2.2%
4	3 people	16	1.8%
5	4 people	10	1.1%
6	5 people	5	0.6%
7	6 or more people	8	0.9%
Sysmiss		42	

Q47: Used condom at last intercourse

Data file: TUV2013_Public_Use

Overview

Valid: 828 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	740	89.4%
2	Yes	41	5%
3	No	47	5.7%
Sysmiss		115	

Q48: Used birth control last intercourse

Data file: TUV2013_Public_Use

Overview

Valid: 802 Invalid: 141

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	710	88.5%
2	Yes	23	2.9%
3	No	34	4.2%
4	I do not know	35	4.4%
Sysmiss		141	

Q49: Days active 60 min plus past 7 days

Data file: TUV2013_Public_Use

Overview

Valid: 913 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	426	46.7%
2	1 day	161	17.6%
3	2 days	83	9.1%
4	3 days	63	6.9%
5	4 days	24	2.6%
6	5 days	30	3.3%
7	6 days	17	1.9%
8	7 days	109	11.9%
Sysmiss		30	

Q50: Walk or bike to school past 7 days

Data file: TUV2013_Public_Use

Overview

Valid: 919 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	620	67.5%
2	1 day	78	8.5%
3	2 days	48	5.2%

4	3 days	37	4%
5	4 days	16	1.7%
6	5 days	35	3.8%
7	6 days	8	0.9%
8	7 days	77	8.4%
Sysmiss		24	

Q51: Days went to PE each week

Data file: TUV2013_Public_Use

Overview

Valid: 899 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	393	43.7%
2	1 day	125	13.9%
3	2 days	70	7.8%
4	3 days	34	3.8%
5	4 days	35	3.9%
6	5 or more days	242	26.9%
Sysmiss		44	

Q52: Time spent sitting on usual day

Data file: TUV2013_Public_Use

Overview

Valid: 899 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	477	53.1%
2	1 to 2 hours per day	269	29.9%
3	3 to 4 hours per day	77	8.6%
4	5 to 6 hours per day	23	2.6%
5	7 to 8 hours per day	28	3.1%
6	More than 8 hours per day	25	2.8%
Sysmiss		44	

Q53: Miss school no permission past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 904 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	562	62.2%
2	1 or 2 days	224	24.8%
3	3 to 5 days	78	8.6%
4	6 to 9 days	23	2.5%
5	10 or more days	17	1.9%
Sysmiss		39	

Q54: Others helpful in school past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 930 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	143	15.4%
2	Rarely	303	32.6%
3	Sometimes	129	13.9%
4	Most of the time	147	15.8%
5	Always	208	22.4%
Sysmiss		13	

Q55: Parents check homework past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 920 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	294	32%
2	Rarely	263	28.6%
3	Sometimes	101	11%
4	Most of the time	94	10.2%
5	Always	168	18.3%

Sysmiss		23	
---------	--	----	--

Q56: Parent understand troubles past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 902 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	432	47.9%
2	Rarely	240	26.6%
3	Sometimes	83	9.2%
4	Most of the time	66	7.3%
5	Always	81	9%
Sysmiss		41	

Q57: Parent know what you do past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 925 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	367	39.7%
2	Rarely	272	29.4%

3	Sometimes	109	11.8%
4	Most of the time	73	7.9%
5	Always	104	11.2%
Sysmiss		18	

Q58: Parent go through things past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 917 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		615	67.1%
2		181	19.7%
3		49	5.3%
4		40	4.4%
5		32	3.5%
Sysmiss		26	

QN6: Went hungry most of time/always past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 926 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	63	6.8%
2	No	863	93.2%
Sysmiss		17	

QN7: Ate fruit 2+ times per day past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 916 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	351	38.3%
2	No	565	61.7%
Sysmiss		27	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: TUV2013_Public_Use

Overview

Valid: 929 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	246	26.5%
2	No	683	73.5%
Sysmiss		14	

QN9: Drank soft drinks 1+ times per day past 30 day**Data file: TUV2013_Public_Use****Overview**

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	486	51.9%
2	No	450	48.1%
Sysmiss		7	

QN10: Ate fast food 3+ days past 7 day**Data file: TUV2013_Public_Use****Overview**

Valid: 928 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	167	18%
2	No	761	82%
Sysmiss		15	

QN11: Cleaned/brushed teeth <1 time/day past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 932 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	66	7.1%
2	No	866	92.9%
Sysmiss		11	

QN12: Never/rarely wash hands before eating past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 933 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	362	38.8%
2	No	571	61.2%
Sysmiss		10	

QN13: Never/rarely wash hands after toilet past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 921 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	167	18.1%
2	No	754	81.9%
Sysmiss		22	

QN14: Never/rarely use soap on hands past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 935 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	200	21.4%
2	No	735	78.6%
Sysmiss		8	

QN15: Attacked 1+ times past 12 months

Data file: TUV2013_Public_Use

Overview

Valid: 932 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	591	63.4%
2	No	341	36.6%
Sysmiss		11	

QN16: In fight 1+ times past 12 months**Data file:** TUV2013_Public_Use**Overview**

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	659	70.4%
2	No	277	29.6%
Sysmiss		7	

QN17: Seriously injured 1+ times past 12 months**Data file:** TUV2013_Public_Use**Overview**

Valid: 826 Invalid: 117

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	419	50.7%
2	No	407	49.3%
Sysmiss		117	

QN18: Broken bone as most serious injury**Data file:** TUV2013_Public_Use**Overview**

Valid: 264 Invalid: 679

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	57	21.6%
2	No	207	78.4%
Sysmiss		679	

QN19: Motor vehicle caused most serious injury

Data file: TUV2013_Public_Use

Overview

Valid: 267 Invalid: 676

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	52	19.5%
2	No	215	80.5%
Sysmiss		676	

QN20: Bullied 1+ of past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 875 Invalid: 68

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	237	27.1%
2	No	638	72.9%
Sysmiss		68	

QN21: Of students bullied, most often hit, kicked, etc

Data file: TUV2013_Public_Use

Overview

Valid: 177 Invalid: 766

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	61	34.5%
2	No	116	65.5%
Sysmiss		766	

QN22: Lonely most times/always past 12 months

Data file: TUV2013_Public_Use

Overview

Valid: 919 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	79	8.6%
2	No	840	91.4%
Sysmiss		24	

QN23: Worry prevented sleep most time/always past 12 mos**Data file: TUV2013_Public_Use****Overview**

Valid: 936 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	60	6.4%
2	No	876	93.6%
Sysmiss		7	

QN24: Considered suicide past 12 months**Data file: TUV2013_Public_Use****Overview**

Valid: 915 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	71	7.8%
2	No	844	92.2%
Sysmiss		28	

QN25: Made suicide plan past 12 months**Data file: TUV2013_Public_Use****Overview**

Valid: 917 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	100	10.9%
2	No	817	89.1%
Sysmiss		26	

QN26: 1+ times attempt suicide 12 mos.

Data file: TUV2013_Public_Use

Overview

Valid: 927 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	79	8.5%
2	No	848	91.5%
Sysmiss		16	

QN27: No close friends

Data file: TUV2013_Public_Use

Overview

Valid: 911 Invalid: 32

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	132	14.5%
2	No	779	85.5%
Sysmiss		32	

QN28: Age first cigarette before 14

Data file: TUV2013_Public_Use

Overview

Valid: 246 Invalid: 697

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	174	70.7%
2	No	72	29.3%
Sysmiss		697	

QN29: Smoked cigarettes 1+ of past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 918 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	158	17.2%
2	No	760	82.8%
Sysmiss		25	

QN30: Used other tobacco 1+ of past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 932 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	152	16.3%
2	No	780	83.7%
Sysmiss		11	

QN31: Tried to quit smoking past 12 months**Data file: TUV2013_Public_Use****Overview**

Valid: 137 Invalid: 806

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	121	88.3%
2	No	16	11.7%
Sysmiss		806	

QN32: Others present smoking 1+ of past 7 days**Data file: TUV2013_Public_Use****Overview**

Valid: 919 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	632	68.8%
2	No	287	31.2%
Sysmiss		24	

QN33: Either/Both parents use tobacco

Data file: TUV2013_Public_Use

Overview

Valid: 922 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1	Yes	357	38.7%
2	No	565	61.3%
Sysmiss		21	

QN34: Age first alcohol before 14

Data file: TUV2013_Public_Use

Overview

Valid: 205 Invalid: 738

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	98	47.8%
2	No	107	52.2%
Sysmiss		738	

QN35: Drank 1+ days past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 888 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	140	15.8%
2	No	748	84.2%
Sysmiss		55	

QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 156 Invalid: 787

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	32	20.5%
2	No	124	79.5%
Sysmiss		787	

QN37: Of current drinkers, got alcohol from friends**Data file: TUV2013_Public_Use****Overview**

Valid: 131 Invalid: 812

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	61	46.6%
2	No	70	53.4%
Sysmiss		812	

QN47: Used condom at last sex**Data file: TUV2013_Public_Use****Overview**

Valid: 88 Invalid: 855

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	41	46.6%
2	No	47	53.4%
Sysmiss		855	

QN38: 1+ times drunk in lifetime**Data file: TUV2013_Public_Use****Overview**

Valid: 889 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	131	14.7%
2	No	758	85.3%
Sysmiss		54	

QN39: Alcohol trouble 1+ times in lifetime

Data file: TUV2013_Public_Use

Overview

Valid: 775 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	110	14.2%
2	No	665	85.8%
Sysmiss		168	

QN40: Age first drugs before 14

Data file: TUV2013_Public_Use

Overview

Valid: 120 Invalid: 823

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	96	80%
2	No	24	20%
Sysmiss		823	

QN41: Marijuana 1+ times in lifetime

Data file: TUV2013_Public_Use

Overview

Valid: 908 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	32	3.5%
2	No	876	96.5%
Sysmiss		35	

QN42: Marijuana 1+ times p 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 921 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	27	2.9%
2	No	894	97.1%
Sysmiss		22	

QN43: Amphetamines 1+ times lifetime**Data file: TUV2013_Public_Use****Overview**

Valid: 903 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	33	3.7%
2	No	870	96.3%
Sysmiss		40	

QN44: Ever had sex**Data file: TUV2013_Public_Use****Overview**

Valid: 751 Invalid: 192

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	143	19%
2	No	608	81%
Sysmiss		192	

QN45: Age first sexual intercourse before 14**Data file: TUV2013_Public_Use****Overview**

Valid: 99 Invalid: 844

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	52	52.5%
2	No	47	47.5%
Sysmiss		844	

QN46: 2+ sex partners lifetime

Data file: TUV2013_Public_Use

Overview

Valid: 901 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
1	Yes	59	6.5%
2	No	842	93.5%
Sysmiss		42	

QN48: Used birth control at last sex

Data file: TUV2013_Public_Use

Overview

Valid: 92 Invalid: 851

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	23	25%
2	No	69	75%
Sysmiss		851	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: TUV2013_Public_Use

Overview

Valid: 913 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	156	17.1%
2	No	757	82.9%
Sysmiss		30	

QN50: Walk/Bike to/from school 0 of past 7 days

Data file: TUV2013_Public_Use

Overview

Valid: 919 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	620	67.5%
2	No	299	32.5%
Sysmiss		24	

QN51: 3+ days PE each week**Data file: TUV2013_Public_Use****Overview**

Valid: 899 Invalid: 44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	311	34.6%
2	No	588	65.4%
Sysmiss		44	

QN52: Sitting activities 3+ hours/day of usual day**Data file: TUV2013_Public_Use****Overview**

Valid: 899 Invalid: 44
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	153	17%
2	No	746	83%
Sysmiss		44	

QN53: Miss school no permission 1+ of past 30 days**Data file: TUV2013_Public_Use****Overview**

Valid: 904 Invalid: 39
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	342	37.8%
2	No	562	62.2%
Sysmiss		39	

QN54: Students most/always kind 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 930 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	355	38.2%
2	No	575	61.8%
Sysmiss		13	

QN55: Parents most/always check homework

Data file: TUV2013_Public_Use

Overview

Valid: 920 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	262	28.5%
2	No	658	71.5%
Sysmiss		23	

QN56: Parents most/always understand problems

Data file: TUV2013_Public_Use

Overview

Valid: 902 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	147	16.3%
2	No	755	83.7%
Sysmiss		41	

QN57: Parents most/always know about free time

Data file: TUV2013_Public_Use

Overview

Valid: 925 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	177	19.1%
2	No	748	80.9%
Sysmiss		18	

QN58: Parents never/rarely go thru things**Data file: TUV2013_Public_Use****Overview**

Valid: 917 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	796	86.8%
2	No	121	13.2%
Sysmiss		26	

QNOWTG: Overweight**Data file: TUV2013_Public_Use****Overview**

Valid: 589 Invalid: 354

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	298	50.6%
2	No	291	49.4%
Sysmiss		354	

QNOBESEG: Obese**Data file: TUV2013_Public_Use****Overview**

Valid: 589 Invalid: 354

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	134	22.8%
2	No	455	77.2%
Sysmiss		354	

QNUNWTG: Underweight

Data file: TUV2013_Public_Use

Overview

Valid: 589 Invalid: 354

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	11	1.9%
2	No	578	98.1%
Sysmiss		354	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 912 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	293	32.1%
2	No	619	67.9%
Sysmiss		31	

QNANYTBG: Used any tobacco past 30 days

Data file: TUV2013_Public_Use

Overview

Valid: 912 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	186	20.4%
2	No	726	79.6%
Sysmiss		31	

QNPA7G: Physically active all past 7 days

Data file: TUV2013_Public_Use

Overview

Valid: 913 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	109	11.9%
2	No	804	88.1%
Sysmiss		30	

QNPE5G: Attended PE 5+ days each week**Data file: TUV2013_Public_Use****Overview**

Valid: 899 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	242	26.9%
2	No	657	73.1%
Sysmiss		44	

QNC1G: Among heavy drinkers, ever sex**Data file: TUV2013_Public_Use****Overview**

Valid: 91 Invalid: 852

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	39	42.9%
2	No	52	57.1%
Sysmiss		852	

QNC2G: Among those worried, currently bullied**Data file: TUV2013_Public_Use****Overview**

Valid: 56 Invalid: 887

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	27	48.2%
2	No	29	51.8%
Sysmiss		887	

WEIGHT: Weight

Data file: TUV2013_Public_Use

Overview

Valid: 943 Invalid: 0 Minimum: 1 Maximum: 2.167 Mean: 1.113 Standard deviation: 0.138
 Type: Continuous Decimal: 0 Width: 10 Range: 3.2196 - 1361.2246 Format: Numeric

STRATUM: Stratum

Data file: TUV2013_Public_Use

Overview

Valid: 943 Invalid: 0 Minimum: 201301000 Maximum: 201301000 Mean: 201301000 Standard deviation:
 7.223
 Type: Continuous Decimal: 0 Width: 9 Range: 201201001 - 201224012 Format: Numeric

PSU: Primary Sampling Unit

Data file: TUV2013_Public_Use

Overview

Valid: 943 Invalid: 0 Minimum: 1 Maximum: 1 Mean: 1 Standard deviation: 0
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 36 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
country Tuvalu
filename 2011_Tuvalu_GSHS_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
country Tuvalu
filename 2013_Tuvalu_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook
country Tuvalu
filename TVH2013_public_use_codebook.pdf
