

Global School-Based Student Health Survey 2004

ASCARDIO

report_generated_on: October 2, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
VEN_2004_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2004

SUBTITLE
Barinas and Lara

ABBREVIATION OR ACRONYM
GSHS 2004

COUNTRY

Name	Country code
Venezuela, RB	VEN

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Venezuela.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

TOPICS

Topic	Vocabulary
-------	------------

Global School-based Student Health Survey (GSHS)

Survey

KEYWORDS

Keyword

adolescents

school health

noncommunicable diseases

risk factors

protective factors

health surveys

alcohol use

diet

nutrition

drug use

hygiene

mental health

physical activity

sexual behaviours

HIV

bullying

violence and unintentional injury

overweight

obesity

Coverage

GEOGRAPHIC COVERAGE

Barinas and Lara

UNIVERSE

School-going adolescents aged 13-15 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name

ASCARDIO

FUNDING AGENCY/SPONSOR

Name

World Health Organization

US Centers for Disease Control and Prevention

Abbreviation

WHO

CDC

Sampling

SAMPLING PROCEDURE

The 2003 Venezuela GSHS was a school-based survey of students in grades 7, 8, and 9. A two-stage cluster sample design was used to produce data representative of all students in grades 7, 8, and 9 in Venezuela. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

Barinas: The school response rate was 96%, the student response rate was 88%, and the overall response rate was 85%.
Lara: The school response rate was 96%, the student response rate was 89%, and the overall response rate was 86%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2003-10	2003-10

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_VEN_2004_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-06-15

DDI DOCUMENT VERSION

Identical to a metadata (VEN_2004_GSHS_v01) published on WHO NCD microdata repository

(<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
VEAH2003_public_use Barinas public-use dataset	2249	99
VEBH2003_public_use Lara public-use dataset	2166	99

Data file: VEAH2003_public_use

Barinas public-use dataset

Cases: 2249

variables: 99

variables

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade are you?
V4	Q4	How tall are you	How tall are you without your shoes on?
V5	Q5	How much do you weigh	How much do you weigh without your shoes on?
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Clean teeth past 30 days	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V10	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V11	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V12	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V13	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V14	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V15	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V16	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V17	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V18	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V19	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

ID	Name	Label	Question
V25	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V26	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V34	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V35	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V36	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V37	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V38	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V39	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V40	Q40	Ever had sex	Have you ever had sexual intercourse?
V41	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V42	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V43	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V44	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V45	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V46	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V47	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V48	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V49	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V50	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V51	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V52	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V53	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V54	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V55	QN6	% went hungry past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V56	QN7	% ate fruit per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

ID	Name	Label	Question
V57	QN8	% ate vegetables past 30 days	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V58	QN9	% clean teeth past 30 days	Percentage of students who did not clean or brush their teeth during the past 30 days
V59	QN10	% wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V60	QN11	% wash hands after toilet past 30 day	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V61	QN12	% use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V62	QN13	% times attacked past 12 mo.	Percentage of students who were physically attacked one or more times during the past 12 months
V63	QN14	% times in fight 12 mos.	Percentage of students who were in a physical fight one or more times during the past 12 months
V64	QN15	% times injured past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V65	QN16	% playing sport injured past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V66	QN17	% fall caused injury past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V67	QN18	% hurt self by accident past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V68	QN19	% broken bone past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V69	QN20	% bullied past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V70	QN21	% kicked, pushed, shoved past 30 days	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V71	QN22	% felt lonely past 12 mo.	Percentage of students who felt lonely most of the time or always during the past 12 months
V72	QN23	% times could not sleep past 12 mo.	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V73	QN24	% sad or hopeless past 12 mo.	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V74	QN25	% ever consider suicide 12 mos.	Percentage of students who seriously considered attempting suicide during the past 12 months
V75	QN26	% made suicide plan 12 mos	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V76	QN27	% no close friends	Percentage of students who have no close friends
V83	QN34	% drank on 1 or more days past 30	Percentage of students who drank alcohol on one or more of the past 30 days
V84	QN35	% 1 or more drinks past 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V85	QN36	% bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V86	QN37	% times drunk during life	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

ID	Name	Label	Question
V87	QN38	% troubles as result of drinking	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V88	QN39	% times used drugs during life	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V89	QN40	% ever had sex	Percentage of students who have ever had sexual intercourse
V90	QN41	% 12 or younger first sex	Percentage of students who had sexual intercourse for the first time before age 13
V91	QN42	% 2 or more sex partners	Percentage of students who have had sexual intercourse with two or more people during their life time
V92	QN43	% had sexual intercourse past 12 mo	Percentage of students who had sexual intercourse during the past 12 months
V93	QN44	% used condom last intercourse	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V94	QN45	% days active 60 min plus past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V95	QN46	% active 60 min plus per day usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V96	QN47	% time spent sitting on usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V97	QN48	% did not walk or bike to school	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V98	QN49	% 29 min or less to school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V99	QN50	% miss school no permission	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V100	QN51	% others helpful in school	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days
V101	QN52	% parents check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V102	QN53	% parents understand troubles	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V103	QN54	% parent knows what you did past 30 day	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V104	qnrovwgt	At risk for becoming overweight	Percentage of students who are at risk for becoming overweight
V105	qnovwgt	Overweight	Percentage of students who are overweight
V106	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V108	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V109	qnwkrd	Walked/biked school 150 min 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V110	weight	Weight	
V111	psu	Primary Sampling Unit	
V112	stratum	Stratum	

total: 99

Data file: VEBH2003_public_use

Lara public-use dataset

Cases: 2166

variables: 99

variables

ID	Name	Label	Question
V113	Q1	How old are you	How old are you?
V114	Q2	Sex	What is your sex?
V115	Q3	In what grade are you	In what grade are you?
V116	Q4	How tall are you	How tall are you without your shoes on?
V117	Q5	How much do you weigh	How much do you weigh without your shoes on?
V118	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V119	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V120	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V121	Q9	Clean teeth past 30 days	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V122	Q10	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V123	Q11	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V124	Q12	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V125	Q13	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V126	Q14	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V127	Q15	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V128	Q16	Doing what during injury past 12 mo.	During the past 12 months, what were you doing when the most serious injury happened to you?
V129	Q17	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V130	Q18	How injury happened past 12 mo.	During the past 12 months, how did the most serious injury happen to you?
V131	Q19	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V132	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V133	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V134	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?
V135	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V136	Q24	Sad and hopeless past 12 mo.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

ID	Name	Label	Question
V137	Q25	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V138	Q26	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V139	Q27	Number close friends	How many close friends do you have?
V146	Q34	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V147	Q35	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V148	Q36	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank?
V149	Q37	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V150	Q38	Number of troubles as result of drinking	During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V151	Q39	Number times drug use during life	During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?
V152	Q40	Ever had sex	Have you ever had sexual intercourse?
V153	Q41	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V154	Q42	How many sex partners	During your life, with how many people have you had sexual intercourse?
V155	Q43	Sexual intercourse past 12 mo.	During the past 12 months, have you had sexual intercourse?
V156	Q44	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V157	Q45	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
V158	Q46	Active 60 min plus per day usual week	During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?
V159	Q47	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?
V160	Q48	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to and from school?
V161	Q49	How long to from school past 7 days	During the past 7 days, how long did it usually take for you to get to and from school each day?
V162	Q50	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V163	Q51	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V164	Q52	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V165	Q53	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V166	Q54	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V167	QN6	% went hungry past 30 days	Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home
V168	QN7	% ate fruit per day past 30 days	Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

ID	Name	Label	Question
V169	QN8	% ate vegetables past 30 days	Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days
V170	QN9	% clean teeth past 30 days	Percentage of students who did not clean or brush their teeth during the past 30 days
V171	QN10	% wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V172	QN11	% wash hands after toilet past 30 day	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V173	QN12	% use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V174	QN13	% times attacked past 12 mo.	Percentage of students who were physically attacked one or more times during the past 12 months
V175	QN14	% times in fight 12 mos.	Percentage of students who were in a physical fight one or more times during the past 12 months
V176	QN15	% times injured past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V177	QN16	% playing sport injured past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport
V178	QN17	% fall caused injury past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall
V179	QN18	% hurt self by accident past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident
V180	QN19	% broken bone past 12 mo.	Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury
V181	QN20	% bullied past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V182	QN21	% kicked, pushed, shoved past 30 days	Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V183	QN22	% felt lonely past 12 mo.	Percentage of students who felt lonely most of the time or always during the past 12 months
V184	QN23	% times could not sleep past 12 mo.	Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months
V185	QN24	% sad or hopeless past 12 mo.	Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months
V186	QN25	% ever consider suicide 12 mos.	Percentage of students who seriously considered attempting suicide during the past 12 months
V187	QN26	% made suicide plan 12 mos	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V188	QN27	% no close friends	Percentage of students who have no close friends
V195	QN34	% drank on 1 or more days past 30	Percentage of students who drank alcohol on one or more of the past 30 days
V196	QN35	% 1 or more drinks past 30 days	Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days
V197	QN36	% bought alcohol in store	Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days
V198	QN37	% times drunk during life	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

ID	Name	Label	Question
V199	QN38	% troubles as result of drinking	Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life
V200	QN39	% times used drugs during life	Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life
V201	QN40	% ever had sex	Percentage of students who have ever had sexual intercourse
V202	QN41	% 12 or younger first sex	Percentage of students who had sexual intercourse for the first time before age 13
V203	QN42	% 2 or more sex partners	Percentage of students who have had sexual intercourse with two or more people during their life time
V204	QN43	% had sexual intercourse past 12 mo	Percentage of students who had sexual intercourse during the past 12 months
V205	QN44	% used condom last intercourse	Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse
V206	QN45	% days active 60 min plus past 7 days	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days
V207	QN46	% active 60 min plus per day usual week	Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week
V208	QN47	% time spent sitting on usual day	Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day
V209	QN48	% did not walk or bike to school	Percentage of students who did not walk or ride a bicycle to and from school during the past seven days
V210	QN49	% 29 min or less to school past 7 days	Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days
V211	QN50	% miss school no permission	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V212	QN51	% others helpful in school	Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days
V213	QN52	% parents check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V214	QN53	% parents understand troubles	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V215	QN54	% parent knows what you did past 30 day	Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days
V216	qnrovwt	At risk for becoming overweight	Percentage of students who are at risk for becoming overweight
V217	qnovwt	Overweight	Percentage of students who are overweight
V218	qnfrvgt	Ate 5+ fruits/vegetables 30 days	Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days
V220	qnminpag	Exercised 60 min/day <=5 days	Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average
V221	qnwkrd	Walked/biked school 150 min 7 days	Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days
V222	weight	Weight	
V223	psu	Primary Sampling Unit	
V224	stratum	Stratum	

total: 99

Q1: How old are you**Data file:** VEAH2003_public_use**Overview**

Valid: 2230 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	110	4.9%
2	12 years old	476	21.3%
3	13 years old	629	28.2%
4	14 years old	567	25.4%
5	15 years old	309	13.9%
6	16 years old or older	139	6.2%
Sysmiss		19	

Q10: Wash hands before eating past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2234 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	38	1.7%
2	Rarely	101	4.5%
3	Sometimes	286	12.8%
4	Most of the time	401	17.9%
5	Always	1408	63%
Sysmiss		15	

Q2: Sex**Data file:** VEAH2003_public_use**Overview**

Valid: 2229 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1061	47.6%
2	Female	1168	52.4%
Sysmiss		20	

Q3: In what grade are you**Data file:** VEAH2003_public_use**Overview**

Valid: 2238 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade are you?

CATEGORIES

Value	Category	Cases	
1	7mo	804	35.9%
2	8vo	795	35.5%
3	9no	639	28.6%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		11	

Q4: How tall are you**Data file:** VEAH2003_public_use

Overview

Valid: 685 Invalid: 1564 Minimum: 1.27 Maximum: 1.93
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.93 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on?

description

DEFINITION

(Note:
Data are in meters.)

Q5: How much do you weigh

Data file: VEAH2003_public_use

Overview

Valid: 685 Invalid: 1564 Minimum: 26 Maximum: 95
 Type: Continuous Decimal: 0 Width: 6 Range: 26 - 95 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on?

description

DEFINITION

(Note: Data are in kilograms.)

Q6: Went hungry past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2238 Invalid: 11
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1721	76.9%
2	Rarely	179	8%
3	Sometimes	236	10.5%
4	Most of the time	22	1%
5	Always	80	3.6%
Sysmiss		11	

Q7: Eat fruit per day past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2240 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	276	12.3%
2	Less than one time per day	674	30.1%
3	1 time per day	535	23.9%
4	2 times per day	345	15.4%
5	3 times per day	175	7.8%
6	4 times per day	71	3.2%
7	5 or more times per day	164	7.3%
Sysmiss		9	

Q8: Eat vegetables past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2219 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	314	14.2%
2	Less than one time per day	626	28.2%
3	1 time per day	674	30.4%
4	2 times per day	276	12.4%
5	3 times per day	162	7.3%
6	4 times per day	46	2.1%
7	5 or more times per day	121	5.5%
Sysmiss		30	

Q9: Clean teeth past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2234 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	46	2.1%
2	1 time per day	310	13.9%
3	2 times per day	609	27.3%

4	3 times per day	900	40.3%
5	4 or more times per day	369	16.5%
Sysmiss		15	

Q11: Wash hands after toilet past 30 day

Data file: VEAH2003_public_use

Overview

Valid: 2240 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	33	1.5%
2	Rarely	40	1.8%
3	Sometimes	133	5.9%
4	Most of the time	304	13.6%
5	Always	1730	77.2%
Sysmiss		9	

Q12: Used soap on hands past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2237 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	37	1.7%
2	Rarely	62	2.8%
3	Sometimes	367	16.4%
4	Most of the time	507	22.7%
5	Always	1264	56.5%
Sysmiss		12	

Q13: Times attacked past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 0 Invalid: 2249

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category
1	0 times
2	1 time
3	2 or 3 times
4	4 or 5 times
5	6 or 7 times
6	8 or 9 times
7	10 or 11 times
8	12 or more times
Sysmiss	

Q14: How many times in fight 12 mos

Data file: VEAH2003_public_use

Overview

Valid: 2247 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1549	68.9%
2	1 time	431	19.2%
3	2 or 3 times	173	7.7%
4	4 or 5 times	40	1.8%
5	6 or 7 times	9	0.4%
6	8 or 9 times	11	0.5%
7	10 or 11 times	4	0.2%
8	12 or more times	30	1.3%
Sysmiss		2	

Q15: How many times injured past 12 months

Data file: VEAH2003_public_use

Overview

Valid: 1452 Invalid: 797

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1335	91.9%
2	1 time	92	6.3%
3	2 or 3 times	19	1.3%
4	4 or 5 times	2	0.1%
5	6 or 7 times	2	0.1%

6	8 or 9 times	0	0%
7	10 or 11 times	0	0%
8	12 or more times	2	0.1%
Sysmiss		797	

Q16: Doing what during injury past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 1444 Invalid: 805

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1328	92%
2	Playing a sport	43	3%
3	Walking/running	22	1.5%
4	Riding a bicycle or scooter	17	1.2%
5	Riding/driving motor vehicle	9	0.6%
6	Doing work	9	0.6%
7	Nothing	7	0.5%
8	Something else	9	0.6%
Sysmiss		805	

Q17: Cause of injury past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 1445 Invalid: 804

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1328	91.9%
2	Motor vehicle accident	10	0.7%
3	I fell	57	3.9%
4	Something fell on me or hit me	11	0.8%
5	I was fighting with someone	8	0.6%
6	Attacked or assaulted	5	0.3%
7	Was in a fire	0	0%
8	Something else	26	1.8%
Sysmiss		804	

Q18: How injury happened past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 1451 Invalid: 798

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1334	91.9%
2	I hurt myself by accident	64	4.4%
3	Someone hurt me by accident	20	1.4%
4	I hurt myself on purpose	10	0.7%
5	Someone hurt me on purpose	23	1.6%

Sysmiss

798

Q19: What was serious injury past 12 mo.**Data file:** VEAH2003_public_use**Overview**

Valid: 1446 Invalid: 803

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1333	92.2%
2	Broken bone/dislocated joint	34	2.4%
3	Cut, puncture, stab wound	29	2%
4	Concussion/head injury	11	0.8%
5	I had a gunshot wound	5	0.3%
6	I had a bad burn	3	0.2%
7	Lost foot, leg, hand, or arm	1	0.1%
8	Something else happened to me	30	2.1%
Sysmiss		803	

Q20: How many days bullied past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2026 Invalid: 223

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1372	67.7%
2	1 or 2 days	409	20.2%
3	3 to 5 days	107	5.3%
4	6 to 9 days	50	2.5%
5	10 to 19 days	32	1.6%
6	20 to 29 days	11	0.5%
7	All 30 days	45	2.2%
Sysmiss		223	

Q21: How bullied past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2016 Invalid: 233

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1369	67.9%
2	Kicked, pushed, or shoved	164	8.1%
3	Made fun because of race/color	82	4.1%
4	Made fun because of religion	51	2.5%
5	Made fun of about sex	67	3.3%
6	Left out of activities	32	1.6%
7	Made fun of about body	52	2.6%
8	Some other way	199	9.9%
Sysmiss		233	

Q22: Times felt lonely past 12 mo.**Data file:** VEAH2003_public_use**Overview**

Valid: 2236 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	908	40.6%
2	Rarely	387	17.3%
3	Sometimes	759	33.9%
4	Most of the time	118	5.3%
5	Always	64	2.9%
Sysmiss		13	

Q23: Times could not sleep past 12 mo.**Data file:** VEAH2003_public_use**Overview**

Valid: 2234 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1104	49.4%
2	Rarely	420	18.8%
3	Sometimes	612	27.4%
4	Most of the time	67	3%
5	Always	31	1.4%

Sysmiss

15

Q24: Sad and hopeless past 12 mo.**Data file:** VEAH2003_public_use**Overview**

Valid: 2229 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

CATEGORIES

Value	Category	Cases	
1	Yes	648	29.1%
2	No	1581	70.9%
Sysmiss		20	

Q25: Ever considered suicide 12 mos**Data file:** VEAH2003_public_use**Overview**

Valid: 2218 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	232	10.5%
2	No	1986	89.5%
Sysmiss		31	

Q26: Ever make suicide plan 12 mos**Data file:** VEAH2003_public_use**Overview**

Valid: 2190 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	185	8.4%
2	No	2005	91.6%
Sysmiss		59	

Q27: Number close friends**Data file:** VEAH2003_public_use**Overview**

Valid: 2221 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	178	8%
2	1	372	16.7%
3	2	374	16.8%
4	3 or more	1297	58.4%
Sysmiss		28	

Q34: Days one drink or more past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 1954 Invalid: 295

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1328	68%
2	1 or 2 days	460	23.5%
3	3 to 5 days	82	4.2%
4	6 to 9 days	32	1.6%
5	10 to 19 days	32	1.6%
6	20 to 29 days	12	0.6%
7	All 30 days	8	0.4%
Sysmiss		295	

Q35: Number of drinks past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 1956 Invalid: 293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Did not drink in past 30 days	1299	66.4%
2	Less than one drink	166	8.5%
3	1 drink	147	7.5%
4	2 drinks	110	5.6%
5	3 drinks	71	3.6%
6	4 drinks	39	2%
7	5 or more drinks	124	6.3%
Sysmiss		293	

Q36: How got drinks past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 1925 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1299	67.5%
2	I bought in a store	56	2.9%
3	I gave someone money to buy	32	1.7%
4	I got it from my friends	287	14.9%
5	I got it from home	137	7.1%
6	I stole it	6	0.3%
7	I made it myself	28	1.5%
8	I got it some other way	80	4.2%
Sysmiss		324	

Q37: Times drunk during life

Data file: VEAH2003_public_use

Overview

Valid: 2196 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1798	81.9%
2	1 or 2 times	324	14.8%
3	3 to 9 times	43	2%
4	10 or more times	31	1.4%
Sysmiss		53	

Q38: Number of troubles as result of drinking

Data file: VEAH2003_public_use

Overview

Valid: 2244 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	2013	89.7%
2	1 or 2 times	186	8.3%
3	3 to 9 times	28	1.2%
4	10 or more times	17	0.8%
Sysmiss		5	

Q39: Number times drug use during life**Data file:** VEAH2003_public_use**Overview**

Valid: 2237 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about drugs.

LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 times	2172	97.1%
2	1 or 2 times	52	2.3%
3	3 to 9 times	7	0.3%
4	10 or more times	6	0.3%
Sysmiss		12	

Q40: Ever had sex**Data file:** VEAH2003_public_use**Overview**

Valid: 1731 Invalid: 518

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	324	18.7%
2	No	1407	81.3%
Sysmiss		518	

Q41: Age first sexual intercourse**Data file:** VEAH2003_public_use**Overview**

Valid: 1756 Invalid: 493

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1404	80%
2	11 years old or younger	122	6.9%
3	12 years old	69	3.9%
4	13 years old	56	3.2%
5	14 years old	61	3.5%
6	15 years old	35	2%
7	16 years old or older	9	0.5%
Sysmiss		493	

Q42: How many sex partners**Data file:** VEAH2003_public_use**Overview**

Valid: 1743 Invalid: 506

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1414	81.1%
2	1 person	149	8.5%
3	2 people	65	3.7%

4	3 people	51	2.9%
5	4 people	22	1.3%
6	5 people	11	0.6%
7	6 or more people	31	1.8%
Sysmiss		506	

Q43: Sexual intercourse past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 1996 Invalid: 253

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	199	10%
2	No	1797	90%
Sysmiss		253	

Q44: Used condom at last intercourse

Data file: VEAH2003_public_use

Overview

Valid: 1724 Invalid: 525

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never had sex	1398	81.1%
2	Yes	178	10.3%
3	No	148	8.6%
Sysmiss		525	

Q45: Days active 60 min plus past 7 days

Data file: VEAH2003_public_use

Overview

Valid: 2238 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	871	38.9%
2	1 day	708	31.6%
3	2 days	207	9.2%
4	3 days	107	4.8%
5	4 days	86	3.8%
6	5 days	59	2.6%
7	6 days	20	0.9%
8	7 days	180	8%
Sysmiss		11	

Q46: Active 60 min plus per day usual week

Data file: VEAH2003_public_use

Overview

Valid: 2224 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	718	32.3%
2	1 day	586	26.3%
3	2 days	231	10.4%
4	3 days	149	6.7%
5	4 days	80	3.6%
6	5 days	93	4.2%
7	6 days	30	1.3%
8	7 days	337	15.2%
Sysmiss		25	

Q47: Time spent sitting on usual day

Data file: VEAH2003_public_use

Overview

Valid: 2239 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1154	51.5%
2	1 to 2 hours per day	651	29.1%
3	3 to 4 hours per day	264	11.8%
4	5 to 6 hours per day	80	3.6%
5	7 to 8 hours per day	26	1.2%

6	More than 8 hours per day	64	2.9%
Sysmiss		10	

Q48: Walk or bike to school past 7 days

Data file: VEAH2003_public_use

Overview

Valid: 2234 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1488	66.6%
2	1 day	216	9.7%
3	2 days	92	4.1%
4	3 days	55	2.5%
5	4 days	30	1.3%
6	5 days	118	5.3%
7	6 days	13	0.6%
8	7 days	222	9.9%
Sysmiss		15	

Q49: How long to from school past 7 days

Data file: VEAH2003_public_use

Overview

Valid: 2210 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	922	41.7%
2	10 to 19 minutes per day	493	22.3%
3	20 to 29 minutes per day	292	13.2%
4	30 to 39 minutes per day	203	9.2%
5	40 to 49 minutes per day	66	3%
6	50 to 59 minutes per day	41	1.9%
7	60 or more minutes per day	193	8.7%
Sysmiss		39	

Q50: Miss school no permission past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2240 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1823	81.4%
2	1 or 2 days	317	14.2%
3	3 to 5 days	66	2.9%
4	6 to 9 days	16	0.7%
5	10 or more days	18	0.8%
Sysmiss		9	

Q51: Others helpful in school past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2226 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	443	19.9%
2	Rarely	489	22%
3	Sometimes	597	26.8%
4	Most of the time	276	12.4%
5	Always	421	18.9%
Sysmiss		23	

Q52: Parents check homework past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2214 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	501	22.6%
2	Rarely	243	11%
3	Sometimes	398	18%
4	Most of the time	274	12.4%
5	Always	798	36%
Sysmiss		35	

Q53: Parent understand troubles past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2242 Invalid: 7
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	518	23.1%
2	Rarely	269	12%
3	Sometimes	430	19.2%
4	Most of the time	254	11.3%
5	Always	771	34.4%
Sysmiss		7	

Q54: Parent know what you do past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2227 Invalid: 22
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	500	22.5%
2	Rarely	288	12.9%
3	Sometimes	372	16.7%
4	Most of the time	292	13.1%
5	Always	775	34.8%
Sysmiss		22	

QN6: % went hungry past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2238 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

CATEGORIES

Value	Category	Cases	
1	Yes	102	4.6%
2	No	2136	95.4%
Sysmiss		11	

QN7: % ate fruit per day past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2240 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1290	57.6%
2	No	950	42.4%
Sysmiss		9	

QN8: % ate vegetables past 30 days**Data file:** VEAH2003_public_use

Overview

Valid: 2219 Invalid: 30
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1279	57.6%
2	No	940	42.4%
Sysmiss		30	

QN9: % clean teeth past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2234 Invalid: 15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not clean or brush their teeth during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	46	2.1%
2	No	2188	97.9%
Sysmiss		15	

QN10: % wash hands before eating past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2234 Invalid: 15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	139	6.2%
2	No	2095	93.8%
Sysmiss		15	

QN11: % wash hands after toilet past 30 day

Data file: VEAH2003_public_use

Overview

Valid: 2240 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	73	3.3%
2	No	2167	96.7%
Sysmiss		9	

QN12: % use soap on hands past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2237 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	99	4.4%
2	No	2138	95.6%
Sysmiss		12	

QN13: % times attacked past 12 mo.**Data file:** VEAH2003_public_use**Overview**

Valid: 0 Invalid: 2249

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN14: % times in fight 12 mos.**Data file:** VEAH2003_public_use**Overview**

Valid: 2247 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	698	31.1%
2	No	1549	68.9%
Sysmiss		2	

QN15: % times injured past 12 months**Data file:** VEAH2003_public_use**Overview**

Valid: 1452 Invalid: 797

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	117	8.1%
2	No	1335	91.9%
Sysmiss		797	

QN16: % playing sport injured past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 116 Invalid: 2133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

CATEGORIES

Value	Category	Cases	
1	Yes	43	37.1%
2	No	73	62.9%
Sysmiss		2133	

QN17: % fall caused injury past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 116 Invalid: 2133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

CATEGORIES

Value	Category	Cases	
1	Yes	56	48.3%
2	No	60	51.7%
Sysmiss		2133	

QN18: % hurt self by accident past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 116 Invalid: 2133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

CATEGORIES

Value	Category	Cases	
1	Yes	63	54.3%
2	No	53	45.7%
Sysmiss		2133	

QN19: % broken bone past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 112 Invalid: 2137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

CATEGORIES

Value	Category	Cases	
1	Yes	34	30.4%
2	No	78	69.6%
Sysmiss		2137	

QN20: % bullied past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2026 Invalid: 223

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	654	32.3%
2	No	1372	67.7%
Sysmiss		223	

QN21: % kicked, pushed, shoved past 30 days

Data file: VEAH2003_public_use

Overview

Valid: 642 Invalid: 1607

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	162	25.2%
2	No	480	74.8%
Sysmiss		1607	

QN22: % felt lonely past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 2236 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	182	8.1%
2	No	2054	91.9%
Sysmiss		13	

QN23: % times could not sleep past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 2234 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	98	4.4%
2	No	2136	95.6%
Sysmiss		15	

QN24: % sad or hopeless past 12 mo.

Data file: VEAH2003_public_use

Overview

Valid: 2229 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	648	29.1%
2	No	1581	70.9%
Sysmiss		20	

QN25: % ever consider suicide 12 mos.

Data file: VEAH2003_public_use

Overview

Valid: 2218 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	232	10.5%
2	No	1986	89.5%
Sysmiss		31	

QN26: % made suicide plan 12 mos

Data file: VEAH2003_public_use

Overview

Valid: 2190 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	185	8.4%
2	No	2005	91.6%
Sysmiss		59	

QN27: % no close friends**Data file:** VEAH2003_public_use**Overview**

Valid: 2221 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	178	8%
2	No	2043	92%
Sysmiss		28	

QN34: % drank on 1 or more days past 30**Data file:** VEAH2003_public_use**Overview**

Valid: 1954 Invalid: 295

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	626	32%
2	No	1328	68%
Sysmiss		295	

QN35: % 1 or more drinks past 30 days**Data file:** VEAH2003_public_use**Overview**

Valid: 1956 Invalid: 293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	491	25.1%
2	No	1465	74.9%
Sysmiss		293	

QN36: % bought alcohol in store

Data file: VEAH2003_public_use

Overview

Valid: 1925 Invalid: 324

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	56	2.9%
2	No	1869	97.1%
Sysmiss		324	

QN37: % times drunk during life

Data file: VEAH2003_public_use

Overview

Valid: 2196 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	398	18.1%
2	No	1798	81.9%
Sysmiss		53	

QN38: % troubles as result of drinking

Data file: VEAH2003_public_use

Overview

Valid: 2244 Invalid: 5
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	231	10.3%
2	No	2013	89.7%
Sysmiss		5	

QN39: % times used drugs during life

Data file: VEAH2003_public_use

Overview

Valid: 2237 Invalid: 12
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	65	2.9%
2	No	2172	97.1%
Sysmiss		12	

QN40: % ever had sex**Data file:** VEAH2003_public_use**Overview**

Valid: 1731 Invalid: 518

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	324	18.7%
2	No	1407	81.3%
Sysmiss		518	

QN41: % 12 or younger first sex**Data file:** VEAH2003_public_use**Overview**

Valid: 1756 Invalid: 493

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	191	10.9%
2	No	1565	89.1%
Sysmiss		493	

QN42: % 2 or more sex partners**Data file:** VEAH2003_public_use**Overview**

Valid: 1743 Invalid: 506

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	180	10.3%
2	No	1563	89.7%
Sysmiss		506	

QN43: % had sexual intercourse past 12 mo

Data file: VEAH2003_public_use

Overview

Valid: 1996 Invalid: 253

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	199	10%
2	No	1797	90%
Sysmiss		253	

QN51: % others helpful in school

Data file: VEAH2003_public_use

Overview

Valid: 2226 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	697	31.3%
2	No	1529	68.7%
Sysmiss		23	

QN52: % parents check homework

Data file: VEAH2003_public_use

Overview

Valid: 2214 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1072	48.4%
2	No	1142	51.6%
Sysmiss		35	

QN53: % parents understand troubles

Data file: VEAH2003_public_use

Overview

Valid: 2242 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1025	45.7%
2	No	1217	54.3%
Sysmiss		7	

QN44: % used condom last intercourse**Data file:** VEAH2003_public_use**Overview**

Valid: 198 Invalid: 2051

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	113	57.1%
2	No	85	42.9%
Sysmiss		2051	

QN45: % days active 60 min plus past 7 days**Data file:** VEAH2003_public_use**Overview**

Valid: 2238 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	180	8%
2	No	2058	92%
Sysmiss		11	

QN46: % active 60 min plus per day usual week**Data file:** VEAH2003_public_use**Overview**

Valid: 2224 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

CATEGORIES

Value	Category	Cases	
1	Yes	337	15.2%
2	No	1887	84.8%
Sysmiss		25	

QN47: % time spent sitting on usual day

Data file: VEAH2003_public_use

Overview

Valid: 2239 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

CATEGORIES

Value	Category	Cases	
1	Yes	434	19.4%
2	No	1805	80.6%
Sysmiss		10	

QN48: % did not walk or bike to school

Data file: VEAH2003_public_use

Overview

Valid: 2234 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1488	66.6%
2	No	746	33.4%
Sysmiss		15	

QN49: % 29 min or less to school past 7 days

Data file: VEAH2003_public_use

Overview

Valid: 2210 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1707	77.2%
2	No	503	22.8%
Sysmiss		39	

QN50: % miss school no permission

Data file: VEAH2003_public_use

Overview

Valid: 2240 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	417	18.6%
2	No	1823	81.4%
Sysmiss		9	

QN54: % parent knows what you did past 30 day**Data file:** VEAH2003_public_use**Overview**

Valid: 2227 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1067	47.9%
2	No	1160	52.1%
Sysmiss		22	

QNROVWGT: At risk for becoming overweight**Data file:** VEAH2003_public_use**Overview**

Valid: 685 Invalid: 1564

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are at risk for becoming overweight

CATEGORIES

Value	Category	Cases	
1	Yes	98	14.3%
2	No	587	85.7%
Sysmiss		1564	

QNOVWGT: Overweight**Data file:** VEAH2003_public_use**Overview**

Valid: 685 Invalid: 1564

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are overweight

CATEGORIES

Value	Category	Cases	
1	Yes	17	2.5%
2	No	668	97.5%
Sysmiss		1564	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: VEAH2003_public_use

Overview

Valid: 2212 Invalid: 37

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	406	18.4%
2	No	1806	81.6%
Sysmiss		37	

QNMINPAG: Exercised 60 min/day <=5 days

Data file: VEAH2003_public_use

Overview

Valid: 2215 Invalid: 34

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1984	89.6%
2	No	231	10.4%
Sysmiss		34	

QNWKRD: Walked/biked school 150 min 7 days

Data file: VEAH2003_public_use

Overview

Valid: 2199 Invalid: 50
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	2084	94.8%
2	No	115	5.2%
Sysmiss		50	

WEIGHT: Weight

Data file: VEAH2003_public_use

Overview

Valid: 2249 Invalid: 0
Type: Continuous Decimal: 0 Width: 12 Range: 10.7181 - 30.7048 Format: Numeric Weighted: yes

PSU: Primary Sampling Unit

Data file: VEAH2003_public_use

Overview

Valid: 2249 Invalid: 0
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 24 Format: Numeric

STRATUM: Stratum

Data file: VEAH2003_public_use

Overview

Valid: 2249 Invalid: 0
 Type: Discrete Decimal: 0 Width: 9 Range: 200301001 - 200301012 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200301001		212	9.4%
200301002		193	8.6%
200301003		108	4.8%
200301004		195	8.7%
200301005		284	12.6%
200301006		187	8.3%
200301007		180	8%
200301008		177	7.9%
200301009		167	7.4%
200301010		181	8%
200301011		213	9.5%
200301012		152	6.8%

Q1: How old are you**Data file:** VEBH2003_public_use**Overview**

Valid: 2131 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	67	3.1%
2	12 years old	496	23.3%
3	13 years old	718	33.7%
4	14 years old	559	26.2%
5	15 years old	197	9.2%
6	16 years old or older	94	4.4%
Sysmiss		35	

Q2: Sex**Data file:** VEBH2003_public_use**Overview**

Valid: 2107 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	877	41.6%
2	Female	1230	58.4%
Sysmiss		59	

Q3: In what grade are you**Data file:** VEBH2003_public_use

Overview

Valid: 2092 Invalid: 74
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade are you?

CATEGORIES

Value	Category	Cases	
1	7mo	733	35%
2	8vo	793	37.9%
3	9no	566	27.1%
4	12th grade	0	0%
5	Ungraded or other grade	0	0%
Sysmiss		74	

Q4: How tall are you

Data file: VEBH2003_public_use

Overview

Valid: 933 Invalid: 1233 Minimum: 1.2 Maximum: 2.01
 Type: Continuous Decimal: 0 Width: 4 Range: 1.27 - 1.93 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on?

description

DEFINITION

(Note:
 Data are in meters.)

Q5: How much do you weigh

Data file: VEBH2003_public_use

Overview

Valid: 933 Invalid: 1233 Minimum: 27 Maximum: 141
 Type: Continuous Decimal: 0 Width: 6 Range: 26 - 95 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on?

description

DEFINITION

(Note: Data are in kilograms.)

Q6: Went hungry past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1681	78.1%
2	Rarely	196	9.1%
3	Sometimes	198	9.2%
4	Most of the time	19	0.9%
5	Always	58	2.7%
Sysmiss		14	

Q7: Eat fruit per day past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2148 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	288	13.4%
2	Less than one time per day	673	31.3%
3	1 time per day	522	24.3%
4	2 times per day	300	14%
5	3 times per day	203	9.5%
6	4 times per day	50	2.3%
7	5 or more times per day	112	5.2%
Sysmiss		18	

Q8: Eat vegetables past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2114 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about foods you might eat.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	257	12.2%
2	Less than one time per day	678	32.1%
3	1 time per day	636	30.1%
4	2 times per day	292	13.8%
5	3 times per day	121	5.7%
6	4 times per day	47	2.2%
7	5 or more times per day	83	3.9%
Sysmiss		52	

Q9: Clean teeth past 30 days**Data file:** VEBH2003_public_use**Overview**

Valid: 2150 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	46	2.1%
2	1 time per day	275	12.8%
3	2 times per day	651	30.3%
4	3 times per day	876	40.7%
5	4 or more times per day	302	14%
Sysmiss		16	

Q10: Wash hands before eating past 30 days**Data file:** VEBH2003_public_use**Overview**

Valid: 2149 Invalid: 17

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	34	1.6%
2	Rarely	107	5%
3	Sometimes	387	18%

4	Most of the time	429	20%
5	Always	1192	55.5%
Sysmiss		17	

Q11: Wash hands after toilet past 30 day

Data file: VEBH2003_public_use

Overview

Valid: 2142 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	24	1.1%
2	Rarely	38	1.8%
3	Sometimes	139	6.5%
4	Most of the time	289	13.5%
5	Always	1652	77.1%
Sysmiss		24	

Q12: Used soap on hands past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2154 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	42	1.9%
2	Rarely	82	3.8%
3	Sometimes	361	16.8%
4	Most of the time	486	22.6%
5	Always	1183	54.9%
Sysmiss		12	

Q13: Times attacked past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 0 Invalid: 2166

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category
1	0 times
2	1 time
3	2 or 3 times
4	4 or 5 times
5	6 or 7 times
6	8 or 9 times
7	10 or 11 times
8	12 or more times
Sysmiss	

Q14: How many times in fight 12 mos

Data file: VEBH2003_public_use

Overview

Valid: 2157 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two or more students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1615	74.9%
2	1 time	311	14.4%
3	2 or 3 times	138	6.4%
4	4 or 5 times	26	1.2%
5	6 or 7 times	24	1.1%
6	8 or 9 times	13	0.6%
7	10 or 11 times	2	0.1%
8	12 or more times	28	1.3%
Sysmiss		9	

Q15: How many times injured past 12 months

Data file: VEBH2003_public_use

Overview

Valid: 1557 Invalid: 609

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1461	93.8%
2	1 time	74	4.8%
3	2 or 3 times	14	0.9%
4	4 or 5 times	1	0.1%
5	6 or 7 times	1	0.1%

6	8 or 9 times	2	0.1%
7	10 or 11 times	0	0%
8	12 or more times	4	0.3%
Sysmiss		609	

Q16: Doing what during injury past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 1546 Invalid: 620

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what were you doing when the most serious injury happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1453	94%
2	Playing a sport	38	2.5%
3	Walking/running	15	1%
4	Riding a bicycle or scooter	11	0.7%
5	Riding/driving motor vehicle	5	0.3%
6	Doing work	5	0.3%
7	Nothing	5	0.3%
8	Something else	14	0.9%
Sysmiss		620	

Q17: Cause of injury past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 1544 Invalid: 622

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1450	93.9%
2	Motor vehicle accident	8	0.5%
3	I fell	46	3%
4	Something fell on me or hit me	6	0.4%
5	I was fighting with someone	7	0.5%
6	Attacked or assaulted	7	0.5%
7	Was in a fire	1	0.1%
8	Something else	19	1.2%
Sysmiss		622	

Q18: How injury happened past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 1551 Invalid: 615

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how did the most serious injury happen to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1457	93.9%
2	I hurt myself by accident	52	3.4%
3	Someone hurt me by accident	22	1.4%
4	I hurt myself on purpose	6	0.4%
5	Someone hurt me on purpose	14	0.9%

Sysmiss		615	
---------	--	-----	--

Q19: What was serious injury past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 1549 Invalid: 617

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about the most serious injury that happened to you during the past 12 months. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1455	93.9%
2	Broken bone/dislocated joint	27	1.7%
3	Cut, puncture, stab wound	29	1.9%
4	Concussion/head injury	8	0.5%
5	I had a gunshot wound	3	0.2%
6	I had a bad burn	1	0.1%
7	Lost foot, leg, hand, or arm	0	0%
8	Something else happened to me	26	1.7%
Sysmiss		617	

Q20: How many days bullied past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2001 Invalid: 165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1333	66.6%
2	1 or 2 days	357	17.8%
3	3 to 5 days	138	6.9%
4	6 to 9 days	56	2.8%
5	10 to 19 days	31	1.5%
6	20 to 29 days	18	0.9%
7	All 30 days	68	3.4%
Sysmiss		165	

Q21: How bullied past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 1983 Invalid: 183

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1326	66.9%
2	Kicked, pushed, or shoved	107	5.4%
3	Made fun because of race/color	65	3.3%
4	Made fun because of religion	34	1.7%
5	Made fun of about sex	94	4.7%
6	Left out of activities	40	2%
7	Made fun of about body	68	3.4%
8	Some other way	249	12.6%
Sysmiss		183	

Q22: Times felt lonely past 12 mo.**Data file:** VEBH2003_public_use**Overview**

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	995	46.2%
2	Rarely	414	19.2%
3	Sometimes	587	27.3%
4	Most of the time	110	5.1%
5	Always	46	2.1%
Sysmiss		14	

Q23: Times could not sleep past 12 mo.**Data file:** VEBH2003_public_use**Overview**

Valid: 2145 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	1060	49.4%
2	Rarely	455	21.2%
3	Sometimes	555	25.9%
4	Most of the time	59	2.8%
5	Always	16	0.7%

Sysmiss		21	
---------	--	----	--

Q24: Sad and hopeless past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 2147 Invalid: 19
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing your usual activities?

CATEGORIES

Value	Category	Cases	
1	Yes	496	23.1%
2	No	1651	76.9%
Sysmiss		19	

Q25: Ever considered suicide 12 mos

Data file: VEBH2003_public_use

Overview

Valid: 2144 Invalid: 22
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	201	9.4%
2	No	1943	90.6%
Sysmiss		22	

Q26: Ever make suicide plan 12 mos**Data file:** VEBH2003_public_use**Overview**

Valid: 2121 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	168	7.9%
2	No	1953	92.1%
Sysmiss		45	

Q27: Number close friends**Data file:** VEBH2003_public_use**Overview**

Valid: 2155 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	153	7.1%
2	1	279	12.9%
3	2	342	15.9%
4	3 or more	1381	64.1%
Sysmiss		11	

Q34: Days one drink or more past 30 days**Data file:** VEBH2003_public_use**Overview**

Valid: 1919 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1273	66.3%
2	1 or 2 days	479	25%
3	3 to 5 days	77	4%
4	6 to 9 days	41	2.1%
5	10 to 19 days	22	1.1%
6	20 to 29 days	13	0.7%
7	All 30 days	14	0.7%
Sysmiss		247	

Q35: Number of drinks past 30 days**Data file:** VEBH2003_public_use**Overview**

Valid: 1915 Invalid: 251

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Did not drink in past 30 days	1242	64.9%
2	Less than one drink	185	9.7%
3	1 drink	138	7.2%
4	2 drinks	103	5.4%
5	3 drinks	78	4.1%
6	4 drinks	45	2.3%
7	5 or more drinks	124	6.5%
Sysmiss		251	

Q36: How got drinks past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 1876 Invalid: 290

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1242	66.2%
2	I bought in a store	55	2.9%
3	I gave someone money to buy	24	1.3%
4	I got it from my friends	250	13.3%
5	I got it from home	123	6.6%
6	I stole it	10	0.5%
7	I made it myself	22	1.2%
8	I got it some other way	150	8%
Sysmiss		290	

Q37: Times drunk during life

Data file: VEBH2003_public_use

Overview

Valid: 2123 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1800	84.8%
2	1 or 2 times	260	12.2%
3	3 to 9 times	30	1.4%
4	10 or more times	33	1.6%
Sysmiss		43	

Q38: Number of troubles as result of drinking

Data file: VEBH2003_public_use

Overview

Valid: 2164 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine [or COUNTRY SPECIFIC EXAMPLES] for religious purposes.

LITERAL QUESTION

During your life, how many times have you ever had a hang-over, felt sick, got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1963	90.7%
2	1 or 2 times	157	7.3%
3	3 to 9 times	29	1.3%
4	10 or more times	15	0.7%
Sysmiss		2	

Q39: Number times drug use during life**Data file:** VEBH2003_public_use**Overview**

Valid: 2160 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about drugs.

LITERAL QUESTION

During your life, how many times have you used drugs such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 times	2097	97.1%
2	1 or 2 times	41	1.9%
3	3 to 9 times	9	0.4%
4	10 or more times	13	0.6%
Sysmiss		6	

Q40: Ever had sex**Data file:** VEBH2003_public_use**Overview**

Valid: 1745 Invalid: 421

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	230	13.2%
2	No	1515	86.8%
Sysmiss		421	

Q41: Age first sexual intercourse**Data file:** VEBH2003_public_use**Overview**

Valid: 1765 Invalid: 401

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1514	85.8%
2	11 years old or younger	78	4.4%
3	12 years old	46	2.6%
4	13 years old	54	3.1%
5	14 years old	39	2.2%
6	15 years old	26	1.5%
7	16 years old or older	8	0.5%
Sysmiss		401	

Q42: How many sex partners**Data file:** VEBH2003_public_use**Overview**

Valid: 1749 Invalid: 417

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1517	86.7%
2	1 person	122	7%
3	2 people	49	2.8%

4	3 people	26	1.5%
5	4 people	11	0.6%
6	5 people	7	0.4%
7	6 or more people	17	1%
Sysmiss		417	

Q43: Sexual intercourse past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 1973 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During the past 12 months, have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	141	7.1%
2	No	1832	92.9%
Sysmiss		193	

Q44: Used condom at last intercourse

Data file: VEBH2003_public_use

Overview

Valid: 1739 Invalid: 427

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never had sex	1509	86.8%
2	Yes	127	7.3%
3	No	103	5.9%
Sysmiss		427	

Q45: Days active 60 min plus past 7 days

Data file: VEBH2003_public_use

Overview

Valid: 2151 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	814	37.8%
2	1 day	677	31.5%
3	2 days	188	8.7%
4	3 days	143	6.6%
5	4 days	70	3.3%
6	5 days	47	2.2%
7	6 days	30	1.4%
8	7 days	182	8.5%
Sysmiss		15	

Q46: Active 60 min plus per day usual week

Data file: VEBH2003_public_use

Overview

Valid: 2150 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

CATEGORIES

Value	Category	Cases	
1	0 days	622	28.9%
2	1 day	540	25.1%
3	2 days	253	11.8%
4	3 days	156	7.3%
5	4 days	88	4.1%
6	5 days	83	3.9%
7	6 days	45	2.1%
8	7 days	363	16.9%
Sysmiss		16	

Q47: Time spent sitting on usual day

Data file: VEBH2003_public_use

Overview

Valid: 2157 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	905	42%
2	1 to 2 hours per day	634	29.4%
3	3 to 4 hours per day	366	17%
4	5 to 6 hours per day	131	6.1%
5	7 to 8 hours per day	39	1.8%

6	More than 8 hours per day	82	3.8%
Sysmiss		9	

Q48: Walk or bike to school past 7 days

Data file: VEBH2003_public_use

Overview

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to and from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1526	70.9%
2	1 day	135	6.3%
3	2 days	79	3.7%
4	3 days	49	2.3%
5	4 days	34	1.6%
6	5 days	111	5.2%
7	6 days	19	0.9%
8	7 days	199	9.2%
Sysmiss		14	

Q49: How long to from school past 7 days

Data file: VEBH2003_public_use

Overview

Valid: 2139 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about going to and coming home from school.

LITERAL QUESTION

During the past 7 days, how long did it usually take for you to get to and from school each day?

CATEGORIES

Value	Category	Cases	
1	Less than 10 minutes per day	672	31.4%
2	10 to 19 minutes per day	488	22.8%
3	20 to 29 minutes per day	340	15.9%
4	30 to 39 minutes per day	261	12.2%
5	40 to 49 minutes per day	100	4.7%
6	50 to 59 minutes per day	45	2.1%
7	60 or more minutes per day	233	10.9%
Sysmiss		27	

Q50: Miss school no permission past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2158 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1881	87.2%
2	1 or 2 days	199	9.2%
3	3 to 5 days	36	1.7%
4	6 to 9 days	15	0.7%
5	10 or more days	27	1.3%
Sysmiss		8	

Q51: Others helpful in school past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2141 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	396	18.5%
2	Rarely	460	21.5%
3	Sometimes	532	24.8%
4	Most of the time	347	16.2%
5	Always	406	19%
Sysmiss		25	

Q52: Parents check homework past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2127 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	439	20.6%
2	Rarely	233	11%
3	Sometimes	375	17.6%
4	Most of the time	268	12.6%
5	Always	812	38.2%
Sysmiss		39	

Q53: Parent understand troubles past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	389	18.1%
2	Rarely	238	11.1%
3	Sometimes	340	15.8%
4	Most of the time	302	14%
5	Always	883	41%
Sysmiss		14	

Q54: Parent know what you do past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2142 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	379	17.7%
2	Rarely	215	10%
3	Sometimes	301	14.1%
4	Most of the time	323	15.1%
5	Always	924	43.1%
Sysmiss		24	

QN6: % went hungry past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

CATEGORIES

Value	Category	Cases	
1	Yes	77	3.6%
2	No	2075	96.4%
Sysmiss		14	

QN7: % ate fruit per day past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2148 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1187	55.3%
2	No	961	44.7%
Sysmiss		18	

QN8: % ate vegetables past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2114 Invalid: 52
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables, such as COUNTRY SPECIFIC EXAMPLES one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1179	55.8%
2	No	935	44.2%
Sysmiss		52	

QN9: % clean teeth past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2150 Invalid: 16
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not clean or brush their teeth during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	46	2.1%
2	No	2104	97.9%
Sysmiss		16	

QN10: % wash hands before eating past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2149 Invalid: 17
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	141	6.6%
2	No	2008	93.4%
Sysmiss		17	

QN11: % wash hands after toilet past 30 day

Data file: VEBH2003_public_use

Overview

Valid: 2142 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	62	2.9%
2	No	2080	97.1%
Sysmiss		24	

QN12: % use soap on hands past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2154 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	124	5.8%
2	No	2030	94.2%
Sysmiss		12	

QN13: % times attacked past 12 mo.**Data file:** VEBH2003_public_use**Overview**

Valid: 0 Invalid: 2166

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

QN14: % times in fight 12 mos.**Data file:** VEBH2003_public_use**Overview**

Valid: 2157 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	542	25.1%
2	No	1615	74.9%
Sysmiss		9	

QN15: % times injured past 12 months**Data file:** VEBH2003_public_use**Overview**

Valid: 1557 Invalid: 609

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	96	6.2%
2	No	1461	93.8%
Sysmiss		609	

QN16: % playing sport injured past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 93 Invalid: 2073

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

CATEGORIES

Value	Category	Cases	
1	Yes	38	40.9%
2	No	55	59.1%
Sysmiss		2073	

QN17: % fall caused injury past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 94 Invalid: 2072

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

CATEGORIES

Value	Category	Cases	
1	Yes	46	48.9%
2	No	48	51.1%
Sysmiss		2072	

QN18: % hurt self by accident past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 94 Invalid: 2072

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

CATEGORIES

Value	Category	Cases	
1	Yes	52	55.3%
2	No	42	44.7%
Sysmiss		2072	

QN19: % broken bone past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 94 Invalid: 2072

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

CATEGORIES

Value	Category	Cases	
1	Yes	27	28.7%
2	No	67	71.3%
Sysmiss		2072	

QN20: % bullied past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2001 Invalid: 165

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	668	33.4%
2	No	1333	66.6%
Sysmiss		165	

QN21: % kicked, pushed, shoved past 30 days

Data file: VEBH2003_public_use

Overview

Valid: 649 Invalid: 1517

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	106	16.3%
2	No	543	83.7%
Sysmiss		1517	

QN22: % felt lonely past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt lonely most of the time or always during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	156	7.2%
2	No	1996	92.8%
Sysmiss		14	

QN23: % times could not sleep past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 2145 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	75	3.5%
2	No	2070	96.5%
Sysmiss		21	

QN24: % sad or hopeless past 12 mo.

Data file: VEBH2003_public_use

Overview

Valid: 2147 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	496	23.1%
2	No	1651	76.9%
Sysmiss		19	

QN25: % ever consider suicide 12 mos.

Data file: VEBH2003_public_use

Overview

Valid: 2144 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	201	9.4%
2	No	1943	90.6%
Sysmiss		22	

QN26: % made suicide plan 12 mos

Data file: VEBH2003_public_use

Overview

Valid: 2121 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	168	7.9%
2	No	1953	92.1%
Sysmiss		45	

QN27: % no close friends**Data file:** VEBH2003_public_use**Overview**

Valid: 2155 Invalid: 11
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	153	7.1%
2	No	2002	92.9%
Sysmiss		11	

QN34: % drank on 1 or more days past 30**Data file:** VEBH2003_public_use**Overview**

Valid: 1919 Invalid: 247
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	646	33.7%
2	No	1273	66.3%
Sysmiss		247	

QN35: % 1 or more drinks past 30 days**Data file:** VEBH2003_public_use**Overview**

Valid: 1915 Invalid: 251
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	488	25.5%
2	No	1427	74.5%
Sysmiss		251	

QN36: % bought alcohol in store

Data file: VEBH2003_public_use

Overview

Valid: 1876 Invalid: 290

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	55	2.9%
2	No	1821	97.1%
Sysmiss		290	

QN37: % times drunk during life

Data file: VEBH2003_public_use

Overview

Valid: 2123 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	323	15.2%
2	No	1800	84.8%
Sysmiss		43	

QN38: % troubles as result of drinking

Data file: VEBH2003_public_use

Overview

Valid: 2164 Invalid: 2

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	201	9.3%
2	No	1963	90.7%
Sysmiss		2	

QN39: % times used drugs during life

Data file: VEBH2003_public_use

Overview

Valid: 2160 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs, such as COUNTRY SPECIFIC EXAMPLES one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	63	2.9%
2	No	2097	97.1%
Sysmiss		6	

QN40: % ever had sex**Data file:** VEBH2003_public_use**Overview**

Valid: 1745 Invalid: 421

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	230	13.2%
2	No	1515	86.8%
Sysmiss		421	

QN41: % 12 or younger first sex**Data file:** VEBH2003_public_use**Overview**

Valid: 1765 Invalid: 401

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse for the first time before age 13

CATEGORIES

Value	Category	Cases	
1	Yes	124	7%
2	No	1641	93%
Sysmiss		401	

QN42: % 2 or more sex partners**Data file:** VEBH2003_public_use**Overview**

Valid: 1749 Invalid: 417

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who have had sexual intercourse with two or more people during their life time

CATEGORIES

Value	Category	Cases	
1	Yes	110	6.3%
2	No	1639	93.7%
Sysmiss		417	

QN43: % had sexual intercourse past 12 mo

Data file: VEBH2003_public_use

Overview

Valid: 1973 Invalid: 193

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	141	7.1%
2	No	1832	92.9%
Sysmiss		193	

QN44: % used condom last intercourse

Data file: VEBH2003_public_use

Overview

Valid: 140 Invalid: 2026

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	83	59.3%
2	No	57	40.7%
Sysmiss		2026	

QN45: % days active 60 min plus past 7 days

Data file: VEBH2003_public_use

Overview

Valid: 2151 Invalid: 15
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	182	8.5%
2	No	1969	91.5%
Sysmiss		15	

QN46: % active 60 min plus per day usual week

Data file: VEBH2003_public_use

Overview

Valid: 2150 Invalid: 16
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

CATEGORIES

Value	Category	Cases	
1	Yes	363	16.9%
2	No	1787	83.1%
Sysmiss		16	

QN47: % time spent sitting on usual day**Data file:** VEBH2003_public_use**Overview**

Valid: 2157 Invalid: 9
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES during a typical or usual day

CATEGORIES

Value	Category	Cases	
1	Yes	618	28.7%
2	No	1539	71.3%
Sysmiss		9	

QN48: % did not walk or bike to school**Data file:** VEBH2003_public_use**Overview**

Valid: 2152 Invalid: 14
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1526	70.9%
2	No	626	29.1%
Sysmiss		14	

QN49: % 29 min or less to school past 7 days**Data file:** VEBH2003_public_use**Overview**

Valid: 2139 Invalid: 27
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1500	70.1%
2	No	639	29.9%
Sysmiss		27	

QN50: % miss school no permission

Data file: VEBH2003_public_use

Overview

Valid: 2158 Invalid: 8
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	277	12.8%
2	No	1881	87.2%
Sysmiss		8	

QN51: % others helpful in school

Data file: VEBH2003_public_use

Overview

Valid: 2141 Invalid: 25
Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	753	35.2%
2	No	1388	64.8%
Sysmiss		25	

QN52: % parents check homework

Data file: VEBH2003_public_use

Overview

Valid: 2127 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1080	50.8%
2	No	1047	49.2%
Sysmiss		39	

QN53: % parents understand troubles

Data file: VEBH2003_public_use

Overview

Valid: 2152 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1185	55.1%
2	No	967	44.9%
Sysmiss		14	

QN54: % parent knows what you did past 30 day**Data file:** VEBH2003_public_use**Overview**

Valid: 2142 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1247	58.2%
2	No	895	41.8%
Sysmiss		24	

QNROVWGT: At risk for becoming overweight**Data file:** VEBH2003_public_use**Overview**

Valid: 933 Invalid: 1233

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are at risk for becoming overweight

CATEGORIES

Value	Category	Cases	
1	Yes	125	13.4%
2	No	808	86.6%
Sysmiss		1233	

QNOVWGT: Overweight**Data file:** VEBH2003_public_use**Overview**

Valid: 933 Invalid: 1233

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who are overweight

CATEGORIES

Value	Category	Cases	
1	Yes	23	2.5%
2	No	910	97.5%
Sysmiss		1233	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: VEBH2003_public_use

Overview

Valid: 2100 Invalid: 66

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate five or more servings of fruits and vegetables per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	312	14.9%
2	No	1788	85.1%
Sysmiss		66	

QNMINPAG: Exercised 60 min/day <=5 days

Data file: VEBH2003_public_use

Overview

Valid: 2138 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for at least 60 minutes per day on less than five days per week on average

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1884	88.1%
2	No	254	11.9%
Sysmiss		28	

QNWKRD: Walked/biked school 150 min 7 days

Data file: VEBH2003_public_use

Overview

Valid: 2128 Invalid: 38
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent less than 2.5 hours total walking or riding a bicycle to and from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	1987	93.4%
2	No	141	6.6%
Sysmiss		38	

WEIGHT: Weight

Data file: VEBH2003_public_use

Overview

Valid: 2166 Invalid: 0
 Type: Continuous Decimal: 0 Width: 12 Range: 10.7181 - 30.7048 Format: Numeric Weighted: yes

PSU: Primary Sampling Unit

Data file: VEBH2003_public_use

Overview

Valid: 2166 Invalid: 0
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 24 Format: Numeric

STRATUM: Stratum

Data file: VEBH2003_public_use

Overview

Valid: 2166 Invalid: 0

Type: Discrete Decimal: 0 Width: 9 Range: 200301001 - 200301012 Format: Numeric

Questions and instructions

CATEGORIES

Value	Category	Cases	
200302001		105	4.8%
200302002		160	7.4%
200302003		182	8.4%
200302004		163	7.5%
200302005		178	8.2%
200302006		163	7.5%
200302007		135	6.2%
200302008		210	9.7%
200302009		117	5.4%
200302010		176	8.1%
200302011		183	8.4%
200302012		394	18.2%

study_resources

questionnaires

English Questionnaire

title English Questionnaire
filename Venezuela_Questionnaire_english_2003.pdf

Spanish Questionnaire

title Spanish Questionnaire
filename Venezuela_Questionnaire_spanish_2003.pdf

reports

Barinas Fact Sheet

title Barinas Fact Sheet
filename gshs_fs_VE_barinas.pdf

Lara Fact Sheet

title Lara Fact Sheet
filename gshs_fs_VE_lara.pdf

technical_documents

Barinas Codebook

title Barinas Codebook
filename VEAH2003_public_use_codebook.pdf

Lara Codebook

title Lara Codebook
filename VEBH2003_public_use_codebook.pdf
