

Global School-Based Student Health Survey 2013

Hanoi Medical University

report_generated_on: October 2, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
VNM_2013_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2013

ABBREVIATION OR ACRONYM
GSHS 2013

COUNTRY

Name	Country code
Vietnam	VNM

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the first GSHS conducted by Vietnam.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

VERSION DATE
2018-08-10

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Hanoi Medical University

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO

Sampling

SAMPLING PROCEDURE

The 2013 Vietnam GSHS was a school-based survey of students in grades 8-12, which are typically attended by students aged 13-17 years. A three-stage cluster sample design was used to produce data representative of students in grades 8-12 in Vietnam. At the first stage, provinces were selected with probability proportional to enrollment size. At the second stage, schools were selected with probability proportional to enrollment size. At the third stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 96%, and the overall response rate was 96%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2013	2013

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_VNM_2013_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2018-08-10

DDI DOCUMENT VERSION

Identical to a metadata (VNM_2013_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
VNM2013_Public_Use Vietnam public-use dataset	3331	113

Data file: VNM2013_Public_Use

Vietnam public-use dataset

Cases: 3331

variables: 113

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first smoked	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V34	Q34	Age first alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?

ID	Name	Label	Question
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Before age 14 first smoked	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

ID	Name	Label	Question
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V87	QN34	Before age 14 first alcohol	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Before age 14 first drugs	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Before age 14 first sex	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

ID	Name	Label	Question
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbg	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 113

Q1: Custom Age**Data file: VNM2013_Public_Use****Overview**

Valid: 3325 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	8	0.2%
2	12 years old	1	0%
3	13 years old	17	0.5%
4	14 years old	870	26.2%
5	15 years old	855	25.7%
6	16 years old	542	16.3%
7	17 years old	768	23.1%
8	18 years old or older	264	7.9%
Sysmiss		6	

Q10: Ate fast food past 7 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3317 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2307	69.6%
2	1 day	461	13.9%
3	2 days	252	7.6%

4	3 days	125	3.8%
5	4 days	55	1.7%
6	5 days	42	1.3%
7	6 days	14	0.4%
8	7 days	61	1.8%
Sysmiss		14	

Q2: Sex

Data file: VNM2013_Public_Use

Overview

Valid: 3322 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1557	46.9%
2	Female	1765	53.1%
Sysmiss		9	

Q3: In what grade are you

Data file: VNM2013_Public_Use

Overview

Valid: 3313 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	7th grade	1	0%
2	8th grade	965	29.1%
3	9th grade	842	25.4%

4	10th grade	484	14.6%
5	11th grade	682	20.6%
6	12th grade	339	10.2%
Sysmiss		18	

Q4: How tall are you

Data file: VNM2013_Public_Use

Overview

Valid: 3210 Invalid: 121 Minimum: 1.3 Maximum: 1.94 Mean: 1.587 Standard deviation: 0.0847
 Type: Continuous Decimal: 2 Width: 4 Range: 1.28 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: VNM2013_Public_Use

Overview

Valid: 3210 Invalid: 121 Minimum: 28 Maximum: 118 Mean: 47.152 Standard deviation: 9.759
 Type: Continuous Decimal: 2 Width: 6 Range: 28 - 162 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER

Q6: Went hungry past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3316 Invalid: 15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1608	48.5%
2	Rarely	985	29.7%
3	Sometimes	689	20.8%
4	Most of the time	16	0.5%
5	Always	18	0.5%
Sysmiss		15	

Q7: Eat fruit per day past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3317 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	104	3.1%
2	Less than one time per day	794	23.9%
3	1 time per day	997	30.1%
4	2 times per day	864	26%
5	3 times per day	357	10.8%
6	4 times per day	84	2.5%
7	5 or more times per day	117	3.5%
Sysmiss		14	

Q8: Eat vegetables past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3308 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	55	1.7%
2	Less than one time per day	291	8.8%
3	1 time per day	854	25.8%
4	2 times per day	1470	44.4%
5	3 times per day	548	16.6%
6	4 times per day	23	0.7%
7	5 or more times per day	67	2%
Sysmiss		23	

Q9: Drink soft drinks past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3319 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	807	24.3%
2	Less than one time per day	1487	44.8%

3	1 time per day	612	18.4%
4	2 times per day	218	6.6%
5	3 times per day	86	2.6%
6	4 times per day	36	1.1%
7	5 or more times per day	73	2.2%
Sysmiss		12	

Q11: How many times per day brush teeth

Data file: VNM2013_Public_Use

Overview

Valid: 3326 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	41	1.2%
2	Less than 1 time per day	56	1.7%
3	1 time per day	667	20.1%
4	2 times per day	2128	64%
5	3 times per day	397	11.9%
6	4 or more times per day	37	1.1%
Sysmiss		5	

Q12: Wash hands before eating past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3326 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	48	1.4%
2	Rarely	191	5.7%
3	Sometimes	802	24.1%
4	Most of the time	1482	44.6%
5	Always	803	24.1%
Sysmiss		5	

Q13: Wash hands after toilet past 30 day

Data file: VNM2013_Public_Use

Overview

Valid: 3316 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	11	0.3%
2	Rarely	56	1.7%
3	Sometimes	216	6.5%
4	Most of the time	1116	33.7%
5	Always	1917	57.8%
Sysmiss		15	

Q14: Used soap on hands past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3324 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	84	2.5%
2	Rarely	250	7.5%
3	Sometimes	888	26.7%
4	Most of the time	1226	36.9%
5	Always	876	26.4%
Sysmiss		7	

Q15: Times attacked past 12 mo.

Data file: VNM2013_Public_Use

Overview

Valid: 3316 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	2582	77.9%
2	1 time	285	8.6%
3	2 or 3 times	237	7.1%
4	4 or 5 times	58	1.7%
5	6 or 7 times	22	0.7%
6	8 or 9 times	18	0.5%
7	10 or 11 times	12	0.4%
8	12 or more times	102	3.1%
Sysmiss		15	

Q16: How many times in fight 12 mos**Data file: VNM2013_Public_Use****Overview**

Valid: 3307 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	2731	82.6%
2	1 time	273	8.3%
3	2 or 3 times	168	5.1%
4	4 or 5 times	39	1.2%
5	6 or 7 times	16	0.5%
6	8 or 9 times	5	0.2%
7	10 or 11 times	3	0.1%
8	12 or more times	72	2.2%
Sysmiss		24	

Q17: How many times injured past 12 months**Data file: VNM2013_Public_Use****Overview**

Valid: 2793 Invalid: 538

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1975	70.7%
2	1 time	474	17%
3	2 or 3 times	249	8.9%
4	4 or 5 times	48	1.7%
5	6 or 7 times	22	0.8%
6	8 or 9 times	4	0.1%
7	10 or 11 times	2	0.1%
8	12 or more times	19	0.7%
Sysmiss		538	

Q18: What was serious injury past 12 mo.

Data file: VNM2013_Public_Use

Overview

Valid: 2917 Invalid: 414

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2279	78.1%
2	Broken bone/dislocated joint	137	4.7%
3	I had a cut or stab wound	15	0.5%
4	Concussion/head injury	34	1.2%
5	I had a gunshot wound	6	0.2%
6	I had a bad burn	19	0.7%
7	I was poisoned	3	0.1%
8	Something else happened to me	424	14.5%
Sysmiss		414	

Q19: Cause of injury past 12 mo.

Data file: VNM2013_Public_Use

Overview

Valid: 2804 Invalid: 527
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	2125	75.8%
2	Motor vehicle accident	95	3.4%
3	I fell	242	8.6%
4	Something fell on me or hit me	23	0.8%
5	I was attacked	33	1.2%
6	Was in a fire	11	0.4%
7	breathed something bad	2	0.1%
8	Something else	273	9.7%
Sysmiss		527	

Q20: How many days bullied past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3200 Invalid: 131
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	2456	76.8%

2	1 or 2 days	474	14.8%
3	3 to 5 days	131	4.1%
4	6 to 9 days	41	1.3%
5	10 to 19 days	39	1.2%
6	20 to 29 days	11	0.3%
7	All 30 days	48	1.5%
Sysmiss		131	

Q21: How bullied past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3197 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	2528	79.1%
2	Kicked, pushed, or shoved	80	2.5%
3	Made fun of race	20	0.6%
4	Made fun because of religion	7	0.2%
5	Made fun of about sex	79	2.5%
6	Left out of activities	8	0.3%
7	Made fun of about body	77	2.4%
8	Some other way	398	12.4%
Sysmiss		134	

Q22: Times felt lonely past 12 mo.

Data file: VNM2013_Public_Use

Overview

Valid: 3277 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	790	24.1%
2	Rarely	1083	33%
3	Sometimes	1037	31.6%
4	Most of the time	282	8.6%
5	Always	85	2.6%
Sysmiss		54	

Q24: Ever considered suicide 12 mos

Data file: VNM2013_Public_Use

Overview

Valid: 3289 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	539	16.4%
2	No	2750	83.6%
Sysmiss		42	

Q27: Number close friends

Data file: VNM2013_Public_Use

Overview

Valid: 3311 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	173	5.2%
2	1	263	7.9%
3	2	355	10.7%
4	3 or more	2520	76.1%
Sysmiss		20	

Q28: Age first smoked

Data file: VNM2013_Public_Use

Overview

Valid: 3249 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2889	88.9%
2	7 years old or younger	53	1.6%
3	8 or 9 years old	39	1.2%
4	10 or 11 years old	42	1.3%
5	12 or 13 years old	72	2.2%
6	14 or 15 years old	100	3.1%
7	16 or 17 years old	48	1.5%
8	18 years old or older	6	0.2%
Sysmiss		82	

Q29: How many days smoked 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3311 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	3174	95.9%
2	1 or 2 days	58	1.8%
3	3 to 5 days	12	0.4%
4	6 to 9 days	11	0.3%
5	10 to 19 days	14	0.4%
6	20 to 29 days	17	0.5%
7	All 30 days	25	0.8%
Sysmiss		20	

Q30: Other tobacco past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3325 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 days	3257	98%
2	1 or 2 days	38	1.1%
3	3 to 5 days	8	0.2%
4	6 to 9 days	4	0.1%
5	10 to 19 days	4	0.1%
6	20 to 29 days	6	0.2%
7	All 30 days	8	0.2%
Sysmiss		6	

Q31: Try stop smoking past 12 mo.

Data file: VNM2013_Public_Use

Overview

Valid: 3268 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2969	90.9%
2	Did not smoke cigarettes	132	4%
3	Yes	126	3.9%
4	No	41	1.3%
Sysmiss		63	

Q32: Others present smoking past 7 days

Data file: VNM2013_Public_Use

Overview

Valid: 3320 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	815	24.5%
2	1 or 2 days	1170	35.2%
3	3 or 4 days	525	15.8%
4	5 or 6 days	177	5.3%
5	All 7 days	633	19.1%
Sysmiss		11	

Q34: Age first alcohol

Data file: VNM2013_Public_Use

Overview

Valid: 2908 Invalid: 423

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1471	50.6%
2	7 years old or younger	154	5.3%
3	8 or 9 years old	106	3.6%
4	10 or 11 years old	147	5.1%
5	12 or 13 years old	252	8.7%
6	14 or 15 years old	495	17%
7	16 or 17 years old	262	9%
8	18 years old or older	21	0.7%
Sysmiss		423	

Q35: Days one drink or more past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3198 Invalid: 133
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	2476	77.4%
2	1 or 2 days	507	15.9%
3	3 to 5 days	120	3.8%
4	6 to 9 days	53	1.7%
5	10 to 19 days	18	0.6%
6	20 to 29 days	13	0.4%
7	All 30 days	11	0.3%
Sysmiss		133	

Q36: Number of drinks past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3288 Invalid: 43
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2286	69.5%
2	Less than one drink	554	16.8%

3	1 drink	240	7.3%
4	2 drinks	84	2.6%
5	3 drinks	48	1.5%
6	4 drinks	18	0.5%
7	5 or more drinks	58	1.8%
Sysmiss		43	

Q37: How got drinks past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3134 Invalid: 197

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	2336	74.5%
2	I bought in a store	202	6.4%
3	I gave someone money to buy	17	0.5%
4	I got it from my friends	70	2.2%
5	I got it from my family	301	9.6%
6	I stole it	17	0.5%
7	Some other way	191	6.1%
Sysmiss		197	

Q38: Times drunk during life

Data file: VNM2013_Public_Use

Overview

Valid: 3196 Invalid: 135

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	2550	79.8%
2	1 or 2 times	538	16.8%
3	3 to 9 times	72	2.3%
4	10 or more times	36	1.1%
Sysmiss		135	

Q39: Number of troubles as result of drinking

Data file: VNM2013_Public_Use

Overview

Valid: 3202 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	3015	94.2%
2	1 or 2 times	139	4.3%
3	3 to 9 times	20	0.6%
4	10 or more times	28	0.9%
Sysmiss		129	

Q40: Age first drugs**Data file: VNM2013_Public_Use****Overview**

Valid: 3253 Invalid: 78

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	3212	98.7%
2	7 years old or younger	13	0.4%
3	8 or 9 years old	8	0.2%
4	10 or 11 years old	8	0.2%
5	12 or 13 years old	4	0.1%
6	14 or 15 years old	5	0.2%
7	16 or 17 years old	3	0.1%
8	18 years old or older	0	0%
Sysmiss		78	

Q41: Times used marijuana lifetime**Data file: VNM2013_Public_Use****Overview**

Valid: 3307 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	0 times	3289	99.5%
2	1 or 2 times	5	0.2%
3	3 to 9 times	5	0.2%
4	10 to 19 times	4	0.1%
5	20 or more times	4	0.1%
Sysmiss		24	

Q43: Times used amphetamines lifetime

Data file: VNM2013_Public_Use

Overview

Valid: 3312 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	3296	99.5%
2	1 or 2 times	4	0.1%
3	3 to 9 times	4	0.1%
4	10 to 19 times	5	0.2%
5	20 or more times	3	0.1%
Sysmiss		19	

Q44: Ever had sex

Data file: VNM2013_Public_Use

Overview

Valid: 3189 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	187	5.9%
2	No	3002	94.1%
Sysmiss		142	

Q45: Age first sexual intercourse

Data file: VNM2013_Public_Use

Overview

Valid: 3285 Invalid: 46

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3161	96.2%
2	11 years old or younger	18	0.5%
3	12 years old	5	0.2%
4	13 years old	9	0.3%
5	14 years old	10	0.3%
6	15 years old	22	0.7%
7	16 or 17 years old	55	1.7%
8	18 years old or older	5	0.2%
Sysmiss		46	

Q46: How many sex partners

Data file: VNM2013_Public_Use

Overview

Valid: 3305 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3187	96.4%
2	1 person	75	2.3%
3	2 people	12	0.4%
4	3 people	17	0.5%
5	4 people	4	0.1%
6	5 people	3	0.1%
7	6 or more people	7	0.2%
Sysmiss		26	

Q47: Used condom at last intercourse

Data file: VNM2013_Public_Use

Overview

Valid: 3242 Invalid: 89

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3131	96.6%
2	Yes	56	1.7%
3	No	55	1.7%
Sysmiss		89	

Q48: Used birth control last intercourse**Data file:** VNM2013_Public_Use**Overview**

Valid: 3240 Invalid: 91

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	3124	96.4%
2	Yes	73	2.3%
3	No	30	0.9%
4	I do not know	13	0.4%
Sysmiss		91	

Q49: Days active 60 min plus past 7 days**Data file:** VNM2013_Public_Use**Overview**

Valid: 3322 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	915	27.5%
2	1 day	817	24.6%
3	2 days	456	13.7%

4	3 days	284	8.5%
5	4 days	188	5.7%
6	5 days	119	3.6%
7	6 days	91	2.7%
8	7 days	452	13.6%
Sysmiss		9	

Q50: Walk or bike to school past 7 days

Data file: VNM2013_Public_Use

Overview

Valid: 3311 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	542	16.4%
2	1 day	164	5%
3	2 days	146	4.4%
4	3 days	87	2.6%
5	4 days	60	1.8%
6	5 days	77	2.3%
7	6 days	244	7.4%
8	7 days	1991	60.1%
Sysmiss		20	

Q51: Days went to PE each week

Data file: VNM2013_Public_Use

Overview

Valid: 3277 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	104	3.2%
2	1 day	1305	39.8%
3	2 days	1716	52.4%
4	3 days	41	1.3%
5	4 days	18	0.5%
6	5 or more days	93	2.8%
Sysmiss		54	

Q52: Time spent sitting on usual day

Data file: VNM2013_Public_Use

Overview

Valid: 3317 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	630	19%
2	1 to 2 hours per day	1338	40.3%
3	3 to 4 hours per day	912	27.5%
4	5 to 6 hours per day	255	7.7%
5	7 to 8 hours per day	78	2.4%
6	More than 8 hours per day	104	3.1%
Sysmiss		14	

Q53: Miss school no permission past 30 days**Data file:** VNM2013_Public_Use**Overview**

Valid: 3323 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	2725	82%
2	1 or 2 days	429	12.9%
3	3 to 5 days	113	3.4%
4	6 to 9 days	24	0.7%
5	10 or more days	32	1%
Sysmiss		8	

Q54: Others helpful in school past 30 days**Data file:** VNM2013_Public_Use**Overview**

Valid: 3313 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	110	3.3%
2	Rarely	430	13%
3	Sometimes	1104	33.3%

4	Most of the time	1153	34.8%
5	Always	516	15.6%
Sysmiss		18	

Q55: Parents check homework past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3302 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	721	21.8%
2	Rarely	641	19.4%
3	Sometimes	954	28.9%
4	Most of the time	672	20.4%
5	Always	314	9.5%
Sysmiss		29	

Q56: Parent understand troubles past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3321 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	601	18.1%
2	Rarely	762	22.9%
3	Sometimes	920	27.7%
4	Most of the time	711	21.4%
5	Always	327	9.8%
Sysmiss		10	

Q57: Parent know what you do past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3309 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	501	15.1%
2	Rarely	672	20.3%
3	Sometimes	862	26.1%
4	Most of the time	795	24%
5	Always	479	14.5%
Sysmiss		22	

Q58: Parent go through things past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3279 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1048	32%
2		1022	31.2%
3		744	22.7%
4		311	9.5%
5		154	4.7%
Sysmiss		52	

QN6: Went hungry most of time/always past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3316 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	34	1%
2	No	3282	99%
Sysmiss		15	

QN7: Ate fruit 2+ times per day past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3317 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1422	42.9%
2	No	1895	57.1%
Sysmiss		14	

QN8: Ate vegetables 3+ times per day past 30 day

Data file: VNM2013_Public_Use

Overview

Valid: 3308 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	638	19.3%
2	No	2670	80.7%
Sysmiss		23	

QN9: Drank soft drinks 1+ times per day past 30 day

Data file: VNM2013_Public_Use

Overview

Valid: 3319 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1025	30.9%
2	No	2294	69.1%
Sysmiss		12	

QN10: Ate fast food 3+ days past 7 day**Data file: VNM2013_Public_Use****Overview**

Valid: 3317 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

CATEGORIES

Value	Category	Cases	
1	Yes	297	9%
2	No	3020	91%
Sysmiss		14	

QN11: Cleaned/brushed teeth <1 time/day past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3326 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	97	2.9%
2	No	3229	97.1%
Sysmiss		5	

QN12: Never/rarely wash hands before eating past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3326 Invalid: 5

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	239	7.2%
2	No	3087	92.8%
Sysmiss		5	

QN13: Never/rarely wash hands after toilet past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3316 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	67	2%
2	No	3249	98%
Sysmiss		15	

QN14: Never/rarely use soap on hands past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3324 Invalid: 7

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	334	10%
2	No	2990	90%
Sysmiss		7	

QN15: Attacked 1+ times past 12 months

Data file: VNM2013_Public_Use

Overview

Valid: 3316 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	734	22.1%
2	No	2582	77.9%
Sysmiss		15	

QN16: In fight 1+ times past 12 months

Data file: VNM2013_Public_Use

Overview

Valid: 3307 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	576	17.4%
2	No	2731	82.6%
Sysmiss		24	

QN17: Seriously injured 1+ times past 12 months**Data file:** VNM2013_Public_Use**Overview**

Valid: 2793 Invalid: 538

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	818	29.3%
2	No	1975	70.7%
Sysmiss		538	

QN18: Broken bone as most serious injury**Data file:** VNM2013_Public_Use**Overview**

Valid: 638 Invalid: 2693

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

CATEGORIES

Value	Category	Cases	
1	Yes	137	21.5%
2	No	501	78.5%
Sysmiss		2693	

QN19: Motor vehicle caused most serious injury**Data file:** VNM2013_Public_Use**Overview**

Valid: 679 Invalid: 2652

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

CATEGORIES

Value	Category	Cases	
1	Yes	95	14%
2	No	584	86%
Sysmiss		2652	

QN20: Bullied 1+ of past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3200 Invalid: 131

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	744	23.3%
2	No	2456	76.8%
Sysmiss		131	

QN21: Of students bullied, most often hit, kicked, etc

Data file: VNM2013_Public_Use

Overview

Valid: 669 Invalid: 2662

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

CATEGORIES

Value	Category	Cases	
1	Yes	80	12%
2	No	589	88%
Sysmiss		2662	

QN22: Lonely most times/always past 12 months

Data file: VNM2013_Public_Use

Overview

Valid: 3277 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	367	11.2%
2	No	2910	88.8%
Sysmiss		54	

QN24: Considered suicide past 12 months

Data file: VNM2013_Public_Use

Overview

Valid: 3289 Invalid: 42

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

CATEGORIES

Value	Category	Cases	
1	Yes	539	16.4%
2	No	2750	83.6%
Sysmiss		42	

QN27: No close friends**Data file: VNM2013_Public_Use****Overview**

Valid: 3311 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had no close friends

CATEGORIES

Value	Category	Cases	
1	Yes	173	5.2%
2	No	3138	94.8%
Sysmiss		20	

QN28: Before age 14 first smoked**Data file: VNM2013_Public_Use****Overview**

Valid: 360 Invalid: 2971

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	206	57.2%
2	No	154	42.8%
Sysmiss		2971	

QN29: Smoked cigarettes 1+ of past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3311 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	137	4.1%
2	No	3174	95.9%
Sysmiss		20	

QN30: Used other tobacco 1+ of past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3325 Invalid: 6

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	68	2%
2	No	3257	98%
Sysmiss		6	

QN31: Tried to quit smoking past 12 months

Data file: VNM2013_Public_Use

Overview

Valid: 167 Invalid: 3164

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	126	75.4%
2	No	41	24.6%
Sysmiss		3164	

QN32: Others present smoking 1+ of past 7 days

Data file: VNM2013_Public_Use

Overview

Valid: 3320 Invalid: 11

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	2505	75.5%
2	No	815	24.5%
Sysmiss		11	

QN34: Before age 14 first alcohol

Data file: VNM2013_Public_Use

Overview

Valid: 1437 Invalid: 1894

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	659	45.9%
2	No	778	54.1%
Sysmiss		1894	

QN35: Drank 1+ days past 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3198 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	722	22.6%
2	No	2476	77.4%
Sysmiss		133	

QN36: Of current drinkers, drank 2+ drinks/day 30 days**Data file: VNM2013_Public_Use****Overview**

Valid: 1002 Invalid: 2329

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	208	20.8%
2	No	794	79.2%
Sysmiss		2329	

QN47: Used condom at last sex**Data file: VNM2013_Public_Use****Overview**

Valid: 111 Invalid: 3220

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	56	50.5%
2	No	55	49.5%
Sysmiss		3220	

QN37: Of current drinkers, got alcohol from friends

Data file: VNM2013_Public_Use

Overview

Valid: 798 Invalid: 2533

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

CATEGORIES

Value	Category	Cases	
1	Yes	70	8.8%
2	No	728	91.2%
Sysmiss		2533	

QN38: 1+ times drunk in lifetime

Data file: VNM2013_Public_Use

Overview

Valid: 3196 Invalid: 135

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	646	20.2%
2	No	2550	79.8%
Sysmiss		135	

QN39: Alcohol trouble 1+ times in lifetime

Data file: VNM2013_Public_Use

Overview

Valid: 3202 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

CATEGORIES

Value	Category	Cases	
1	Yes	187	5.8%
2	No	3015	94.2%
Sysmiss		129	

QN40: Before age 14 first drugs

Data file: VNM2013_Public_Use

Overview

Valid: 41 Invalid: 3290

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	33	80.5%
2	No	8	19.5%
Sysmiss		3290	

QN41: Marijuana 1+ times in lifetime**Data file: VNM2013_Public_Use****Overview**

Valid: 3307 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	18	0.5%
2	No	3289	99.5%
Sysmiss		24	

QN43: Amphetamines 1+ times lifetime**Data file: VNM2013_Public_Use****Overview**

Valid: 3312 Invalid: 19

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

CATEGORIES

Value	Category	Cases	
1	Yes	16	0.5%
2	No	3296	99.5%
Sysmiss		19	

QN44: Ever had sex**Data file: VNM2013_Public_Use****Overview**

Valid: 3189 Invalid: 142

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	187	5.9%
2	No	3002	94.1%
Sysmiss		142	

QN45: Before age 14 first sex

Data file: VNM2013_Public_Use

Overview

Valid: 124 Invalid: 3207

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

CATEGORIES

Value	Category	Cases	
1	Yes	32	25.8%
2	No	92	74.2%
Sysmiss		3207	

QN46: 2+ sex partners lifetime

Data file: VNM2013_Public_Use

Overview

Valid: 3305 Invalid: 26

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	43	1.3%
2	No	3262	98.7%
Sysmiss		26	

QN48: Used birth control at last sex

Data file: VNM2013_Public_Use

Overview

Valid: 116 Invalid: 3215

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	73	62.9%
2	No	43	37.1%
Sysmiss		3215	

QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: VNM2013_Public_Use

Overview

Valid: 3322 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	662	19.9%
2	No	2660	80.1%
Sysmiss		9	

QN50: Walk/Bike to/from school 0 of past 7 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3311 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	542	16.4%
2	No	2769	83.6%
Sysmiss		20	

QN51: 3+ days PE each week**Data file: VNM2013_Public_Use****Overview**

Valid: 3277 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	152	4.6%
2	No	3125	95.4%
Sysmiss		54	

QN52: Sitting activities 3+ hours/day of usual day**Data file: VNM2013_Public_Use****Overview**

Valid: 3317 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

CATEGORIES

Value	Category	Cases	
1	Yes	1349	40.7%
2	No	1968	59.3%
Sysmiss		14	

QN53: Miss school no permission 1+ of past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3323 Invalid: 8

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	598	18%
2	No	2725	82%
Sysmiss		8	

QN54: Students most/always kind 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3313 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	1669	50.4%
2	No	1644	49.6%
Sysmiss		18	

QN55: Parents most/always check homework

Data file: VNM2013_Public_Use

Overview

Valid: 3302 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	986	29.9%
2	No	2316	70.1%
Sysmiss		29	

QN56: Parents most/always understand problems

Data file: VNM2013_Public_Use

Overview

Valid: 3321 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1038	31.3%
2	No	2283	68.7%
Sysmiss		10	

QN57: Parents most/always know about free time**Data file: VNM2013_Public_Use****Overview**

Valid: 3309 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	1274	38.5%
2	No	2035	61.5%
Sysmiss		22	

QN58: Parents never/rarely go thru things**Data file: VNM2013_Public_Use****Overview**

Valid: 3279 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	2070	63.1%
2	No	1209	36.9%
Sysmiss		52	

QNOWTG: Overweight**Data file: VNM2013_Public_Use****Overview**

Valid: 3210 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	186	5.8%
2	No	3024	94.2%
Sysmiss		121	

QNOBESEG: Obese

Data file: VNM2013_Public_Use

Overview

Valid: 3210 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1	Yes	29	0.9%
2	No	3181	99.1%
Sysmiss		121	

QNUNWTG: Underweight

Data file: VNM2013_Public_Use

Overview

Valid: 3210 Invalid: 121

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	535	16.7%
2	No	2675	83.3%
Sysmiss		121	

QNFRVGG: Ate 5+ fruits/vegetables 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3296 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	693	21%
2	No	2603	79%
Sysmiss		35	

QNANYTBG: Used any tobacco past 30 days

Data file: VNM2013_Public_Use

Overview

Valid: 3310 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

CATEGORIES

Value	Category	Cases	
1	Yes	152	4.6%
2	No	3158	95.4%
Sysmiss		21	

QNPA7G: Physically active all past 7 days**Data file: VNM2013_Public_Use****Overview**

Valid: 3322 Invalid: 9
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

CATEGORIES

Value	Category	Cases	
1	Yes	452	13.6%
2	No	2870	86.4%
Sysmiss		9	

QNPE5G: Attended PE 5+ days each week**Data file: VNM2013_Public_Use****Overview**

Valid: 3277 Invalid: 54
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

CATEGORIES

Value	Category	Cases	
1	Yes	93	2.8%
2	No	3184	97.2%
Sysmiss		54	

QNC1G: Among heavy drinkers, ever sex**Data file: VNM2013_Public_Use****Overview**

Valid: 609 Invalid: 2722
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1	Yes	71	11.7%
2	No	538	88.3%
Sysmiss		2722	

QNC2G: Among those worried, currently bullied

Data file: VNM2013_Public_Use

Overview

Valid: 0 Invalid: 3331

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

WEIGHT: Weight

Data file: VNM2013_Public_Use

Overview

Valid: 3331 Invalid: 0 Minimum: 1623.894 Maximum: 7337.124 Mean: 2319.536 Standard deviation: 764.671

Type: Continuous Decimal: 0 Width: 10 Range: 26.8444 - 111.2113 Format: Numeric Weighted: yes

STRATUM: Stratum

Data file: VNM2013_Public_Use

Overview

Valid: 3331 Invalid: 0 Minimum: 201301001 Maximum: 201301025 Mean: 201301013.232 Standard deviation: 5.869
Type: Continuous Decimal: 0 Width: 9 Range: 201301001 - 201301030 Format: Numeric

PSU: Primary Sampling Unit

Data file: VNM2013_Public_Use

Overview

Valid: 3331 Invalid: 0 Minimum: 1 Maximum: 50 Mean: 25.982 Standard deviation: 14.762
Type: Continuous Decimal: 0 Width: 5 Range: 1 - 65 Format: Numeric

study_resources

questionnaires

Questionnaire (English)

title Questionnaire (English)
country Viet Nam
filename 2013_Vietnam_GSHS_Questionnaire.pdf

Questionnaire (Vietnamese)

title Questionnaire (Vietnamese)
country Viet Nam
filename 2013_Vietnam_GSHS_Questionnaire_Vietnamese.pdf

reports

Fact Sheet

title Fact Sheet
country Viet Nam
filename 2013_Viet_Nam_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook
country Viet Nam
filename VNH2013_public_use_codebook.pdf
