

Global School-Based Student Health Survey 2016

Ministry of Health

report_generated_on: October 4, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER
VUT_2016_GSHS_v01_M

TITLE
Global School-Based Student Health Survey 2016

ABBREVIATION OR ACRONYM
GSHS 2016

COUNTRY

Name	Country code
Vanuatu	VUT

STUDY TYPE
Other Household Survey [hh/oth]

SERIES INFORMATION
This is the second GSHS conducted by Vanuatu.

ABSTRACT
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA
Sample survey data [ssd]

UNIT OF ANALYSIS
Individuals

Version

VERSION DESCRIPTION
Public-use dataset

Scope

NOTES
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National coverage

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in grades 7-11 in Vanuatu. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 91%, the student response rate was 63%, and the overall response rate was 57%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2016	2016

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_VUT_2016_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-25

DDI DOCUMENT VERSION

Identical to a metadata (VUT_2016_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
VUH2016_GSHS_Data_Public_Use	2159	141

Data file: VUH2016_GSHS_Data_Public_Use

Cases: 2159

variables: 141

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity \geq 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight	Overall Analysis Weight	
V143	stratum	Sampling Strata	
V144	psu	Primary Sampling Unit	

total: 141

Q1: Custom Age**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2136 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	20	0.9%
2	12 years old	63	2.9%
3	13 years old	288	13.5%
4	14 years old	436	20.4%
5	15 years old	501	23.5%
6	16 years old	485	22.7%
7	17 years old	269	12.6%
8	18 years old or older	74	3.5%
Sysmiss		23	

Q10: Fast food eating**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2139 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	944	44.1%
2	1 day	684	32%
3	2 days	230	10.8%

4	3 days	143	6.7%
5	4 days	38	1.8%
6	5 days	35	1.6%
7	6 days	16	0.7%
8	7 days	49	2.3%
Sysmiss		20	

Q2: Sex

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2129 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	928	43.6%
2	Female	1201	56.4%
Sysmiss		30	

Q3: In what grade are you

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2055 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	580	28.2%
2	Grade 8	449	21.8%
3	Grade 9	503	24.5%

4	Grade 10	362	17.6%
5	Grade 11	136	6.6%
6	Grade 12	12	0.6%
7	Grade 13	13	0.6%
Sysmiss		104	

Q4: How tall are you

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1694 Invalid: 465 Minimum: 1.29 Maximum: 1.89 Mean: 1.601 Standard deviation: 0.0803
 Type: Continuous Decimal: 0 Width: 4 Range: 1.29 - 1.89 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1694 Invalid: 465 Minimum: 29 Maximum: 115 Mean: 53.32 Standard deviation: 10.167
 Type: Continuous Decimal: 0 Width: 6 Range: 29 - 115 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	819	38.4%
2	Rarely	93	4.4%
3	Sometimes	1050	49.2%
4	Most of the time	107	5%
5	Always	66	3.1%
Sysmiss		24	

Q7: No fruit eating

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	88	4.1%
2	Less than one time per day	405	19%
3	1 time per day	344	16.1%
4	2 times per day	336	15.7%
5	3 times per day	315	14.8%
6	4 times per day	104	4.9%
7	5 or more times per day	543	25.4%
Sysmiss		24	

Q8: No vegetable eating**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2124 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	67	3.2%
2	Less than one time per day	400	18.8%
3	1 time per day	365	17.2%
4	2 times per day	421	19.8%
5	3 times per day	328	15.4%
6	4 times per day	106	5%
7	5 or more times per day	437	20.6%
Sysmiss		35	

Q9: Soft drinks**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2131 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	594	27.9%
2	Less than one time per day	705	33.1%

3	1 time per day	464	21.8%
4	2 times per day	182	8.5%
5	3 times per day	62	2.9%
6	4 times per day	44	2.1%
7	5 or more times per day	80	3.8%
Sysmiss		28	

Q11: Tooth brushing

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2112 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	70	3.3%
2	Less than 1 time per day	154	7.3%
3	1 time per day	337	16%
4	2 times per day	433	20.5%
5	3 times per day	709	33.6%
6	4 or more times per day	409	19.4%
Sysmiss		47	

Q12: Hand washing before eating

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2123 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	45	2.1%
2	Rarely	56	2.6%
3	Sometimes	735	34.6%
4	Most of the time	502	23.6%
5	Always	785	37%
Sysmiss		36	

Q13: Hand washing after toilet

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2145 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	74	3.4%
2	Rarely	45	2.1%
3	Sometimes	460	21.4%
4	Most of the time	484	22.6%
5	Always	1082	50.4%
Sysmiss		14	

Q14: Hand washing with soap

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2123 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	79	3.7%
2	Rarely	72	3.4%
3	Sometimes	920	43.3%
4	Most of the time	455	21.4%
5	Always	597	28.1%
Sysmiss		36	

Q15: Physically attacked

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2138 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1041	48.7%
2	1 time	465	21.7%
3	2 or 3 times	395	18.5%
4	4 or 5 times	92	4.3%
5	6 or 7 times	50	2.3%
6	8 or 9 times	14	0.7%
7	10 or 11 times	13	0.6%
8	12 or more times	68	3.2%
Sysmiss		21	

Q16: Physical fighting**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2144 Invalid: 15
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1269	59.2%
2	1 time	436	20.3%
3	2 or 3 times	252	11.8%
4	4 or 5 times	79	3.7%
5	6 or 7 times	27	1.3%
6	8 or 9 times	15	0.7%
7	10 or 11 times	12	0.6%
8	12 or more times	54	2.5%
Sysmiss		15	

Q17: Seriously injured**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 1842 Invalid: 317
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	742	40.3%
2	1 time	605	32.8%
3	2 or 3 times	307	16.7%
4	4 or 5 times	93	5%
5	6 or 7 times	26	1.4%
6	8 or 9 times	10	0.5%
7	10 or 11 times	14	0.8%
8	12 or more times	45	2.4%
Sysmiss		317	

Q18: Serious injury broken bone

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1965 Invalid: 194

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1194	60.8%
2	Broken bone/dislocated joint	132	6.7%
3	I had a cut or stab wound	307	15.6%
4	Concussion/head injury	54	2.7%
5	I had a gunshot wound	26	1.3%
6	I had a bad burn	40	2%
7	I was poisoned	13	0.7%
8	Something else happened to me	199	10.1%
Sysmiss		194	

Q19: Serious injury motor vehicle

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1918 Invalid: 241

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1185	61.8%
2	Motor vehicle accident	55	2.9%
3	I fell	274	14.3%
4	Something fell on me or hit me	127	6.6%
5	I was attacked	64	3.3%
6	Was in a fire	36	1.9%
7	breathed something bad	20	1%
8	Something else	157	8.2%
Sysmiss		241	

Q20: Bullied

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1962 Invalid: 197

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	962	49%

2	1 or 2 days	646	32.9%
3	3 to 5 days	160	8.2%
4	6 to 9 days	57	2.9%
5	10 to 19 days	34	1.7%
6	20 to 29 days	25	1.3%
7	All 30 days	78	4%
Sysmiss		197	

Q21: Bullied by hitting

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1995 Invalid: 164

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1272	63.8%
2	Kicked, pushed, or shoved	203	10.2%
3	Made fun of race	101	5.1%
4	Made fun because of religion	43	2.2%
5	Made fun of about sex	81	4.1%
6	Left out of activities	37	1.9%
7	Made fun of about body	68	3.4%
8	Some other way	190	9.5%
Sysmiss		164	

Q22: Felt lonely

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2107 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	861	40.9%
2	Rarely	105	5%
3	Sometimes	942	44.7%
4	Most of the time	128	6.1%
5	Always	71	3.4%
Sysmiss		52	

Q23: Could not sleep**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2147 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	994	46.3%
2	Rarely	140	6.5%
3	Sometimes	867	40.4%
4	Most of the time	102	4.8%
5	Always	44	2%
Sysmiss		12	

Q24: Considered suicide**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2096 Invalid: 63
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	313	14.9%
2	No	1783	85.1%
Sysmiss		63	

Q25: Made a suicide plan**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2079 Invalid: 80
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	428	20.6%
2	No	1651	79.4%
Sysmiss		80	

Q26: Attempted suicide**Data file:** VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2136 Invalid: 23
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1638	76.7%
2	1 time	348	16.3%
3	2 or 3 times	88	4.1%
4	4 or 5 times	39	1.8%
5	6 or more times	23	1.1%
Sysmiss		23	

Q27: Close friends

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2119 Invalid: 40
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	198	9.3%
2	1	317	15%
3	2	270	12.7%
4	3 or more	1334	63%
Sysmiss		40	

Q28: Initiation of cigarette use**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 1912 Invalid: 247

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1334	69.8%
2	7 years old or younger	56	2.9%
3	8 or 9 years old	21	1.1%
4	10 or 11 years old	36	1.9%
5	12 or 13 years old	93	4.9%
6	14 or 15 years old	209	10.9%
7	16 or 17 years old	146	7.6%
8	18 years old or older	17	0.9%
Sysmiss		247	

Q29: Current cigarette use**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2105 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1657	78.7%
2	1 or 2 days	271	12.9%

3	3 to 5 days	83	3.9%
4	6 to 9 days	30	1.4%
5	10 to 19 days	17	0.8%
6	20 to 29 days	18	0.9%
7	All 30 days	29	1.4%
Sysmiss		54	

Q30: Other tobacco use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2116 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1796	84.9%
2	1 or 2 days	201	9.5%
3	3 to 5 days	43	2%
4	6 to 9 days	29	1.4%
5	10 to 19 days	12	0.6%
6	20 to 29 days	17	0.8%
7	All 30 days	18	0.9%
Sysmiss		43	

Q31: Smoking cessation

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1953 Invalid: 206

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1445	74%
2	Did not smoke cigarettes	106	5.4%
3	Yes	330	16.9%
4	No	72	3.7%
Sysmiss		206	

Q32: Smoking in their presence

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2141 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	997	46.6%
2	1 or 2 days	522	24.4%
3	3 or 4 days	199	9.3%
4	5 or 6 days	116	5.4%
5	All 7 days	307	14.3%
Sysmiss		18	

Q33: Parental tobacco use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2130 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	819	38.5%
2	My father or male guardian	485	22.8%
3	My mother or female guardian	32	1.5%
4	Both	45	2.1%
5	I do not know	749	35.2%
Sysmiss		29	

Q34: Initiation of alcohol use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1792 Invalid: 367

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1226	68.4%
2	7 years old or younger	43	2.4%
3	8 or 9 years old	22	1.2%
4	10 or 11 years old	23	1.3%
5	12 or 13 years old	90	5%
6	14 or 15 years old	214	11.9%

7	16 or 17 years old	156	8.7%
8	18 years old or older	18	1%
Sysmiss		367	

Q35: Current alcohol use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2083 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1729	83%
2	1 or 2 days	255	12.2%
3	3 to 5 days	53	2.5%
4	6 to 9 days	11	0.5%
5	10 to 19 days	8	0.4%
6	20 to 29 days	14	0.7%
7	All 30 days	13	0.6%
Sysmiss		76	

Q36: Drank 2+ drinks

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2108 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1673	79.4%
2	Less than one drink	167	7.9%
3	1 drink	113	5.4%
4	2 drinks	62	2.9%
5	3 drinks	33	1.6%
6	4 drinks	16	0.8%
7	5 or more drinks	44	2.1%
Sysmiss		51	

Q37: Source of alcohol

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2089 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1691	80.9%
2	I bought in a store	103	4.9%
3	I gave someone money to buy	61	2.9%
4	I got it from my friends	192	9.2%
5	I got it from my family	16	0.8%
6	I stole it	5	0.2%
7	Some other way	21	1%
Sysmiss		70	

Q38: Really drunk**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2102 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1777	84.5%
2	1 or 2 times	240	11.4%
3	3 to 9 times	55	2.6%
4	10 or more times	30	1.4%
Sysmiss		57	

Q39: Trouble from drinking**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 1885 Invalid: 274

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1676	88.9%

2	1 or 2 times	146	7.7%
3	3 to 9 times	38	2%
4	10 or more times	25	1.3%
Sysmiss		274	

Q40: Initiation of drug use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1828 Invalid: 331

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1662	90.9%
2	7 years old or younger	43	2.4%
3	8 or 9 years old	10	0.5%
4	10 or 11 years old	9	0.5%
5	12 or 13 years old	23	1.3%
6	14 or 15 years old	39	2.1%
7	16 or 17 years old	33	1.8%
8	18 years old or older	9	0.5%
Sysmiss		331	

Q41: Ever marijuana use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2056 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1949	94.8%
2	1 or 2 times	53	2.6%
3	3 to 9 times	29	1.4%
4	10 to 19 times	10	0.5%
5	20 or more times	15	0.7%
Sysmiss		103	

Q42: Current marijuana use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2075 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1980	95.4%
2	1 or 2 times	48	2.3%
3	3 to 9 times	25	1.2%
4	10 to 19 times	9	0.4%
5	20 or more times	13	0.6%
Sysmiss		84	

Q43: Amphetamine or methamphetamine use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1900 Invalid: 259

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1819	95.7%
2	1 or 2 times	51	2.7%
3	3 to 9 times	18	0.9%
4	10 to 19 times	5	0.3%
5	20 or more times	7	0.4%
Sysmiss		259	

Q44: Ever sexual intercourse

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1861 Invalid: 298

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	527	28.3%
2	No	1334	71.7%
Sysmiss		298	

Q45: Sex before 14 years**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2037 Invalid: 122

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1744	85.6%
2	11 years old or younger	44	2.2%
3	12 years old	21	1%
4	13 years old	26	1.3%
5	14 years old	38	1.9%
6	15 years old	63	3.1%
7	16 or 17 years old	87	4.3%
8	18 years old or older	14	0.7%
Sysmiss		122	

Q46: Multiple sex partners**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2044 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1741	85.2%
2	1 person	142	6.9%

3	2 people	45	2.2%
4	3 people	45	2.2%
5	4 people	20	1%
6	5 people	14	0.7%
7	6 or more people	37	1.8%
Sysmiss		115	

Q47: Condom use

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1960 Invalid: 199

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1658	84.6%
2	Yes	160	8.2%
3	No	142	7.2%
Sysmiss		199	

Q48: Birth control used

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1928 Invalid: 231

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1603	83.1%
2	Yes	122	6.3%
3	No	102	5.3%
4	I do not know	101	5.2%
Sysmiss		231	

Q49: Physical activity \geq 5 days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2132 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	779	36.5%
2	1 day	446	20.9%
3	2 days	232	10.9%
4	3 days	157	7.4%
5	4 days	63	3%
6	5 days	113	5.3%
7	6 days	86	4%
8	7 days	256	12%
Sysmiss		27	

Q50: Walk or bike to school

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2115 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	937	44.3%
2	1 day	254	12%
3	2 days	137	6.5%
4	3 days	84	4%
5	4 days	47	2.2%
6	5 days	190	9%
7	6 days	55	2.6%
8	7 days	411	19.4%
Sysmiss		44	

Q51: PE attendance

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2159

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category
1	0 days
2	1 day
3	2 days

4	3 days
5	4 days
6	5 or more days
Sysmiss	

Q52: Sitting activities

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2123 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1038	48.9%
2	1 to 2 hours per day	646	30.4%
3	3 to 4 hours per day	184	8.7%
4	5 to 6 hours per day	62	2.9%
5	7 to 8 hours per day	48	2.3%
6	More than 8 hours per day	145	6.8%
Sysmiss		36	

Q53: Miss school no permission

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2129 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	983	46.2%
2	1 or 2 days	734	34.5%
3	3 to 5 days	225	10.6%
4	6 to 9 days	87	4.1%
5	10 or more days	100	4.7%
Sysmiss		30	

Q54: Other students kind and helpful

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2146 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	281	13.1%
2	Rarely	95	4.4%
3	Sometimes	967	45.1%
4	Most of the time	414	19.3%
5	Always	389	18.1%
Sysmiss		13	

Q55: Parents check homework

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	530	24.8%
2	Rarely	123	5.8%
3	Sometimes	831	38.9%
4	Most of the time	276	12.9%
5	Always	375	17.6%
Sysmiss		24	

Q56: Parents understand problems

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2111 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	774	36.7%
2	Rarely	127	6%
3	Sometimes	840	39.8%
4	Most of the time	179	8.5%
5	Always	191	9%
Sysmiss		48	

Q57: Parents know about free time

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2143 Invalid: 16

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	657	30.7%
2	Rarely	138	6.4%
3	Sometimes	866	40.4%
4	Most of the time	236	11%
5	Always	246	11.5%
Sysmiss		16	

Q58: Parents go through their things

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2114 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1110	52.5%
2		163	7.7%
3		643	30.4%
4		117	5.5%
5		81	3.8%
Sysmiss		45	

QN6: Most of the time or always went hungry

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		173	8.1%
2		1962	91.9%
Sysmiss		24	

QN7: Did not eat fruit

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		88	4.1%
2		2047	95.9%
Sysmiss		24	

QN8: Did not eat vegetables

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2124 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		67	3.2%
2		2057	96.8%
Sysmiss		35	

QN9: Did not drink carbonated soft drinks

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2131 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		594	27.9%
2		1537	72.1%
Sysmiss		28	

QN10: Did not eat food from a fast food restaurant

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2139 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		944	44.1%
2		1195	55.9%
Sysmiss		20	

QN11: Usually cleaned or brushed their teeth

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2112 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1888	89.4%
2		224	10.6%
Sysmiss		47	

QN12: Never or rarely washed their hands before eating

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2123 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		101	4.8%
2		2022	95.2%
Sysmiss		36	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2145 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		119	5.5%
2		2026	94.5%
Sysmiss		14	

QN14: Never or rarely used soap when washing their hands**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2123 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		151	7.1%
2		1972	92.9%
Sysmiss		36	

QN15: Were physically attacked**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2138 Invalid: 21

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1097	51.3%
2		1041	48.7%
Sysmiss		21	

QN16: Were in a physical fight

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2144 Invalid: 15

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		875	40.8%
2		1269	59.2%
Sysmiss		15	

QN17: Were seriously injured

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1842 Invalid: 317

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1100	59.7%
2		742	40.3%
Sysmiss		317	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 771 Invalid: 1388

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		132	17.1%
2		639	82.9%
Sysmiss		1388	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 733 Invalid: 1426

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		55	7.5%
2		678	92.5%
Sysmiss		1426	

QN20: Were bullied**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 1962 Invalid: 197

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1000	51%
2		962	49%
Sysmiss		197	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 723 Invalid: 1436

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		203	28.1%
2		520	71.9%
Sysmiss		1436	

QN22: Most of the time or always felt lonely**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2107 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		199	9.4%
2		1908	90.6%
Sysmiss		52	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2147 Invalid: 12

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		146	6.8%
2		2001	93.2%
Sysmiss		12	

QN24: Seriously considered attempting suicide

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2096 Invalid: 63

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		313	14.9%
2		1783	85.1%
Sysmiss		63	

QN25: Made a plan about how they would attempt suicide

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2079 Invalid: 80

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		428	20.6%
2		1651	79.4%
Sysmiss		80	

QN26: Attempted suicide

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2136 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		498	23.3%
2		1638	76.7%
Sysmiss		23	

QN27: Did not have any close friends**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2119 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		198	9.3%
2		1921	90.7%
Sysmiss		40	

QN28: Tried a cigarette before age 14 years**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 578 Invalid: 1581

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		206	35.6%
2		372	64.4%
Sysmiss		1581	

QN29: Currently smoked cigarettes**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2105 Invalid: 54

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		448	21.3%
2		1657	78.7%
Sysmiss		54	

QN30: Currently used any tobacco products other than cigarettes

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2116 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		320	15.1%
2		1796	84.9%
Sysmiss		43	

QN31: Tried to quit smoking cigarettes

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 402 Invalid: 1757

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		330	82.1%
2		72	17.9%
Sysmiss		1757	

QN32: Reported that people smoked in their presence

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2141 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1144	53.4%
2		997	46.6%
Sysmiss		18	

QN33: Had parents or guardians who used any form of tobacco

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2130 Invalid: 29

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		562	26.4%
2		1568	73.6%
Sysmiss		29	

QN34: Drank alcohol before age 14 years**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 566 Invalid: 1593

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		178	31.4%
2		388	68.6%
Sysmiss		1593	

QN35: Currently drank alcohol**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2083 Invalid: 76

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		354	17%
2		1729	83%
Sysmiss		76	

QN36: Usually drank two or more drinks per day**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 435 Invalid: 1724

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		155	35.6%
2		280	64.4%
Sysmiss		1724	

QN37: Usually obtained the alcohol they drank from friends

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 398 Invalid: 1761

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		192	48.2%
2		206	51.8%
Sysmiss		1761	

QN47: Used a condom

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 302 Invalid: 1857

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		160	53%
2		142	47%
Sysmiss		1857	

QN38: Ever drank so much alcohol that they were really drunk

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2102 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		325	15.5%
2		1777	84.5%
Sysmiss		57	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1885 Invalid: 274

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		209	11.1%
2		1676	88.9%
Sysmiss		274	

QN40: Used drugs before age 14 years**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 166 Invalid: 1993

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		85	51.2%
2		81	48.8%
Sysmiss		1993	

QN41: Ever used marijuana**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2056 Invalid: 103

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		107	5.2%
2		1949	94.8%
Sysmiss		103	

QN42: Currently used marijuana**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2075 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		95	4.6%
2		1980	95.4%
Sysmiss		84	

QN43: Ever used amphetamines or methamphetamines

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1900 Invalid: 259

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		81	4.3%
2		1819	95.7%
Sysmiss		259	

QN44: Ever had sexual intercourse

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1861 Invalid: 298

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		527	28.3%
2		1334	71.7%
Sysmiss		298	

QN45: Had sexual intercourse before age 14 years

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 293 Invalid: 1866

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		91	31.1%
2		202	68.9%
Sysmiss		1866	

QN46: Had sexual intercourse with two or more persons

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2044 Invalid: 115

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1		161	7.9%
2		1883	92.1%
Sysmiss		115	

QN48: Used a method of birth control other than condoms**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 325 Invalid: 1834

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		122	37.5%
2		203	62.5%
Sysmiss		1834	

QN49: Were not physically active**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2132 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		779	36.5%
2		1353	63.5%
Sysmiss		27	

QN50: Did not walk or ride a bicycle to or from school**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2115 Invalid: 44

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		937	44.3%
2		1178	55.7%
Sysmiss		44	

QN51: Did not attend physical education classes

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2159

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category
Sysmiss	

QN52: Spent three or more hours per day doing sitting activities

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2123 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		439	20.7%
2		1684	79.3%

Sysmiss		36	
---------	--	----	--

QN53: Missed classes or school without permission

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2129 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1146	53.8%
2		983	46.2%
Sysmiss		30	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2146 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		803	37.4%
2		1343	62.6%
Sysmiss		13	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		651	30.5%
2		1484	69.5%
Sysmiss		24	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2111 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		370	17.5%
2		1741	82.5%
Sysmiss		48	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2143 Invalid: 16
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		482	22.5%
2		1661	77.5%
Sysmiss		16	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2114 Invalid: 45
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1273	60.2%
2		841	39.8%
Sysmiss		45	

QNUNWTG: Were underweight

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1694 Invalid: 465
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		63	3.7%
2		1631	96.3%
Sysmiss		465	

QNOWTG: Were overweight

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1694 Invalid: 465

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		245	14.5%
2		1449	85.5%
Sysmiss		465	

QNOBESEG: Were obese

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 1694 Invalid: 465

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		37	2.2%
2		1657	97.8%
Sysmiss		465	

QNFR1G: Usually ate fruit less than one time per day

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		405	19%
2		1730	81%
Sysmiss		24	

QNFR1G: Usually ate fruit one or more times per day

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1642	76.9%
2		493	23.1%
Sysmiss		24	

QNFR2G: Usually ate fruit two or more times per day**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1298	60.8%
2		837	39.2%
Sysmiss		24	

QNFR3G: Usually ate fruit three or more times per day**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2135 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		962	45.1%
2		1173	54.9%
Sysmiss		24	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2124 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		400	18.8%
2		1724	81.2%
Sysmiss		35	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2124 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1657	78%
2		467	22%
Sysmiss		35	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2124 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1292	60.8%
2		832	39.2%
Sysmiss		35	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2124 Invalid: 35

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		871	41%
2		1253	59%
Sysmiss		35	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2131 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		705	33.1%
2		1426	66.9%
Sysmiss		28	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2131 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		832	39%
2		1299	61%
Sysmiss		28	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2131 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		368	17.3%
2		1763	82.7%
Sysmiss		28	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: VUH2016_GSHS_Data_Public_Use****Overview**

Valid: 2131 Invalid: 28

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		186	8.7%
2		1945	91.3%
Sysmiss		28	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2139 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1195	55.9%
2		944	44.1%
Sysmiss		20	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2139 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		511	23.9%
2		1628	76.1%
Sysmiss		20	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2139 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		281	13.1%
2		1858	86.9%
Sysmiss		20	

QNC2G: Were bullied and could not sleep at night

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 131 Invalid: 2028

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		94	71.8%
2		37	28.2%
Sysmiss		2028	

QNTOB2G: Currently used any tobacco product**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2106 Invalid: 53
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		517	24.5%
2		1589	75.5%
Sysmiss		53	

QNNOTB2G: Did not currently use any tobacco products**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2070 Invalid: 89
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1589	76.8%
2		481	23.2%
Sysmiss		89	

QNBCANYG: Used a method of birth control**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 245 Invalid: 1914
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		189	77.1%
2		56	22.9%
Sysmiss		1914	

QNC1G: Ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 267 Invalid: 1892

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drunk so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		138	51.7%
2		129	48.3%
Sysmiss		1892	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2132 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		455	21.3%
2		1677	78.7%
Sysmiss		27	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 2132 Invalid: 27

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		256	12%
2		1876	88%
Sysmiss		27	

QNPE3G: Attended physical education classes on three or more days

Data file: VUH2016_GSHS_Data_Public_Use

Overview

Valid: 0 Invalid: 2159

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category
Sysmiss	

QNPE5G: Attended physical education classes on five or more days**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 0 Invalid: 2159
 Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category
Sysmiss	

WEIGHT: Overall Analysis Weight**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2159 Invalid: 0 Minimum: 2.353 Maximum: 19.126 Mean: 6.055 Standard deviation: 2.613
 Type: Continuous Decimal: 0 Width: 10 Range: 2.3534 - 19.1259 Format: Numeric

STRATUM: Sampling Strata**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2159 Invalid: 0 Minimum: 201601001 Maximum: 201601030 Mean: 201601014.459 Standard deviation: 24.491
 Type: Continuous Decimal: 0 Width: 9 Range: 201601001 - 201601030 Format: Numeric

PSU: Primary Sampling Unit**Data file:** VUH2016_GSHS_Data_Public_Use**Overview**

Valid: 2159 Invalid: 0 Minimum: 1 Maximum: 72 Mean: 37.856 Standard deviation: 19.574
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 72 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2016-GSHS-Vanuatu-Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename Vanuatu_2016_GSHS_FS.pdf

technical_documents

Codebook

title Codebook
filename 2016VUH_Public_Use_Codebook.pdf
