

# Global School-Based Student Health Survey 2011

**Ministry of Health**

report\_generated\_on: October 4, 2024

visit\_data\_catalog\_at: <http://catalog.ihsn.org/>

## Identification

---

SURVEY ID NUMBER  
WSM\_2011\_GSHS\_v01\_M

TITLE  
Global School-Based Student Health Survey 2011

ABBREVIATION OR ACRONYM  
GSHS 2011

COUNTRY

Name	Country code
Samoa	WSM

STUDY TYPE  
Other Household Survey [hh/oth]

SERIES INFORMATION  
This is the first GSHS conducted by Samoa.

ABSTRACT  
The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA  
Sample survey data [ssd]

UNIT OF ANALYSIS  
Individuals

## Version

---

VERSION DESCRIPTION  
Public-use dataset

VERSION DATE  
2018-08-09

## Scope

---

NOTES  
The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

## KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
tobacco use
violence and unintentional injury
overweight
obesity
bullying

## Coverage

---

## GEOGRAPHIC COVERAGE

National coverage

## UNIVERSE

School-going adolescents aged 13-15 years.

## Producers and sponsors

---

## PRIMARY INVESTIGATORS

Name
Ministry of Health

## FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO

US Centers for Disease Control and Prevention

CDC

## Sampling

### SAMPLING PROCEDURE

The Samoa GSHS was a school-based survey of students in grades 9-10. A two-stage cluster sample design was used to produce data representative of all students in grades 9-10 in Samoa. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

### DEVIATIONS FROM THE SAMPLE DESIGN

The school response rate was 83%, the student response rate was 96%, and the overall response rate was 79%.

### WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

## Data collection

### DATES OF DATA COLLECTION

Start	End
2011-03	2011-03

### DATA COLLECTION MODE

self-administered

## questionnaires

### QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

## data\_processing

### DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

## Access policy

### CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	<a href="#">Link</a>

### ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

### CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

## Disclaimer and copyrights

### DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

## Metadata production

### DDI DOCUMENT ID

DDI\_WSM\_2011\_GSHS\_v01\_M

### PRODUCERS

Name	Abbreviation	Affiliation	Role
Yue Wu		World Health Organization	Documentation of data
Melanie Cowan		World Health Organization	Supervision and review of metadata and documentation of study
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

### DATE OF METADATA PRODUCTION

2018-08-09

### DDI DOCUMENT VERSION

Identical to a metadata (WSM\_2011\_GSHS\_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

**data\_dictionary**

<b>Data file</b>	<b>Cases</b>	<b>variables</b>
<b>WSM2011_Public_Use</b> National public-use dataset	2418	123



**Data file: WSM2011\_Public\_Use**

National public-use dataset

Cases: 2418

variables: 123

**variables**

ID	Name	Label	Question
V1	Q1	How old are you	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	Went hungry past 30 days	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	Eat fruit per day past 30 days	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	Eat vegetables past 30 days	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Drink soft drinks past 30 days	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Ate fast food past 7 days	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	How many times per day brush teeth	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Wash hands before eating past 30 days	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Wash hands after toilet past 30 day	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Used soap on hands past 30 days	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Times attacked past 12 mo.	During the past 12 months, how many times were you physically attacked?
V16	Q16	How many times in fight 12 mos	During the past 12 months, how many times were you in a physical fight?
V17	Q17	How many times injured past 12 months	During the past 12 months, how many times were you seriously injured?
V18	Q18	What was serious injury past 12 mo.	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Cause of injury past 12 mo.	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	How many days bullied past 30 days	During the past 30 days, on how many days were you bullied?
V21	Q21	How bullied past 30 days	During the past 30 days, how were you bullied most often?
V22	Q22	Times felt lonely past 12 mo.	During the past 12 months, how often have you felt lonely?

ID	Name	Label	Question
V23	Q23	Times could not sleep past 12 mo.	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V24	Q24	Ever considered suicide 12 mos	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Ever make suicide plan 12 mos	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Times attempted suicide 12 mos.	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Number close friends	How many close friends do you have?
V28	Q28	Age first tried cigarette	How old were you when you first tried a cigarette?
V29	Q29	How many days smoked 30 days	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco past 30 days	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Try stop smoking past 12 mo.	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Others present smoking past 7 days	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parents who use tobacco	Which of your parents or guardians use any form of tobacco?
V34	Q34	Age first drink alcohol	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Days one drink or more past 30 days	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Number of drinks past 30 days	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	How got drinks past 30 days	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Times drunk during life	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Number of troubles as result of drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Age first drugs	How old were you when you first used drugs?
V41	Q41	Times used marijuana lifetime	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Times used marijuana past 30 days	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Times used amphetamines lifetime	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever had sex	Have you ever had sexual intercourse?
V45	Q45	Age first sexual intercourse	How old were you when you had sexual intercourse for the first time?
V46	Q46	How many sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Used condom at last intercourse	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Used birth control last intercourse	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Days active 60 min plus past 7 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school past 7 days	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	Days went to PE each week	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Time spent sitting on usual day	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission past 30 days	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Others helpful in school past 30 days	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework past 30 days	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parent understand troubles past 30 days	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parent know what you do past 30 days	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parent go through things past 30 days	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Went hungry most of time/always past 30 days	Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days
V60	QN7	Ate fruit 2+ times per day past 30 days	Percentage of students who usually ate fruit two or more times per day during the past 30 days
V61	QN8	Ate vegetables 3+ times per day past 30 day	Percentage of students who usually ate vegetables three or more times per day during the past 30 days
V62	QN9	Drank soft drinks 1+ times per day past 30 day	Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days
V63	QN10	Ate fast food 3+ days past 7 day	Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days
V64	QN11	Cleaned/brushed teeth <1 time/day past 30 days	Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days
V65	QN12	Never/rarely wash hands before eating past 30 days	Percentage of students who never or rarely washed their hands before eating during the past 30 days
V66	QN13	Never/rarely wash hands after toilet past 30 days	Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days
V67	QN14	Never/rarely use soap on hands past 30 days	Percentage of students who never or rarely used soap when washing their hands during the past 30 days
V68	QN15	Attacked 1+ times past 12 months	Percentage of students who were physically attacked one or more times during the past 12 months
V69	QN16	In fight 1+ times past 12 months	Percentage of students who were in a physical fight one or more times during the past 12 months
V70	QN17	Seriously injured 1+ times past 12 months	Percentage of students who were seriously injured one or more times during the past 12 months
V71	QN18	Broken bone as most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint
V72	QN19	Motor vehicle caused most serious injury	Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle
V73	QN20	Bullied 1+ of past 30 days	Percentage of students who were bullied on one or more days during the past 30 days
V74	QN21	Of students bullied, most often hit, kicked, etc	Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors
V75	QN22	Lonely most times/always past 12 months	Percentage of students who most of the time or always felt lonely during the past 12 months

ID	Name	Label	Question
V76	QN23	Worry prevented sleep most time/always past 12 mos	Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months
V77	QN24	Considered suicide past 12 months	Percentage of students who ever seriously considered attempting suicide during the past 12 months
V78	QN25	Made suicide plan past 12 months	Percentage of students who made a plan about how they would attempt suicide during the past 12 months
V79	QN26	1+ times attempt suicide 12 mos.	Percentage of students who actually attempted suicide one or more times during the past 12 months
V80	QN27	No close friends	Percentage of students who had no close friends
V81	QN28	Age first cigarette before 14	Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years
V82	QN29	Smoked cigarettes 1+ of past 30 days	Percentage of students who smoked cigarettes on one or more days during the past 30 days
V83	QN30	Used other tobacco 1+ of past 30 days	Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days
V84	QN31	Tried to quit smoking past 12 months	Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months
V85	QN32	Others present smoking 1+ of past 7 days	Percentage of students who reported people smoked in their presence on one or more days during the past seven days
V86	QN33	Either/Both parents use tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Age first alcohol before 14	Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years
V88	QN35	Drank 1+ days past 30 days	Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days
V89	QN36	Of current drinkers, drank 2+ drinks/day 30 days	Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol
V90	QN37	Of current drinkers, got alcohol from friends	Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends
V91	QN38	1+ times drunk in lifetime	Percentage of students who drank so much alcohol that they were really drunk one or more times during their life
V92	QN39	Alcohol trouble 1+ times in lifetime	Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol
V93	QN40	Age first drugs before 14	Among students who ever used drugs, the percentage who first used drugs before age 14 years
V94	QN41	Marijuana 1+ times in lifetime	Percentage of students who used marijuana one or more times during their life
V95	QN42	Marijuana 1+ times p 30 days	Percentage of students who used marijuana one or more times during the past 30 days
V96	QN43	Amphetamines 1+ times lifetime	Percentage of students who used amphetamines or methamphetamines one or more times during their life
V97	QN44	Ever had sex	Percentage of students who ever had sexual intercourse
V98	QN45	Age first sexual intercourse before 14	Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years
V99	QN46	2+ sex partners lifetime	Percentage of students who had sexual intercourse with two or more people during their life
V100	QN47	Used condom at last sex	Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse
V101	QN48	Used birth control at last sex	Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

ID	Name	Label	Question
V102	QN49	Active 60+ mins/day for 5+ of past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days
V103	QN50	Walk/Bike to/from school 0 of past 7 days	Percentage of students who did not walk or ride a bicycle to or from school during the past seven days
V104	QN51	3+ days PE each week	Percentage of students who went to physical education (PE) class on three or more days each week during this school year
V105	QN52	Sitting activities 3+ hours/day of usual day	Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities
V106	QN53	Miss school no permission 1+ of past 30 days	Percentage of students who missed classes or school without permission on one or more of the past 30 days
V107	QN54	Students most/always kind 30 days	Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days
V108	QN55	Parents most/always check homework	Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days
V109	QN56	Parents most/always understand problems	Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days
V110	QN57	Parents most/always know about free time	Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days
V111	QN58	Parents never/rarely go thru things	Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days
V115	qnowtg	Overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V116	qnobeseg	Obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V117	qnunwtg	Underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V118	qnfrvgg	Ate 5+ fruits/vegetables 30 days	Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days
V119	qnanytbq	Used any tobacco past 30 days	Percentage of students who used any tobacco on one or more days during the past 30 days
V120	qnpa7g	Physically active all past 7 days	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days
V121	qnpe5g	Attended PE 5+ days each week	Percentage of students who went to physical education (PE) class on five or more days each week during this school year
V122	qnc1g	Among heavy drinkers, ever sex	Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse
V123	qnc2g	Among those worried, currently bullied	Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days
V124	weight	Weight	
V125	stratum	Stratum	
V126	psu	Primary Sampling Unit	

total: 123



**Q1: How old are you****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2405 Invalid: 13

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

**Questions and instructions**

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	50	2.1%
2	12 years old	84	3.5%
3	13 years old	513	21.3%
4	14 years old	981	40.8%
5	15 years old	622	25.9%
6	16 years old or older	155	6.4%
Sysmiss		13	

**Q10: Ate fast food past 7 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2396 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

**Questions and instructions**

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	503	21%
2	1 day	657	27.4%
3	2 days	366	15.3%
4	3 days	250	10.4%
5	4 days	100	4.2%

6	5 days	121	5.1%
7	6 days	76	3.2%
8	7 days	323	13.5%
Sysmiss		22	

## Q2: Sex

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2346 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	970	41.3%
2	Female	1376	58.7%
Sysmiss		72	

## Q3: In what grade are you

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2378 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Year 9	1400	58.9%
2	Year 10	939	39.5%
3	Year 11	13	0.5%
4	Year 12	26	1.1%
5	Ungraded or other grade	0	0%

Sysmiss

40

**Q4: How tall are you****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1608 Invalid: 810 Minimum: 1.35 Maximum: 1.99 Mean: 1.627 Standard deviation: 0.08  
 Type: Continuous Decimal: 2 Width: 5 Range: 1.35 - 1.99 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q5: How much do you weigh****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1608 Invalid: 810 Minimum: 35 Maximum: 166 Mean: 63.903 Standard deviation: 15.397  
 Type: Continuous Decimal: 2 Width: 5 Range: 35 - 166 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

**Q6: Went hungry past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2360 Invalid: 58  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

## LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

## CATEGORIES

Value	Category	Cases	
1	Never	444	18.8%
2	Rarely	184	7.8%
3	Sometimes	881	37.3%
4	Most of the time	558	23.6%
5	Always	293	12.4%
Sysmiss		58	

### Q7: Eat fruit per day past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2382 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	282	11.8%
2	Less than one time per day	460	19.3%
3	1 time per day	465	19.5%
4	2 times per day	303	12.7%
5	3 times per day	283	11.9%
6	4 times per day	95	4%
7	5 or more times per day	494	20.7%
Sysmiss		36	

### Q8: Eat vegetables past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2359 Invalid: 59

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	211	8.9%
2	Less than one time per day	482	20.4%
3	1 time per day	415	17.6%
4	2 times per day	363	15.4%
5	3 times per day	239	10.1%
6	4 times per day	121	5.1%
7	5 or more times per day	528	22.4%
Sysmiss		59	

**Q9: Drink soft drinks past 30 days**

Data file: WSM2011\_Public\_Use

**Overview**

Valid: 2343    Invalid: 75

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 7    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

## LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

## CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	454	19.4%
2	Less than one time per day	619	26.4%
3	1 time per day	520	22.2%
4	2 times per day	259	11.1%
5	3 times per day	152	6.5%
6	4 times per day	85	3.6%

7	5 or more times per day	254	10.8%
Sysmiss		75	

### Q11: How many times per day brush teeth

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2382 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

##### CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	166	7%
2	Less than 1 time per day	280	11.8%
3	1 time per day	234	9.8%
4	2 times per day	410	17.2%
5	3 times per day	693	29.1%
6	4 or more times per day	599	25.1%
Sysmiss		36	

### Q12: Wash hands before eating past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2328 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Never	187	8%
2	Rarely	154	6.6%
3	Sometimes	595	25.6%
4	Most of the time	672	28.9%
5	Always	720	30.9%
Sysmiss		90	

### Q13: Wash hands after toilet past 30 day

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2356 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

##### CATEGORIES

Value	Category	Cases	
1	Never	209	8.9%
2	Rarely	205	8.7%
3	Sometimes	475	20.2%
4	Most of the time	575	24.4%
5	Always	892	37.9%
Sysmiss		62	

### Q14: Used soap on hands past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2292 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands

##### LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

## CATEGORIES

Value	Category	Cases	
1	Never	229	10%
2	Rarely	212	9.2%
3	Sometimes	646	28.2%
4	Most of the time	564	24.6%
5	Always	641	28%
Sysmiss		126	

### Q15: Times attacked past 12 mo.

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2361 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

##### LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

## CATEGORIES

Value	Category	Cases	
1	0 times	666	28.2%
2	1 time	384	16.3%
3	2 or 3 times	462	19.6%
4	4 or 5 times	225	9.5%
5	6 or 7 times	134	5.7%
6	8 or 9 times	67	2.8%
7	10 or 11 times	76	3.2%
8	12 or more times	347	14.7%
Sysmiss		57	

### Q16: How many times in fight 12 mos

Data file: WSM2011\_Public\_Use

## Overview

Valid: 2295 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

### LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

### CATEGORIES

Value	Category	Cases	
1	0 times	726	31.6%
2	1 time	447	19.5%
3	2 or 3 times	412	18%
4	4 or 5 times	201	8.8%
5	6 or 7 times	123	5.4%
6	8 or 9 times	73	3.2%
7	10 or 11 times	56	2.4%
8	12 or more times	257	11.2%
Sysmiss		123	

## Q17: How many times injured past 12 months

Data file: WSM2011\_Public\_Use

## Overview

Valid: 1981 Invalid: 437

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

### CATEGORIES

Value	Category	Cases	
1	0 times	326	16.5%
2	1 time	532	26.9%
3	2 or 3 times	437	22.1%

4	4 or 5 times	199	10%
5	6 or 7 times	136	6.9%
6	8 or 9 times	81	4.1%
7	10 or 11 times	76	3.8%
8	12 or more times	194	9.8%
Sysmiss		437	

### Q18: What was serious injury past 12 mo.

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2024 Invalid: 394

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

##### LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

##### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	713	35.2%
2	Broken bone/dislocated joint	265	13.1%
3	I had a cut or stab wound	223	11%
4	Concussion/head injury	285	14.1%
5	I had a gunshot wound	83	4.1%
6	I had a bad burn	90	4.4%
7	I was poisoned	49	2.4%
8	Something else happened to me	316	15.6%
Sysmiss		394	

### Q19: Cause of injury past 12 mo.

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2005 Invalid: 413

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

### LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

### CATEGORIES

Value	Category	Cases	
1	Not seriously injured	730	36.4%
2	Motor vehicle accident	242	12.1%
3	I fell	250	12.5%
4	Something fell on me or hit me	282	14.1%
5	I was attacked	177	8.8%
6	Was in a fire	108	5.4%
7	breathed something bad	51	2.5%
8	Something else	165	8.2%
Sysmiss		413	

## Q20: How many days bullied past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2030 Invalid: 388

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

### LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

### CATEGORIES

Value	Category	Cases	
1	0 days	519	25.6%
2	1 or 2 days	557	27.4%
3	3 to 5 days	328	16.2%
4	6 to 9 days	186	9.2%
5	10 to 19 days	111	5.5%

6	20 to 29 days	69	3.4%
7	All 30 days	260	12.8%
Sysmiss		388	

## Q21: How bullied past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2042 Invalid: 376

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

#### LITERAL QUESTION

During the past 30 days, how were you bullied most often?

#### CATEGORIES

Value	Category	Cases	
1	Not bullied	779	38.1%
2	Kicked, pushed, or shoved	266	13%
3	Made fun of race	304	14.9%
4	Made fun because of religion	209	10.2%
5	Made fun of about sex	143	7%
6	Left out of activities	71	3.5%
7	Made fun of about body	105	5.1%
8	Some other way	165	8.1%
Sysmiss		376	

## Q22: Times felt lonely past 12 mo.

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2298 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

#### CATEGORIES

Value	Category	Cases	
1	Never	779	33.9%
2	Rarely	352	15.3%
3	Sometimes	620	27%
4	Most of the time	315	13.7%
5	Always	232	10.1%
Sysmiss		120	

### Q23: Times could not sleep past 12 mo.

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2319 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

#### CATEGORIES

Value	Category	Cases	
1	Never	658	28.4%
2	Rarely	330	14.2%
3	Sometimes	675	29.1%
4	Most of the time	395	17%
5	Always	261	11.3%
Sysmiss		99	

### Q24: Ever considered suicide 12 mos

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 1932 Invalid: 486

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	641	33.2%
2	No	1291	66.8%
Sysmiss		486	

---

## Q25: Ever make suicide plan 12 mos

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2042 Invalid: 376

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

### LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

### CATEGORIES

Value	Category	Cases	
1	Yes	812	39.8%
2	No	1230	60.2%
Sysmiss		376	

---

## Q26: Times attempted suicide 12 mos.

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2259 Invalid: 159

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

---

### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

#### CATEGORIES

Value	Category	Cases	
1	0 times	859	38%
2	1 time	491	21.7%
3	2 or 3 times	408	18.1%
4	4 or 5 times	228	10.1%
5	6 or more times	273	12.1%
Sysmiss		159	

### Q27: Number close friends

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2150 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

#### LITERAL QUESTION

How many close friends do you have?

#### CATEGORIES

Value	Category	Cases	
1	0	341	15.9%
2	1	604	28.1%
3	2	469	21.8%
4	3 or more	736	34.2%
Sysmiss		268	

### Q28: Age first tried cigarette

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 1652 Invalid: 766

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

How old were you when you first tried a cigarette?

### CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	823	49.8%
2	7 years old or younger	259	15.7%
3	8 or 9 years old	197	11.9%
4	10 or 11 years old	134	8.1%
5	12 or 13 years old	121	7.3%
6	14 or 15 years old	101	6.1%
7	16 years old or older	17	1%
Sysmiss		766	

## Q29: How many days smoked 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2136 Invalid: 282

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

### LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

### CATEGORIES

Value	Category	Cases	
1	0 days	1387	64.9%
2	1 or 2 days	184	8.6%
3	3 to 5 days	153	7.2%
4	6 to 9 days	119	5.6%
5	10 to 19 days	86	4%
6	20 to 29 days	101	4.7%
7	All 30 days	106	5%
Sysmiss		282	

**Q30: Other tobacco past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2346 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

## CATEGORIES

Value	Category	Cases	
1	0 days	1412	60.2%
2	1 or 2 days	233	9.9%
3	3 to 5 days	201	8.6%
4	6 to 9 days	161	6.9%
5	10 to 19 days	129	5.5%
6	20 to 29 days	82	3.5%
7	All 30 days	128	5.5%
Sysmiss		72	

**Q31: Try stop smoking past 12 mo.****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1844 Invalid: 574

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

## LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

## CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	I have never smoked cigarettes	1171	63.5%
2	Did not smoke cigarettes	214	11.6%
3	Yes	239	13%
4	No	220	11.9%
Sysmiss		574	

### Q32: Others present smoking past 7 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2294 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

##### CATEGORIES

Value	Category	Cases	
1	0 days	726	31.6%
2	1 or 2 days	469	20.4%
3	3 or 4 days	302	13.2%
4	5 or 6 days	193	8.4%
5	All 7 days	604	26.3%
Sysmiss		124	

### Q33: Parents who use tobacco

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2243 Invalid: 175

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

##### LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

## CATEGORIES

Value	Category	Cases	
1	Neither	566	25.2%
2	My father or male guardian	465	20.7%
3	My mother or female guardian	277	12.3%
4	Both	273	12.2%
5	I do not know	662	29.5%
Sysmiss		175	

**Q34: Age first drink alcohol**

Data file: WSM2011\_Public\_Use

**Overview**

Valid: 1627 Invalid: 791

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

## CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	772	47.4%
2	7 years old or younger	260	16%
3	8 or 9 years old	190	11.7%
4	10 or 11 years old	168	10.3%
5	12 or 13 years old	119	7.3%
6	14 or 15 years old	101	6.2%
7	16 years old or older	17	1%
Sysmiss		791	

**Q35: Days one drink or more past 30 days**

Data file: WSM2011\_Public\_Use

**Overview**

Valid: 2107 Invalid: 311

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

### CATEGORIES

Value	Category	Cases	
1	0 days	1361	64.6%
2	1 or 2 days	218	10.3%
3	3 to 5 days	157	7.5%
4	6 to 9 days	121	5.7%
5	10 to 19 days	84	4%
6	20 to 29 days	65	3.1%
7	All 30 days	101	4.8%
Sysmiss		311	

## Q36: Number of drinks past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2163 Invalid: 255

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

### LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1242	57.4%
2	Less than one drink	323	14.9%
3	1 drink	215	9.9%
4	2 drinks	132	6.1%
5	3 drinks	107	4.9%
6	4 drinks	68	3.1%

7	5 or more drinks	76	3.5%
Sysmiss		255	

### Q37: How got drinks past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2015 Invalid: 403

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

##### LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

##### CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1230	61%
2	I bought in a store	184	9.1%
3	I gave someone money to buy	184	9.1%
4	I got it from my friends	148	7.3%
5	I got it from my family	129	6.4%
6	I stole it	83	4.1%
7	I got it some other way	57	2.8%
Sysmiss		403	

### Q38: Times drunk during life

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 1935 Invalid: 483

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

## CATEGORIES

Value	Category	Cases	
1	0 times	1233	63.7%
2	1 or 2 times	272	14.1%
3	3 to 9 times	241	12.5%
4	10 or more times	189	9.8%
Sysmiss		483	

### Q39: Number of troubles as result of drinking

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 1790 Invalid: 628

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

#### Questions and instructions

## QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

## LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

## CATEGORIES

Value	Category	Cases	
1	0 times	1181	66%
2	1 or 2 times	207	11.6%
3	3 to 9 times	211	11.8%
4	10 or more times	191	10.7%
Sysmiss		628	

### Q40: Age first drugs

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 1894 Invalid: 524

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

How old were you when you first used drugs?

### CATEGORIES

Value	Category	Cases	
1	I have never used drugs	905	47.8%
2	7 years old or younger	260	13.7%
3	8 or 9 years old	212	11.2%
4	10 or 11 years old	158	8.3%
5	12 or 13 years old	136	7.2%
6	14 or 15 years old	106	5.6%
7	16 years old or older	117	6.2%
Sysmiss		524	

## Q41: Times used marijuana lifetime

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2006 Invalid: 412

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

### LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

### CATEGORIES

Value	Category	Cases	
1	0 times	1314	65.5%
2	1 or 2 times	218	10.9%
3	3 to 9 times	207	10.3%
4	10 to 19 times	130	6.5%
5	20 or more times	137	6.8%
Sysmiss		412	

**Q42: Times used marijuana past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1988 Invalid: 430

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

## CATEGORIES

Value	Category	Cases	
1	0 times	1251	62.9%
2	1 or 2 times	234	11.8%
3	3 to 9 times	209	10.5%
4	10 to 19 times	154	7.7%
5	20 or more times	140	7%
Sysmiss		430	

**Q43: Times used amphetamines lifetime****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1885 Invalid: 533

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

## CATEGORIES

Value	Category	Cases	
1	0 times	1237	65.6%

2	1 or 2 times	187	9.9%
3	3 to 9 times	179	9.5%
4	10 to 19 times	149	7.9%
5	20 or more times	133	7.1%
Sysmiss		533	

## Q44: Ever had sex

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1160 Invalid: 1258

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

Have you ever had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Yes	645	55.6%
2	No	515	44.4%
Sysmiss		1258	

## Q45: Age first sexual intercourse

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1808 Invalid: 610

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1180	65.3%

2	11 years old or younger	216	11.9%
3	12 years old	162	9%
4	13 years old	124	6.9%
5	14 years old	87	4.8%
6	15 years old	31	1.7%
7	16 years old or older	8	0.4%
Sysmiss		610	

## Q46: How many sex partners

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1827 Invalid: 591

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

#### LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

#### CATEGORIES

Value	Category	Cases	
1	Never had sex	1119	61.2%
2	1 person	192	10.5%
3	2 people	146	8%
4	3 people	108	5.9%
5	4 people	105	5.7%
6	5 people	62	3.4%
7	6 or more people	95	5.2%
Sysmiss		591	

## Q47: Used condom at last intercourse

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1449 Invalid: 969

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	952	65.7%
2	Yes	265	18.3%
3	No	232	16%
Sysmiss		969	

## Q48: Used birth control last intercourse

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1518 Invalid: 900

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

### LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

### CATEGORIES

Value	Category	Cases	
1	Never had sex	935	61.6%
2	Yes	183	12.1%
3	No	181	11.9%
4	I do not know	219	14.4%
Sysmiss		900	

## Q49: Days active 60 min plus past 7 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2175 Invalid: 243

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

## CATEGORIES

Value	Category	Cases	
1	0 days	605	27.8%
2	1 day	422	19.4%
3	2 days	294	13.5%
4	3 days	240	11%
5	4 days	161	7.4%
6	5 days	124	5.7%
7	6 days	76	3.5%
8	7 days	253	11.6%
Sysmiss		243	

**Q50: Walk or bike to school past 7 days**

Data file: WSM2011\_Public\_Use

**Overview**

Valid: 2184    Invalid: 234

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 8    Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

## LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

## CATEGORIES

Value	Category	Cases	
1	0 days	814	37.3%
2	1 day	302	13.8%
3	2 days	277	12.7%

4	3 days	168	7.7%
5	4 days	95	4.3%
6	5 days	195	8.9%
7	6 days	73	3.3%
8	7 days	260	11.9%
Sysmiss		234	

## Q51: Days went to PE each week

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2153 Invalid: 265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

#### LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

#### CATEGORIES

Value	Category	Cases	
1	0 days	788	36.6%
2	1 day	506	23.5%
3	2 days	246	11.4%
4	3 days	190	8.8%
5	4 days	116	5.4%
6	5 or more days	307	14.3%
Sysmiss		265	

## Q52: Time spent sitting on usual day

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2140 Invalid: 278

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

### LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

### CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	785	36.7%
2	1 to 2 hours per day	522	24.4%
3	3 to 4 hours per day	342	16%
4	5 to 6 hours per day	211	9.9%
5	7 to 8 hours per day	125	5.8%
6	More than 8 hours per day	155	7.2%
Sysmiss		278	

## Q53: Miss school no permission past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2050 Invalid: 368

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

## Questions and instructions

### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

### LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

### CATEGORIES

Value	Category	Cases	
1	0 days	922	45%
2	1 or 2 days	459	22.4%
3	3 to 5 days	288	14%
4	6 to 9 days	186	9.1%
5	10 or more days	195	9.5%
Sysmiss		368	

**Q54: Others helpful in school past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2081 Invalid: 337

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

## CATEGORIES

Value	Category	Cases	
1	Never	443	21.3%
2	Rarely	312	15%
3	Sometimes	613	29.5%
4	Most of the time	373	17.9%
5	Always	340	16.3%
Sysmiss		337	

**Q55: Parents check homework past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2078 Invalid: 340

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

**Questions and instructions**

## QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

## LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

## CATEGORIES

Value	Category	Cases	
1	Never	333	16%
2	Rarely	319	15.4%
3	Sometimes	542	26.1%
4	Most of the time	435	20.9%
5	Always	449	21.6%

Sysmiss		340	
---------	--	-----	--

## Q56: Parent understand troubles past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2021 Invalid: 397

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

#### CATEGORIES

Value	Category	Cases	
1	Never	545	27%
2	Rarely	313	15.5%
3	Sometimes	490	24.2%
4	Most of the time	317	15.7%
5	Always	356	17.6%
Sysmiss		397	

## Q57: Parent know what you do past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2064 Invalid: 354

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

### Questions and instructions

#### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

#### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

#### CATEGORIES

Value	Category	Cases	
1	Never	592	28.7%
2	Rarely	328	15.9%

3	Sometimes	497	24.1%
4	Most of the time	306	14.8%
5	Always	341	16.5%
Sysmiss		354	

### Q58: Parent go through things past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2024 Invalid: 394

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

#### Questions and instructions

##### QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

##### LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

##### CATEGORIES

Value	Category	Cases	
1		588	29.1%
2		393	19.4%
3		511	25.2%
4		300	14.8%
5		232	11.5%
Sysmiss		394	

### QN6: Went hungry most of time/always past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2360 Invalid: 58

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who went hungry most of the time or always because there was not enough food in their home during the past 30 days

##### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	851	36.1%
2	No	1509	63.9%
Sysmiss		58	

### QN7: Ate fruit 2+ times per day past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2382 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	1175	49.3%
2	No	1207	50.7%
Sysmiss		36	

### QN8: Ate vegetables 3+ times per day past 30 day

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2359 Invalid: 59

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	888	37.6%
2	No	1471	62.4%
Sysmiss		59	

**QN9: Drank soft drinks 1+ times per day past 30 day****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2343 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1270	54.2%
2	No	1073	45.8%
Sysmiss		75	

**QN10: Ate fast food 3+ days past 7 day****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2396 Invalid: 22

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant on three or more days during the past 7 days

## CATEGORIES

Value	Category	Cases	
1	Yes	870	36.3%
2	No	1526	63.7%
Sysmiss		22	

**QN11: Cleaned/brushed teeth <1 time/day past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2382 Invalid: 36

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth less than one time per day during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	446	18.7%
2	No	1936	81.3%
Sysmiss		36	

---

### QN12: Never/rarely wash hands before eating past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2328 Invalid: 90

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	341	14.6%
2	No	1987	85.4%
Sysmiss		90	

---

### QN13: Never/rarely wash hands after toilet past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2356 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	414	17.6%
2	No	1942	82.4%
Sysmiss		62	

### QN14: Never/rarely use soap on hands past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2292 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	441	19.2%
2	No	1851	80.8%
Sysmiss		126	

### QN15: Attacked 1+ times past 12 months

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2361 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically attacked one or more times during the past 12 months

##### CATEGORIES

Value	Category	Cases	
1	Yes	1695	71.8%
2	No	666	28.2%
Sysmiss		57	

**QN16: In fight 1+ times past 12 months****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2295 Invalid: 123

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were in a physical fight one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	1569	68.4%
2	No	726	31.6%
Sysmiss		123	

**QN17: Seriously injured 1+ times past 12 months****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1981 Invalid: 437

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were seriously injured one or more times during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	1655	83.5%
2	No	326	16.5%
Sysmiss		437	

**QN18: Broken bone as most serious injury****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1311 Invalid: 1107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was a broken bone or dislocated joint

### CATEGORIES

Value	Category	Cases	
1	Yes	265	20.2%
2	No	1046	79.8%
Sysmiss		1107	

---

## QN19: Motor vehicle caused most serious injury

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1275 Invalid: 1143

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who were seriously injured during the past 12 months, the percentage whose most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

### CATEGORIES

Value	Category	Cases	
1	Yes	242	19%
2	No	1033	81%
Sysmiss		1143	

---

## QN20: Bullied 1+ of past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2030 Invalid: 388

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1511	74.4%
2	No	519	25.6%
Sysmiss		388	

## QN21: Of students bullied, most often hit, kicked, etc

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1263 Invalid: 1155

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

#### CATEGORIES

Value	Category	Cases	
1	Yes	266	21.1%
2	No	997	78.9%
Sysmiss		1155	

## QN22: Lonely most times/always past 12 months

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2298 Invalid: 120

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who most of the time or always felt lonely during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	547	23.8%
2	No	1751	76.2%
Sysmiss		120	

**QN23: Worry prevented sleep most time/always past 12 mos****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2319 Invalid: 99  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	656	28.3%
2	No	1663	71.7%
Sysmiss		99	

**QN24: Considered suicide past 12 months****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1932 Invalid: 486  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever seriously considered attempting suicide during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	641	33.2%
2	No	1291	66.8%
Sysmiss		486	

**QN25: Made suicide plan past 12 months****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2042 Invalid: 376  
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	812	39.8%
2	No	1230	60.2%
Sysmiss		376	

### QN26: 1+ times attempt suicide 12 mos.

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2259 Invalid: 159

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who actually attempted suicide one or more times during the past 12 months

#### CATEGORIES

Value	Category	Cases	
1	Yes	1400	62%
2	No	859	38%
Sysmiss		159	

### QN27: No close friends

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2150 Invalid: 268

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

### LITERAL QUESTION

Percentage of students who had no close friends

#### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	341	15.9%
2	No	1809	84.1%
Sysmiss		268	

## QN28: Age first cigarette before 14

Data file: WSM2011\_Public\_Use

### Overview

Valid: 829 Invalid: 1589

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Among students who ever smoked cigarettes, the percentage who first tried a cigarette before age 14 years

#### CATEGORIES

Value	Category	Cases	
1	Yes	711	85.8%
2	No	118	14.2%
Sysmiss		1589	

## QN29: Smoked cigarettes 1+ of past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2136 Invalid: 282

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who smoked cigarettes on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	749	35.1%
2	No	1387	64.9%
Sysmiss		282	

**QN30: Used other tobacco 1+ of past 30 days****Data file:** WSM2011\_Public\_Use**Overview**

Valid: 2346 Invalid: 72

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used any tobacco products other than cigarettes on one or more days during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	934	39.8%
2	No	1412	60.2%
Sysmiss		72	

**QN31: Tried to quit smoking past 12 months****Data file:** WSM2011\_Public\_Use**Overview**

Valid: 459 Invalid: 1959

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who smoked cigarettes during the past 12 months, the percentage who tried to stop smoking cigarettes during the past 12 months

## CATEGORIES

Value	Category	Cases	
1	Yes	239	52.1%
2	No	220	47.9%
Sysmiss		1959	

**QN32: Others present smoking 1+ of past 7 days****Data file:** WSM2011\_Public\_Use**Overview**

Valid: 2294 Invalid: 124

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who reported people smoked in their presence on one or more days during the past seven days

### CATEGORIES

Value	Category	Cases	
1	Yes	1568	68.4%
2	No	726	31.6%
Sysmiss		124	

---

## QN33: Either/Both parents use tobacco

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2243 Invalid: 175

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

### CATEGORIES

Value	Category	Cases	
1	Yes	1015	45.3%
2	No	1228	54.7%
Sysmiss		175	

---

## QN34: Age first alcohol before 14

Data file: WSM2011\_Public\_Use

### Overview

Valid: 855 Invalid: 1563

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who ever had a drink of alcohol (other than a few sips), the percentage who had their first drink of alcohol before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	737	86.2%
2	No	118	13.8%
Sysmiss		1563	

### QN35: Drank 1+ days past 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2107 Invalid: 311

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who drank at least one drink containing alcohol on one or more of the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	746	35.4%
2	No	1361	64.6%
Sysmiss		311	

### QN36: Of current drinkers, drank 2+ drinks/day 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 921 Invalid: 1497

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually drank two or more drinks per day on the days they drank alcohol

##### CATEGORIES

Value	Category	Cases	
1	Yes	383	41.6%
2	No	538	58.4%
Sysmiss		1497	

**QN37: Of current drinkers, got alcohol from friends****Data file: WSM2011\_Public\_Use****Overview**

Valid: 785 Invalid: 1633

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank alcohol during the past 30 days, the percentage who usually got the alcohol they drank from their friends

## CATEGORIES

Value	Category	Cases	
1	Yes	148	18.9%
2	No	637	81.1%
Sysmiss		1633	

**QN47: Used condom at last sex****Data file: WSM2011\_Public\_Use****Overview**

Valid: 497 Invalid: 1921

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used a condom the last time they had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	265	53.3%
2	No	232	46.7%
Sysmiss		1921	

**QN38: 1+ times drunk in lifetime****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1935 Invalid: 483

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	702	36.3%
2	No	1233	63.7%
Sysmiss		483	

---

## QN39: Alcohol trouble 1+ times in lifetime

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1790 Invalid: 628

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who got into trouble with their family or friends, missed school, or got into fights one or more times during their life as a result of drinking alcohol

### CATEGORIES

Value	Category	Cases	
1	Yes	609	34%
2	No	1181	66%
Sysmiss		628	

---

## QN40: Age first drugs before 14

Data file: WSM2011\_Public\_Use

### Overview

Valid: 989 Invalid: 1429

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who ever used drugs, the percentage who first used drugs before age 14 years

### CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1	Yes	766	77.5%
2	No	223	22.5%
Sysmiss		1429	

### QN41: Marijuana 1+ times in lifetime

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2006 Invalid: 412

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during their life

##### CATEGORIES

Value	Category	Cases	
1	Yes	692	34.5%
2	No	1314	65.5%
Sysmiss		412	

### QN42: Marijuana 1+ times p 30 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 1988 Invalid: 430

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who used marijuana one or more times during the past 30 days

##### CATEGORIES

Value	Category	Cases	
1	Yes	737	37.1%
2	No	1251	62.9%
Sysmiss		430	

**QN43: Amphetamines 1+ times lifetime****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1885 Invalid: 533

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who used amphetamines or methamphetamines one or more times during their life

## CATEGORIES

Value	Category	Cases	
1	Yes	648	34.4%
2	No	1237	65.6%
Sysmiss		533	

**QN44: Ever had sex****Data file: WSM2011\_Public\_Use****Overview**

Valid: 1160 Invalid: 1258

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	645	55.6%
2	No	515	44.4%
Sysmiss		1258	

**QN45: Age first sexual intercourse before 14****Data file: WSM2011\_Public\_Use****Overview**

Valid: 628 Invalid: 1790

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who had sexual intercourse for the first time before age 14 years

### CATEGORIES

Value	Category	Cases	
1	Yes	502	79.9%
2	No	126	20.1%
Sysmiss		1790	

---

## QN46: 2+ sex partners lifetime

Data file: WSM2011\_Public\_Use

### Overview

Valid: 1827 Invalid: 591

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more people during their life

### CATEGORIES

Value	Category	Cases	
1	Yes	516	28.2%
2	No	1311	71.8%
Sysmiss		591	

---

## QN48: Used birth control at last sex

Data file: WSM2011\_Public\_Use

### Overview

Valid: 583 Invalid: 1835

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who ever had sexual intercourse, the percentage who used any other method of birth control the last time they had sexual intercourse

### CATEGORIES

Value	Category	Cases	
1	Yes	183	31.4%
2	No	400	68.6%
Sysmiss		1835	

### QN49: Active 60+ mins/day for 5+ of past 7 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2175 Invalid: 243

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more days during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	453	20.8%
2	No	1722	79.2%
Sysmiss		243	

### QN50: Walk/Bike to/from school 0 of past 7 days

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2184 Invalid: 234

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

#### Questions and instructions

##### LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school during the past seven days

##### CATEGORIES

Value	Category	Cases	
1	Yes	814	37.3%
2	No	1370	62.7%
Sysmiss		234	

**QN51: 3+ days PE each week****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2153 Invalid: 265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on three or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	613	28.5%
2	No	1540	71.5%
Sysmiss		265	

**QN52: Sitting activities 3+ hours/day of usual day****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2140 Invalid: 278

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who spent three or more hours per day during a typical or usual day doing sitting activities

## CATEGORIES

Value	Category	Cases	
1	Yes	833	38.9%
2	No	1307	61.1%
Sysmiss		278	

**QN53: Miss school no permission 1+ of past 30 days****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2050 Invalid: 368

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who missed classes or school without permission on one or more of the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	1128	55%
2	No	922	45%
Sysmiss		368	

---

## QN54: Students most/always kind 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2081 Invalid: 337

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students who reported most of the students in their school were kind and helpful most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	713	34.3%
2	No	1368	65.7%
Sysmiss		337	

---

## QN55: Parents most/always check homework

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2078 Invalid: 340

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	884	42.5%
2	No	1194	57.5%
Sysmiss		340	

## QN56: Parents most/always understand problems

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2021 Invalid: 397

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	673	33.3%
2	No	1348	66.7%
Sysmiss		397	

## QN57: Parents most/always know about free time

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2064 Invalid: 354

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students whose parents or guardians really knew what they were doing with their free time most of the time or always during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	647	31.3%
2	No	1417	68.7%
Sysmiss		354	

**QN58: Parents never/rarely go thru things****Data file:** WSM2011\_Public\_Use**Overview**

Valid: 2024 Invalid: 394

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students whose parents or guardians went through their things without their approval never or rarely during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	981	48.5%
2	No	1043	51.5%
Sysmiss		394	

**QNOWTG: Overweight****Data file:** WSM2011\_Public\_Use**Overview**

Valid: 1608 Invalid: 810

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	857	53.3%
2	No	751	46.7%
Sysmiss		810	

**QNOBESEG: Obese****Data file:** WSM2011\_Public\_Use**Overview**

Valid: 1608 Invalid: 810

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were obese (&gt;+2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	321	20%
2	No	1287	80%
Sysmiss		810	

**QNUNWTG: Underweight**

Data file: WSM2011\_Public\_Use

**Overview**

Valid: 1608    Invalid: 810

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who were underweight (&lt;-2SD from median for BMI by age and sex)

## CATEGORIES

Value	Category	Cases	
1	Yes	11	0.7%
2	No	1597	99.3%
Sysmiss		810	

**QNFRVGG: Ate 5+ fruits/vegetables 30 days**

Data file: WSM2011\_Public\_Use

**Overview**

Valid: 2337    Invalid: 81

Type: Discrete    Decimal: 0    Width: 1    Range: 1 - 2    Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who usually ate fruits and vegetables five or more times per day during the past 30 days

## CATEGORIES

Value	Category	Cases	
1	Yes	1112	47.6%
2	No	1225	52.4%
Sysmiss		81	

## QNANYTBG: Used any tobacco past 30 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2106 Invalid: 312

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who used any tobacco on one or more days during the past 30 days

#### CATEGORIES

Value	Category	Cases	
1	Yes	888	42.2%
2	No	1218	57.8%
Sysmiss		312	

## QNPA7G: Physically active all past 7 days

Data file: WSM2011\_Public\_Use

### Overview

Valid: 2175 Invalid: 243

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

### Questions and instructions

#### LITERAL QUESTION

Percentage of students who were physically active for a total of at least 60 minutes per day on all seven days during the past seven days

#### CATEGORIES

Value	Category	Cases	
1	Yes	253	11.6%
2	No	1922	88.4%
Sysmiss		243	

**QNPE5G: Attended PE 5+ days each week****Data file: WSM2011\_Public\_Use****Overview**

Valid: 2153 Invalid: 265

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Percentage of students who went to physical education (PE) class on five or more days each week during this school year

## CATEGORIES

Value	Category	Cases	
1	Yes	307	14.3%
2	No	1846	85.7%
Sysmiss		265	

**QNC1G: Among heavy drinkers, ever sex****Data file: WSM2011\_Public\_Use****Overview**

Valid: 270 Invalid: 2148

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

**Questions and instructions**

## LITERAL QUESTION

Among students who drank so much alcohol they were really drunk one or more times during their life, the percentage who had ever had sexual intercourse

## CATEGORIES

Value	Category	Cases	
1	Yes	247	91.5%
2	No	23	8.5%
Sysmiss		2148	

**QNC2G: Among those worried, currently bullied****Data file: WSM2011\_Public\_Use****Overview**

Valid: 554 Invalid: 1864

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

## Questions and instructions

---

### LITERAL QUESTION

Among students who most of the time or always had been so worried about something that they could not sleep at night during the past 12 months, the percentage who were bullied on one or more days during the past 30 days

### CATEGORIES

Value	Category	Cases	
1	Yes	488	88.1%
2	No	66	11.9%
Sysmiss		1864	

---

### WEIGHT: Weight

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2418 Invalid: 0 Minimum: 2.177 Maximum: 7.332 Mean: 3.503 Standard deviation: 0.912  
 Type: Continuous Decimal: 0 Width: 10 Range: 2.1766 - 7.3323 Format: Numeric

---

### STRATUM: Stratum

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2418 Invalid: 0 Minimum: 201101001 Maximum: 201101013 Mean: 201101007.193 Standard deviation: 17.658  
 Type: Continuous Decimal: 0 Width: 9 Range: 201101001 - 201101013 Format: Numeric

---

### PSU: Primary Sampling Unit

Data file: WSM2011\_Public\_Use

#### Overview

Valid: 2418 Invalid: 0 Minimum: 1 Maximum: 29 Mean: 16.289 Standard deviation: 8.36  
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 29 Format: Numeric

---

# study\_resources

## questionnaires

### Questionnaire

---

title Questionnaire  
country Samoa  
filename 2011\_Samoa\_GSHS\_Questionnaire.pdf

---

## reports

### Fact Sheet

---

title Fact Sheet  
country Samoa  
filename Samoa\_2011\_GSHS\_FS.pdf

---

## technical\_documents

### Codebook

---

title Codebook  
country Samoa  
filename wsm2011\_public\_use\_codebook.pdf

---