

Global School-Based Student Health Survey 2017

Ministry of Health

report_generated_on: October 4, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

WSM_2017_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2017

ABBREVIATION OR ACRONYM

GSHS 2017

COUNTRY

Name	Country code
Samoa	WSM

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Samoa.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
alcohol use
diet
nutrition
drug use
hygiene
mental health
physical activity
sexual behaviours
HIV
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Health

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 94%, the student response rate was 63%, and the overall response rate was 59%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2017	2017

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- alcohol use
- dietary behaviours
- drug use
- hygiene
- mental health
- physical activity
- protective factors
- sexual behaviours
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
------	-------------	-------	-----

NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link
-----------------------	---------------------------	-----------------------	----------------------

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_WSM_2017_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DDI DOCUMENT VERSION

Identical to a metadata (WSM_2017_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
WSH2017_GSHS_Data_Public_Use	1955	141

Data file: WSH2017_GSHS_Data_Public_Use

Cases: 1955

variables: 141

variables

ID	Name	Label	Question
V145	Q1	Custom Age	How old are you?
V146	Q2	Sex	What is your sex?
V147	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V148	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V149	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V150	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V151	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V152	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V153	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V154	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V155	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V156	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V157	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V158	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V159	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V160	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V161	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V162	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V163	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V164	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V165	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V166	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V167	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V168	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V169	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V170	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V171	Q27	Close friends	How many close friends do you have?
V172	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V173	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V174	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V175	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V176	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V177	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V178	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V179	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V180	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V181	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V182	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V183	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V184	Q40	Initiation of drug use	How old were you when you first used drugs?
V185	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V186	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V187	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V188	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V189	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V190	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V191	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V192	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V193	Q49	Physical activity \geq 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V194	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V195	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V196	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V197	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V198	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V199	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V200	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V201	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V202	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V203	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V204	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V205	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V206	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V207	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V208	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V209	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V210	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V211	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V212	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V213	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V214	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V215	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V216	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V217	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V218	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V219	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V220	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V221	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V222	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V223	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V224	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V225	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V226	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V227	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V228	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V229	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V230	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V231	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V232	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V233	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V234	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V235	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V236	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V237	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V238	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V239	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V240	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V241	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V242	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V243	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V244	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V245	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V246	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V247	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V248	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V249	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V250	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V251	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V252	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V253	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V254	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V255	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V259	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V260	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V261	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V262	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V263	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V264	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)
V265	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V266	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

ID	Name	Label	Question
V267	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V268	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V269	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V270	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V271	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V272	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V273	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V274	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V275	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V276	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V277	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V278	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V279	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V280	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V281	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V282	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V283	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V284	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V285	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V286	weight	Overall Analysis Weight	
V287	stratum	Sampling Strata	
V288	psu	Primary Sampling Unit	

total: 141

Q1: Custom Age**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1924 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	47	2.4%
2	12 years old	98	5.1%
3	13 years old	237	12.3%
4	14 years old	368	19.1%
5	15 years old	355	18.5%
6	16 years old	356	18.5%
7	17 years old	288	15%
8	18 years old or older	175	9.1%
Sysmiss		31	

Q2: Sex**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1904 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	707	37.1%
2	Female	1197	62.9%
Sysmiss		51	

Q3: In what grade are you**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1924 Invalid: 31

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Year 8	271	14.1%
2	Year 9	447	23.2%
3	Year 10	378	19.6%
4	Year 11	278	14.4%
5	Year 12	276	14.3%
6	Year 13	274	14.2%
Sysmiss		31	

Q4: How tall are you**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1764 Invalid: 191 Minimum: 1.26 Maximum: 1.92 Mean: 1.653 Standard deviation: 0.0857

Type: Continuous Decimal: 0 Width: 4 Range: 1.26 - 1.92 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1764 Invalid: 191 Minimum: 33 Maximum: 179 Mean: 71.326 Standard deviation: 18.082

Type: Continuous Decimal: 0 Width: 6 Range: 33 - 179 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1925 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	527	27.4%
2	Rarely	694	36.1%
3	Sometimes	476	24.7%
4	Most of the time	101	5.2%
5	Always	127	6.6%
Sysmiss		30	

Q7: No fruit eating

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	132	6.8%
2	Less than one time per day	364	18.7%
3	1 time per day	460	23.7%
4	2 times per day	361	18.6%
5	3 times per day	215	11.1%
6	4 times per day	68	3.5%
7	5 or more times per day	345	17.7%
Sysmiss		10	

Q8: No vegetable eating

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	92	4.7%
2	Less than one time per day	331	17.1%
3	1 time per day	508	26.2%
4	2 times per day	358	18.5%
5	3 times per day	195	10.1%
6	4 times per day	76	3.9%
7	5 or more times per day	377	19.5%
Sysmiss		18	

Q9: Soft drinks

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	199	10.3%
2	Less than one time per day	491	25.4%
3	1 time per day	503	26%
4	2 times per day	275	14.2%
5	3 times per day	184	9.5%
6	4 times per day	70	3.6%
7	5 or more times per day	209	10.8%
Sysmiss		24	

Q10: Fast food eating

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1946 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	635	32.6%
2	1 day	497	25.5%
3	2 days	364	18.7%
4	3 days	174	8.9%

5	4 days	88	4.5%
6	5 days	68	3.5%
7	6 days	24	1.2%
8	7 days	96	4.9%
Sysmiss		9	

Q11: Tooth brushing

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1932 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	15	0.8%
2	Less than 1 time per day	64	3.3%
3	1 time per day	222	11.5%
4	2 times per day	737	38.1%
5	3 times per day	542	28.1%
6	4 or more times per day	352	18.2%
Sysmiss		23	

Q12: Hand washing before eating

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1935 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	43	2.2%
2	Rarely	308	15.9%
3	Sometimes	242	12.5%
4	Most of the time	457	23.6%
5	Always	885	45.7%
Sysmiss		20	

Q13: Hand washing after toilet

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	26	1.3%
2	Rarely	106	5.4%
3	Sometimes	130	6.7%
4	Most of the time	371	19.1%
5	Always	1312	67.5%
Sysmiss		10	

Q14: Hand washing with soap

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	42	2.2%
2	Rarely	219	11.3%
3	Sometimes	272	14.1%
4	Most of the time	469	24.3%
5	Always	929	48.1%
Sysmiss		24	

Q15: Physically attacked

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1946 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1567	80.5%
2	1 time	154	7.9%
3	2 or 3 times	109	5.6%
4	4 or 5 times	29	1.5%
5	6 or 7 times	24	1.2%
6	8 or 9 times	7	0.4%
7	10 or 11 times	18	0.9%
8	12 or more times	38	2%
Sysmiss		9	

Q16: Physical fighting**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1941 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1084	55.8%
2	1 time	375	19.3%
3	2 or 3 times	237	12.2%
4	4 or 5 times	92	4.7%
5	6 or 7 times	31	1.6%
6	8 or 9 times	22	1.1%
7	10 or 11 times	31	1.6%
8	12 or more times	69	3.6%
Sysmiss		14	

Q17: Seriously injured**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1727 Invalid: 228

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	919	53.2%
2	1 time	383	22.2%
3	2 or 3 times	236	13.7%
4	4 or 5 times	83	4.8%
5	6 or 7 times	25	1.4%
6	8 or 9 times	15	0.9%
7	10 or 11 times	27	1.6%
8	12 or more times	39	2.3%
Sysmiss		228	

Q18: Serious injury broken bone

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1804 Invalid: 151

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1127	62.5%
2	Broken bone/dislocated joint	224	12.4%
3	I had a cut or stab wound	76	4.2%
4	Concussion/head injury	105	5.8%
5	I had a gunshot wound	18	1%
6	I had a bad burn	64	3.5%
7	I was poisoned	10	0.6%
8	Something else happened to me	180	10%
Sysmiss		151	

Q19: Serious injury motor vehicle

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1787 Invalid: 168

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1120	62.7%
2	Motor vehicle accident	75	4.2%
3	I fell	151	8.4%
4	Something fell on me or hit me	57	3.2%
5	I was attacked	60	3.4%
6	Was in a fire	38	2.1%
7	breathed something bad	12	0.7%
8	Something else	274	15.3%
Sysmiss		168	

Q20: Bullied

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1851 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1200	64.8%

2	1 or 2 days	401	21.7%
3	3 to 5 days	106	5.7%
4	6 to 9 days	51	2.8%
5	10 to 19 days	40	2.2%
6	20 to 29 days	7	0.4%
7	All 30 days	46	2.5%
Sysmiss		104	

Q21: Bullied by hitting

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1850 Invalid: 105

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1366	73.8%
2	Kicked, pushed, or shoved	91	4.9%
3	Made fun of race	67	3.6%
4	Made fun because of religion	62	3.4%
5	Made fun of about sex	59	3.2%
6	Left out of activities	24	1.3%
7	Made fun of about body	44	2.4%
8	Some other way	137	7.4%
Sysmiss		105	

Q22: Felt lonely

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	839	43.3%
2	Rarely	566	29.2%
3	Sometimes	355	18.3%
4	Most of the time	107	5.5%
5	Always	70	3.6%
Sysmiss		18	

Q23: Could not sleep

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1930 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	825	42.7%
2	Rarely	496	25.7%
3	Sometimes	418	21.7%
4	Most of the time	125	6.5%
5	Always	66	3.4%
Sysmiss		25	

Q24: Considered suicide**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1846 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	419	22.7%
2	No	1427	77.3%
Sysmiss		109	

Q25: Made a suicide plan**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1881 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	431	22.9%
2	No	1450	77.1%
Sysmiss		74	

Q26: Attempted suicide**Data file:** WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1915 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	1493	78%
2	1 time	236	12.3%
3	2 or 3 times	116	6.1%
4	4 or 5 times	37	1.9%
5	6 or more times	33	1.7%
Sysmiss		40	

Q27: Close friends

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1910 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	172	9%
2	1	390	20.4%
3	2	348	18.2%
4	3 or more	1000	52.4%
Sysmiss		45	

Q28: Initiation of cigarette use**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1718 Invalid: 237

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1418	82.5%
2	7 years old or younger	61	3.6%
3	8 or 9 years old	31	1.8%
4	10 or 11 years old	45	2.6%
5	12 or 13 years old	39	2.3%
6	14 or 15 years old	65	3.8%
7	16 or 17 years old	48	2.8%
8	18 years old or older	11	0.6%
Sysmiss		237	

Q29: Current cigarette use**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1862 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	1678	90.1%
2	1 or 2 days	91	4.9%

3	3 to 5 days	34	1.8%
4	6 to 9 days	21	1.1%
5	10 to 19 days	11	0.6%
6	20 to 29 days	11	0.6%
7	All 30 days	16	0.9%
Sysmiss		93	

Q30: Other tobacco use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1910 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1770	92.7%
2	1 or 2 days	65	3.4%
3	3 to 5 days	35	1.8%
4	6 to 9 days	15	0.8%
5	10 to 19 days	9	0.5%
6	20 to 29 days	5	0.3%
7	All 30 days	11	0.6%
Sysmiss		45	

Q31: Smoking cessation

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1729 Invalid: 226

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1508	87.2%
2	Did not smoke cigarettes	61	3.5%
3	Yes	143	8.3%
4	No	17	1%
Sysmiss		226	

Q32: Smoking in their presence

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1910 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	592	31%
2	1 or 2 days	505	26.4%
3	3 or 4 days	226	11.8%
4	5 or 6 days	114	6%
5	All 7 days	473	24.8%
Sysmiss		45	

Q33: Parental tobacco use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1871 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1193	63.8%
2	My father or male guardian	241	12.9%
3	My mother or female guardian	117	6.3%
4	Both	157	8.4%
5	I do not know	163	8.7%
Sysmiss		84	

Q34: Initiation of alcohol use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1634 Invalid: 321

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category	Cases	
1	Never drank alcohol	1289	78.9%
2	7 years old or younger	70	4.3%
3	8 or 9 years old	25	1.5%
4	10 or 11 years old	23	1.4%
5	12 or 13 years old	54	3.3%
6	14 or 15 years old	81	5%

7	16 or 17 years old	74	4.5%
8	18 years old or older	18	1.1%
Sysmiss		321	

Q35: Current alcohol use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1860 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category	Cases	
1	0 days	1639	88.1%
2	1 or 2 days	143	7.7%
3	3 to 5 days	33	1.8%
4	6 to 9 days	20	1.1%
5	10 to 19 days	12	0.6%
6	20 to 29 days	11	0.6%
7	All 30 days	2	0.1%
Sysmiss		95	

Q36: Drank 2+ drinks

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1870 Invalid: 85

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1630	87.2%
2	Less than one drink	89	4.8%
3	1 drink	57	3%
4	2 drinks	41	2.2%
5	3 drinks	22	1.2%
6	4 drinks	11	0.6%
7	5 or more drinks	20	1.1%
Sysmiss		85	

Q37: Source of alcohol

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1855 Invalid: 100

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category	Cases	
1	Did not drink in past 30 days	1627	87.7%
2	I bought in a store	37	2%
3	I gave someone money to buy	38	2%
4	I got it from my friends	80	4.3%
5	I got it from my family	37	2%
6	I stole it	7	0.4%
7	Some other way	29	1.6%
Sysmiss		100	

Q38: Really drunk**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1802 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category	Cases	
1	0 times	1662	92.2%
2	1 or 2 times	86	4.8%
3	3 to 9 times	32	1.8%
4	10 or more times	22	1.2%
Sysmiss		153	

Q39: Trouble from drinking**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1666 Invalid: 289

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category	Cases	
1	0 times	1560	93.6%

2	1 or 2 times	62	3.7%
3	3 to 9 times	25	1.5%
4	10 or more times	19	1.1%
Sysmiss		289	

Q40: Initiation of drug use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1797 Invalid: 158

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category	Cases	
1	I have never used drugs	1614	89.8%
2	7 years old or younger	57	3.2%
3	8 or 9 years old	44	2.4%
4	10 or 11 years old	24	1.3%
5	12 or 13 years old	15	0.8%
6	14 or 15 years old	22	1.2%
7	16 or 17 years old	17	0.9%
8	18 years old or older	4	0.2%
Sysmiss		158	

Q41: Ever marijuana use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1818 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1702	93.6%
2	1 or 2 times	48	2.6%
3	3 to 9 times	38	2.1%
4	10 to 19 times	14	0.8%
5	20 or more times	16	0.9%
Sysmiss		137	

Q42: Current marijuana use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1822 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category	Cases	
1	0 times	1716	94.2%
2	1 or 2 times	43	2.4%
3	3 to 9 times	38	2.1%
4	10 to 19 times	17	0.9%
5	20 or more times	8	0.4%
Sysmiss		133	

Q43: Amphetamine or methamphetamine use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1810 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category	Cases	
1	0 times	1725	95.3%
2	1 or 2 times	35	1.9%
3	3 to 9 times	26	1.4%
4	10 to 19 times	17	0.9%
5	20 or more times	7	0.4%
Sysmiss		145	

Q44: Ever sexual intercourse

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1568 Invalid: 387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Yes	383	24.4%
2	No	1185	75.6%
Sysmiss		387	

Q45: Sex before 14 years**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1792 Invalid: 163

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1536	85.7%
2	11 years old or younger	52	2.9%
3	12 years old	24	1.3%
4	13 years old	19	1.1%
5	14 years old	25	1.4%
6	15 years old	35	2%
7	16 or 17 years old	79	4.4%
8	18 years old or older	22	1.2%
Sysmiss		163	

Q46: Multiple sex partners**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1829 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1569	85.8%
2	1 person	121	6.6%

3	2 people	53	2.9%
4	3 people	26	1.4%
5	4 people	19	1%
6	5 people	10	0.5%
7	6 or more people	31	1.7%
Sysmiss		126	

Q47: Condom use

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1663 Invalid: 292

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1415	85.1%
2	Yes	124	7.5%
3	No	124	7.5%
Sysmiss		292	

Q48: Birth control used

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1662 Invalid: 293

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category	Cases	
1	Never had sex	1424	85.7%
2	Yes	66	4%
3	No	126	7.6%
4	I do not know	46	2.8%
Sysmiss		293	

Q49: Physical activity \geq 5 days**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1856 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	429	23.1%
2	1 day	340	18.3%
3	2 days	216	11.6%
4	3 days	162	8.7%
5	4 days	125	6.7%
6	5 days	107	5.8%
7	6 days	72	3.9%
8	7 days	405	21.8%
Sysmiss		99	

Q50: Walk or bike to school**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1873 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1258	67.2%
2	1 day	177	9.5%
3	2 days	68	3.6%
4	3 days	60	3.2%
5	4 days	41	2.2%
6	5 days	66	3.5%
7	6 days	15	0.8%
8	7 days	188	10%
Sysmiss		82	

Q51: PE attendance**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1843 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1047	56.8%
2	1 day	231	12.5%
3	2 days	143	7.8%

4	3 days	88	4.8%
5	4 days	57	3.1%
6	5 or more days	277	15%
Sysmiss		112	

Q52: Sitting activities

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1817 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	847	46.6%
2	1 to 2 hours per day	459	25.3%
3	3 to 4 hours per day	216	11.9%
4	5 to 6 hours per day	94	5.2%
5	7 to 8 hours per day	46	2.5%
6	More than 8 hours per day	155	8.5%
Sysmiss		138	

Q53: Miss school no permission

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1844 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1203	65.2%
2	1 or 2 days	416	22.6%
3	3 to 5 days	102	5.5%
4	6 to 9 days	41	2.2%
5	10 or more days	82	4.4%
Sysmiss		111	

Q54: Other students kind and helpful

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1803 Invalid: 152

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	243	13.5%
2	Rarely	473	26.2%
3	Sometimes	413	22.9%
4	Most of the time	329	18.2%
5	Always	345	19.1%
Sysmiss		152	

Q55: Parents check homework

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1841 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	364	19.8%
2	Rarely	297	16.1%
3	Sometimes	284	15.4%
4	Most of the time	315	17.1%
5	Always	581	31.6%
Sysmiss		114	

Q56: Parents understand problems

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1819 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	631	34.7%
2	Rarely	401	22%
3	Sometimes	307	16.9%
4	Most of the time	194	10.7%
5	Always	286	15.7%
Sysmiss		136	

Q57: Parents know about free time

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1776 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	641	36.1%
2	Rarely	334	18.8%
3	Sometimes	270	15.2%
4	Most of the time	212	11.9%
5	Always	319	18%
Sysmiss		179	

Q58: Parents go through their things

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1821 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		962	52.8%
2		350	19.2%
3		199	10.9%
4		118	6.5%
5		192	10.5%
Sysmiss		134	

QN6: Most of the time or always went hungry**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1925 Invalid: 30

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		228	11.8%
2		1697	88.2%
Sysmiss		30	

QN7: Did not eat fruit**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		132	6.8%
2		1813	93.2%
Sysmiss		10	

QN8: Did not eat vegetables**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		92	4.7%
2		1845	95.3%
Sysmiss		18	

QN9: Did not drink carbonated soft drinks

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		199	10.3%
2		1732	89.7%
Sysmiss		24	

QN10: Did not eat food from a fast food restaurant

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1946 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		635	32.6%
2		1311	67.4%
Sysmiss		9	

QN11: Usually cleaned or brushed their teeth

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1932 Invalid: 23

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1853	95.9%
2		79	4.1%
Sysmiss		23	

QN12: Never or rarely washed their hands before eating

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1935 Invalid: 20

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		351	18.1%
2		1584	81.9%
Sysmiss		20	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		132	6.8%
2		1813	93.2%
Sysmiss		10	

QN14: Never or rarely used soap when washing their hands**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		261	13.5%
2		1670	86.5%
Sysmiss		24	

QN15: Were physically attacked**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1946 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		379	19.5%
2		1567	80.5%
Sysmiss		9	

QN16: Were in a physical fight

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1941 Invalid: 14

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		857	44.2%
2		1084	55.8%
Sysmiss		14	

QN17: Were seriously injured

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1727 Invalid: 228

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		808	46.8%
2		919	53.2%
Sysmiss		228	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 677 Invalid: 1278

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		224	33.1%
2		453	66.9%
Sysmiss		1278	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 667 Invalid: 1288

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		75	11.2%
2		592	88.8%
Sysmiss		1288	

QN20: Were bullied**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1851 Invalid: 104

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		651	35.2%
2		1200	64.8%
Sysmiss		104	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 484 Invalid: 1471

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		91	18.8%
2		393	81.2%
Sysmiss		1471	

QN22: Most of the time or always felt lonely**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		177	9.1%
2		1760	90.9%
Sysmiss		18	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1930 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		191	9.9%
2		1739	90.1%
Sysmiss		25	

QN24: Seriously considered attempting suicide

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1846 Invalid: 109

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		419	22.7%
2		1427	77.3%
Sysmiss		109	

QN25: Made a plan about how they would attempt suicide

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1881 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		431	22.9%
2		1450	77.1%
Sysmiss		74	

QN26: Attempted suicide

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1915 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		422	22%
2		1493	78%
Sysmiss		40	

QN27: Did not have any close friends**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1910 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		172	9%
2		1738	91%
Sysmiss		45	

QN28: Tried a cigarette before age 14 years**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 300 Invalid: 1655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		176	58.7%
2		124	41.3%
Sysmiss		1655	

QN29: Currently smoked cigarettes**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1862 Invalid: 93

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		184	9.9%
2		1678	90.1%
Sysmiss		93	

QN30: Currently used any tobacco products other than cigarettes

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1910 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		140	7.3%
2		1770	92.7%
Sysmiss		45	

QN31: Tried to quit smoking cigarettes

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 160 Invalid: 1795

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		143	89.4%
2		17	10.6%
Sysmiss		1795	

QN32: Reported that people smoked in their presence

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1910 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1318	69%
2		592	31%
Sysmiss		45	

QN33: Had parents or guardians who used any form of tobacco

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1871 Invalid: 84

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		515	27.5%
2		1356	72.5%
Sysmiss		84	

QN34: Drank alcohol before age 14 years**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 345 Invalid: 1610

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category	Cases	
1		172	49.9%
2		173	50.1%
Sysmiss		1610	

QN35: Currently drank alcohol**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1860 Invalid: 95

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		221	11.9%
2		1639	88.1%
Sysmiss		95	

QN36: Usually drank two or more drinks per day**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 240 Invalid: 1715

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		94	39.2%
2		146	60.8%
Sysmiss		1715	

QN37: Usually obtained the alcohol they drank from friends

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 228 Invalid: 1727

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		80	35.1%
2		148	64.9%
Sysmiss		1727	

QN38: Ever drank so much alcohol that they were really drunk

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1802 Invalid: 153

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		140	7.8%
2		1662	92.2%
Sysmiss		153	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1666 Invalid: 289

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		106	6.4%
2		1560	93.6%
Sysmiss		289	

QN40: Used drugs before age 14 years

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 183 Invalid: 1772

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category	Cases	
1		140	76.5%
2		43	23.5%
Sysmiss		1772	

QN41: Ever used marijuana**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1818 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		116	6.4%
2		1702	93.6%
Sysmiss		137	

QN42: Currently used marijuana**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1822 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		106	5.8%
2		1716	94.2%
Sysmiss		133	

QN43: Ever used amphetamines or methamphetamines**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1810 Invalid: 145

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		85	4.7%
2		1725	95.3%
Sysmiss		145	

QN44: Ever had sexual intercourse

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1568 Invalid: 387

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category	Cases	
1		383	24.4%
2		1185	75.6%
Sysmiss		387	

QN45: Had sexual intercourse before age 14 years

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 256 Invalid: 1699

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		95	37.1%
2		161	62.9%
Sysmiss		1699	

QN46: Had sexual intercourse with two or more persons

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1829 Invalid: 126

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category	Cases	
1		139	7.6%
2		1690	92.4%
Sysmiss		126	

QN47: Used a condom

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 248 Invalid: 1707

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		124	50%
2		124	50%
Sysmiss		1707	

QN48: Used a method of birth control other than condoms**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 238 Invalid: 1717

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		66	27.7%
2		172	72.3%
Sysmiss		1717	

QN49: Were not physically active**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1856 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		429	23.1%
2		1427	76.9%
Sysmiss		99	

QN50: Did not walk or ride a bicycle to or from school**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1873 Invalid: 82

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1258	67.2%
2		615	32.8%
Sysmiss		82	

QN51: Did not attend physical education classes

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1843 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1047	56.8%
2		796	43.2%
Sysmiss		112	

QN52: Spent three or more hours per day doing sitting activities

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1817 Invalid: 138

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		511	28.1%
2		1306	71.9%
Sysmiss		138	

QN53: Missed classes or school without permission

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1844 Invalid: 111

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		641	34.8%
2		1203	65.2%
Sysmiss		111	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1803 Invalid: 152

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		674	37.4%
2		1129	62.6%
Sysmiss		152	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1841 Invalid: 114

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		896	48.7%
2		945	51.3%
Sysmiss		114	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1819 Invalid: 136

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		480	26.4%
2		1339	73.6%
Sysmiss		136	

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1776 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		531	29.9%
2		1245	70.1%
Sysmiss		179	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1821 Invalid: 134

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1312	72%
2		509	28%
Sysmiss		134	

QNUNWTG: Were underweight

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1764 Invalid: 191

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		4	0.2%
2		1760	99.8%
Sysmiss		191	

QNOWTG: Were overweight

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1764 Invalid: 191

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		1086	61.6%
2		678	38.4%
Sysmiss		191	

QNOBESEG: Were obese

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1764 Invalid: 191

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		483	27.4%
2		1281	72.6%
Sysmiss		191	

QNFR1G: Usually ate fruit less than one time per day

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		364	18.7%
2		1581	81.3%
Sysmiss		10	

QNFR1G: Usually ate fruit one or more times per day

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1449	74.5%
2		496	25.5%
Sysmiss		10	

QNFR2G: Usually ate fruit two or more times per day**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		989	50.8%
2		956	49.2%
Sysmiss		10	

QNFR3G: Usually ate fruit three or more times per day**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1945 Invalid: 10

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		628	32.3%
2		1317	67.7%
Sysmiss		10	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: WSH2017_GSHS_Data_Public_Use****Overview**

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		331	17.1%
2		1606	82.9%
Sysmiss		18	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1514	78.2%
2		423	21.8%
Sysmiss		18	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1006	51.9%
2		931	48.1%
Sysmiss		18	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1937 Invalid: 18

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		648	33.5%
2		1289	66.5%
Sysmiss		18	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		491	25.4%
2		1440	74.6%
Sysmiss		24	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1241	64.3%
2		690	35.7%
Sysmiss		24	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		738	38.2%
2		1193	61.8%
Sysmiss		24	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1931 Invalid: 24

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		463	24%
2		1468	76%
Sysmiss		24	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1946 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1311	67.4%
2		635	32.6%
Sysmiss		9	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 9 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		814	41.8%
2		1132	58.2%
Sysmiss		9	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1946 Invalid: 9

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		450	23.1%
2		1496	76.9%
Sysmiss		9	

QNC2G: Were bullied and could not sleep at night

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 178 Invalid: 1777

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		90	50.6%
2		88	49.4%
Sysmiss		1777	

QNTOB2G: Currently used any tobacco product**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1885 Invalid: 70

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		246	13.1%
2		1639	86.9%
Sysmiss		70	

QNNOTB2G: Did not currently use any tobacco products**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1845 Invalid: 110

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1639	88.8%
2		206	11.2%
Sysmiss		110	

QNBCANYG: Used a method of birth control**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 195 Invalid: 1760

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category	Cases	
1		128	65.6%
2		67	34.4%
Sysmiss		1760	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 97 Invalid: 1858

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category	Cases	
1		56	57.7%
2		41	42.3%
Sysmiss		1858	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1856 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		584	31.5%
2		1272	68.5%
Sysmiss		99	

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1856 Invalid: 99

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		405	21.8%
2		1451	78.2%
Sysmiss		99	

QNPE3G: Attended physical education classes on three or more days

Data file: WSH2017_GSHS_Data_Public_Use

Overview

Valid: 1843 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		422	22.9%
2		1421	77.1%
Sysmiss		112	

QNPE5G: Attended physical education classes on five or more days**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1843 Invalid: 112

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions**LITERAL QUESTION**

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		277	15%
2		1566	85%
Sysmiss		112	

WEIGHT: Overall Analysis Weight**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1955 Invalid: 0 Minimum: 3.875 Maximum: 28.792 Mean: 7.66 Standard deviation: 3.664

Type: Continuous Decimal: 0 Width: 10 Range: 3.8747 - 28.7924 Format: Numeric

STRATUM: Sampling Strata**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1955 Invalid: 0 Minimum: 201701001 Maximum: 201701019 Mean: 201701010.252 Standard deviation: 8.19

Type: Continuous Decimal: 0 Width: 9 Range: 201701001 - 201701019 Format: Numeric

PSU: Primary Sampling Unit**Data file:** WSH2017_GSHS_Data_Public_Use**Overview**

Valid: 1955 Invalid: 0 Minimum: 1 Maximum: 57 Mean: 34.533 Standard deviation: 15.293

Type: Continuous Decimal: 0 Width: 5 Range: 1 - 57 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2017_GSHS_Samoa_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename 2017WSH_Fact_Sheet.pdf

technical_documents

Codebook

title Codebook
filename 2017WSH_Public_Use_Codebook.pdf
