

Global School-Based Student Health Survey 2014

Ministry of Public Health and Population

report_generated_on: October 4, 2024

visit_data_catalog_at: <http://catalog.ihsn.org/>

Identification

SURVEY ID NUMBER

YEM_2014_GSHS_v01_M

TITLE

Global School-Based Student Health Survey 2014

ABBREVIATION OR ACRONYM

GSHS 2014

COUNTRY

Name	Country code
Yemen, Rep.	YEM

STUDY TYPE

Other Household Survey [hh/oth]

SERIES INFORMATION

This is the second GSHS conducted by Yemen.

ABSTRACT

The GSHS is a school-based survey which uses a self-administered questionnaire to obtain data on young people's health behaviour and protective factors related to the leading causes of morbidity and mortality among children and adults worldwide.

KIND OF DATA

Sample survey data [ssd]

UNIT OF ANALYSIS

Individuals

Version

VERSION DESCRIPTION

Public-use dataset

Scope

NOTES

The following core modules were included in the survey:

- dietary behaviours
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

TOPICS

Topic	Vocabulary
Global School-based Student Health Survey (GSHS)	Survey

KEYWORDS

Keyword
adolescents
school health
noncommunicable diseases
risk factors
protective factors
health surveys
diet
nutrition
hygiene
mental health
physical activity
tobacco use
violence and unintentional injury
overweight
obesity
bullying

Coverage

GEOGRAPHIC COVERAGE

National

UNIVERSE

School-going adolescents aged 13-17 years.

Producers and sponsors

PRIMARY INVESTIGATORS

Name
Ministry of Public Health and Population

FUNDING AGENCY/SPONSOR

Name	Abbreviation
World Health Organization	WHO
US Centers for Disease Control and Prevention	CDC

Sampling

SAMPLING PROCEDURE

A two-stage cluster sample design was used to produce data representative of all students in Grades 7-11 in Yemen. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate.

RESPONSE RATE

The school response rate was 100%, the student response rate was 75%, and the overall response rate was 75%.

WEIGHTING

The weighting formula used is:

$$W=W1 * W2 * f1 * f2 * f3.$$

The list below shows what each variable in the formula represents.

W1 - The inverse of the probability of selecting each school

W2 - The inverse of the probability of selecting each classroom

f1 - A school-level non response adjustment factor

f2 - A student-level non response adjustment factor calculated by classroom

f3 - A post stratification adjustment factor calculated by sex within grade

Data collection

DATES OF DATA COLLECTION

Start	End
2014	2014

DATA COLLECTION MODE

self-administered

questionnaires

QUESTIONNAIRES

The following core modules were included in the survey:

- dietary behaviours
- hygiene
- mental health
- physical activity
- protective factors
- tobacco use
- violence and unintentional injury

data_processing

DATA EDITING

All data processing (scanning, cleaning, editing, and weighting) was conducted at the US Centers for Disease Control.

Access policy

CONTACTS

Name	Affiliation	Email	URL
NCD Surveillance Team	World Health Organization	ncdmonitoring@who.int	Link

ACCESS CONDITIONS

The user undertakes:

- (1) to acknowledge the data source.
- (2) to share any planned publications with WHO prior to publication.
- (3) to offer co-authorship of any reports or publications using the survey results to the coordinator of the survey.
- (4) to use the data for non-commercial, not-for-profit public health purposes only.

CITATION REQUIREMENTS

Publications based on GSHS data should use the following acknowledgement:

"This paper uses data from the Global School-Based Student Health Survey (GSHS). GSHS is supported by the World Health Organization and the US Centers for Disease Control and Prevention."

Disclaimer and copyrights

DISCLAIMER

The data is being distributed without warranty of any kind. The responsibility for the use of the data lies with the user. In no event shall the World Health Organization be liable for damages arising from its use.

Metadata production

DDI DOCUMENT ID

DDI_YEM_2014_GSHS_v01_M

PRODUCERS

Name	Abbreviation	Affiliation	Role
Melanie Cowan		World Health Organization	Documentation of data
Development Economics Data Group	DECDG	The World Bank	Metadata adapted for World Bank Microdata Library

DATE OF METADATA PRODUCTION

2020-02-14

DDI DOCUMENT VERSION

Identical to a metadata (YEM_2014_GSHS_v01) published on WHO NCD microdata repository (<http://extranet.who.int/ncdsmicrodata/index.php/catalog>). Some of the metadata fields have been edited.

data_dictionary

Data file	Cases	variables
YEH2014_Public_Use	2655	144

Data file: YEH2014_Public_Use

Cases: 2655

variables: 144

variables

ID	Name	Label	Question
V1	Q1	Custom Age	How old are you?
V2	Q2	Sex	What is your sex?
V3	Q3	In what grade are you	In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS
V4	Q4	How tall are you	How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V5	Q5	How much do you weigh	How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.
V6	Q6	How often went hungry	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V7	Q7	No fruit eating	During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?
V8	Q8	No vegetable eating	During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?
V9	Q9	Soft drinks	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)
V10	Q10	Fast food eating	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?
V11	Q11	Tooth brushing	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V12	Q12	Hand washing before eating	During the past 30 days, how often did you wash your hands before eating?
V13	Q13	Hand washing after toilet	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V14	Q14	Hand washing with soap	During the past 30 days, how often did you use soap when washing your hands?
V15	Q15	Physically attacked	During the past 12 months, how many times were you physically attacked?
V16	Q16	Physical fighting	During the past 12 months, how many times were you in a physical fight?
V17	Q17	Seriously injured	During the past 12 months, how many times were you seriously injured?
V18	Q18	Serious injury broken bone	During the past 12 months, what was the most serious injury that happened to you?
V19	Q19	Serious injury motor vehicle	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V20	Q20	Bullied	During the past 30 days, on how many days were you bullied?
V21	Q21	Bullied by hitting	During the past 30 days, how were you bullied most often?
V22	Q22	Felt lonely	During the past 12 months, how often have you felt lonely?
V23	Q23	Could not sleep	During the past 12 months, how often have you been so worried about something that you could not sleep at night?

ID	Name	Label	Question
V24	Q24	Considered suicide	During the past 12 months, did you ever seriously consider attempting suicide?
V25	Q25	Made a suicide plan	During the past 12 months, did you make a plan about how you would attempt suicide?
V26	Q26	Attempted suicide	During the past 12 months, how many times did you actually attempt suicide?
V27	Q27	Close friends	How many close friends do you have?
V28	Q28	Initiation of cigarette use	How old were you when you first tried a cigarette?
V29	Q29	Current cigarette use	During the past 30 days, on how many days did you smoke cigarettes?
V30	Q30	Other tobacco use	During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?
V31	Q31	Smoking cessation	During the past 12 months, have you ever tried to stop smoking cigarettes?
V32	Q32	Smoking in their presence	During the past 7 days, on how many days have people smoked in your presence?
V33	Q33	Parental tobacco use	Which of your parents or guardians use any form of tobacco?
V34	Q34	Initiation of alcohol use	How old were you when you had your first drink of alcohol other than a few sips?
V35	Q35	Current alcohol use	During the past 30 days, on how many days did you have at least one drink containing alcohol?
V36	Q36	Drank 2+ drinks	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V37	Q37	Source of alcohol	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V38	Q38	Really drunk	During your life, how many times did you drink so much alcohol that you were really drunk?
V39	Q39	Trouble from drinking	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V40	Q40	Initiation of drug use	How old were you when you first used drugs?
V41	Q41	Ever marijuana use	During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V42	Q42	Current marijuana use	During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?
V43	Q43	Amphetamine or methamphetamine use	During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?
V44	Q44	Ever sexual intercourse	Have you ever had sexual intercourse?
V45	Q45	Sex before 14 years	How old were you when you had sexual intercourse for the first time?
V46	Q46	Multiple sex partners	During your life, with how many people have you had sexual intercourse?
V47	Q47	Condom use	The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?
V48	Q48	Birth control used	The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?
V49	Q49	Physical activity \geq 5 days	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V50	Q50	Walk or bike to school	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

ID	Name	Label	Question
V51	Q51	PE attendance	During this school year, on how many days did you go to physical education (PE) class each week?
V52	Q52	Sitting activities	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?
V53	Q53	Miss school no permission	During the past 30 days, on how many days did you miss classes or school without permission?
V54	Q54	Other students kind and helpful	During the past 30 days, how often were most of the students in your school kind and helpful?
V55	Q55	Parents check homework	During the past 30 days, how often did your parents or guardians check to see if your homework was done?
V56	Q56	Parents understand problems	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V57	Q57	Parents know about free time	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V58	Q58	Parents go through their things	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V59	QN6	Most of the time or always went hungry	Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)
V60	QN7	Did not eat fruit	Percentage of students who did not eat fruit (during the 30 days before the survey)
V61	QN8	Did not eat vegetables	Percentage of students who did not eat vegetables (during the 30 days before the survey)
V62	QN9	Did not drink carbonated soft drinks	Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)
V63	QN10	Did not eat food from a fast food restaurant	Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)
V64	QN11	Usually cleaned or brushed their teeth	Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)
V65	QN12	Never or rarely washed their hands before eating	Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)
V66	QN13	Never or rarely washed their hands after using the toilet or latrine	Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)
V67	QN14	Never or rarely used soap when washing their hands	Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)
V68	QN15	Were physically attacked	Percentage of students who were physically attacked (one or more times during the 12 months before the survey)
V69	QN16	Were in a physical fight	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)
V70	QN17	Were seriously injured	Percentage of students who were seriously injured (one or more times during the 12 months before the survey)
V71	QN18	Reported that their most serious injury was a broken bone or dislocated joint	Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)
V72	QN19	Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle	Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)
V73	QN20	Were bullied	Percentage of students who were bullied (on one or more days during the 30 days before the survey)
V74	QN21	Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors	Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

ID	Name	Label	Question
V75	QN22	Most of the time or always felt lonely	Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)
V76	QN23	Most of the time or always were so worried about something that they could not sleep at night	Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)
V77	QN24	Seriously considered attempting suicide	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)
V78	QN25	Made a plan about how they would attempt suicide	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)
V79	QN26	Attempted suicide	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)
V80	QN27	Did not have any close friends	Percentage of students who did not have any close friends
V81	QN28	Tried a cigarette before age 14 years	Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)
V82	QN29	Currently smoked cigarettes	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)
V83	QN30	Currently used any tobacco products other than cigarettes	Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)
V84	QN31	Tried to quit smoking cigarettes	Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)
V85	QN32	Reported that people smoked in their presence	Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)
V86	QN33	Had parents or guardians who used any form of tobacco	Percentage of students who had parents or guardians who used any form of tobacco
V87	QN34	Drank alcohol before age 14 years	Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)
V88	QN35	Currently drank alcohol	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)
V89	QN36	Usually drank two or more drinks per day	Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)
V90	QN37	Usually obtained the alcohol they drank from friends	Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)
V91	QN38	Ever drank so much alcohol that they were really drunk	Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)
V92	QN39	Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol	Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)
V93	QN40	Used drugs before age 14 years	Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)
V94	QN41	Ever used marijuana	Percentage of students who ever used marijuana (one or more times during their life)
V95	QN42	Currently used marijuana	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)
V96	QN43	Ever used amphetamines or methamphetamines	Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)
V97	QN44	Ever had sexual intercourse	Percentage of students who ever had sexual intercourse
V98	QN45	Had sexual intercourse before age 14 years	Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

ID	Name	Label	Question
V99	QN46	Had sexual intercourse with two or more persons	Percentage of students who had sexual intercourse with two or more persons (during their life)
V100	QN47	Used a condom	Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)
V101	QN48	Used a method of birth control other than condoms	Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V102	QN49	Were not physically active	Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)
V103	QN50	Did not walk or ride a bicycle to or from school	Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)
V104	QN51	Did not attend physical education classes	Percentage of students who did not attend physical education classes (each week during this school year)
V105	QN52	Spent three or more hours per day doing sitting activities	Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)
V106	QN53	Missed classes or school without permission	Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)
V107	QN54	Reported that most of the students in their school were most of the time or always kind and helpful	Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)
V108	QN55	Reported that their parents or guardians most of the time or always checked to see if their homework was done	Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)
V109	QN56	Reported that their parents or guardians most of the time or always understood their problems and worries	Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)
V110	QN57	Reported that their parents or guardians most of the time or always really knew what they were doing with their free time	Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)
V111	QN58	Reported that their parents or guardians never or rarely went through their things without their approval	Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)
V112	site	Site Code	
V113	schoolid	School Identifier	
V114	classid	Class Identifier	
V115	qnunwtg	Were underweight	Percentage of students who were underweight (<-2SD from median for BMI by age and sex)
V116	qnowtg	Were overweight	Percentage of students who were overweight (>+1SD from median for BMI by age and sex)
V117	qnobeseg	Were obese	Percentage of students who were obese (>+2SD from median for BMI by age and sex)
V118	qnfrlg	Usually ate fruit less than one time per day	Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)
V119	qnfr1g	Usually ate fruit one or more times per day	Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)
V120	qnfr2g	Usually ate fruit two or more times per day	Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

ID	Name	Label	Question
V121	qnfr3g	Usually ate fruit three or more times per day	Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)
V122	qnveglg	Usually ate vegetables less than one time per day	Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)
V123	qnveg1g	Usually ate vegetables one or more times per day	Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)
V124	qnveg2g	Usually ate vegetables two or more times per day	Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)
V125	qnveg3g	Usually ate vegetables three or more times per day	Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)
V126	qnsodalg	Usually drank carbonated soft drinks less than one time per day	Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)
V127	qnsoda1g	Usually drank carbonated soft drinks one or more times per day	Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)
V128	qnsoda2g	Usually drank carbonated soft drinks two or more times per day	Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)
V129	qnsoda3g	Usually drank carbonated soft drinks three or more times per day	Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)
V130	qnff1g	Ate food from a fast food restaurant one or more days	Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)
V131	qnff2g	Ate food from a fast food restaurant two or more days	Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)
V132	qnff3g	Ate food from a fast food restaurant three or more days	Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)
V133	qnc2g	Were bullied and could not sleep at night	Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)
V134	qntob2g	Currently used any tobacco product	Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)
V135	qnnotb2g	Did not currently use any tobacco products	Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)
V136	qnbcanyg	Used a method of birth control	Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)
V137	qnc1g	Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk	Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)
V138	qnpa5g	Were physically active at least 60 minutes per day on 5 or more days	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)
V139	qnpa7g	Were physically active at least 60 minutes per day on all 7 days	Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)
V140	qnpe3g	Attended physical education classes on three or more days	Percentage of students who attended physical education classes on three or more days (each week during this school year)
V141	qnpe5g	Attended physical education classes on five or more days	Percentage of students who attended physical education classes on five or more days (each week during this school year)
V142	weight	Weight	
V143	stratum	Stratum	
V144	psu	Primary Sampling Unit	

total: 144

Q1: Custom Age**Data file:** YEH2014_Public_Use**Overview**

Valid: 2593 Invalid: 62

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

LITERAL QUESTION

How old are you?

CATEGORIES

Value	Category	Cases	
1	11 years old or younger	100	3.9%
2	12 years old	174	6.7%
3	13 years old	422	16.3%
4	14 years old	478	18.4%
5	15 years old	479	18.5%
6	16 years old	363	14%
7	17 years old	325	12.5%
8	18 years old or older	252	9.7%
Sysmiss		62	

Q10: Fast food eating**Data file:** YEH2014_Public_Use**Overview**

Valid: 2581 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	1608	62.3%
2	1 day	456	17.7%
3	2 days	185	7.2%

4	3 days	122	4.7%
5	4 days	80	3.1%
6	5 days	41	1.6%
7	6 days	31	1.2%
8	7 days	58	2.2%
Sysmiss		74	

Q2: Sex

Data file: YEH2014_Public_Use

Overview

Valid: 2526 Invalid: 129

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

What is your sex?

CATEGORIES

Value	Category	Cases	
1	Male	1243	49.2%
2	Female	1283	50.8%
Sysmiss		129	

Q3: In what grade are you

Data file: YEH2014_Public_Use

Overview

Valid: 2576 Invalid: 79

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

LITERAL QUESTION

In what grade/class/ standard are you? COUNTRY SPECIFIC RESPONSE OPTIONS

CATEGORIES

Value	Category	Cases	
1	Grade 7	612	23.8%
2	Grade 8	507	19.7%
3	Grade 9	415	16.1%

4	Grade 10	443	17.2%
5	Grade 11	185	7.2%
6	Some other grade	414	16.1%
Sysmiss		79	

Q4: How tall are you

Data file: YEH2014_Public_Use

Overview

Valid: 2231 Invalid: 424 Minimum: 1.21 Maximum: 1.85 Mean: 1.508 Standard deviation: 0.0995
 Type: Continuous Decimal: 2 Width: 5 Range: 1.21 - 1.85 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How tall are you without your shoes on? ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q5: How much do you weigh

Data file: YEH2014_Public_Use

Overview

Valid: 2231 Invalid: 424 Minimum: 21 Maximum: 145 Mean: 44.559 Standard deviation: 10.152
 Type: Continuous Decimal: 2 Width: 5 Range: 21 - 145 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

How much do you weigh without your shoes on? ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Q6: How often went hungry

Data file: YEH2014_Public_Use

Overview

Valid: 2569 Invalid: 86
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about your height, weight, and going hungry.

LITERAL QUESTION

During the past 30 days, how often did you go hungry because there was not enough food in your home?

CATEGORIES

Value	Category	Cases	
1	Never	1098	42.7%
2	Rarely	625	24.3%
3	Sometimes	560	21.8%
4	Most of the time	216	8.4%
5	Always	70	2.7%
Sysmiss		86	

Q7: No fruit eating

Data file: YEH2014_Public_Use

Overview

Valid: 2604 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat fruit, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat fruit	310	11.9%
2	Less than one time per day	736	28.3%
3	1 time per day	821	31.5%
4	2 times per day	285	10.9%
5	3 times per day	167	6.4%
6	4 times per day	78	3%
7	5 or more times per day	207	7.9%
Sysmiss		51	

Q8: No vegetable eating**Data file: YEH2014_Public_Use****Overview**

Valid: 2557 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually eat vegetables, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Did not eat vegetables	225	8.8%
2	Less than one time per day	509	19.9%
3	1 time per day	974	38.1%
4	2 times per day	320	12.5%
5	3 times per day	170	6.6%
6	4 times per day	90	3.5%
7	5 or more times per day	269	10.5%
Sysmiss		98	

Q9: Soft drinks**Data file: YEH2014_Public_Use****Overview**

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about what you might eat and drink.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as COUNTRY SPECIFIC EXAMPLES? (Do not include diet soft drinks.)

CATEGORIES

Value	Category	Cases	
1	Did not drink soft drinks	830	31.8%
2	Less than one time per day	807	30.9%

3	1 time per day	596	22.9%
4	2 times per day	116	4.4%
5	3 times per day	92	3.5%
6	4 times per day	59	2.3%
7	5 or more times per day	108	4.1%
Sysmiss		47	

Q11: Tooth brushing

Data file: YEH2014_Public_Use

Overview

Valid: 2594 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how many times per day did you usually clean or brush your teeth?

CATEGORIES

Value	Category	Cases	
1	Did not brush my teeth	436	16.8%
2	Less than 1 time per day	455	17.5%
3	1 time per day	687	26.5%
4	2 times per day	342	13.2%
5	3 times per day	347	13.4%
6	4 or more times per day	327	12.6%
Sysmiss		61	

Q12: Hand washing before eating

Data file: YEH2014_Public_Use

Overview

Valid: 2603 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands before eating?

CATEGORIES

Value	Category	Cases	
1	Never	75	2.9%
2	Rarely	116	4.5%
3	Sometimes	142	5.5%
4	Most of the time	197	7.6%
5	Always	2073	79.6%
Sysmiss		52	

Q13: Hand washing after toilet

Data file: YEH2014_Public_Use

Overview

Valid: 2580 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

CATEGORIES

Value	Category	Cases	
1	Never	116	4.5%
2	Rarely	147	5.7%
3	Sometimes	198	7.7%
4	Most of the time	195	7.6%
5	Always	1924	74.6%
Sysmiss		75	

Q14: Hand washing with soap

Data file: YEH2014_Public_Use

Overview

Valid: 2590 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about cleaning your teeth and washing your hands.

LITERAL QUESTION

During the past 30 days, how often did you use soap when washing your hands?

CATEGORIES

Value	Category	Cases	
1	Never	121	4.7%
2	Rarely	258	10%
3	Sometimes	534	20.6%
4	Most of the time	497	19.2%
5	Always	1180	45.6%
Sysmiss		65	

Q15: Physically attacked

Data file: YEH2014_Public_Use

Overview

Valid: 2617 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you physically attacked?

CATEGORIES

Value	Category	Cases	
1	0 times	1641	62.7%
2	1 time	444	17%
3	2 or 3 times	311	11.9%
4	4 or 5 times	80	3.1%
5	6 or 7 times	48	1.8%
6	8 or 9 times	22	0.8%
7	10 or 11 times	18	0.7%
8	12 or more times	53	2%
Sysmiss		38	

Q16: Physical fighting**Data file: YEH2014_Public_Use****Overview**

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

LITERAL QUESTION

During the past 12 months, how many times were you in a physical fight?

CATEGORIES

Value	Category	Cases	
1	0 times	1489	57.1%
2	1 time	509	19.5%
3	2 or 3 times	330	12.7%
4	4 or 5 times	102	3.9%
5	6 or 7 times	37	1.4%
6	8 or 9 times	27	1%
7	10 or 11 times	21	0.8%
8	12 or more times	93	3.6%
Sysmiss		47	

Q17: Seriously injured**Data file: YEH2014_Public_Use****Overview**

Valid: 2259 Invalid: 396

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, how many times were you seriously injured?

CATEGORIES

Value	Category	Cases	
1	0 times	1230	54.4%
2	1 time	559	24.7%
3	2 or 3 times	289	12.8%
4	4 or 5 times	89	3.9%
5	6 or 7 times	33	1.5%
6	8 or 9 times	8	0.4%
7	10 or 11 times	8	0.4%
8	12 or more times	43	1.9%
Sysmiss		396	

Q18: Serious injury broken bone

Data file: YEH2014_Public_Use

Overview

Valid: 2338 Invalid: 317

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1699	72.7%
2	Broken bone/dislocated joint	142	6.1%
3	I had a cut or stab wound	246	10.5%
4	Concussion/head injury	87	3.7%
5	I had a gunshot wound	23	1%
6	I had a bad burn	43	1.8%
7	I was poisoned	10	0.4%
8	Something else happened to me	88	3.8%
Sysmiss		317	

Q19: Serious injury motor vehicle

Data file: YEH2014_Public_Use

Overview

Valid: 2328 Invalid: 327

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

LITERAL QUESTION

During the past 12 months, what was the major cause of the most serious injury that happened to you?

CATEGORIES

Value	Category	Cases	
1	Not seriously injured	1710	73.5%
2	Motor vehicle accident	72	3.1%
3	I fell	179	7.7%
4	Something fell on me or hit me	114	4.9%
5	I was attacked	56	2.4%
6	Was in a fire	33	1.4%
7	breathed something bad	29	1.2%
8	Something else	135	5.8%
Sysmiss		327	

Q20: Bullied

Data file: YEH2014_Public_Use

Overview

Valid: 2476 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, on how many days were you bullied?

CATEGORIES

Value	Category	Cases	
1	0 days	1486	60%

2	1 or 2 days	580	23.4%
3	3 to 5 days	205	8.3%
4	6 to 9 days	57	2.3%
5	10 to 19 days	31	1.3%
6	20 to 29 days	40	1.6%
7	All 30 days	77	3.1%
Sysmiss		179	

Q21: Bullied by hitting

Data file: YEH2014_Public_Use

Overview

Valid: 2447 Invalid: 208

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 2 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

LITERAL QUESTION

During the past 30 days, how were you bullied most often?

CATEGORIES

Value	Category	Cases	
1	Not bullied	1966	80.3%
2	Kicked, pushed, or shoved	133	5.4%
3	Made fun of race	80	3.3%
4	Made fun because of religion	52	2.1%
5	Made fun of about sex	46	1.9%
6	Left out of activities	21	0.9%
7	Made fun of about body	20	0.8%
8	Some other way	129	5.3%
Sysmiss		208	

Q22: Felt lonely

Data file: YEH2014_Public_Use

Overview

Valid: 2582 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you felt lonely?

CATEGORIES

Value	Category	Cases	
1	Never	875	33.9%
2	Rarely	766	29.7%
3	Sometimes	484	18.7%
4	Most of the time	295	11.4%
5	Always	162	6.3%
Sysmiss		73	

Q23: Could not sleep

Data file: YEH2014_Public_Use

Overview

Valid: 2615 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

CATEGORIES

Value	Category	Cases	
1	Never	844	32.3%
2	Rarely	809	30.9%
3	Sometimes	542	20.7%
4	Most of the time	284	10.9%
5	Always	136	5.2%
Sysmiss		40	

Q24: Considered suicide**Data file:** YEH2014_Public_Use**Overview**

Valid: 2522 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you ever seriously consider attempting suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	407	16.1%
2	No	2115	83.9%
Sysmiss		133	

Q25: Made a suicide plan**Data file:** YEH2014_Public_Use**Overview**

Valid: 2518 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, did you make a plan about how you would attempt suicide?

CATEGORIES

Value	Category	Cases	
1	Yes	363	14.4%
2	No	2155	85.6%
Sysmiss		137	

Q26: Attempted suicide**Data file:** YEH2014_Public_Use

Overview

Valid: 2610 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

During the past 12 months, how many times did you actually attempt suicide?

CATEGORIES

Value	Category	Cases	
1	0 times	2237	85.7%
2	1 time	217	8.3%
3	2 or 3 times	85	3.3%
4	4 or 5 times	35	1.3%
5	6 or more times	36	1.4%
Sysmiss		45	

Q27: Close friends

Data file: YEH2014_Public_Use

Overview

Valid: 2580 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your feelings and friendships.

LITERAL QUESTION

How many close friends do you have?

CATEGORIES

Value	Category	Cases	
1	0	170	6.6%
2	1	357	13.8%
3	2	465	18%
4	3 or more	1588	61.6%
Sysmiss		75	

Q28: Initiation of cigarette use**Data file:** YEH2014_Public_Use**Overview**

Valid: 2280 Invalid: 375

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

How old were you when you first tried a cigarette?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	1891	82.9%
2	7 years old or younger	126	5.5%
3	8 or 9 years old	57	2.5%
4	10 or 11 years old	87	3.8%
5	12 or 13 years old	53	2.3%
6	14 or 15 years old	45	2%
7	16 or 17 years old	17	0.7%
8	18 years old or older	4	0.2%
Sysmiss		375	

Q29: Current cigarette use**Data file:** YEH2014_Public_Use**Overview**

Valid: 2563 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you smoke cigarettes?

CATEGORIES

Value	Category	Cases	
1	0 days	2351	91.7%
2	1 or 2 days	113	4.4%

3	3 to 5 days	34	1.3%
4	6 to 9 days	26	1%
5	10 to 19 days	21	0.8%
6	20 to 29 days	6	0.2%
7	All 30 days	12	0.5%
Sysmiss		92	

Q30: Other tobacco use

Data file: YEH2014_Public_Use

Overview

Valid: 2630 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 30 days, on how many days did you use any tobacco products other than cigarettes, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	0 days	2288	87%
2	1 or 2 days	169	6.4%
3	3 to 5 days	78	3%
4	6 to 9 days	50	1.9%
5	10 to 19 days	26	1%
6	20 to 29 days	8	0.3%
7	All 30 days	11	0.4%
Sysmiss		25	

Q31: Smoking cessation

Data file: YEH2014_Public_Use

Overview

Valid: 2304 Invalid: 351

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 12 months, have you ever tried to stop smoking cigarettes?

CATEGORIES

Value	Category	Cases	
1	I have never smoked cigarettes	2055	89.2%
2	Did not smoke cigarettes	78	3.4%
3	Yes	109	4.7%
4	No	62	2.7%
Sysmiss		351	

Q32: Smoking in their presence

Data file: YEH2014_Public_Use

Overview

Valid: 2612 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

During the past 7 days, on how many days have people smoked in your presence?

CATEGORIES

Value	Category	Cases	
1	0 days	1221	46.7%
2	1 or 2 days	547	20.9%
3	3 or 4 days	277	10.6%
4	5 or 6 days	168	6.4%
5	All 7 days	399	15.3%
Sysmiss		43	

Q33: Parental tobacco use

Data file: YEH2014_Public_Use

Overview

Valid: 2605 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about cigarette and other tobacco use.

LITERAL QUESTION

Which of your parents or guardians use any form of tobacco?

CATEGORIES

Value	Category	Cases	
1	Neither	1622	62.3%
2	My father or male guardian	532	20.4%
3	My mother or female guardian	116	4.5%
4	Both	152	5.8%
5	I do not know	183	7%
Sysmiss		50	

Q34: Initiation of alcohol use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

How old were you when you had your first drink of alcohol other than a few sips?

CATEGORIES

Value	Category
1	Never drank alcohol
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old

7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q35: Current alcohol use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on how many days did you have at least one drink containing alcohol?

CATEGORIES

Value	Category
1	0 days
2	1 or 2 days
3	3 to 5 days
4	6 to 9 days
5	10 to 19 days
6	20 to 29 days
7	All 30 days
Sysmiss	

Q36: Drank 2+ drinks

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of

liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	Less than one drink
3	1 drink
4	2 drinks
5	3 drinks
6	4 drinks
7	5 or more drinks
Sysmiss	

Q37: Source of alcohol

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

CATEGORIES

Value	Category
1	Did not drink in past 30 days
2	I bought in a store
3	I gave someone money to buy
4	I got it from my friends
5	I got it from my family
6	I stole it
7	Some other way
Sysmiss	

Q38: Really drunk**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

LITERAL QUESTION

During your life, how many times did you drink so much alcohol that you were really drunk?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q39: Trouble from drinking**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about drinking alcohol. This includes drinking COUNTRY SPECIFIC EXAMPLES. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

LITERAL QUESTION

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

CATEGORIES

Value	Category
1	0 times

2	1 or 2 times
3	3 to 9 times
4	10 or more times
Sysmiss	

Q40: Initiation of drug use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

How old were you when you first used drugs?

CATEGORIES

Value	Category
1	I have never used drugs
2	7 years old or younger
3	8 or 9 years old
4	10 or 11 years old
5	12 or 13 years old
6	14 or 15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q41: Ever marijuana use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q42: Current marijuana use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 30 days, how many times have you used marijuana (also called COUNTRY SPECIFIC SLANG TERMS FOR MARIJUANA)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q43: Amphetamine or methamphetamine use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 4 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, inhalants, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During your life, how many times have you used amphetamines or methamphetamines (also called COUNTRY SPECIFIC SLANG TERMS FOR AMPHETAMINES AND METHAMPHETAMINES)?

CATEGORIES

Value	Category
1	0 times
2	1 or 2 times
3	3 to 9 times
4	10 to 19 times
5	20 or more times
Sysmiss	

Q44: Ever sexual intercourse

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

Have you ever had sexual intercourse?

CATEGORIES

Value	Category
1	Yes
2	No
Sysmiss	

Q45: Sex before 14 years**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

How old were you when you had sexual intercourse for the first time?

CATEGORIES

Value	Category
1	Never had sex
2	11 years old or younger
3	12 years old
4	13 years old
5	14 years old
6	15 years old
7	16 or 17 years old
8	18 years old or older
Sysmiss	

Q46: Multiple sex partners**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 7 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

During your life, with how many people have you had sexual intercourse?

CATEGORIES

Value	Category
1	Never had sex
2	1 person

3	2 people
4	3 people
5	4 people
6	5 people
7	6 or more people
Sysmiss	

Q47: Condom use

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 3 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use a condom or [COUNTRY SPECIFIC SLANG TERM FOR CONDOM]?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
Sysmiss	

Q48: Birth control used

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 4 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 5 questions ask about sexual intercourse.

LITERAL QUESTION

The last time you had sexual intercourse, did you or your partner use any other method of birth control, such as withdrawal, rhythm (safe time), birth control pills, or any other method to prevent pregnancy?

CATEGORIES

Value	Category
1	Never had sex
2	Yes
3	No
4	I do not know
Sysmiss	

Q49: Physical activity \geq 5 days**Data file:** YEH2014_Public_Use**Overview**

Valid: 2614 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

CATEGORIES

Value	Category	Cases	
1	0 days	1000	38.3%
2	1 day	612	23.4%
3	2 days	302	11.6%
4	3 days	169	6.5%
5	4 days	87	3.3%
6	5 days	75	2.9%
7	6 days	52	2%
8	7 days	317	12.1%
Sysmiss		41	

Q50: Walk or bike to school**Data file:** YEH2014_Public_Use**Overview**

Valid: 2607 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 8 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

CATEGORIES

Value	Category	Cases	
1	0 days	1548	59.4%
2	1 day	269	10.3%
3	2 days	176	6.8%
4	3 days	229	8.8%
5	4 days	36	1.4%
6	5 days	109	4.2%
7	6 days	29	1.1%
8	7 days	211	8.1%
Sysmiss		48	

Q51: PE attendance**Data file:** YEH2014_Public_Use**Overview**

Valid: 2602 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions**QUESTION PRETEXT**

The next 3 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you breathe hard. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, and COUNTRY SPECIFIC EXAMPLES.

LITERAL QUESTION

During this school year, on how many days did you go to physical education (PE) class each week?

CATEGORIES

Value	Category	Cases	
1	0 days	1398	53.7%
2	1 day	340	13.1%
3	2 days	173	6.6%

4	3 days	82	3.2%
5	4 days	83	3.2%
6	5 or more days	526	20.2%
Sysmiss		53	

Q52: Sitting activities

Data file: YEH2014_Public_Use

Overview

Valid: 2602 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 6 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

LITERAL QUESTION

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as COUNTRY SPECIFIC EXAMPLES?

CATEGORIES

Value	Category	Cases	
1	Less than 1 hour per day	1197	46%
2	1 to 2 hours per day	815	31.3%
3	3 to 4 hours per day	359	13.8%
4	5 to 6 hours per day	107	4.1%
5	7 to 8 hours per day	41	1.6%
6	More than 8 hours per day	83	3.2%
Sysmiss		53	

Q53: Miss school no permission

Data file: YEH2014_Public_Use

Overview

Valid: 2569 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, on how many days did you miss classes or school without permission?

CATEGORIES

Value	Category	Cases	
1	0 days	1611	62.7%
2	1 or 2 days	662	25.8%
3	3 to 5 days	194	7.6%
4	6 to 9 days	54	2.1%
5	10 or more days	48	1.9%
Sysmiss		86	

Q54: Other students kind and helpful

Data file: YEH2014_Public_Use

Overview

Valid: 2600 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often were most of the students in your school kind and helpful?

CATEGORIES

Value	Category	Cases	
1	Never	609	23.4%
2	Rarely	698	26.8%
3	Sometimes	435	16.7%
4	Most of the time	295	11.3%
5	Always	563	21.7%
Sysmiss		55	

Q55: Parents check homework

Data file: YEH2014_Public_Use

Overview

Valid: 2591 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

CATEGORIES

Value	Category	Cases	
1	Never	728	28.1%
2	Rarely	510	19.7%
3	Sometimes	384	14.8%
4	Most of the time	265	10.2%
5	Always	704	27.2%
Sysmiss		64	

Q56: Parents understand problems

Data file: YEH2014_Public_Use

Overview

Valid: 2561 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians understand your problems and worries?

CATEGORIES

Value	Category	Cases	
1	Never	1051	41%
2	Rarely	524	20.5%
3	Sometimes	383	15%
4	Most of the time	228	8.9%
5	Always	375	14.6%
Sysmiss		94	

Q57: Parents know about free time

Data file: YEH2014_Public_Use

Overview

Valid: 2616 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

CATEGORIES

Value	Category	Cases	
1	Never	926	35.4%
2	Rarely	583	22.3%
3	Sometimes	392	15%
4	Most of the time	223	8.5%
5	Always	492	18.8%
Sysmiss		39	

Q58: Parents go through their things

Data file: YEH2014_Public_Use

Overview

Valid: 2598 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 5 Format: Numeric

Questions and instructions

QUESTION PRETEXT

The next 6 questions ask about your experiences at school and at home.

LITERAL QUESTION

During the past 30 days, how often did your parents or guardians go through your things without your approval?

CATEGORIES

Value	Category	Cases	
1		1408	54.2%
2		551	21.2%
3		300	11.5%
4		171	6.6%
5		168	6.5%
Sysmiss		57	

QN6: Most of the time or always went hungry**Data file:** YEH2014_Public_Use**Overview**

Valid: 2569 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		286	11.1%
2		2283	88.9%
Sysmiss		86	

QN7: Did not eat fruit**Data file:** YEH2014_Public_Use**Overview**

Valid: 2604 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat fruit (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		310	11.9%
2		2294	88.1%
Sysmiss		51	

QN8: Did not eat vegetables**Data file:** YEH2014_Public_Use**Overview**

Valid: 2557 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat vegetables (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		225	8.8%
2		2332	91.2%
Sysmiss		98	

QN9: Did not drink carbonated soft drinks

Data file: YEH2014_Public_Use

Overview

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		830	31.8%
2		1778	68.2%
Sysmiss		47	

QN10: Did not eat food from a fast food restaurant

Data file: YEH2014_Public_Use

Overview

Valid: 2581 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1608	62.3%
2		973	37.7%
Sysmiss		74	

QN11: Usually cleaned or brushed their teeth

Data file: YEH2014_Public_Use

Overview

Valid: 2594 Invalid: 61

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually cleaned or brushed their teeth (one or more times per day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1703	65.7%
2		891	34.3%
Sysmiss		61	

QN12: Never or rarely washed their hands before eating

Data file: YEH2014_Public_Use

Overview

Valid: 2603 Invalid: 52

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands before eating (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		191	7.3%
2		2412	92.7%
Sysmiss		52	

QN13: Never or rarely washed their hands after using the toilet or latrine**Data file:** YEH2014_Public_Use**Overview**

Valid: 2580 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely washed their hands after using the toilet or latrine (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		263	10.2%
2		2317	89.8%
Sysmiss		75	

QN14: Never or rarely used soap when washing their hands**Data file:** YEH2014_Public_Use**Overview**

Valid: 2590 Invalid: 65

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who never or rarely used soap when washing their hands (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		379	14.6%
2		2211	85.4%
Sysmiss		65	

QN15: Were physically attacked**Data file:** YEH2014_Public_Use**Overview**

Valid: 2617 Invalid: 38

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically attacked (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		976	37.3%
2		1641	62.7%
Sysmiss		38	

QN16: Were in a physical fight

Data file: YEH2014_Public_Use

Overview

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		1119	42.9%
2		1489	57.1%
Sysmiss		47	

QN17: Were seriously injured

Data file: YEH2014_Public_Use

Overview

Valid: 2259 Invalid: 396

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were seriously injured (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		1029	45.6%
2		1230	54.4%
Sysmiss		396	

QN18: Reported that their most serious injury was a broken bone or dislocated joint

Data file: YEH2014_Public_Use

Overview

Valid: 639 Invalid: 2016

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was a broken bone or dislocated joint (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		142	22.2%
2		497	77.8%
Sysmiss		2016	

QN19: Reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle

Data file: YEH2014_Public_Use

Overview

Valid: 618 Invalid: 2037

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their most serious injury was caused by a motor vehicle accident or being hit by a motor vehicle (among students who were seriously injured during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		72	11.7%
2		546	88.3%
Sysmiss		2037	

QN20: Were bullied**Data file:** YEH2014_Public_Use**Overview**

Valid: 2476 Invalid: 179

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		990	40%
2		1486	60%
Sysmiss		179	

QN21: Were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors**Data file:** YEH2014_Public_Use**Overview**

Valid: 481 Invalid: 2174

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors (among students who were bullied during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		133	27.7%
2		348	72.3%
Sysmiss		2174	

QN22: Most of the time or always felt lonely**Data file:** YEH2014_Public_Use**Overview**

Valid: 2582 Invalid: 73

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always felt lonely (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		457	17.7%
2		2125	82.3%
Sysmiss		73	

QN23: Most of the time or always were so worried about something that they could not sleep at night

Data file: YEH2014_Public_Use

Overview

Valid: 2615 Invalid: 40

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who most of the time or always were so worried about something that they could not sleep at night (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		420	16.1%
2		2195	83.9%
Sysmiss		40	

QN24: Seriously considered attempting suicide

Data file: YEH2014_Public_Use

Overview

Valid: 2522 Invalid: 133

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		407	16.1%
2		2115	83.9%
Sysmiss		133	

QN25: Made a plan about how they would attempt suicide

Data file: YEH2014_Public_Use

Overview

Valid: 2518 Invalid: 137

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		363	14.4%
2		2155	85.6%
Sysmiss		137	

QN26: Attempted suicide

Data file: YEH2014_Public_Use

Overview

Valid: 2610 Invalid: 45

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		373	14.3%
2		2237	85.7%
Sysmiss		45	

QN27: Did not have any close friends**Data file:** YEH2014_Public_Use**Overview**

Valid: 2580 Invalid: 75

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not have any close friends

CATEGORIES

Value	Category	Cases	
1		170	6.6%
2		2410	93.4%
Sysmiss		75	

QN28: Tried a cigarette before age 14 years**Data file:** YEH2014_Public_Use**Overview**

Valid: 389 Invalid: 2266

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried a cigarette before age 14 years (for the first time among students who ever smoked cigarettes)

CATEGORIES

Value	Category	Cases	
1		323	83%
2		66	17%
Sysmiss		2266	

QN29: Currently smoked cigarettes**Data file:** YEH2014_Public_Use**Overview**

Valid: 2563 Invalid: 92

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		212	8.3%
2		2351	91.7%
Sysmiss		92	

QN30: Currently used any tobacco products other than cigarettes

Data file: YEH2014_Public_Use

Overview

Valid: 2630 Invalid: 25

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco products other than cigarettes (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		342	13%
2		2288	87%
Sysmiss		25	

QN31: Tried to quit smoking cigarettes

Data file: YEH2014_Public_Use

Overview

Valid: 171 Invalid: 2484

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who tried to quit smoking cigarettes (among students who smoked cigarettes during the 12 months before the survey)

CATEGORIES

Value	Category	Cases	
1		109	63.7%
2		62	36.3%
Sysmiss		2484	

QN32: Reported that people smoked in their presence

Data file: YEH2014_Public_Use

Overview

Valid: 2612 Invalid: 43

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that people smoked in their presence (on one or more days during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1391	53.3%
2		1221	46.7%
Sysmiss		43	

QN33: Had parents or guardians who used any form of tobacco

Data file: YEH2014_Public_Use

Overview

Valid: 2605 Invalid: 50

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had parents or guardians who used any form of tobacco

CATEGORIES

Value	Category	Cases	
1		800	30.7%
2		1805	69.3%
Sysmiss		50	

QN34: Drank alcohol before age 14 years**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who drank alcohol before age 14 years (for the first time among students who ever had a drink of alcohol other than a few sips)

CATEGORIES

Value	Category
Sysmiss	

QN35: Currently drank alcohol**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN36: Usually drank two or more drinks per day**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank two or more drinks per day (on the days they drank alcohol among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN37: Usually obtained the alcohol they drank from friends**Data file: YEH2014_Public_Use****Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually obtained the alcohol they drank from friends (among students who drank alcohol during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN47: Used a condom**Data file: YEH2014_Public_Use****Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a condom (during last sexual intercourse among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN38: Ever drank so much alcohol that they were really drunk**Data file: YEH2014_Public_Use****Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN39: Ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever got into trouble with their family or friends, missed school, or got into fights as a result of drinking alcohol (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN40: Used drugs before age 14 years

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used drugs before age 14 years (for the first time among students who ever used drugs)

CATEGORIES

Value	Category
Sysmiss	

QN41: Ever used marijuana**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used marijuana (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN42: Currently used marijuana**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)

CATEGORIES

Value	Category
Sysmiss	

QN43: Ever used amphetamines or methamphetamines**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever used amphetamines or methamphetamines (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QN44: Ever had sexual intercourse

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse

CATEGORIES

Value	Category
Sysmiss	

QN45: Had sexual intercourse before age 14 years

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse before age 14 years (for the first time among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN46: Had sexual intercourse with two or more persons

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who had sexual intercourse with two or more persons (during their life)

CATEGORIES

Value	Category
Sysmiss	

QN48: Used a method of birth control other than condoms

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control other than condoms (such as withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QN49: Were not physically active

Data file: YEH2014_Public_Use

Overview

Valid: 2614 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were not physically active (for at least 60 minutes per day on any day during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1000	38.3%
2		1614	61.7%
Sysmiss		41	

QN50: Did not walk or ride a bicycle to or from school**Data file:** YEH2014_Public_Use**Overview**

Valid: 2607 Invalid: 48

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not walk or ride a bicycle to or from school (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1548	59.4%
2		1059	40.6%
Sysmiss		48	

QN51: Did not attend physical education classes**Data file:** YEH2014_Public_Use**Overview**

Valid: 2602 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not attend physical education classes (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		1398	53.7%
2		1204	46.3%
Sysmiss		53	

QN52: Spent three or more hours per day doing sitting activities**Data file:** YEH2014_Public_Use**Overview**

Valid: 2602 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who spent three or more hours per day doing sitting activities (sitting and watching television, playing computer games, talking with friends when not in school or doing homework during a typical or usual day)

CATEGORIES

Value	Category	Cases	
1		590	22.7%
2		2012	77.3%
Sysmiss		53	

QN53: Missed classes or school without permission

Data file: YEH2014_Public_Use

Overview

Valid: 2569 Invalid: 86

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who missed classes or school without permission (on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		958	37.3%
2		1611	62.7%
Sysmiss		86	

QN54: Reported that most of the students in their school were most of the time or always kind and helpful

Data file: YEH2014_Public_Use

Overview

Valid: 2600 Invalid: 55

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that most of the students in their school were most of the time or always kind and helpful (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		858	33%
2		1742	67%
Sysmiss		55	

QN55: Reported that their parents or guardians most of the time or always checked to see if their homework was done

Data file: YEH2014_Public_Use

Overview

Valid: 2591 Invalid: 64

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always checked to see if their homework was done (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		969	37.4%
2		1622	62.6%
Sysmiss		64	

QN56: Reported that their parents or guardians most of the time or always understood their problems and worries

Data file: YEH2014_Public_Use

Overview

Valid: 2561 Invalid: 94

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always understood their problems and worries (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		603	23.5%
2		1958	76.5%

Sysmiss		94	
---------	--	----	--

QN57: Reported that their parents or guardians most of the time or always really knew what they were doing with their free time

Data file: YEH2014_Public_Use

Overview

Valid: 2616 Invalid: 39

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians most of the time or always really knew what they were doing with their free time (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		715	27.3%
2		1901	72.7%
Sysmiss		39	

QN58: Reported that their parents or guardians never or rarely went through their things without their approval

Data file: YEH2014_Public_Use

Overview

Valid: 2598 Invalid: 57

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who reported that their parents or guardians never or rarely went through their things without their approval (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1959	75.4%
2		639	24.6%
Sysmiss		57	

SITE: Site Code**Data file: YEH2014_Public_Use****Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 3 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

SCHOOLID: School Identifier**Data file: YEH2014_Public_Use****Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 10 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

CLASSID: Class Identifier**Data file: YEH2014_Public_Use****Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 3 Range: - Format: Numeric

Questions and instructions

CATEGORIES

Value	Category
Sysmiss	

QNUNWTG: Were underweight**Data file: YEH2014_Public_Use**

Overview

Valid: 2231 Invalid: 424

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were underweight (<-2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		295	13.2%
2		1936	86.8%
Sysmiss		424	

QNOWTG: Were overweight

Data file: YEH2014_Public_Use

Overview

Valid: 2231 Invalid: 424

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were overweight (>+1SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		278	12.5%
2		1953	87.5%
Sysmiss		424	

QNOBESEG: Were obese

Data file: YEH2014_Public_Use

Overview

Valid: 2231 Invalid: 424

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were obese (>+2SD from median for BMI by age and sex)

CATEGORIES

Value	Category	Cases	
1		52	2.3%
2		2179	97.7%
Sysmiss		424	

QNFR1G: Usually ate fruit less than one time per day**Data file:** YEH2014_Public_Use**Overview**

Valid: 2604 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		736	28.3%
2		1868	71.7%
Sysmiss		51	

QNFR1G: Usually ate fruit one or more times per day**Data file:** YEH2014_Public_Use**Overview**

Valid: 2604 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1558	59.8%
2		1046	40.2%
Sysmiss		51	

QNFR2G: Usually ate fruit two or more times per day**Data file: YEH2014_Public_Use****Overview**

Valid: 2604 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		737	28.3%
2		1867	71.7%
Sysmiss		51	

QNFR3G: Usually ate fruit three or more times per day**Data file: YEH2014_Public_Use****Overview**

Valid: 2604 Invalid: 51

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate fruit three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		452	17.4%
2		2152	82.6%
Sysmiss		51	

QNVEGLG: Usually ate vegetables less than one time per day**Data file: YEH2014_Public_Use****Overview**

Valid: 2557 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		509	19.9%
2		2048	80.1%
Sysmiss		98	

QNVEG1G: Usually ate vegetables one or more times per day

Data file: YEH2014_Public_Use

Overview

Valid: 2557 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		1823	71.3%
2		734	28.7%
Sysmiss		98	

QNVEG2G: Usually ate vegetables two or more times per day

Data file: YEH2014_Public_Use

Overview

Valid: 2557 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		849	33.2%
2		1708	66.8%
Sysmiss		98	

QNVEG3G: Usually ate vegetables three or more times per day

Data file: YEH2014_Public_Use

Overview

Valid: 2557 Invalid: 98

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually ate vegetables three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		529	20.7%
2		2028	79.3%
Sysmiss		98	

QNSODALG: Usually drank carbonated soft drinks less than one time per day

Data file: YEH2014_Public_Use

Overview

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks less than one time per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		807	30.9%
2		1801	69.1%
Sysmiss		47	

QNSODA1G: Usually drank carbonated soft drinks one or more times per day**Data file: YEH2014_Public_Use****Overview**

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks one or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		971	37.2%
2		1637	62.8%
Sysmiss		47	

QNSODA2G: Usually drank carbonated soft drinks two or more times per day**Data file: YEH2014_Public_Use****Overview**

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks two or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		375	14.4%
2		2233	85.6%
Sysmiss		47	

QNSODA3G: Usually drank carbonated soft drinks three or more times per day**Data file: YEH2014_Public_Use****Overview**

Valid: 2608 Invalid: 47

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who usually drank carbonated soft drinks three or more times per day (during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		259	9.9%
2		2349	90.1%
Sysmiss		47	

QNFF1G: Ate food from a fast food restaurant one or more days

Data file: YEH2014_Public_Use

Overview

Valid: 2581 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant one or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		973	37.7%
2		1608	62.3%
Sysmiss		74	

QNFF2G: Ate food from a fast food restaurant two or more days

Data file: YEH2014_Public_Use

Overview

Valid: 2581 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant two or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
-------	----------	-------	--

1		517	20%
2		2064	80%
Sysmiss		74	

QNFF3G: Ate food from a fast food restaurant three or more days

Data file: YEH2014_Public_Use

Overview

Valid: 2581 Invalid: 74

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ate food from a fast food restaurant three or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		332	12.9%
2		2249	87.1%
Sysmiss		74	

QNC2G: Were bullied and could not sleep at night

Data file: YEH2014_Public_Use

Overview

Valid: 382 Invalid: 2273

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were bullied and could not sleep at night (among students who most of the time or always had been so worried about something that they could not sleep at night during 12 months before the survey, on one or more days during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		193	50.5%
2		189	49.5%
Sysmiss		2273	

QNTOB2G: Currently used any tobacco product**Data file:** YEH2014_Public_Use**Overview**

Valid: 2584 Invalid: 71

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who currently used any tobacco product (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		429	16.6%
2		2155	83.4%
Sysmiss		71	

QNNOTB2G: Did not currently use any tobacco products**Data file:** YEH2014_Public_Use**Overview**

Valid: 2548 Invalid: 107

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who did not currently use any tobacco products (on at least 1 day during the 30 days before the survey)

CATEGORIES

Value	Category	Cases	
1		2155	84.6%
2		393	15.4%
Sysmiss		107	

QNBCANYG: Used a method of birth control**Data file:** YEH2014_Public_Use**Overview**

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who used a method of birth control (such as condoms, withdrawal, rhythm, or birth control pills to prevent pregnancy, during last sexual intercourse, among students who ever had sexual intercourse)

CATEGORIES

Value	Category
Sysmiss	

QNC1G: Ever had sexual intercourse among students who had drank so much alcohol that they were really drunk

Data file: YEH2014_Public_Use

Overview

Valid: 0 Invalid: 2655

Type: Discrete Decimal: 0 Width: 1 Range: - Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who ever had sexual intercourse among students who had drank so much alcohol that they were really drunk (one or more times during their life)

CATEGORIES

Value	Category
Sysmiss	

QNPA5G: Were physically active at least 60 minutes per day on 5 or more days

Data file: YEH2014_Public_Use

Overview

Valid: 2614 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on 5 or more days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		444	17%
2		2170	83%

Sysmiss		41	
---------	--	----	--

QNPA7G: Were physically active at least 60 minutes per day on all 7 days

Data file: YEH2014_Public_Use

Overview

Valid: 2614 Invalid: 41

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who were physically active at least 60 minutes per day on all 7 days (during the 7 days before the survey)

CATEGORIES

Value	Category	Cases	
1		317	12.1%
2		2297	87.9%
Sysmiss		41	

QNPE3G: Attended physical education classes on three or more days

Data file: YEH2014_Public_Use

Overview

Valid: 2602 Invalid: 53

Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on three or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		691	26.6%
2		1911	73.4%
Sysmiss		53	

QNPE5G: Attended physical education classes on five or more days

Data file: YEH2014_Public_Use

Overview

Valid: 2602 Invalid: 53
 Type: Discrete Decimal: 0 Width: 1 Range: 1 - 2 Format: Numeric

Questions and instructions

LITERAL QUESTION

Percentage of students who attended physical education classes on five or more days (each week during this school year)

CATEGORIES

Value	Category	Cases	
1		526	20.2%
2		2076	79.8%
Sysmiss		53	

WEIGHT: Weight

Data file: YEH2014_Public_Use

Overview

Valid: 2655 Invalid: 0 Minimum: 296.757 Maximum: 2308.927 Mean: 685.301 Standard deviation: 275.98
 Type: Continuous Decimal: 0 Width: 10 Range: 296.757 - 2308.9267 Format: Numeric

STRATUM: Stratum

Data file: YEH2014_Public_Use

Overview

Valid: 2655 Invalid: 0 Minimum: 201401001 Maximum: 201401014 Mean: 201401006.774 Standard deviation: 42.312
 Type: Continuous Decimal: 0 Width: 9 Range: 201401001 - 201401014 Format: Numeric

PSU: Primary Sampling Unit

Data file: YEH2014_Public_Use

Overview

Valid: 2655 Invalid: 0 Minimum: 1 Maximum: 29 Mean: 13.112 Standard deviation: 7.841
 Type: Continuous Decimal: 0 Width: 5 Range: 1 - 29 Format: Numeric

study_resources

questionnaires

Questionnaire

title Questionnaire
filename 2014_GSHS_Yemen_Questionnaire.pdf

reports

Fact Sheet

title Fact Sheet
filename 2014YEH_FactSheet.pdf

technical_documents

Codebook

title Codebook
filename 2014YEH_Public_Use_Codebook.pdf
